Digitized by the Internet Archive
in 2026

https://archive.org/details/biochemical-and-biophysical-research-comms_1995_206-217_cumulative-index

ISSN 0006-291X

1995 Index Issue

Cumulative Indexes for Volumes 206–217

BIOCHEMICAL AND BIOPHYSICAL

Research Communications

Editors

JOHN N. ABELSON
ERNESTO CARAFOLI
I. C. GUNSALUS
AKIRA ICHIHARA
JAMES D. JAMIESON
YASUO KAGAWA
M. DANIEL LANE
WILLIAM J. LENNARZ
MASAMI MURAMATSU
STEN ORRENIUS
BENNETT M. SHAPIRO

QH
301
.B358

ACADEMIC PRESS
San Diego New York Boston London Sydney Tokyo Toronto

BIOCHEMICAL AND BIOPHYSICAL
Research Communications

Manuscripts should be sent to one of the following editors:

JOHN N. ABELSON
Division of Biology 147-75
California Institute of Technology
Pasadena, California 91125
Fax (818) 796-7066

ERNESTO CARAFOLI
Laboratorium für Biochemie
ETH-Zentrum
CH-8092 Zurich, Switzerland
Fax 41-1-632-1213

I. C. GUNSALUS
Environmental Research Laboratory
1 Sabine Island Drive
Building #62
Gulf Breeze, Florida 32561-5299
Fax (904) 934-4795

AKIRA ICHIHARA
2-7-55 Minamiyaso
Tokushima 770, Japan
Fax 81-886-32-4104

JAMES D. JAMIESON
Department of Cell Biology
Yale University School of Medicine
333 Cedar Street, P.O. Box 333
New Haven, Connecticut 06510
Fax (203) 785-6936

YASUO KAGAWA
Department of Biochemistry
Jichi Medical School
Minamikawachi-Machi Kawachi-gun
Tochigi-ken 329-04, Japan
Fax 81-28-544-1827

M. DANIEL LANE
Department of Biological Chemistry
The Johns Hopkins University
725 No. Wolfe Street
Baltimore, Maryland 21205
Fax (410) 955-0903

WILLIAM J. LENNARZ
Department of Biochemistry and Cell Biology
State University of New York at Stony Brook
Stony Brook, New York 11794-5215
Fax (516) 632-8575

MASAMI MURAMATSU
Department of Biochemistry
Saitama Medical School
Moroyama, Iruma
Saitama 350-04, Japan
Fax 81-492-94-9751

STEN ORRENIUS
Institute of Environmental Medicine
Karolinska Institute
Box 210
Stockholm, Sweden S-17177
Fax 46-832-9041

BENNETT M. SHAPIRO
Merck Research Laboratories
RY80K, P.O. Box 2000
Rahway, New Jersey 07065-0900
Fax (908) 594-6645

Correspondence regarding production may be sent to:

BIOCHEMICAL AND BIOPHYSICAL
RESEARCH COMMUNICATIONS
Production Department
525 B Street, Suite 1900
San Diego, California 92101-4495
Telephone (619) 699-6506
Fax (619) 699-6305
E-mail bbrc@acad.com

1995 Index Issue

Cumulative Indexes for Volumes 206–217

BIOCHEMICAL AND BIOPHYSICAL

Research Communications

Editors

JOHN N. ABELSON
ERNESTO CARAFOLI
I. C. GUNSALUS
AKIRA ICHIHARA
JAMES D. JAMIESON
YASUO KAGAWA
M. DANIEL LANE
WILLIAM J. LENNARZ
MASAMI MURAMATSU
STEN ORRENIUS
BENNETT M. SHAPIRO

ACADEMIC PRESS
San Diego New York Boston London Sydney Tokyo Toronto

15 362HI 1614
XL
6/96 31249-150

Copyright © 1995 by Academic Press, Inc.

ALL RIGHTS RESERVED

No part of this publication may be reproduced or transmitted in any form, or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without permission in writing from the copyright owner.

The appearance of the code at the bottom of the first page of an article in this journal indicates the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients. This consent is given on the condition, however, that the copier pay the stated per copy fee through the Copyright Clearance Center, Inc. (222 Rosewood Drive, Danvers, Massachusetts 01923), for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Copy fees for pre-1995 articles are as shown on the article title pages; if no fee code appears on the title page, the copy fee is the same as for current articles.

0006-291X/95 $12.00

MADE IN THE UNITED STATES OF AMERICA

This journal is printed on acid-free paper.

BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS
(ISSN 0006-291X)

Published three times per month by Academic Press, Inc., 6277 Sea Harbor Drive, Orlando, FL 32887-4900

1995: Volumes 206–217. Price: $1359.00 U.S.A. and Canada; $1652.00 all other countries
1996: Volumes 218–229. Price: $1562.00 U.S.A. and Canada; $1888.00 all other countries

All prices include postage and handling.

Information concerning personal subscription rates may be obtained by writing to the Publishers. All correspondence and subscription orders should be addressed to the office of the Publishers at 6277 Sea Harbor Drive, Orlando, FL 32887-4900. Send notices of change of address to the office of the Publishers at least 6 to 8 weeks in advance. Please include both old and new addresses. POSTMASTER: Send change of address to *Biochemical and Biophysical Research Communications*, 6277 Sea Harbor Drive, Orlando, FL 32887-4900.

Copyright © 1995 by Academic Press, Inc.

BIOCHEMICAL AND BIOPHYSICAL
Research Communications

1995 Index Issue

Cumulative Indexes for Volumes 206–217

Cumulative Table of Contents for Volumes 206–217 v

Cumulative Author Index for Volumes 206–217 1

Cumulative Subject Index for Volumes 206–217 63

CUMULATIVE TABLE OF CONTENTS
FOR VOLUMES 206–217

Volume 206, Number 1, January 5, 1995

Anti-syntaxin Antibodies Inhibit Calcium-Dependent Catecholamine Secretion from Permeabilized Chromaffin Cells *L. M. Gutierrez, J. L. Quintanar, S. Viniegra, E. Salinas, F. Moya, and J. A. Reig* 1

Effect of Anchor Residue Modifications on the Stability of HLA-A11/Peptide Complexes *R. Gavioli, Q.-J. Zhang, M. Marastoni, R. Guerrini, E. Reali, R. Tomatis, M. G. Masucci, and S. Traniello* 8

Nitric Oxide Activates Metalloprotease Enzymes in Articular Cartilage *George A. C. Murrell, Daniel Jang, and Riley J. Williams* 15

Sequence Comparison and Computer Modeling of Cardiotoxins and Cobrotoxin Isolated from Taiwan Cobra *S.-H. Chiou, C.-C. Hung, H.-C. Huang, S.-T. Chen, K.-T. Wang, and C.-C. Yang* 22

Involvement of the *Sonic Hedgehog* Gene in Chick Feather Formation *Tsutomu Nohno, Yasuhiko Kawakami, Hideyo Ohuchi, Akira Fujiwara, Hidefumi Yoshioka, and Sumihare Noji* 33

Rat Pit-1 Stimulates Transcription *in Vitro* by Influencing Preinitiation Complex Assembly *Z. Dave Sharp* 40

A Small Peptide Derived from the Aminoterminus of c-Raf-1 Inhibits c-Raf-1/Ras Binding *Monika Niehof, Gerald Radziwill, Stefan Klauser, and Karin Moelling* 46

Glucocorticoid Effects on Glucose Transport and Transporter Gene Expression in L6 Muscle Cells *William I. Sivitz and Amy M. Pasley* 51

Phosphorylation of Dystrophin: Effects on Actin Binding *L. Senter, S. Ceoldo, M. Meznaric Petrusa, and G. Salviati* 57

Induction of Membrane Proliferation by Poliovirus Proteins 2C and 2BC *Rafael Aldabe and Luis Carrasco* 64

The Role of Nitric Oxide in the Central Control of Blood Pressure *Camilo Cabrera and David Bohr* 77

Regulation of Cyclins and p34^{CDC2} Expression during Terminal Differentiation of C2C12 Myocytes *Jian Wang and Bernardo Nadal-Ginard* 82

Molecular Cloning of Human cDNA for Cathepsin K: Novel Cysteine Proteinase Predominantly Expressed in Bone *Tetsuya Inaoka, Graeme Bilbe, Osamu Ishibashi, Ken-ichi Tezuka, Masayoshi Kumegawa, and Toshio Kokubo* 89

Binding of the LXCXE Insulin Motif to a Hexapeptide Derived from Retinoblastoma Protein *Razvan T. Radulescu, Maria Rosaria Bellitti, Menotti Ruvo, Giovanni Cassani, and Giorgio Fassina* 97

Interleukin-13 Induces Rapid Tyrosine Phosphorylation and Activation of Raf-1 Kinase in Human Monocytic Progenitor Cell Line U937
Samuel Evans Adunyah, Melvin L. Pegram, and Roland S. Cooper 103

Enhancement of the Expression of the α_2-Adrenoreceptor Protein and mRNA by a Direct Effect of Androgens in White Adipocytes *René Pecquery, Marie-Noëlle Dieudonne, Jean-François Cloix, Marie-Christine Leneveu, Jean-Pierre Dausse, and Yves Giudicelli* 112

The Specific Bisindolylmaleimide PKC-Inhibitor GF 109203X Efficiently Modulates MRP-Associated Multiple Drug Resistance *Volker Gekeler, Rainer Boer, Wolfgang Ise, Karl Heinrich Sanders, Christoph Schächtele, and James Beck* 119

Importance of the C-Terminal Part of Actin in Interactions with Calponin
Armelle Bonet-Kerrache and Dominique Mornet 127

Mechanism for a New Antitumor Vanadium Complex: Hydroxyl Radical-Dependent DNA Cleavage by 1,10-Phenanthroline–Vanadyl Complex in the Presence of Hydrogen Peroxide
Hiromu Sakurai, Hideyuki Tamura, and Kunihiko Okatani 133

Induction of Protein Oxidation in Human Low-Density Lipoprotein by the Photosensitive Organic Hydroperoxide, *N,N′*-bis(2-Hydroxyperoxy-2-methoxyethyl)-1,4,5,8-naphthalene-tetra-carboxylic-diimide *Seiichi Matsugo, Liang-Jun Yan, Derick Han, and Lester Packer* 138

Induction of Ca^{2+} Signaling and Possible Exocytosis in Endothelial Cells by a Stable Leukocyte-Derived Factor *James J. Liu, Joan R. Chen, Christopher J. Bradley, Colin I. Johnston, and Brian F. Buxton* 146

Comparison of Gene Expression in Normal and Growth Hormone Receptor-Deficient Dwarf Chickens Reveals a Novel Growth Hormone-Regulated Gene
S. K. Agarwal, L. A. Cogburn, and J. Burnside 153

Metal-Induced Conformational Heterogeneity of Transferrins: A Spectroscopic Study of Indium(III) and Other Metal(III)-Substituted Transferrins
Gianantonio Battistuzzi, Luigi Calzolai, Luigi Messori, and Marco Sola 161

Mapping the Residues of Protein Kinase CK2 Implicated in Substrate Recognition: Mutagenesis of Conserved Basic Residues in the α-Subunit
Stefania Sarno, Brigitte Boldyreff, Oriano Marin, Barbara Guerra, Flavio Meggio, Olaf-G. Issinger, and Lorenzo A. Pinna 171

Sodium-Mediated Cell Swelling Is Associated with Irreversible Damage in Isolated Hepatocytes Exposed to Hypoxia or Mitochondrial Toxins
Rita Carini, Riccardo Autelli, Giorgio Bellomo, Mario U. Dianzani, and Emanuele Albano 180

Mutation in the Lumenal Part of the Membrane Domain of HMG-CoA Reductase Alters Its Regulated Degradation *Michal Shani Sekler and Robert D. Simoni* 186

Transcriptional Regulation of Phospholipase C-γ1 Gene during Muscle Differentiation
Seung-Jae Lee, Young Han Lee, Yong Sik Kim, Sung Ho Ryu, and Pann-Ghill Suh 194

Transglutaminase-Catalyzed Polymerization of Troponin *in Vitro*
Carlo M. Bergamini, Marco Signorini, Roberta Barbato, Roberta Menabò, Fabio Di Lisa, Luisa Gorza, and Simone Beninati 201

Mutation of Potential Phosphorylation Sites in the Recombinant R Domain of the Cystic Fibrosis Transmembrane Conductance Regulator Has Significant Effects on Domain Conformation *Ann M. Dulhanty, Xiu-Bao Chang, and John R. Riordan* 207

The Nuclear Factor NF-IL6 Activates Human Placental Lactogen Gene Expression *A. Stephanou and S. Handwerger* 215

Effects of Retinoic Acid (Vitamin A) on Tumor Necrosis Factor Cytolytic Action *Thomas K. Hughes and Eva Fulep* 223

An Engineered Disulfide Bridge in the Transmembrane Region of Phage M13 Coat Protein Stabilizes the α-Helical Dimer *Amir R. Khan and Charles M. Deber* 230

Electroporation Enhances Cell Membrane Peroxidation and Luminescence *Mauro Maccarrone, Nicola Rosato, and Alessandro Finazzi Agrò* 238

Highly Conserved Aspartate 68, Tryptophan 73, and Glycine 109 in the N-Terminal Extracellular Domain of the Human VIP Receptor Are Essential for Its Ability to Bind VIP *Alain Couvineau, Pascale Gaudin, Jean-José Maoret, Christiane Rouyer-Fessard, Pascal Nicole, and Marc Laburthe* 246

The Minimal Active Domain of the Mouse Ras Exchange Factor CDC25^{Mm} *P. Coccetti, I. Mauri, L. Alberghina, E. Martegani, and A. Parmeggiani* 253

Cochaperonins Are Histone-Binding Proteins *M. Antonietta Bonardi, Elena Giovanetti, Giuseppe Legname, Gianluca Fossati, Giuliana Porro, Gianni Gromo, Daniela Modena, and Fabrizio Marcucci* 260

Lipoprotein Lipase: Role of Intramolecular Disulfide Bonds in Enzyme Catalysis *Jing-Yi Lo, Louis C. Smith, and Lawrence Chan* 266

The PI3-Kinase Serine Kinase Phosphorylates Its p85 Subunit and IRS-1 in PI3-Kinase/IRS-1 Complexes *Gregory G. Freund, James G. Wittig, and Robert A. Mooney* 272

Identification of Novel Promoter and Repressor Elements in the 5'-Flanking Regions of the Rat Insulin-like Growth Factor-I Gene *S. Huang, P. M. Thulé, and L. S. Phillips* 279

Increased Tyrosine-Phosphorylation of 55-kDa Proteins in β-Actin/*Tec* Transgenic Mice *Hiroaki Honda, Hiroyuki Mano, Motoya Katsuki, Yoshio Yazaki, and Hisamaru Hirai* 287

Identification of Multiple Transcribed Sequences from the Spinal Muscular Atrophy Region on Human Chromosome 5 *Antonio Pizzuti, Alessia Colosimo, Antonia Ratti, Francesca Capon, Massimo Gennarelli, Vincenzo Silani, Cristina Ghezzi, Stefania Lo Cicero, Giuseppe Calabrese, Giandomenico Palka, Guglielmo Scarlato, Giuseppe Novelli, and Bruno Dallapiccola* 294

Point Mutation in the Second Phosphatase Domain of CD45 Abrogates Tyrosine Phosphatase Activity *David H. W. Ng, Arpita Maiti, and Pauline Johnson* 302

Genomic Organization and Chromosomal Location of the Mouse Type I BMP-2/4 Receptor *Yuji Mishina, Atsushi Suzuki, Debra J. Gilbert, Neal G. Copeland, Nancy A. Jenkins, Naoto Ueno, and Richard R. Behringer* 310

Genomic Cloning of the Human Histo-Blood Group ABO Locus *Eric Paul Bennett, Rudi Steffensen, Henrik Clausen, Daniël Olde Weghuis, and Ad Geurts van Kessel* 318

A Novel Approach to Protein–Protein Interaction: Complex Formation between the P53 Tumor Suppressor and the HIV Tat Proteins *Fatima Longo, Maria A. Marchetti, Luisa Castagnoli, Piero A. Battaglia, and Franca Gigliani* 326

Peroxisomal Activation of Long- and Very Long-Chain Fatty Acids in the Yeast *Pichia pastoris* *Jennifer E. Kalish, Carol I. Chen, Stephen J. Gould, and Paul A. Watkins* 335

A Human Orphan Calcitonin Receptor-like Structure *Beat Flühmann, Roman Muff, Willy Hunziker, Jan A. Fischer, and Walter Born* 341

A Soluble Cellular Factor Directly Stimulates Ca^{2+} Entry in Neutrophils
E. V. Davies and M. B. Hallett 348

The Kinetics of the Acid-Induced Conformational Change of Influenza Virus Hemagglutinin Can Be Followed Using 1,1′-bis(4-Anilino-5-naphthalenesulfonic Acid)
Richard C. Bethell, Norman M. Gray, and Charles R. Penn 355

Use of Site-Directed Mutagenesis to Identify the Galactosyltransferase Binding Sites for UDP-Galactose *Hongya Zu, Michiko N. Fukuda, Shan S. Wong, Yong Wang, Zhongdong Liu, Quansheng Tang, and Hubert E. Appert* 362

Empigen BB: A Useful Detergent for Solubilization and Biochemical Analysis of Keratins
Lori A. Lowthert, Nam-On Ku, Jian Liao, Pierre A. Coulombe, and M. Bishr Omary 370

The Protective Effect of Tetrahydrobiopterin on the Nitric Oxide-Mediated Inhibition of Purified Nitric Oxide Synthase *Jinjoo Hyun, Yumiko Komori, Gautam Chaudhuri, Louis J. Ignarro, and Jon M. Fukuto* 380

The Antifreeze Protein Genes of the Winter Flounder, *Pleuronectus americanus*, Are Differentially Regulated in Liver and Nonliver Tissues
Zhiyuan Gong, Madonna J. King, Garth L. Fletcher, and Choy L. Hew 387

Synthesis of Nontranslating or Translating Specialized Ribosomes Causes Feedback Regulation of Ribosomal RNA Synthesis in *Escherichia coli*
Robert J. Leipold, Robin W. Morgan, and Prasad Dhurjati 393

Lithium in the Mating Response and Cell Cycle of *Saccharomyces cerevisiae*
Blake E. Smith, Danton H. O'Day, and Gerald A. Proteau 401

Differential Modulation by Protein Kinase C of Progesterone-Activated Responses in Human Sperm *Carlo Foresta, Marco Rossato, and Francesco Di Virgilio* 408

Mucosal T Cells Induce Systemic Anergy for Oral Tolerance
Ichiro Takahashi, Ichiro Nakagawa, Hiroshi Kiyono, Jerry R. McGhee, John D. Clements, and Shigeyuki Hamada 414

Sites and Mechanisms of Low-Level Oxidative Stress in Cultured Cells
Dan Gelvan, Veronica Moreno, David A. Clopton, Qin Chen, and Paul Saltman 421

A Protein Kinase C Isozyme, nPKCε, Is Involved in the Activation of NF-κB by 12-*O*-Tetradecanoylphorbol-13-Acetate (TPA) in Rat 3Y1 Fibroblasts
Masami Hirano, Syu-ichi Hirai, Keiko Mizuno, Shin-ichi Osada, Masahiko Hosaka, and Shigeo Ohno 429

ERRATA

Volume 203, Number 1, August 30, 1994: John E. Snawder, Amy L. Roe, R. Wayne Benson, and Dean W. Roberts, "Loss of CYP2E1 and CYP1A2 Activity as a Function of Acetaminophen Dose: Relation to Toxicity," pp. 532–539 437

Volume 204, Number 2, October 28, 1994: Ulrike I. Sires, Gillian Murphy, Vijaykumar M. Baragi, Catherine J. Fliszar, Howard G. Welgus, and Robert M. Senior, "Matrilysin Is Much More Efficient Than Other Matrix Metalloproteinases in the Proteolytic Inactivation of α_1-Antitrypsin," pp. 613–620 438

Volume 206, Number 2, January 17, 1995

Doc2: A Novel Brain Protein Having Two Repeated C_2-like Domains
Satoshi Orita, Takuya Sasaki, Akira Naito, Ryutaro Komuro, Toshihisa Ohtsuka, Miki Maeda, Harukazu Suzuki, Hisanaga Igarashi, and Yoshimi Takai 439

Tyr^{13} Is Essential for the Activity of ω-Conotoxin MVIIA and GVIA, Specific N-Type Calcium Channel Blockers *Jae Il Kim, Masami Takahashi, Atsuko Ohtake, Akiko Wakamiya, and Kazuki Sato* 449

PGF$_2$-Isoprostanes Formed during Copper-Induced Oxidation of Low-Density Lipoproteins Are the Prostaglandins That Cross-React with PGE$_2$ Antibodies *J. M. Proudfoot, L. J. Beilin, and K. D. Croft* 455

Nuclear Factor-κB Mediates Induction of Vascular Cell Adhesion Molecule-1 in Glomerular Mesangial Cells *Levon M. Khachigian, Tucker Collins, and Jochen W. U. Fries* 462

Synthetic Peptides Derived from Midkine Enhance Plasminogen Activator Activity in Bovine Aortic Endothelial Cells *Soichi Kojima, Tatsuya Inui, Terutoshi Kimura, Shumpei Sakakibara, Hisako Muramatsu, Hiroshi Amanuma, Hiroshi Maruta, and Takashi Muramatsu* 468

Detection of Hydrogen Peroxide and Hydroxyl Radicals in Murine Skin Fibroblasts under UVB Irradiation *Hitoshi Masaki, Takamasa Atsumi, and Hiromu Sakurai* 474

A Specific Tetrahydrobiopterin Binding Domain on Tyrosinase Controls Melanogenesis *John M. Wood, Karin U. Schallreuter-Wood, Nigel J. Lindsey, Sarah Callaghan, and Michael L. G. Gardner* 480

Induction of Resistance to 1-β-D-Arabinofuranosylcytosine in Human H9 Cell Line by Simian Immunodeficiency Virus *Keisuke Yusa, Tomoko Oh-hara, and Takashi Tsuruo* 486

Possible Involvement of Protein Kinase C and Low Molecular Weight GTP-Binding Proteins in Thrombin-Induced Histamine Secretion in Human Platelets *Takashi Uehara, Yoshinori Kitayama, Yoshihisa Kitamura, and Yasuyuki Nomura* 492

Hydrophobic Accessible Surface Areas Are Proportional to Binding Energies of Serine Protease-Protein Inhibitor Complexes *Kunihiko Goto* 497

pp60$^{c\text{-}src}$ Expression in Rat Spermatogenesis *Hajime Nishio, Masaaki Tokuda, Toshifumi Itano, Hideki Matsui, Yoshiki Takeuchi, and Osamu Hatase* 502

Functional Expression of Three Isoforms of Human Nitric Oxide Synthase in Baculovirus-Infected Insect Cells *Masaki Nakane, Jennifer S. Pollock, Vered Klinghofer, Fatima Basha, Philip A. Marsden, Atsushi Hokari, Tsutomu Ogura, Hiroyasu Esumi, and George W. Carter* 511

Enhanced E-Cadherin Expression in Epidermal Growth Factor Receptor Expressing Cells *S. M. Sorscher, M. R. Green, and J. R. Feramisco* 518

In Vivo Transfection of Genes for Renin and Angiotensinogen into the Glomerular Cells Induced Phenotypic Change of the Mesangial Cells and Glomerular Sclerosis *Makoto Arai, Akira Wada, Yoshitaka Isaka, Yoshitaka Akagi, Toshihiro Sugiura, Mutsuo Miyazaki, Toshiki Moriyama, Yasufumi Kaneda, Kiyoko Naruse, Mitsuhide Naruse, Yoshimasa Orita, Akio Ando, Takenobu Kamada, Naohiko Ueda, and Enyu Imai* 525

Curcumin, an Anti-tumor Promoter and Anti-inflammatory Agent, Inhibits Induction of Nitric Oxide Synthase in Activated Macrophages *Isabelle Brouet and Hiroshi Ohshima* 533

Proteolytic Release of Human Angiotensin-Converting Enzyme Expressed in Chinese Hamster Ovary Cells Is Enhanced by Phorbol Ester *Mario R. W. Ehlers, Renate R. Scholle, and James F. Riordan* 541

Possible Correlation between DNA Damage Induced by Hydrogen Peroxide and Translocation of Heat Shock 70 Protein into the Nucleus *Tetsuya Abe, Tetsumi Konishi, Takeshi Hirano, Hiroshi Kasai, Kenji Shimizu, Masamichi Kashimura, and Ken Higashi* 548

Dramatic Species Differences in the Susceptibility of Monoamine Oxidase B to a Group of Powerful Inhibitors *Matthew J. Krueger, Fathi Mazouz, Rona R. Ramsay, René Milcent, and Thomas P. Singer* 556

Alternative Form of the Dicluster Ferredoxin from the Thermoacidophilic Archaeon, *Sulfolobus* Sp. Strain 7 *Toshio Iwasaki, Tomomi Fujii, Takayoshi Wakagi, and Tairo Oshima* 563

Jararhagin and Jaracetin: Novel Snake Venom Inhibitors of the Integrin Collagen Receptor, $\alpha_2\beta_1$ *Mariagrazia De Luca, Christopher M. Ward, Keizo Ohmori, Robert K. Andrews, and Michael C. Berndt* 570

A Bifunctional Monocyclic β-Lactam Cross-Links across the Active Site of β-Lactamase *Ritu Ahluwalia, Richard A. Day, and Jeffrey Nauss* 577

Cloning and Sequencing of the cDNA for the Light Subunit of Human Liver γ-Glutamylcysteine Synthetase and Relative mRNA Levels for Heavy and Light Subunits in Human Normal Tissues *Jerry J. Gipp, Howard H. Bailey, and R. Timothy Mulcahy* 584

A Fibroblast Elongation Factor Purified from Colon Carcinoma Cells Shares Sequence Identity with TIMP-1 *M. V. Agrez, C. J. Meldrum, A. T. R. Sim, R. H. Aebersold, I. M. Clark, T. E. Cawston, and G. F. Burns* 590

Rabbit P450 2E1 Expressed in CHO-K1 Cells Has a Short Half-Life *Suzanne Barmada, Eric Kienle, and Dennis R. Koop* 601

Cloning of a New Member of the TGF-β Family: A Putative New Activin β_C Chain *Gertrud Hötten, Helge Neidhardt, Carsten Schneider, and Jens Pohl* 608

Protein Kinase Cδ Accepts GTP for Autophosphorylation *Michael Gschwendt, Walter Kittstein, Kirsten Kielbassa, and Friedrich Marks* 614

Enhancement of Monocyte Adhesion to Endothelial Cells by Oxidatively Modified Low-Density Lipoprotein Is Mediated by Activation of CD11b *Christian Weber, Wolfgang Erl, and Peter C. Weber* 621

New Insights on the Specificity of Penicillin Acylase *Ana Roa, María P. Castillón, Martin L. Goble, Richard Virden, and José L. García* 629

Specific Labeling of Isoprenylated Proteins: Application to Study Inhibitors of the Post-translational Farnesylation and Geranylgeranylation *Romano Danesi, Catherine A. McLellan, and Charles E. Myers* 637

Isolation of Chicken hsp90β Gene Promoter *Xia Meng, Etienne-Emile Baulieu, and Maria-Grazia Catelli* 644

Mechanism of Inhibition of Protein Phosphatase 1 by DARPP-32: Studies with Recombinant DARPP-32 and Synthetic Peptides *F. Desdouits, J. J. Cheetham, H.-B. Huang, Y.-G. Kwon, E. F. da Cruz e Silva, P. Denefle, M. E. Ehrlich, A. C. Nairn, P. Greengard, and J.-A. Girault* 652

Cytosolic Calcium Is Essential in the Basal Expression of Tyrosine Hydroxylase Gene *Hee Don Chae and Kyong Tai Kim* 659

Arginase Induction by Suppressors of Nitric Oxide Synthesis (IL-4, IL-10, and PGE_2) in Murine Bone-Marrow-Derived Macrophages *Inés María Corraliza, Germán Soler, Klaus Eichmann, and Manuel Modolell* 667

Inhibition of Cardiac Sarcolemmal Sodium–Calcium Exchanger by Glycerophosphoinositol 4-Phosphate and Glycerophosphoinositol 4-5-Bisphosphate *S. Luciani, M. Antolini, S. Bova, G. Cargnelli, F. Cusinato, P. Debetto, L. Trevisi, and R. Varotto* 674

Molecular Cloning of the Human Placental Folate Transporter *Puttur D. Prasad, Sammanda Ramamoorthy, Frederick H. Leibach, and Vadivel Ganapathy* 681

The Isomerization Catalyzed by *Brevibacterium sterolicum* Cholesterol Oxidase Proceeds Stereospecifically with One Base *Ignatius J. Kass and Nicole S. Sampson* 688

Characterization of Recombinant Human Interleukin 4 Receptor from CHO Cells: Role of N-Linked Oligosaccharides *Nithya Rajan, Anthony Tsarbopoulos, Ramasamy Kumarasamy, Rosemary O'Donnell, S. Shane Taremi, Samuel W. Baldwin, Gail F. Seelig, Xuedong Fan, Birendra Pramanik, and Hung V. Le* 694

Cyclic AMP Is an Essential Factor in Immune Responses *Woo S. Koh, Kyu-H. Yang, and Norbert E. Kaminski* 703

Localization of a Critical Diphtheria Toxin-Binding Domain to the C-Terminus of the Mature Heparin-Binding EGF-like Growth Factor Region of the Diphtheria Toxin Receptor *Kyle P. Hooper and Leon Eidels* 710

Stabilization of Secondary Structure of Alzheimer β-Protein by Aluminum(III) Ions and D-Asp Substitutions *Sandip B. Vyas and Lawrence K. Duffy* 718

Glutathione Reductase and Lipoamide Dehydrogenase Have Opposite Stereospecificities for α-Lipoic Acid Enantiomers *Uri Pick, Nobuya Haramaki, Anastasia Constantinescu, Garry J. Handelman, Hans J. Tritschler, and Lester Packer* 724

Mass Spectrometric Determination of the Radical Scission Site in the Anaerobic Ribonucleotide Reductase of *Escherichia coli* *David S. King and Peter Reichard* 731

The Identification of the Pterin-Binding Domain in the Nitric Oxide Synthase's Sequence *Valentin Yu. Uvarov and Alla A. Lyashenko* 736

The pH-Dependence of the Equilibrium between the Fast- and Slow-Folding Forms of Bovine Prothrombin Fragment. 1: A Role for pH-Induced Self-Association? *Om P. Malhotra, Hway-Ying C. Chang, and Karl A. Koehler* 742

Reversible Conjugation of Isothiocyanates with Glutathione Catalyzed by Human Glutathione Transferases *Yuesheng Zhang, Rüdiger H. Kolm, Bengt Mannervik, and Paul Talalay* 748

Nature and Transcriptional Role of Catalytic Subunits of Yeast Mitochondrial cAMP-Dependent Protein Kinase *Mahboob U. Rahman and Alan P. Hudson* 756

Identification of a Brain- and Reproductive-Organs-Specific Gene Responsive to DNA Damage and Retinoic Acid *Li Li, Heahyun Yoo, Frederick F. Becker, Francis Ali-Osman, and John Y. H. Chan* 764

Oscillation of Inositol Polyphosphates in the Embryonic Cleavage Cycle of the *Xenopus laevis* *Jin-Kwan Han* 775

Can an X-Ray Dose Threshold Be Measured for the Induction of SOS Repair Activity in *Escherichia coli*? *David Ewing* 781

Magnesium Ions but Not ATP Inhibit Cyclic ADP-Ribose-Induced Calcium Release *Richard M. Graeff, Rian J. Podein, Robert Aarhus, and Hon Cheung Lee* 786

Cell-Binding and Growth-Stimulating Activities of the C-Terminal Part of Human MGSA/groα *Philippe Roby and Michel Page* 792

Cytosolic Localization of β_3-Subunit of Heterotrimeric GTP Binding Protein in Rat Hearts *Shin-nosuke Muramoto, Takeshi Murakami, Kazushi Urasawa, Hideaki Kawaguchi, and Akira Kitabatake* 799

ERRATUM

Volume 205, Number 1, November 30, 1994: Kayoko Tateishi, Fumiko Arakawa, Yoshio Misumi, Anthony M. Treston, Michele Vos, and Yuji Matsuoka, "Isolation and Functional Expression of Human Pancreatic Peptidylglycine α-Amidating Monooxygenase," pp. 282-290 805

Volume 206, Number 3, January 26, 1995

Neuronal Specificity of Subtype SQSC1 of Squid Putative Sodium Channel *Chikara Sato, Kiyonori Hirota, and Gen Matsumoto* 807

Neurohumoral Factors during Transition from Left Ventricular Hypertrophy to Failure in Dahl Salt-Sensitive Rats *Moriaki Inoko, Yasuki Kihara, and Shigetake Sasayama* 814

c-jun Inhibited the Alternative Splicing of Neuron-Specific Amyloid Precursor Protein, but Stimulated the Non-neuron Type One in P19 EC Cells *Ayako Odaka, Toshifumi Tsukahara, Mariko Momoi, and Takashi Momoi* 821

Low-Frequency EPR Study of Chromium(V) Formation from Chromium(VI) in Living Plants *Ke Jian Liu, Jinjie Jiang, Xianglin Shi, Halina Gabrys, Tadeusz Walczak, and Harold M. Swartz* 829

Lipid Accumulation and Foam Cell Formation in Chinese Hamster Ovary Cells Overexpressing Very Low Density Lipoprotein Receptor *Jinya Suzuki, Sadao Takahashi, Koji Oida, Akihiko Shimada, Mitsuyuki Kohno, Toshitaka Tamai, Susumu Miyabo, Tokuo Yamamoto, and Tsuguhiko Nakai* 835

GTPγS-Induced Pepsinogen Secretion from Gastric Chief Cells Does Not Require Carboxyl Methylation or Translocation of Low-Molecular-Weight (LMW) GTP-Binding Proteins *Robert D. Raffaniello and Jean-Pierre Raufman* 843

Biochemical and Genetic Characterization of a Replication Protein A-Dependent DNA Helicase from the Yeast, *Saccharomyces cerevisiae* *Esther E. Biswas, Pei-Hua Chen, John Leszyk, and Subhasis B. Biswas* 850

Tunicamycin Inhibits the Expression of Functional Thrombin Receptors on Human T-Lymphoblastoid Cells *Attila Tordai, Lawrence F. Brass, and Erwin W. Gelfand* 857

Susceptibility of Human T-Lymphotropic Virus Type I-Infected Cell Line MT-2 to Hepatitis C Virus Infection *Nobuyuki Kato, Takahide Nakazawa, Tetsuya Mizutani, and Kunitada Shimotohno* 863

Selectivity in Inositol Phosphate Production Following Pancreatic Acinar Cell Desensitization *Jean-Sébastien Lods, Bernard Nolet, and Jean Morisset* 870

Identification of a Specific Transport System for L-Arginine in Human Platelets *Valeria Vasta, Elisabetta Meacci, Marta Farnararo, and Paola Bruni* 878

A Novel Promoting Action of Fullerene C60 on the Chondrogenesis in Rat Embryonic Limb Bud Cell Culture System *Toshie Tsuchiya, Yoko Nakajima Yamakoshi, and Naoki Miyata* 885

Regulation of Sex-Hormone-Binding Globulin Production by Endogenous Estrogens *in Vitro* *Mikko Loukovaara, Marion Carson, and Herman Adlercreutz* 895

Characterization of Recombinant Human Aldolase B and Purification by Metal Chelate Chromatography *Sharon A. Doyle and Dean R. Tolan* 902

Radioimmunoassay of the *APC* Gene Product Using Antibodies against Its Middle and Carboxyl Regions *Bruce M. Boman, Sandor Lovas, Christine Abraham, Thomas E. Adrian, Richard F. Murphy, Rey Marbello, and Gautam Bhattacharya* 909

Identification of Novel Cellular Genes Transcriptionally Suppressed by v-*src* *Benjamin J. Frankfort and Irwin H. Gelman* 916

Down-Regulation of Interleukin-8 Gene Expression in HL60 Cell Line by Human Kunitz-Type Trypsin Inhibitor *Kayoko Maehara, Naohiro Kanayama, Abdul Halim, Emad El Maradny, Toshiaki Oda, Michiya Fujita, and Toshihiko Terao* 927

Characterization of the Proximal Promoter Region of the Rat Somatostatin Receptor Gene, SSTR4 *Yun Xu, John F. Bruno, and Michael Berelowitz* 935

Transformation of Microorganisms with the Plasmid Vector with the Replicon from pAC1 from *Acetobacter pasteurianus* *Jozef Grones and Ján Turňa* 942

p53 Controls Proliferation of Early B Lineage Cells by a p21 (WAF1/Cip1)-Independent Pathway *Lina Hu, Shinichi Aizawa, and Takeshi Tokuhisa* 948

Full Active Baculovirus-Expressed Human Monocyte Chemoattractant Protein 1 with the Intact N-Terminus *Koji Ishii, Shinsuke Yamagami, Hiroko Tanaka, Masamichi Motoki, Yorimasa Suwa, and Noriaki Endo* 955

EGF Stimulates Polyamine Uptake in Caco-2 Cells *V. Milovic, C. Deubner, S. Zeuzem, A. Piiper, W. F. Caspary, and J. Stein* 962

Fibronectin Activates Murine Peritoneal Macrophages for Tumor Cell Destruction in the Presence of IFN-γ *Chang-Duk Jun, Hyun-Ju Yoon, Hyung-Min Kim, and Hun-Taeg Chung* 969

Musk Xylene Induces and Inhibits Mouse Hepatic Cytochrome P450 2B Enzymes *Lois D. Lehman-McKeeman, Douglas Caudill, Judith A. Young, and Theodore A. Dierckman* 975

Synthesis and Conformational Investigation of Tandem Repeat Sequence in RNA Polymerase II *Norio Nishi, Isao Ohiso, Nobuo Sakairi, Seiichi Tokura, Masahiko Tsunemi, and Masahito Oka* 981

Flow Stimulates ICAM-1 Expression Time and Shear Stress Dependently in Cultured Human Endothelial Cells *Hiroko Tsuboi, Joji Ando, Risa Korenaga, Yoshio Takada, and Akira Kamiya* 988

Different Effects of Base Analog Substitutions in *Bam*HI Restriction Site on Recognition by *Bam*HI Endonuclease and *Bam*HI Methylase *Yong Koo Kang, Hwanghee Blaise Lee, Moon Jong Noh, Nam-Young Cho, and Ook Joon Yoo* 997

Possible Involvement of Retinoid-like Cofactor in Serum in Hemin/Protoporphyrin-IX-Induced Differentiation of Human Leukemia K562 Cells *Osamu Nakajima, Hiroyuki Kagechika, Koichi Shudo, Yuichi Hashimoto, and Shigeo Iwasaki* 1003

Author Index for Volume 206 1011

Volume 207, Number 1, February 6, 1995

Activin Induces the Expression of the *Xenopus* Homologue of *Sonic hedgehog* during Mesoderm Formation in *Xenopus* Explants *Chika Yokota, Takeshi Mukasa, Makiko Higashi, Ayako Odaka, Kenkoh Muroya, Hideho Uchiyama, Yuzuru Eto, Makoto Asashima, and Takashi Momoi* 1

Cationic Multilamellar Liposome-Mediated Gene Transfer into Primary Myoblasts *Hisanori Kojima, Nobuko Ohishi, Masaharu Takamori, and Kunio Yagi* 8

β-Adrenergic Receptor Function in Cultured AT-1 Cardiomyocytes *V. Drvota, H. Wei, J. Häggblad, B. Carlsson, and C. Sylvén* 13

Improvement of Thermal Stability of Subtilisin J by Changing the Primary Autolysis Site *Kwang Hee Bae, Jeong Su Jang, Kyung Soo Park, Si Hyoung Lee, and Si Myung Byun* 20

Interleukin-1, Tumor Necrosis Factor, and Lipopolysaccharide Additively Stimulate Production of Adrenomedullin in Vascular Smooth Muscle Cells *Shin Sugo, Naoto Minamino, Hiroki Shoji, Kenji Kangawa, Kazuo Kitamura, Tanenao Eto, and Hisayuki Matsuo* 25

Glucagon-like Peptide-1 Modulates Ca^{2+} Current but Not K^{+}_{ATP} Current in Intact Mouse Pancreatic B-Cells *Stefan Britsch, Peter Krippeit-Drews, Florian Lang, Michael Gregor, and Gisela Drews* 33

Cleavage of DNA to Large Kilobase Pair Fragments Occurs in Some Forms of Necrosis as Well as Apoptosis *Gareth R. Bicknell and Gerald M. Cohen* 40

Channeling Behavior and Activity Models for *Escherichia coli* K-12 Acetohydroxy Acid Synthases at Physiological Substrate Levels *Patricia A. Herring, Bette L. McKnight, and Julius H. Jackson* 48

Terminal Oxidases of the *bb*- and caa_3-Types in *Bacillus* sp. FTU *M. S. Muntyan, V. S. Ustiyan, M. B. Viryasov, and V. P. Skulachev* 55

Genomic Organization and Expression of Mouse Deoxyribonuclease I *Manuel C. Peitsch, Martin Irmler, Lars E. French, and Jürg Tschopp* 62

Induction of Erythroid Differentiation in Leukemic K562 Cells by an *S*-Adenosylhomocysteine Hydrolase Inhibitor, Aristeromycin *Y. Mizutani, S. Masuoka, M. Imoto, M. Kawada, and K. Umezawa* 69

Augmented Expression of Atrial Myosin Light Chain 1 in Ventricular Aneurysms of Human: Enzyme Immunoassay for Atrial Myosin Light Chain 1 *Kazuteru Fujimoto, Hirofumi Yasue, Seiichi Hashida, Koichi Nakao, Eiji Ishikawa, and Eishichi Miyamoto* 75

Enhanced Expression of Inducible Nitric Oxide Synthase in Murine Macrophages and Glomerular Mesangial Cells by Elevated Glucose Levels: Possible Mediation via Protein Kinase C *Kumar Sharma, Theodore M. Danoff, Andrew DePiero, and Faud N. Ziyadeh* 80

Retroviral Suicide Vector Does Not Inhibit Neointimal Growth in a Porcine Coronary Model of Restenosis *R. Wayne Barbee, Dwight D. Stapleton, Diane E. Madras, Richard N. Ré, Joseph P. Murgo, William D. Davenport, Jason Giardina, and Julia L. Cook* 89

Synthesis, Conformation, and Opioid Activity of Deltorphins *Hong Ji, Ruoheng Zhang, Xiaoyu Hu, Luhua Lai, and Xiaojie Xu* 99

Oleic Acid Blocks EGF-Induced $[Ca^{2+}]_i$ Release without Altering Cellular Metabolism in Fibroblast EGFR T17 *José L. Zugaza, Xesús A. Casabiell, Lázaro Bokser, and Felipe F. Casanueva* 105

Genomic Structure of the Mouse δ Opioid Receptor Gene *Lance B. Augustin, Roderick F. Felsheim, Bon H. Min, Stephanie M. Fuchs, James A. Fuchs, and Horace H. Loh* 111

Nitric Oxide Modulates the Synthesis of Extracellular Matrix Proteins in Cultured Rat Mesangial Cells *Howard Trachtman, Stephen Futterweit, and Pravin Singhal* 120

Potassium Channel Opener, RP 66471, Induces Membrane Depolarization of Rat Liver Mitochondria *Adam Szewczyk, Grażyna Wójcik, and Maciej J. Nałęcz* 126

Amylin Stimulates Osteoblast Proliferation and Increases Mineralized Bone Volume in Adult Mice *Jill Cornish, Karen E. Callon, Garth J. S. Cooper, and Ian R. Reid* 133

Phosphorylation/Activation of Phosphorylase b Kinase by cAMP/Ca^{2+}-Independent, Autophosphorylation-Dependent Protein Kinase *Jau-Song Yu and Shiaw-Der Yang* 140

HDL_3 Activates Phospholipase D in Normal but Not in Glycoprotein IIb/IIIa-Deficient Platelets *Jerzy-Roch Nofer, Michael Walter, Beate Kehrel, Udo Seedorf, and Gerd Assmann* 148

Different Oxidant Sensitivities of the α_1 and α_2 Isoforms of Na^+/K^+-ATPase Expressed in Baculovirus-Infected Insect Cells *Z. Xie, M. Jack-Hays, Y. Wang, S. M. Periyasamy, G. Blanco, W.-H. Huang, and A. Askari* 155

Differential Control of the Metal-Mediated Activation of the Human Heme Oxygenase-1 and Metallothionein IIA Genes *Kazuhisa Takeda, Hiroyoshi Fujita, and Shigeki Shibahara* 160

Muscle Undergoes Atrophy in Association with Increase of Lysosomal Cathepsin Activity in Interleukin-6 Transgenic Mouse *Toshimasa Tsujinaka, Chikara Ebisui, Junya Fujita, Masanori Kishibuchi, Takashi Morimoto, Atsuhiro Ogawa, Asao Katsume, Yoshiyuki Ohsugi, Eiki Kominami, and Morito Monden* 168

Expression of Hormone-Sensitive Lipase in the Human Colon Adenocarcinoma Cell Line HT29 *Anne Remaury, Henrik Laurell, Jacques Grober, Signy Reynisdottir, Michèle Dauzats, Cecilia Holm, and Dominique Langin* 175

Glycerol-3-Phosphate Dehydrogenase Activity in Human Lymphocytes: Effects of Insulin, Obesity, and Weight Loss *Ke-Yin Tu, Hsin-Shan Julia Ju, Flora Pettit, William Shive, Nathan H. Topek, Randall Matthews, and Kathleen Matthews* 183

Hepoxilin Binding in Human Neutrophils *Denis Reynaud, Peter Demin, and Cecil R. Pace-Asciak* 191

The Nitroso-Donor S-Nitrosocysteine Regulates I_{sK} Expressed in Xenopus Oocytes via a c-GMP-Independent Mechanism *Gertraud Raber, Siegfried Waldegger, Tobias Herzer, Erich Gulbins, Heini Murer, Andreas E. Busch, and Florian Lang* 195

The Type II Hemopexin Interleukin-6 Response Element Predominates the Transcriptional Regulation of the Hemopexin Acute-Phase Responsiveness *Stephan Immenschuh, De-Xiu Song, Hiroyuki Satoh, and Ursula Muller-Eberhard* 202

Aggregation State-Dependent Binding of β-Amyloid Peptide to Protein and Lipid Components of Rat Cortical Homogenates *Theresa A. Good and Regina M. Murphy* 209

Increased Expression of Heparin Binding Epidermal-Growth Factor-like Growth Factor mRNA in the Kidney of Streptozotocin-Induced Diabetic Rats
Yau-Jiunn Lee, Shyi-Jang Shin, Shiu-Ru Lin, Mian-Shin Tan, and Juei-Hsiung Tsai 216

Nucleotide Sequence and Expression of UDP-Glucose Dehydrogenase Gene Required for the Synthesis of Xanthan Gum in *Xanthomonas campestris*
Cheng-Sheng Lin, Nien-Tsung Lin, Bih-Ying Yang, Shu-Fen Weng, and Yi-Hsiung Tseng 223

Oxidized Low-Density Lipoprotein Stimulates Nitric Oxide Release by Rabbit Aortic Endothelial Cells *Diana Marli Fries, Renatta Giongo Penha, Elbio Antonio D'Amico, Dulcineia Saes Parra Abdalla, and Hugo Pequeno Monteiro* 231

Calcium Ionophore A23187 Inhibits ACTH Secretion from a Human Small Cell Lung Cancer Cell Line, COR-L103 *Chen-Yu Zhang, Yuichi Fujinaka, Yutaka Yokogoshi, and Shiro Saito* 238

Involvement of Preferential Formation of Apurinic/Apyrimidinic Sites in Dimethylarsenic-Induced DNA Strand Breaks and DNA-Protein Crosslinks in Cultured Alveolar Epithelial Cells *Kenzo Yamanaka, Hirotaka Hayashi, Koichi Kato, Akira Hasegawa, and Shoji Okada* 244

Enzymatic RNA Replication in Self-Reproducing Vesicles: An Approach to a Minimal Cell *Thomas Oberholzer, Roger Wick, Pier Luigi Luisi, and Christof K. Biebricher* 250

α-Lipoic Acid Increases Intracellular Glutathione in a Human T-Lymphocyte Jurkat Cell Line
Derick Han, Hans J. Tritschler, and Lester Packer 258

Expression of Rat Liver Adohcy Hydrolase in a *Rhodobacter capsulatus ahcY* Mutant Restores Pigment Formation and Photosynthetic Growth
Robert R. Aksamit, Joseph J. Buggy, and Carl E. Bauer 265

5-15-diHETE and Lipoxins Generated by Neutrophils from Endogenous Arachidonic Acid as Asthma Biomarkers *C. Chavis, P. Chanez, I. Vachier, J. Bousquet, F. B. Michel, and P. Godard* 273

The Role of Reactive Oxygen Intermediates in Osteoclastic Bone Resorption
T. J. Hall, M. Schaeublin, H. Jeker, K. Fuller, and T. J. Chambers 280

Cytokines and Evolution: *In Vitro* Effects of IL-1α, IL-1β, TNF-α, and TNF-β on an Ancestral Type of Stress Response *Enzo Ottaviani, Eva Caselgrandi, and Claudio Franceschi* 288

Mg^{2+}-ADP Protects against Inactivation of Sarcoplasmic Reticulum Ca^{2+}, Mg^{2+}-ATPase by *N*-Cyclohexyl-*N*′-(4-dimethylamino-α-naphthyl) Carbodiimide
Jaime M. Merino and Carlos Gutiérrez-Merino 293

Inhibition by Glucose and Deoxyglucose of Phosphatidylserine Synthesis in Ehrlich Ascites Tumor Cells: A Possible Relation to the Crabtree Effect and Depletion of Endoplasmic ReticulumCa^{2+} Stores *Mariola Rakowska and Lech Wojtczak* 300

Regulation of Signaling by Receptor Tyrosine Kinases in HeLa Cells Involves the q-Base
W. Langgut 306

Modulation of Endogenous Opiate Production: Effect of Fasting
P. E. Molina, Y. Hashiguchi, W. J. H. J. Meijerink, R. J. Naukam, R. Boxer, and N. N. Abumrad 312

Isolation and Characterization of the HC8 Subunit Gene of the Human Proteasome
Hiroshi Akioka, Neil E. Forsberg, Naruhiro Ishida, Katsuzumi Okumura, Masahiro Nogami, Hiroshi Taguchi, Chiseko Noda, and Keiji Tanaka 318

Kunitz-Type Trypsin Inhibitor Prevents LPS-Induced Increase of Cytosolic Free Ca^{2+} in Human Neutrophils and HUVEC Cells *Naohiro Kanayama, Abdul Halim, Kayoko Maehara, Yayoi Kajiwara, Michio Fujie, and Toshihiko Terao* 324

Glucose-6-Phosphate Dehydrogenase from Human Erythrocytes: Identification of *N*-Acetyl-alanine at the N-Terminus of the Mature Protein *Laura Camardella, Gianluca Damonte, Vito Carratore, Umberto Benatti, Michela Tonetti, and Gloriano Moneti* 331

A Polyomavirus Enhancer Mutant Confers Ubiquitous High Transcriptional Efficiency to the SV40 Late Promoter *Gian Maria Fimia, Raùl Ferreira, Claudio Passananti, and Paolo Amati* 339

Vascular Endothelial Growth Factor Causes Endothelial Proliferation after Vascular Injury *Patricia A. Burke, Karin Lehmann-Bruinsma, and Jerry S. Powell* 348

A Simple Method for Isolating Human Endothelin Converting Enzyme Free from Contamination by Neutral Endopeptidase 24.11 *Roger Corder, Noorafza Khan, and Vanessa J. Harrison* 355

RFLP Analysis of Human Chromosome 11 Region q13 in Multiple Symmetric Lipomatosis and Multiple Endocrine Neoplasia Type 1-Associated Lipomas *A. Morelli, A. Falchetti, L. Weinstein, S. Fabiani, P. Tomassetti, G. Enzi, R. Carraro, C. Bordi, F. Tonelli, and M. L. Brandi* 363

A Study of the Mitochondrial F_1-ATPase Tryptophan Phosphorescence at 273 K *Alessandra Baracca, Silvia Barogi, Edi Gabellieri, Giorgio Lenaz, and Giancarlo Solaini* 369

An Atypical Anion Transporter Functioning at Acid pH in Neuroblastoma Cells *L. Bettendorff, I. Margineanu, P. Wins, and T. Grisar* 375

Induction of Apoptosis by Acyclic Retinoid in the Human Hepatoma-Derived Cell Line, HuH-7 *Noriaki Nakamura, Yoshihiro Shidoji, Yasuhiro Yamada, Hiroo Hatakeyama, Hisataka Moriwaki, and Yasutoshi Muto* 382

The Binding of HB-EGF to Tumor Cells Is Blocked by mAbs Which Act as EGF and TGFα Antagonists *Helmout Modjtahedi and Christopher Dean* 389

A Plant Steroid, Diosgenin, a New Megakaryocytic Differentiation Inducer of HEL Cells *J. L. Beneytout, C. Nappez, M. J. Leboutet, and G. Malinvaud* 398

Cloning of a Gene of the Dead Box Protein Family Which Is Specifically Expressed in Germ Cells in Rats *Tohru Komiya and Yoko Tanigawa* 405

Signal Transduction in SF9 Insect Cells: Endocytosis of Recombinant CD4 after Phorbol Ester Treatment *Kai Grebenkämper and Claude Nicolau* 411

Putative Hydrogen Bond Network in the Heme Distal Site of Horseradish Peroxidase *Shingo Nagano, Motomasa Tanaka, Yoshihito Watanabe, and Isao Morishima* 417

Complete Nucleotide Sequence of a Gene *prtR* of *Porphyromonas gingivalis* W50 Encoding a 132-kDa Protein That Contains an Arginine-Specific Thiol Endopeptidase Domain and a Hemagglutinin Domain *Louis Kirszbaum, Chris Sotiropoulos, Christine Jackson, Steven Cleal, Nada Slakeski, and Eric C. Reynolds* 424

Stabilization of Ribonuclease B Activity by Concentrated Xylose Solutions *Gwilym A. Williams, Ursula MacEvilly, Raymond Ryan, and Michael G. Harrington* 432

Fatty Acid Hydroperoxide Lyase Is a Heme Protein *Yasushi Shibata, Kenji Matsui, Tadahiko Kajiwara, and Akikazu Hatanaka* 438

Determination of the Photoaffinity-Labeled Site on the Ligand-Binding Domain of Retinoic Acid Receptor α *Toru Sasaki, Rumiko Shimazawa, Takayuki Sawada, Toru Iijima, Hiroshi Fukasawa, Koichi Shudo, Yuichi Hashimoto, and Shigeo Iwasaki* 444

Occurrence of Novel Types of Nitric Oxide Synthase in the Silkworm, *Bombyx mori*
Su Kyung Choi, Hong Kyu Choi, Keiko Kadono-Okuda, Kiyoko Taniai, Yusuke Kato, Masanori Yamamoto, Subrata Chowdhury, Jinhua Xu, Akihiro Miyanoshita, Nitish C. Debnath, Ai Asaoka, and Minoru Yamakawa 452

Defective Phospholipase D Activation in Ki-*ras*-Transformed NIH3T3 Cells: Evidence for Downstream Effector of Plc-γ1 in PDGF-Mediated Signal Transduction
Md. Shariful Alam, Yoshiko Banno, Shigeru Nakashima, and Yoshinori Nozawa 460

Polymorphic Tandem Repeats in Dopamine D4 Receptor Are Spread over Primate Species
Mitsuyuki Matsumoto, Kazuyuki Hidaka, Shoko Tada, Yoshikazu Tasaki, and Tokio Yamaguchi 467

ERRATUM
Volume 205, Number 2, December 15, 1994: Kazuki Hagihara, X. Sharon Wu-Peng, Toshiya Funabashi, Junzo Kato, and Donald W. Pfaff, "Nucleic Acid Sequence and DNase Hypersensitive Sites of the 5′ Region of the Mouse Progesterone Receptor Gene," pp. 1093–1101 476

Volume 207, Number 2, February 15, 1995

Metabolism of 4-Hydroxy-2-nonenal and Aging
E. Chiarpotto, F. Biasi, A. Scavazza, S. Camandola, M. U. Dianzani, and G. Poli 477

Specific Aspartic Acid-Rich Sequences Are Responsible for Silver Staining of Nucleolar Proteins
Benigno C. Valdez, Dale Henning, Thinh V. Le, and Harris Busch 485

Inhibition of Human Ovarian Carcinoma Cell Proliferation by Liposome–Plasmid DNA Complex *Hans Hofland and Leaf Huang* 492

Replacement of Conserved Threonines by Alanine Residues in High Mobility Group Protein HMG-I(Y): Effect on DNA Binding Affinity *Joseph S. Siino, Mark S. Nissen, and Raymond Reeves* 497

Characterization of the Resonance Energy Transfer Couple Coumarin–BODIPY and Its Possible Applications in Protein–Lipid Research
R. C. A. Keller, J. R. Silvius, and B. De Kruijff 508

The Use of Glycerol to Link DNA Damage from Hydroxyl Radicals with the Activities of DNA Repair Enzymes *David Ewing and Keith E. Damsker* 515

Evidence for a Ligand Receptor System Mediating the Biologic Effects of Glycated Albumin in Glomerular Mesangial Cells *Van-Yu Wu and Margo Panush Cohen* 521

The Rat Liver EctoATPase/C-CAM cDNA Detects Induction of Carcinoembryonic Antigen but Not the Mercurial-Insensitive EctoATPase in Human Hepatoma Li-7A Cells Treated by Epidermal Growth Factor and Cholera Toxin *Aileen F. Knowles* 529

Identification of "Molten Globule"-like State in an All β-Sheet Protein
T. K. S. Kumar, G. Jayaraman, C.-S. Lee, T. Sivaraman, W.-Y. Lin, and C. Yu 536

Purification and Stabilization of Mouse DNA Methyltransferase
Guorong Xu, James Flynn, J. Fraser Glickman, and Norbert O. Reich 544

Organization of Human Phospholipid Transfer Protein Gene *An-Yue Tu, Samir S. Deeb, Lori Iwasaki, Joseph R. Day, and John J. Albers* 552

Novel Antagonist to Agonist Switch in Chimeric G Protein-Coupled α-Factor Peptide Receptors *Malini Sen and Lorraine Marsh* 559

A New Genetic Test for Familial Hyperaldosteronism Type I Aids in the Detection of Curable Hypertension *Julie R. Jonsson, Shelley A. Klemm, Terry J. Tunny, Michael Stowasser, and Richard D. Gordon* 565

Electron Paramagnetic Resonance Spectral Evidence for the Formation of a Pentacoordinate Nitrosyl–Heme Complex on Soluble Guanylate Cyclase *James R. Stone, Richard H. Sands, W. Richard Dunham, and Michael A. Marletta* 572

Different Proliferative Responses of Periportal and Pericentral Rat Hepatocytes to Hepatocyte Growth Factor *Annette Volk, George Michalopoulos, Michael Weidner, and Rolf Gebhardt* 578

Troponin Isoform Dependent pH Dependence of the Ca^{2+}-Activated Myofibrillar ATPase Activity of Avian Slow and Fast Skeletal Muscles *Akira Kawashima, Sachio Morimoto, Akito Suzuki, Fumie Shiraishi, and Iwao Ohtsuki* 585

Characterization of Angiotensin II Receptor Type 2 during Differentiation and Apoptosis of Rat Ovarian Cultured Granulosa Cells *Masami Tanaka, Junji Ohnishi, Yasuhiro Ozawa, Masataka Sugimoto, Satoshi Usuki, Mitsuhide Naruse, Kazuo Murakami, and Hitoshi Miyazaki* 593

Ceruloplasmin: An Endogenous Depolarizing Factor in Neurons? *Rui Wang, Liming Zhang, Mircea Alexandru Mateescu, and Réginald Nadeau* 599

Estradiol and Pregnenolone Sulfate Could Modulate PMA-Stimulated and Ca^{2+}/Calmodulin-Dependent Synaptosomal Membrane Protein Phosphorylation from Rat Brain *in Vivo* *Elzbieta Rębas, Agnieszka Lachowicz, and Lilla Lachowicz* 606

Genotype and Phenotype of Severe Mitochondrial Cardiomyopathy: A Recipient of Heart Transplantation and the Genetic Control *Takayuki Ozawa, Kazumi Katsumata, Mika Hayakawa, Masashi Tanaka, Satoru Sugiyama, Taihei Tanaka, Shinnji Itoyama, Shinniti Nunoda, and Morie Sekiguchi* 613

Copper Binding to the N-Terminal Tandem Repeat Regions of Mammalian and Avian Prion Protein *M. P. Hornshaw, J. R. McDermott, and J. M. Candy* 621

A Permanent Glial Precursor Cell Line, Immortalized with the Adenovirus E1A Gene, Undergoes Apoptosis in Restrictive Growth Conditions *Isabelle Borde, Claudine Evrard, Eric Galiana, and Pierre Rouget* 630

Viable Rat Kupffer Cells Synthesize but Do Not Secrete Interleukin-1: Indications for Necrosis-Induced Maturation of Interleukin-1α, but Not of Interleukin-1β *Thomas Armbrust, Edgar Schmitt, and Giuliano Ramadori* 637

The Role of Prohormone Convertases PC1 (PC3) and PC2 in the Cell-Specific Processing of Proglucagon *Ikuo Mineo, Toshiko Matsumura, Ryosuke Shingu, Mitsuyoshi Namba, Masamichi Kuwajima, and Yuji Matsuzawa* 646

An Examination of the Source of the Tyrosyl Radical in Ovine Prostaglandin Endoperoxide Synthase-1 *Linda C. Hsi, Curtis W. Hoganson, Gerald T. Babcock, R. Michael Garavito, and William L. Smith* 652

Inhibition of Mitochondrial Permeability Transition by Polyamines and Magnesium: Importance of the Number and Distribution of Electric Charges *Vinicio Tassani, Carla Biban, Antonio Toninello, and Dagmar Siliprandi* 661

Subtypes of Endothelin ET_A and ET_B Receptors Mediating Tracheal Smooth Muscle Contraction *Tomoko Yoneyama, Masatoshi Hori, Maki Makatani, Takaki Yamamura, Takeo Tanaka, Yuzuru Matsuda, and Hideaki Karaki* 668

Selective Proteolitic Activation and Degradation of ETs and Big ETs in Parenchymal Strips of the Guinea-Pig Lung *Bruno Battistini, Michèle Brown, and John R. Vane* 675

The GS Domain of the Transforming Growth Factor-β Type I Receptor Is Important in Signal Transduction *Petra Franzén, Carl-Henrik Heldin, and Kohei Miyazono* 682

Inhibition of Retinoic-Acid-Induced Gene Expression by 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin *Wayde M. Weston, Paul Nugent, and Robert M. Greene* 690

Solution Structure of ω-Conotoxin MVIIC Determined by NMR *N. Nemoto, S. Kubo, T. Yoshida, N. Chino, T. Kimura, S. Sakakibara, Y. Kyogoku, and Y. Kobayashi* 695

Molecular Cloning of a Novel Form of Phenol Sulfotransferase from Human Brain Hippocampus *Shin-Rong Hwang, Andrea B. Kohn, and Vivian Y. H. Hook* 701

Monoclonal Anti-FLAG Antibodies React with a New Isoform of Rat Mg^{2+}-Dependent Protein Phosphatase β *Konstanze Schäfer and Thomas Braun* 708

3-Aminobenzamide Protects Cells from UV-B-Induced Apoptosis by Acting on Cytoskeleton and Substrate Adhesion *Walter Malorni, Roberto Rivabene, Elisabetta Straface, Gabriella Rainaldi, Daniela Monti, Stefano Salvioli, Andrea Cossarizza, and Claudio Franceschi* 715

Characterization of Endothelin Receptors Mediating Rat Hepatic Stellate Cell Contraction *Don C. Rockey* 725

Phosphorylation of the Inhibitor-2 of Protein Phosphatase-1 by cdc2-Cyclin B and GSK3 *Franca Puntoni and Emma Villa-Moruzzi* 732

Identification of a Casein Kinase Activity Found Elevated in Human Cytomegalovirus Transformed Cells *Perpetua M. Muganda, Anna Fischer, and Ricardo A. Bernal* 740

Putative Membrane Fatty Acid Translocase and Cytoplasmic Fatty-Acid-Binding Protein Are Co-expressed in Rat Heart and Skeletal Muscles *F. A. Van Nieuwenhoven, C. P. H. J. Verstijnen, N. A. Abumrad, P. H. M. Willemsen, G. J. J. M. Van Eys, G. J. Van Der Vusse, and J. F. C. Glatz* 747

Detection and Characterization of Apoptosis in Osteoclasts *in Vitro* *Takashi Kameda, Haruo Ishikawa, and Takeki Tsutsui* 753

C/EBPα Expression in Adipose Tissue of Genetically Obese Zucker Rats *Violaine Rolland, Xavier Le Liepvre, Marie-Laure Houbiguian, Marcelle Lavau, and Isabelle Dugail* 761

Exogenous Triacylglycerol Inhibits Insulin-Stimulated Glucose Transport in L6 Muscle Cells *in Vitro* *G. Shillabeer, C. Chamoun, G. Hatch, and D. C. W. Lau* 768

Occurrence of Glutathione-Modified Aldose Reductase in Oxidatively Stressed Bovine Lens *Mario Cappiello, Pier Giuseppe Vilardo, Ilaria Cecconi, Victor Leverenz, Frank J. Giblin, Antonella Del Corso, and Umberto Mura* 775

High-Yield Bacterial Expression, Purification, and Functional Reconstitution of the Tricarboxylate Transport Protein from Rat Liver Mitochondria *Yan Xu, June A. Mayor, David Gremse, David O. Wood, and Ronald S. Kaplan* 783

Cloning of a cDNA Coding for Porcine Zona Pellucida Glycoprotein ZP1 and Its Genomic Organization *Tetsuji Taya, Noriyuki Yamasaki, Hiroshi Tsubamoto, Akiko Hasegawa, and Koji Koyama* 790

Detection of Messenger RNA for Gonadotropin-Releasing Hormone (GnRH) but Not for GnRH Receptors in Mouse Mammary Glands *Mario Ikeda, Michiyoshi Taga, Hideya Sakakibara, Hiroshi Minaguchi, and Barbara K. Vonderhaar* 800
Cloning and Functional Expression of Human Endothelin-Converting Enzyme cDNA *Kohei Shimada, Youichi Matsushita, Kenji Wakabayashi, Masaaki Takahashi, Aki Matsubara, Yasuteru Iijima, and Kazuhiko Tanzawa* 807
Sensitive Assay for Detection of Hepatocellular Carcinoma Associated Gene Transcription (α-Fetoprotein mRNA) in Blood *Masayuki Matsumura, Yasuro Niwa, Yohko Hikiba, Ken-ichi Okano, Naoya Kato, Shuichiro Shiina, Yasushi Shiratori, and Masao Omata* 813
Polymeric Precipitants for the Crystallization of Macromolecules *Sam Patel, Bob Cudney, and Alex McPherson* 819
Impaired Growth Response to Endothelin-1 in Scleroderma Fibroblasts *Kanako Kikuchi, Takafumi Kadono, Shinichi Sato, Kunihiko Tamaki, and Kazuhiko Takehara* 829
Mitochondrial DNA Deletion Analysis: A Comparison of PCR Quantitative Methods *Natasha S. Hamblet and Frank J. Castora* 839
SECReT of the Eukaryotic Large Ribosomal Subunit *George Harauz, Harry Zuzan, Peter T. Kim, and John A. Holbrook* 848
Onco-Fetal/Laminin-Binding Collagen from Colon Carcinoma: Detection of New Sequences *Ida Pucci Minafra, Maria Andriolo, Loredana Basiricò, Alessandra Aquino, Salvatore Minafra, Marguerite-Marie Boutillon and Michel van der Rest* 852
Involution of Mouse Mammary Glands in Whole Organ Culture: A Model for Studying Programmed Cell Death *Craig S. Atwood, Mario Ikeda, and Barbara K. Vonderhaar* 860
Amino-Terminal Palmitate or Polybasic Domain Can Provide Required Second Signal to Myristate for Membrane Binding of $p56^{lck}$ *Jeffrey Kwong and Douglas M. Lublin* 868
Interaction of Cultured Rat Osteoblasts with 8-Methoxypsoralen during Irradiation with Long-Wave Ultraviolet Light *George I. Malinin, Francis J. Hornicek, Kresimir Banovac, and Theodore I. Malinin* 877

Volume 207, Number 3, February 27, 1995

Molecular Cloning and Functional Expression of a Human Pancreatic Secretin Receptor *Suping Jiang and Charles Ulrich* 883
Effects of 2,5-Di(*tert*-butyl)-1,4-hydroquinone, an Endoplasmic Reticulum Ca^{2+}-ATPase Inhibitor, on Agonist-Stimulated Phasic Myometrial Contractions *Mark Phillippe, Jay Kim, Maysoun Freij, and Trevania Saunders* 891
Changing the Inhibitory Specificity and Function of *Cucurbita maxima* Trypsin Inhibitor-V by Site-Directed Mutagenesis *Lisa Wen, Insuk Lee, Guojin Chen, Jenq-Kuen Huang, YuXi Gong, and Ramaswamy Krishnamoorthi* 897
HIV-1 Expression Induced by Anticancer Agents in Latently HIV-1-Infected ACH2 Cells *Mary C. O'Brien, Takamasa Ueno, Nazma Jahan, Maria Zajac-Kaye, and Hiroaki Mitsuya* 903

Mode of Action and Resistance to Azole Antifungals Associated with the Formation of 14α-Methylergosta-8, 24 (28)-dien-3β,6α-diol *Steven L. Kelly, David C. Lamb, Andrew J. Corran, Brian C. Baldwin, and Diane E. Kelly* 910

Phosphorylation of Helix–Loop–Helix Proteins Id1, Id2, and Id3 *Yuka Nagata, Wataru Shoji, Masuo Obinata, and Kazuo Todokoro* 916

Creation of a High Cytotoxic Active Human Tumor Necrosis Factor Having the Truncated and More Basic Amino Terminus *Donglin Guo, Baohe Shen, Xueyin Dong, Qifeng Qiu, and Xianxiu Xu* 927

Characterization of the 5′ Region of the CD10/Neutral Endopeptidase 24.11 Gene *Houda Haouas, Dominique Morello, Agnès Lavenu, Martine Billard, Claude Jasmin, and Claude Boucheix* 933

The Functional Expression of a Rat cDNA Encoding OSCP in the Yeast *Saccharomyces cerevisiae* *Mark Prescott, Tomihiko Higuti, Phillip Nagley, and Rodney J. Devenish* 943

Molecular Cloning of a New Member of the Rab Protein Family, Rab 26, from Rat Pancreas *Andreas C. C. Wagner, Mathias Z. Strowski, Burkhard Göke, and John A. Williams* 950

Hydroxyl Radicals and DNA Double-Strand Breaks in X-Irradiated *Escherichia coli* *David Ewing and Keith E. Damsker* 957

Transforming Growth Factor-β and Forskolin Increase All Classes of Insulin-like Growth Factor-I Transcripts in Normal Human Osteoblast-like Cells *Ryo Okazaki, Susan K. Durham, B. Lawrence Riggs, and Cheryl A. Conover* 963

Secretion of Alzheimer β/A4 Protein (1-40) and Intracellular Retention of β/A4 Protein (1-42) in Transfected COS Cells *Kei Maruyama, Kazuhiko Tagawa, Yuuki Kawamura, Hideo Asada, Shoichi Ishiura, and Kunihiko Obata* 971

Isolation and the Gene Cloning of an Alkaline Shock Protein in Methicillin-Resistant *Staphylococcus aureus* *Makoto Kuroda, Toshiko Ohta, and Hideo Hayashi* 978

Isolation of Epstein–Barr-Virus-Transformed Lymphocytes Producing IgG Class Monoclonal Antibodies Using a Magnetic Cell Separator (MACS): Preparation of Thyroid-Stimulating IgG Antibodies from Patients with Graves' Disease *Hua Li, Takashi Akamizu, Jyoji Okuda, Hideo Sugawa, Fumihiko Matsuda, Takeshi Tsubata, and Toru Mori* 985

Tyrosine Kinase Inhibitors Enhance cGMP Production in Rat Pinealocytes *Takayuki Ogiwara, Gordon Murdoch, Constance L. Chik, and Anthony K. Ho* 994

Two Distinct K^+-ATPase Activities in Rabbit Distal Colon *S. L. Abrahamse, H. R. De Jonge, R. J. M. Bindels, and C. H. Van Os* 1003

Reversible Inactivation of Calpain Isoforms by Nitric Oxide *M. Michetti, F. Salamino, E. Melloni, and S. Pontremoli* 1009

Docosahexaenoic Acid Is a Potent Inhibitor of Rat Uterine Stromal Cell Proliferation *Christian Tessier, Jean-Michel Fayard, Hélène Cohen, Jean François Pageaux, Michel Lagarde, and Christian Laugier* 1015

Point Mutation of the *RET* Proto-oncogene in the TT Human Medullary Thyroid Carcinoma Cell Line *Francesca Carlomagno, Domenico Salvatore, Massimo Santoro, Vittorio de Franciscis, Loredana Quadro, Luigi Panariello, Vittorio Colantuoni, and Alfredo Fusco* 1022

A Cell-Cycle Nuclear Autoantigen Containing WD-40 Motifs Expressed Mainly in S and G_2 Phase Cells *Yoshinao Muro, Edward K. L. Chan, Göran Landberg, and Eng M. Tan* 1029

Phosphorylation of CREB by CaM-Kinase IV Activated by CaM-Kinase IV Kinase *Hervé Enslen, Hiroshi Tokumitsu, and T. R. Soderling* 1038

Interleukin 8 (IL-8) Inhibits the Interleukin 4 (IL-4)-Induced but Not the Spontaneous Growth of Human B Cells via Mechanisms That May Involve Protein Kinase C *H. Kimata, M. Fujimoto, I. Lindley, and K. Furusho* 1044

Phosphorylation of the C-Terminal Domain of RNA Polymerase II by the Extracellular-Signal-Regulated Protein Kinase ERK2 *Rhea-Beth Markowitz, April S. Hermann, Daniel F. Taylor, Liyan He, Spencer Anthony-Cahill, Natalie G. Ahn, and William S. Dynan* 1051

ERRATA

Volume 201, Number 3, June 30, 1994: David H. Barch, Lynn M. Rundhaugen, Paul E. Thomas, and Paul Kardos, “Dietary Ellagic Acid Inhibits the Enzymatic Activity of CYP1A1 without Altering Hepatic Concentrations of CYP1A1 or CYP1A1 mRNA,” pp. 1477–1482 1058

Volume 205, Number 1, November 30, 1994: Ira Mills, Kohei Murata, C. Subah Packer, and Bauer E. Sumpio, “Cyclic Strain Stimulates Dephosphorylation of the 20-kDa Regulatory Myosin Light Chain in Vascular Smooth Muscle Cells,” pp. 79–84 1058

Volume 205, Number 1, November 30, 1994: Alexander Oksche, John Dickson, Ralf Schülein, Hansjörg W. Seyberth, Michael Müller, Wolfgang Rascher, Mariel Birnbaumer, and Walter Rosenthal, “Two Novel Mutations in the Vasopressin V2 Receptor Gene in Patients with Congenital Nephrogenic Diabetes Insipidus,” pp. 552–557 1059

Volume 205, Number 3, December 30, 1994: Poul Kristensen, Anders H. Johnsen, Wolfgang Uerkvitz, Keiji Tanaka, and Klavs B. Hendil, “Human Proteasome Subunits from 2-Dimensional Gels Identified by Partial Sequencing,” pp. 1785–1789 1059

Author Index for Volume 207 1060

Volume 208, Number 1, March 8, 1995

The Heparin Binding Site of Follistatin Is Involved in Its Interaction with Activin *Shoji Sumitomo, Satoshi Inouye, Xin-Jun Liu, Nicholas Ling, and Shunichi Shimasaki* 1

Heme Requirement for Production of Active Endothelial Nitric Oxide Synthase in Baculovirus-Infected Insect Cells *Han Geuk Seo, Junichi Fujii, Hidenobu Soejima, Norio Niikawa, and Naoyuki Taniguchi* 10

Sensitizing Effect of Lysophosphatidic Acid on Mechanoreceptor-Linked Response in Cytosolic Free Ca^{2+} Concentration in Cultured Smooth Muscle Cells *Hisayuki Ohata, Nakako Seito, Hiromi Aizawa, Koji Nobe, and Kazutaka Momose* 19

Long-Lived Macropinocytosis Takes Place in Electropermeabilized Mammalian Cells *Marie-Pierre Rols, Patricia Femenia, and Justin Teissie* 26

Activation of the Sendai Virus Fusion Protein by Receptor Binding *Franco Dallocchio, Maurizio Tomasi, and Tiziana Bellini* 36

Retention of the Label during the Conversion of [3-^{3}H]Squalene into (3*S*)-2,3-Oxidosqualene Catalyzed by Mammalian Squalene Oxidase *Olivier Boutaud, Maurizio Ceruti, Luigi Cattel, and Francis Schuber* 42

Evidence for a Functional Interaction between Calmodulin and the Glucocorticoid Receptor *Yang-Min Ning and Edwin R. Sánchez* 48

In the Thermophilic Archaeon *Sulfolobus solfataricus* a DNA-Binding Protein Is *in Vitro* (Adpribosyl)ated *M. Rosaria Faraone-Mennella and Benedetta Farina* 55

Ethanol Enhances the Stimulatory Effects of Insulin and Insulin-like Growth Factor-1 on DNA Synthesis in NIH 3T3 Fibroblasts *Masahiro Tomono and Zoltan Kiss* 63

CD69 Antigen of Human Lymphoctyes Is a Calcium-Dependent Carbohydrate-Binding Protein *Karel Bezouška, Aleš Nepovím, Ondrej Horváth, Miloslav Pospíšil, Jörg Hamann, and Ten Feizi* 68

Differential Effects of a Hydrophobic Tripeptide on Human Immunodeficiency Virus Type 1 (HIV-1)-Induced Syncytium Formation and Viral Infectivity *Krystyna Konopka, Elizabeth Pretzer, and Nejat Düzgüneş* 75

Autocrine Production of Endothelin-1 Participates in the Glucocorticoid-Induced Ca^{2+} Influx into Vascular Smooth Muscle Cells *Hiroshi Kato, Takio Hayashi, Yusuke Koshino, Koji Oida, Yasunori Kutsumi, Tsuguhiko Nakai, and Susumu Miyabo* 82

Molecular Cloning of the Human Volume-Sensitive Chloride Conductance Regulatory Protein, pI$_{Cln}$, from Ocular Ciliary Epithelium *Juan Anguita, Michael L. Chalfant, Mortimer M. Civan, and Miguel Coca-Prados* 89

Role of THR-252 in Cytochrome P450$_{CAM}$: A Study with Unnatural Amino Acid Mutagenesis *Yoko Kimata, Hideo Shimada, Tadaaki Hirose, and Yuzuru Ishimura* 96

Phosphorylation of the Adenomatous Polyposis Coli Protein and Its Possible Regulatory Effects in Cells *Gautam Bhattacharya and Bruce M. Boman* 103

Fluorescence Quenching in Membrane Phase *Zsuzsa Lakos, Ágnes Szarka,and Béla Somogyi* 111

Temperature Acclimation Induces Light Meromyosin Isoforms with Different Primary Structures in Carp Fast Skeletal Muscle *Shugo Watabe, Jun-ichi Imai, Misako Nakaya, Yasushi Hirayama, Yoh Okamoto, Haruhiko Masaki, Takeshi Uozumi, Ikuo Hirono, and Takashi Aoki* 118

Growth Signaling through the $\alpha 5\beta 1$ Fibronectin Receptor *Banu E. Symington* 126

Trimeric G Protein α Subunits of the Gs and Gi Families Localized at the Golgi Membrane *Olaf Maier, Eckard Ehmsen, and Peter Westermann* 135

Possible Involvement of the AH Receptor in the Induction of Cytochrome P-450IA1 under Conditions of Hydrodynamic Shear in Microcarrier-Attached Hepatoma Cell Lines *Naheed A. Mufti, Nicole A. Bleckwenn, John G. Babish, and Michael L. Shuler* 144

DNA Binding Proteins That Amplify Surfactant Protein B Gene Expression: Isolation and Characterization *Paola Luzi and David S. Strayer* 153

Elucidation of Antioxidant Activity of α-Lipoic Acid toward Hydroxyl Radical *Seiichi Matsugo, Liang-Jun Yan, Derick Han, Hans J. Trischler, and Lester Packer* 161

RNA Cleavage by C-1027 Chromophore, an Enediyne Antitumor Antibiotic: High Selectivity to an Anticodon Arm *Ryuichi Totsuka, Yasunori Aizawa, Motonari Uesugi, Yasushi Okuno, Takuyuki Matsumoto, and Yukio Sugiura* 168

Fractionation and Characterization of Protein C-Terminal Prenylcysteine Methylesterase Activities from Rabbit Brain *Rhonda L. Dunten, Stephanie J. Wait, and Peter S. Backlund, Jr.* 174

Differential K^+ Channel Distribution in Smooth Muscle Cells Isolated from the Pulmonary Arterial Tree of the Rat *Sulayma Albarwani, Gideon Heinert, Joanne L. Turner, and Roland Z. Kozlowski* 183

Identification of Phosphatidylinositol 3,4,5-Trisphosphate in Pancreatic Islets and Insulin-Secreting β-Cells *Craig A. Alter and Bryan A. Wolf* 190

3″-Azido-3′-Deoxythymidine and 2′,3′-Dideoxycytidine Do Not Inhibit Gene-Specific DNA Repair in Hamster Cells *Charles J. Link, Jr., and Vilhelm A. Bohr* 198

Differential Phosphorylation of a 57-kDa Protein Tyrosine Kinase during Egg Activation *William H. Kinsey* 204

Solubilization, Purification, and Characterization of Fatty Acyl-CoA Reductase from Duck Uropygial Gland *Xing Wang and Pappachan E. Kolattukudy* 210

Effect of Dexamethasone on α_1-Proteinase Inhibitor Synthesis in Human Cells of Monocytic Origin *Joanna Cichy, Jan Potempa, and James Travis* 216

The Human Chemoattractant Complement C5a Receptor Inhibits Cyclic AMP Accumulation through G_i and G_z Proteins *Jenny K. Shum, Rodger A. Allen, and Yung H. Wong* 223

A Truncated Isoform of Human CCK-B/Gastrin Receptor Generated by Alternative Usage of a Novel Exon *Akira Miyake* 230

Induction of Apoptosis by Enediyne Antitumor Antibiotic C1027 in HL-60 Human Promyelocytic Leukemia Cells *Bing Jiang, Dian-dong Li, and Yong-su Zhen* 238

Epidermal Growth Factor Stimulates Mitogen-Activated Protein Kinase by a PKC-Dependent Pathway in Human Keratinocytes *Vanio Mitev, Rozen Le Panse, Bernard Coulomb, Ljubka Miteva, and Louis-Marie Houdebine* 245

Cell-Cycle-Dependent Modulation of EGF-Receptor-Mediated Signaling *Elizabeth P. Newberry and Linda J. Pike* 253

Functional Activity of a Biotinylated Human Neurokinin 1 Receptor Fusion Expressed in the Semliki Forest Virus System *Kenneth Lundstrom, Alfredo Vargas, and Bernard Allet* 260

Antiviral Activity and Metabolism of the Castanospermine Derivative MDL 28,574, in Cells Infected with Herpes Simplex Virus Type 2 *S. Parvin Ahmed, Robert J. Nash, C. Gordon Bridges, Debra L. Taylor, Mohinder S. Kang, Elaine A. Porter, and A. Stanley Tyms* 267

A Metal-Dependent Form of Protein Phosphatase 2A *Luwei Cai, Yanfang Chu, Susan E. Wilson, and Keith K. Schlender* 274

Pituitary Adenylate Cyclase Activating Polypeptide Is a Potent Calmodulin Inhibitor *Tai Kong Au and Pak Chow Leung* 280

Isolation and Characterization of an *in Vitro* DNA Replication System from Maize Mitochondria *H. Daniell, D. Zheng, and B. L. Nielsen* 287

Phosphatidylinositolmannoside-Based Liposomes Induce NO Synthase in Primed Mouse Peritoneal Macrophages *Jean-Pierre Tenu, Dalila Sekkaï, Alexandre Yapo, Jean-François Petit, and Geneviève Lemaire* 295

Functional Couplings of the δ- and the κ-Opioid Receptors with the G-Protein-Activated K^+ Channel *Kazutaka Ikeda, Toru Kobayashi, Tomio Ichikawa, Hiroshi Usui, and Toshiro Kumanishi* 302

A Human (3.3 kb) Haptoglobin-CAT Transgene Is Modulated in Lungs of Transgenic Mice by Inflammation *Andrew Martinez, Laila Jansen, James M. Buchanan, Gwen S. Adrian, Funmei Yang, Damon C. Herbert, Frank J. Weaker, Christi A. Walter, and Barbara H. Bowman* 309

Experimental Studies on Bone Inducing Activity of Composites of Atelopeptide Type I Collagen as a Carrier for Ectopic Osteoinduction by rhBMP-2 *Kazuma Fujimura, Kazuhisa Bessho, Kenji Kusumoto, Yutaka Ogawa, and Tadahiko Iizuka* 316

Adenylyl Cyclase Isoforms Are Differentially Expressed in Primary Cultures of Endothelial Cells and Whole Tissue Homogenates from Various Rat Tissues *Vangelis G. Manolopoulos, Jiandong Liu, Brian R. Unsworth, and Peter I. Lelkes* 323

A Model for the Sequence-Dependent DNA Binding of 4′,6-Diamidino-2-Phenylindole (DAPI) *C. Parolin, G. Zanotti, and G. Palù* 332

Isolation and Structural Analysis of the 5′ Flanking Region of the Gene Encoding the Human Glucagon Receptor *Joseph Buggy, Jacqueline Hull, and Heeja Yoo-Warren* 339

The Leukotriene LTD_4 Receptor Antagonist MK571 Specifically Modulates MRP Associated Multidrug Resistance *Volker Gekeler, Wolfgang Ise, Karl Heinrich Sanders, Wolf-Rüdiger Ulrich, and James Beck* 345

Autocatalytic Inactivation of Lysosomal Cathepsins Is Associated with Inhibition of Protein Breakdown by Insulin-like Growth Factor-1 (IGF-1) in Myotubes *Toshimasa Tsujinaka, Chikara Ebisui, Junya Fujita, Takashi Morimoto, Atsuhiro Ogawa, Kazumi Ishidoh, Eiki Kominami, Masahiko Yano, Hitoshi Shiozaki, and Morito Monden* 353

Structure of the Gene Encoding the α Subunit of the Human Interleukin 3 Receptor *Hiroshi Kosugi, Yasushi Nakagawa, Tomomitsu Hotta, Hidehiko Saito, Atsushi Miyajima, Ken-ichi Arai, and Takashi Yokota* 360

High Affinity Chimeric Human Granulocyte-Macrophage Colony-Stimulating Factor Receptor Carrying the Cytoplasmic Domain of the β Subunit but Not the α Subunit Transduces Growth Promoting Signals in Ba/F3 Cells *Akihiko Muto, Sumiko Watanabe, Atsushi Miyajima, Takashi Yokota, and Ken-ichi Arai* 368

Calpain Dissociates into Subunits in the Presence of Calcium Ions *Toshio Yoshizawa, Hiroyuki Sorimachi, Sigeo Tomioka, Shoichi Ishiura, and Koichi Suzuki* 376

Identification of *N*-Acetylglucosamine-α-1-Phosphate Transferase Activity in *Dictyostelium discoideum*: An Enzyme That Initiates Phosphoglycosylation *Hudson H. Freeze and Mie Ichikawa* 384

Identification of N-Terminus Peptide of Human Granulocyte/Macrophage Colony Stimulating Factor as the Site of Nucleotide Interaction *Ashok J. Chavan, Cecelia Gass, Boyd E. Haley, Thomas Boone, and Michael A. Doukas* 390

Phosphorylation of Calponin Mediated by Protein Kinase C in Association with in Porcine Coronary Artery *Terumasa Mino, Uhito Yuasa, Michiko Naka, and Toshio Tanaka* 397

The Molecular Mechanism of the Induction of the Low Density Lipoprotein Receptor by Chenodeoxycholic Acid in Cultured Human Cells *Yoshiki Kawabe, Teruhiko Shimokawa, Akiyo Matsumoto, Makoto Honda, Yoichiro Wada, Yoshio Yazaki, Akira Endo, Hiroshige Itakura, and Tatsuhiko Kodama* 405

Androgens and Estrogens Markedly Inhibit Expression of a 20-kDa Major Protein in Hamster Exorbital Lacrimal Gland *Velvizhi Ranganathan and Prabir K. De* 412

Halogenated Benzimidazoles and Benzotriazoles as Selective Inhibitors of Protein Kinases CK I and CK II from *Saccharomyces cerevisiae* and Other Sources *Ryszard Szÿszka, Nikodem Grankowski, Krzysztof Felczak, and David Shugar* 418

Quercetin Down-Regulates Signal Transduction in Human Breast Carcinoma Cells *Radhey L. Singhal, Y. Albert Yeh, Noemi Prajda, Edith Olah, George W. Sledge, Jr., and George Weber* 425

Hypoxia-Induced Transcription of the Vascular Endothelial Growth Factor Gene Is Independent of Functional AP-1 Transcription Factor *Günter Finkenzeller, Antje Technau, and Dieter Marmé* 432

Sensitization of $InsP_3$-Dependent Calcium Signaling through Structural Modification of Voltage-Dependent Calcium Channel: A Physiological Relevance of the Calcium Channel β Subunit *Fabrice Matifat, Thibault Collin, Sandrine Humez, Gérard Brûle, and Franck Fournier* 440

Parathyroid Hormone-Related Peptide as a Locally Produced Vasorelaxant: Regulation of Its mRNA by Hypertension in Rats *Katsutoshi Takahashi, Daisuke Inoue, Katsuyuki Ando, Toshio Matsumoto, Kyoji Ikeda, and Toshiro Fujita* 447

ERRATUM

Volume 207, Number 1, February 6, 1995: Anne Remaury, Henrik Laurell, Jacques Grober, Signy Reynisdottir, Michèle Dauzats, Cecilia Holm, and Dominique Langin, "Expression of Hormone-Sensitive Lipase in the Human Colon Adenocarcinoma Cell Line HT29," pp. 175–182 456

Volume 208, Number 2, March 17, 1995

ATP-Activated Chloride Permeability in Biliary Epithelial Cells Is Regulated by Calmodulin-Dependent Protein Kinase II *James M. McGill, Margaret S. Yen, Srisaila Basavappa, Allen W. Mangel, and Ann P. Kwiatkowski* 457

Differential Expression and Subcellular Localization of Protein Kinase C Isoforms in Neuronal and Cardiac Tissues of *Limulus polyphemus* *Byron D. Ford, Waneene C. Dorsey, and James G. Townsel* 463

Hyaluronic-Acid-Deficient Extracellular Matrix Induced by Addition of 4-Methylumbelliferone to the Medium of Cultured Human Skin Fibroblasts *Toshiya Nakamura, Keiichi Takagaki, Shigeru Shibata, Kanji Tanaka, Tsuyoshi Higuchi, and Masahiko Endo* 470

Suppression of Human Melanoma Metastasis by Introduction of Chromosome 6 May Be Partially Due to Inhibition of Motility, but Not to Inhibition of Invasion *Jun You, Mary E. Miele, Cheng Dong, and Danny R. Welch* 476

Modulation of Cloned Neuronal Calcium Channels through Membrane-Delimited Pathway *Jiuying Zhou, Shuqin Zong, and Tsutomu Tanabe* 485

Inhibition of Intercellular Communication via Gap Junction in Cultured Aortic Endothelial Cells by Elevated Glucose and Phorbor Ester *Toyoshi Inoguchi, Fusao Ueda, Fumio Umeda, Tsukasa Yamashita, and Hajime Nawata* 492

The Role of Meprin A in the Pathogenesis of Acute Renal Failure *Howard Trachtman, Elsa Valderrama, Janet M. Dietrich, and Judith S. Bond* 498

N-Methyl-*N*-nitrosourea Evidences Cell-Cycle-Associated Transient Sequences in Hepatic Replicating DNA *Darja Kanduc* 506

Attachment and Growth of Fibroblast Cells on Silk Fibroin *Norihiko Minoura, Sei-Ichi Aiba, Masahiro Higuchi, Yohko Gotoh, Masuhiro Tsukada, and Yohji Imai* 511

Enzymes Involved in the Synthesis of Mannose-6-phosphate from Glucose Are Normal in Carbohydrate Deficient Glycoprotein Syndrome Fibroblasts *K. Panneerselvam and Hudson H. Freeze* 517

Transgenic Mice Overexpressing Human Copper/Zinc-Superoxide Dismutase (CuZn SOD) Are Not Resistant to Endotoxic Shock *Sven de Vos, Charles J. Epstein, Elaine Carlson, Steve K. Cho, and H. Phillip Koeffler* 523

An Inhibitor from the Argasid Tick *Ornithodoros moubata* of Cell Adhesion to Collagen *Jerzy Karczewski, Lloyd Waxman, Richard G. Endris, and Thomas M. Connolly* 532

Enhanced Processing of APP Induced by IL-1β Can Be Reduced by Indomethacin and Nordihydroguaiaretic Acid *Pramod K. Dash and Anthony N. Moore* 542

Fatty Acid Ethyl Ester Synthase Catalyzes the Esterification of Ethanol to Cocaine *Agnieszka M. Heith, Christopher R. Morse, Takahiro Tsujita, Sheila A. Volpacelli, James G. Flood, and Michael Laposata* 549

The Growth Hormone Secretagogue, L-692,429, Induces Phosphatidylinositol Hydrolysis and Hormone Secretion by Human Pituitary Tumors *Eric F. Adams, Beate Petersen, Ting Lei, Michael Buchfelder, and Rudolf Fahlbusch* 555

Cloning of a Full-Length cDNA Sequence Encoding a *cdc*2-Related Protein Kinase from Human Endothelial Cells *Jennifer L. Best, David H. Presky, Robert A. Swerlick, Daniel K. Burns, and Wei Chu* 562

Translation Initiation Factors of a Tetracycline-Producing Strain of *Streptomyces aureofaciens* *Jiří Janata and Karel Mikulík* 569

Pharmacological Study of Stem-Cell-Factor-Induced Mast Cell Histamine Release with Kinase Inhibitors *Shizuka Nagai, Seiichi Kitani, Koichi Hirai, Toshiaki Takaishi, Kazunori Nakajima, Hidetoshi Kihara, Yoshiaki Nonomura, Koji Ito, and Yutaka Morita* 576

Proinflammatory Cytokines Regulate Cyclooxygenase-2 mRNA Expression in Human Macrophages *Sergio Arias-Negrete, Kathy Keller, and Kris Chadee* 582

A "Cysteineless" GLUT1 Glucose Transporter Has Normal Function When Expressed in *Xenopus* Oocytes *A. Denise Due, Jo Ann Cook, Sara J. Fletcher, Qu Zhi-Chao, C. Alvin Powers, and James M. May* 590

Hydroxyl Radical Attack of Low-Density Lipoprotein Decreases Its Cellular Catabolism in the Absence of Significant Lipid Peroxidation *V. Frey-Fressart, D. Bonnefont-Rousselot, M. Gardès-Albert, J. Delattre, M. Auclair, C. Mazière, and J. C. Mazière* 597

Effects of 5α-Dihydrotestosterone (DHT) on the Transcription of nm23 and c-myc Genes in Human Prostatic LNCaP Cells *Ichiro Yoshimura, Joseph M. Wu, Yuping Chen, Chunyung Ng, Camille Mallouh, Joseph M. Backer, Charmaine E. Mendola, and Hiroshi Tazaki* 603

Purification and Characterization of DNA-Dependent RNA Polymerase from *Staphylococcus aureus* *Rajendar Deora and Tapan K. Misra* 610

Myristoyl CoA:Protein *N*-Myristoyltransferase: Subcellular Localization, Activation, and Kinetic Behavior in the Presence of Organic Solvents *Raju V. S. Rajala and Rajendra K. Sharma* 617

Sequence Variation in the 5′, Putative Promoter of *Sry* and Its Possible Relevance to the C57BL/6J-Y^{DOM} Sex Reversal *Penelope E. Graves and Robert P. Erickson* 624

Prevention and Termination of β-Adrenergic Agonist-Induced Arrhythmias by Free Polyunsaturated Fatty Acids in Neonatal Rat Cardiac Myocytes *Jing X. Kang and Alexander Leaf* 629

Protein Synthesis Is Required for Laminin-Induced Expression of the 67-kDa Laminin Receptor and Its 37-kDa Precursor *Victor I. Romanov, Linda S. Wrathall, Todd D. Simmons, Pedro Pinto da Silva, and Mark E. Sobel* 637

Ca^{2+} Oscillations in Pancreatic Islet Cells Secreting Glucagon and Somatostatin *Alf Berts, Erik Gylfe, and Bo Hellman* 644

Human Neutrophils Store Type II 14-kDa Phospholipase A_2 in Granules and Secrete Active Enzyme in Response to Soluble Stimuli *M. D. Rosenthal, M. N. Gordon, E. S. Buescher, J. H. Slusser, L. K. Harris, and R. C. Franson* 650

Apolipoprotein E Interaction with the Neurofibrillary Tangles and Senile Plaques in Alzheimer Disease: Implications for Disease Pathogenesis *Peggy L. Richey, Sandra L. Siedlak, Mark A. Smith, and George Perry* 657

Substance P and Bradykinin Are Natural Inhibitors of CD13/Aminopeptidase N *Yang Xu, Daniel Wellner, and David A. Scheinberg* 664

Decreased Molecular Chaperone Property of α-Crystallins Due to Posttranslational Modifications *M. Cherian and E. C. Abraham* 675

Total Synthesis of a Simple Metalloprotein—Desulforedoxin *Pedro Tavares, John K. Wunderlich, Steven G. Lloyd, Jean LeGall, José J. G. Moura, and Isabel Moura* 680

O^6-Alkylguanine DNA Alkyltransferase Activity Levels in Normal, Benign, and Malignant Human Female Breast *Javed Musarrat, Jasna A. Wilson, Hussein Abou-Issa, and Altaf A. Wani* 688

Identification of a 40-kDa Human Protein That Cross-Reacts with Prokaryotic HSP60/Chaperonins *Helene F. Rosenberg, Richard P. Morrison, and Fei Li* 697

Differential Expression of Cytokine Genes in HIV-1*tat* Transfected T and B Cell Lines *Venkatanarayanan Sharma, Thomas J. Knobloch, and David Benjamin* 704

Cloning, Expression, and Purification of Full-Length Rep78 of Adeno-associate Virus as a Fusion Protein with Maltose Binding Protein in *Escherichia coli* *Ramesh B. Batchu, Dorothy A. Miles, Tammy M. Rechtin, Richard R. Drake, and Paul L. Hermonat* 714

Cloning and Sequencing of a Human Endothelin Converting Enzyme in Renal Adenocarcinoma (ACHN) Cells Producing Endothelin-2 *Kazuyuki Yorimitsu, Kayoko Moroi, Nobuya Inagaki, Toshihiro Saito, Yoshiaki Masuda, Tomoh Masaki, Susumu Seino, and Sadao Kimura* 721

Novel *Saccharomyces cerevisiae* Gene, *MRK*1, Encoding a Putative Protein Kinase with Similarity to Mammalian Glycogen Synthase Kinase-3 and *Drosophila* Zeste-White3/Shaggy *Thomas A. Hardy, David Wu, and Peter J. Roach* 728

Normal Activation of P70 S6 Kinase by Insulin in Cells Overexpressing Dominant Negative 85-kDa Subunit of Phosphoinositide 3-Kinase *Kenta Hara, Kazuyoshi Yonezawa, Hiroshi Sakaue, Ko Kotani, Kei Kotani, Asato Kojima, Michael D. Waterfield, and Masato Kasuga* 735

αB Crystallin Is Constitutively Expressed in Cultures of Bovine Articular Chondrocytes *F. Bennardini, C. Juliano, D. Benetti, M. Mian, M. Chiesi, A. Mattana, and F. Franconi* 742

Modulation of Estradiol and DNA Binding to Estrogen Receptor upon Association with Calmodulin *Abdellah Bouhoute and Guy Leclercq* 748

Genomic Structure of Human Transcobalamin II: Comparison to Human Intrinsic Factor and Transcobalamin I *Ning Li, Shakuntla Seetharam, and Bellur Seetharam* 756

Role of Platelet Factor Xa in Chylomicron–Prothrombin Complexes Induced Platelet Activation *Ning Xu, Li Zhou, Ann-Kristin Öhlin, Åke Nilsson* 765

Secondary Structure of Monoamine Oxidase by FTIR Spectroscopy *J. Wouters, R. Ramsay, E. Goormaghtigh, J.-M. Ruysschaert, R. Brasseur, and F. Durant* 773

Potentiation of Anti-HIV Activity of Anti-inflammatory Drugs, Dexamethasone and Indomethacin, by MAP30, the Antiviral Agent from Bitter Melon *Aldar S. Bourinbaiar and Sylvia Lee-Huang* 779

Human Thermolabile Phenol Sulfotransferase Gene (STM): Molecular Cloning and Structural Characterization *Ibrahim A. Aksoy and Richard M. Weinshilboum* 786

Phosphorylation and Activation of p90^{rsk} by Glycogen Synthase Kinase-3 *Q. May Wang, Terry A. Vik, John W. Ryder, and Peter J. Roach* 796

Demonstration of *Trans*-acting Factors Binding to the Promoter Region of the Testis-Specific Rat Protamine P1 Gene *Rosa Queralt and Rafael Oliva* 802

The Operation of Na^+/Ca^{2+} Exchanger Prevents Intracellular Ca^{2+} Overload and Hepatocyte Killing Following Iron-Induced Lipid Peroxidation *Rita Carini, Giorgio Bellomo, Mario U. Dianzani, and Emanuele Albano* 813

Dual Modulation of Phosphorylation of a 60-kDa Nuclear Protein in Interferon-α Treated Daudi Cells *Rakesh Kumar* 819

A Hydroxyquinone with Amine Oxidase Activity: Preparation and Properties *Enrico Sanjust, Andrea C. Rinaldi, Antonio Rescigno, Maria C. Porcu, Guido Alberti, Augusto Rinaldi, and Alessandro Finazzi-Agrò* 825

Pioglitazone Treatment for 7 Days Failed to Correct the Defect in Glucose Transport and Glucose Transporter Translocation in Obese Zucker Rat (fa/fa) Skeletal Muscle Plasma Membranes *Michael F. Hirshman, Patricia M. Fagnant, Elizabeth D. Horton, Patricia A. King, and Edward S. Horton* 835

Tyrosine Kinases but Not cAMP-Dependent Protein Kinase Mediate the Induction of Leukocyte Alkaline Phosphatase by Granulocyte-Colony-Stimulating Factor and Retinoic Acid in Acute Promyelocytic Leukemia Cells *M. Gianni, M. LiCalzi, M. Terao, A. Rambaldi, and E. Garattini* 846

Human Platelet Phenolsulfotransferases: cDNA Cloning, Stable Expression in V79 Cells, and Identification of a Novel Allelic Variant of the Phenol-Sulfating Form *Alwen L. Jones, Maria Hagen, Michael W. H. Coughtrie, Richard C. Roberts, and Hansruedi Glatt* 855

Characterization of the Major Non-collagenous Proteins of Chicken Bone: Identification of a Novel 60-kDa Non-collagenous Phosphoprotein *Yozo Gotoh, Erdjan Salih, Melvin J. Glimcher, and Louis C. Gerstenfeld* 863

Presence of Both A_1 and A_{2a} Adenosine Receptors in Human Cells and Their Interaction *Ahmed H. Ahmed, Kenneth A. Jacobson, Jeongho Kim, and Leon A. Heppel* 871

Baculoviral Expression of a Natural Inhibitor of the Human Insulin Receptor Tyrosine Kinase *Pothur R. Srinivas, Anton Scott Goustin, and George Grunberger* 879

Identification of a *de Novo* Point Mutation Resulting in Infantile Form of Pompe's Disease *Ching-Yuang Lin and Jeng-Jer Shieh* 886

Volume 208, Number 3, March 28, 1995

D175 Discriminates between NADH and NADPH in the Coenzyme Binding Site of *Lactobacillus delbrueckii* subsp. *Bulgaricus* D-Lactate Dehydrogenase *Nathalie Bernard, Keyji Johnsen, J. John Holbrook, and Jean Delcour* 895

Annexin II_2-$p11_2$ (Calpactin I) Stimulates the Assembly of GFAP in a Calcium- and pH-Dependent Manner *Marisa Garbuglia, Roberta Bianchi, Marco Verzini, Ileana Giambanco, and Rosario Donato* 901

S-100 Protein and Annexin II_2-$p11_2$ (Calpactin I) Act in Concert to Regulate the State of Assembly of GFAP Intermediate Filaments *in Vitro* *Roberta Bianchi, Marisa Garbuglia, Marco Verzini, Ileana Giambanco, Antonio Spreca, and Rosario Donato* 910

Correlation between Degree of Rupture of Outer Mitochondrial Membrane and Changes of Kinetics of Regulation of Respiration by ADP in Permeabilized Heart and Liver Cells *Valdur Saks, Yulia Belikova, Elena Vasilyeva, Andrey Kuznetsov, Eric Fontaine, Christiane Keriel, and Xavier Leverve* 919

Sequence Alignment and Structural Modelling of the LamB Glycoporin Family *Hannu Lång and Thomas Ferenci* 927

Regulation of the Major Histocompatibility Complex Class I mRNA Expression by Bile Acids in Cultured Human Hepatoma Cells *Fuminori Hirano, Hirotoshi Tanaka, Yuichi Makino, Kensaku Okamoto, Mamoru Inaba, Takanori Miura, and Isao Makino* 935

Cloning and Sequencing of the Catechol 2,3-Dioxygenase Gene of *Alcaligenes* sp. KF711 *Jangho Moon, Hogil Chang, Kyung Rak Min, and Youngsoo Kim* 943

Combinatorial Interaction of Human bcl-2 Related Proteins: Mapping of Regions Important for bcl-2/bcl-x-s Interaction *Haichao Zhang, Badr Saeed, and Shi-Chung Ng* 950

Correction of Fumarylacetoacetate Hydrolase Deficiency (Type I Tyrosinemia) in Cultured Human Fibroblasts by Retroviral-Mediated Gene Transfer *Daniel Phaneuf, Michelle Hadchouel, Robert M. Tanguay, Christian Bréchot, and Nicolas Ferry* 957

Antioxidant Function of Recombinant Human Natural Killer Enhancing Factor *Humberto Sauri, Lisa Butterfield, Anthony Kim, and Hungyi Shau* 964

Modulation of the Release of Adenosine by Glucose and Chemical Hypoxia in Cultured Renal Cells (MDCK Line) *José L. Reyes, Estela Meléndez, Jorge Suárez, Marta Rangel, Marta Franco, and Flavio Martínez* 970

Integrin-Linked Tyrosine Phosphorylation Increases Membrane Association of Protein Kinase Cα in Pancreatic Acinar Cells *Robert W. Wrenn and Lee E. Herman* 978

Phosphoinositide 3-Kinase as an Upstream Regulator of the Small GTP-Binding Protein Rac in the Insulin Signaling of Membrane Ruffling *Kei Kotani, Kenta Hara, Ko Kotani, Kazuyoshi Yonezawa, and Masato Kasuga* 985

Compound Heterozygous Mutations Affecting Both Hepatic and Erythrocyte Isozymes of Pyruvate Kinase *Rikako Uenaka, Hiromu Nakajima, Tamio Noguchi, Kiichi Imamura, Tomoya Hamaguchi, Koji Tomita, Kazuya Yamada, Masamichi Kuwajima, Norio Kono, Takehiko Tanaka, and Yuji Matsuzawa* 991

Molecular Cloning of a Novel Human cDNA on Chromosome 1q21 and Its Mouse Homolog Encoding a Nuclear Protein with DNA-Binding Ability *Izumi Horikawa, Hiromi Tanaka, Yoshihiro Yuasa, Mikio Suzuki, and Mitsuo Oshimura* 999

Expression of a Novel Insulin-Activated Amino Acid Transporter Gene during Differentiation of 3T3-L1 Preadipocytes into Adipocytes *Kan Liao and M. Daniel Lane* 1008

Measurement of Nitric Oxide Release in the Isolated Perfused Rat Lung *David Wang, Kang Hsu, Chie-Ping Hwang, and Hsing I. Chen* 1016

Degradation of DNA in Dried Tissues by Atmospheric Oxygen *Shinji Matsuo, Shinya Toyokuni, Mitsuhiko Osaka, Shuji Hamazaki, and Taketoshi Sugiyama* 1021

Fine Structure of the Human Ceruloplasmin Gene *Makoto Daimon, Keiichi Yamatani, Masahiko Igarashi, Norio Fukase, Toru Kawanami, Takeo Kato, Makoto Tominaga, and Hideo Sasaki* 1028

DIF-1, Morphogen of *Dictyostelium discoideum*, Induces the Erythroid Differentiation in Murine and Human Leukemia Cells *Ken-ichi Asahi, Akira Sakurai, Nobutaka Takahashi, Yuzuru Kubohara, Koji Okamoto, and Yoshimasa Tanaka* 1036

Oligoclonal Proliferation of Human T-Cel Leukemia Virus Type I Infected Lymphocytes in Lesions of Virus-Induced Arthropathy *Kazuhiko Yamamoto, Hiroyuki Aono, Toshihiro Nakajima, Tomoko Hasunuma, and Kusuki Nishioka* 1040

A Novel Phosphatidylcholine Hydrolyzing Action of C-Reactive Protein *Sailen Mookerjea and Donna Hunt* 1046

Nonsteroidal Anti-inflammatory Drugs Inhibit Expression of the Inducible Nitric Oxide Synthase Gene *Ernesto E. Aeberhard, Scott A. Henderson, Nicole S. Arabolos, Jeanette M. Griscavage, Fidel E. Castro, Cynthia T. Barrett, and Louis J. Ignarro* 1053

Erythropoietin Induces Tyrosine Phosphorylation of the β Chain of the GM-CSF Receptor *Yutaka Hanazono, Ko Sasaki, Hiroyuki Nitta, Yoshio Yazaki, and Hisamaru Hirai* 1060

c-*erb*B-2 Gene Product Directly Associates with β-Catenin and Plakoglobin *Yae Kanai, Atsushi Ochiai, Tatsuhiro Shibata, Tsukasa Oyama, Saori Ushijima, Shingo Akimoto, and Setsuo Hirohashi* 1067

Isolation and Characterization of 30-nm Protein Particles Present in Pseudopods of the Amoeboid Sperm of *Ascaris suum* *L. Shannon Holliday and Thomas M. Roberts* 1073

Stimulation of DNA Replication by Truncated Fos and Jun Proteins in a Cell-Free Extract of *Xenopus* Eggs *Akira Someya, Naomoto Harada, Ayae Honda, Susumu Nishimura, Nobuo Tanaka, and Akira Okuyama* 1080

Effect of High-Fat Diet on the Gene Expression of Pancreatic GLUT2 and Glucokinase in Rats *Youngbum Kim, Soh Iwashita, Tomohiro Tamura, Kumpei Tokuyama, and Masashige Suzuki* 1092

Quercetin Suppresses Heat Shock Response by Down-Regulation of HSF1 *Naoko Nagai, Akira Nakai, and Kazuhiro Nagata* 1099

Ornithine Decarboxylase Is Directly Involved in Mouse Mammary Carcinoma Cell Invasion *in Vitro* *Shunichiro Kubota, Takeshi Yamada, Sachiko Kamei, and Yousuke Seyama* 1106

Active Transport by the CscB Permease in *Escherichia coli* K-12 *Miklós Sahin-Tóth, Stathis Frillingos, Joseph W. Lengeler, and H. Ronald Kaback* 1116

Suppression of Cytochrome P450 (*Cyp1a-1*) Induction in Mouse Hepatoma Hepa-1c1c7 Cells by Methoxsalen *Hye Gwang Jeong, Chul-Ho Yun, Young Jin Jeon, Sang Seop Lee, and Kyu-Hwan Yang* 1124

Lateral Diffusion of Human CD2 Wild Type and Mutants with Large Deletions in the Transmembrane Domain *Gertrudes Corção, Roger Sutcliffe, John Kusel, and Simone Fulgêncio Lima* 1131

Molecular Cloning and Characterization of Mouse HS1 *Daisuke Kitamura, Hideo Kaneko, Ichiro Taniuchi, Kiwamu Akagi, Ken-ichi Yamamura, and Takeshi Watanabe* 1137

Insulin-Stimulated Phosphatidylinositol 3-Kinase Activity and 2-Deoxy-D-Glucose Uptake in Rat Skeletal Muscles *Jeffrey S. Elmendorf, Alice Damrau-Abney, Terry R. Smith, Tonya S. David, and Jiri Turinsky* 1147

Does Actin Bind to Membrane Lipids under Conditions Compatible with Those Existing *in Vivo*? *Claude Gicquaud* 1154

Acid Phosphatase Positional Correlations in Solid Surface Fungal Cultivation: A Fractal Interpretation of Biochemical Differentiation
C. L. Jones, G. T. Lonergan, and D. E. Mainwaring 1159

Molecular Cloning of a Mouse G-Protein-Activated K^+ Channel (mGIRK1) and Distinct Distributions of Three GIRK (GIRK1, -2, and -3) mRNAs in Mouse Brain
Toru Kobayashi, Kazutaka Ikeda, Tomio Ichikawa, Satoshi Abe, Shunji Togashi, and Toshiro Kumanishi 1166

Promotion of Microtubule Assembly *in Vitro* by a Novel 35-kDa Protein Purified from Human Term Placenta
Byung-Doo Hwang, Sang-Tae Kwak, Gi-Ryang Kweon, and Kyu Lim 1174

ERRATA

Volume 205, Number 3, December 30, 1994: Hiroyuki Adachi, Takeshi Hasebe, Keisuke Yoshinaga, Takahisa Ohta, and Kazuo Sutoh, "Isolation of *Dictyostelium discoideum* Cytokinesis Mutants by Restriction Enzyme-Mediated Integration of the Blasticidin S Resistance Marker," pp. 1808–1814 1181

Volume 206, Number 1, January 5, 1995: E. V. Davies and M. B. Hallett, "A Soluble Cellular Factor Directly Stimulates Ca^{2+} Entry in Neutrophils, pp. 348–354 1182

Author Index for Volume 208 1184

Volume 209, Number 1, April 6, 1995

Proline Accumulates in Plants Exposed to uv Radiation and Protects Them against uv-Induced Peroxidation *P. Pardha Saradhi, Alia, Sandeep Arora, and K. V. S. K. Prasad* 1

Inhibition of Mitochondrial Respiration by a *para*-Quinone Methide *David C. Thompson and Kumar Perera* 6

Interaction between Caltropin and the C-Terminal Region of Smooth Muscle Caldesmon *Shaobin Zhuang, Rajam S. Mani, Cyril M. Kay, and C.-L. Albert Wang* 12

Selection of Glucocorticoid-Resistant Mutations from an AtT-20 Cell Line Containing a Glucocorticoid-Regulated Selectable Transgene *Robert W. Harrison III, Stephen S. Lippman, and Richard VerHoeven* 18

Suppression of *in Vitro* Invasion of Human Fibrosarcoma Cells by a Leupeptin Analog Inhibiting the Urokinase-Plasmin System *Manabu Kawada and Kazuo Umezawa* 25

The Unfolded-Protein-Response Element Discriminates Misfolding Induced by Different Mutant Pro-sequences of Yeast Carboxypeptidase Y *Bhabatosh Chaudhuri, Natalie S. Delany, and Christine Stephan* 31

cDNA Cloning of Murine Nrf 2 Gene, Coding for a p45 NF-E2-Related Transcription Factor *David H. K. Chui, Wozhan Tang, and Stuart H. Orkin* 40

Intact α-Subunit Is Required for Membrane Binding of Human Mitochondrial Trifunctional β-Oxidation Protein, but Is Not Necessary for Conferring 3-Ketoacyl-CoA Thiolase Activity to the β-Subunit *Michael J. Weinberger, Piero Rinaldo, Arnold W. Strauss, and Michael J. Bennett* 47

Relationship between Free Iron Level and Rat Liver Mitochondrial Dysfunction in Experimental Dietary Iron Overload *Daniela Ceccarelli, Daniela Gallesi, Fabiola Giovannini, Marco Ferrali, and Alberto Masini* 53

Identification of a Phorbol-Ester Responsive Region in the Myeloid-Specific Promoter of the c-*fgr* Proto-oncogene *Panagiotis Kefalas, Timothy R. P. Brown, David R. Katz, and Paul M. Brickell* 60

Retinoid Agonist Activities of Synthetic Geranyl Geranoic Acid Derivatives *Hiroshi Araki, Yoshihiro Shidoji, Yasuhiro Yamada, Hisataka Moriwaki, and Yasutoshi Muto* 66

Transcriptional Inhibition of the Inducible Nitric Oxide Synthase Gene by Competitive Binding of NF-κB/Rel Proteins *Christopher E. P. Goldring, Ramaswamy Narayanan, Patricia Lagadec, and Jean-François Jeannin* 73

Identification of the ET_A Receptor Subtype That Mediates Endothelin-Induced Autocrine Proliferation of Normal Human Keratinocytes *Anna Bagnato, Aldo Venuti, Valeriana Di Castro, and Maria Luisa Marcante* 80

Interleukin-10 Decreases Tyrosine Phosphorylation of Discrete Lipopolysaccharide-Induced Phosphoproteins in Human Granulocytes *Sara Gasperini, Marta Donini, Stefano Dusi, and Marco A. Cassatella* 87

Abundant Expression of GLUT1 and GLUT3 in Rat Embryo during the Early Organogenesis Period *Kazunari Matsumoto, Shoichi Akazawa, Miwa Ishibashi, Romulo A. Trocino, Hiroshi Matsuo, Hironori Yamasaki, Yoshihiko Yamaguchi, Shinya Nagamatsu, and Shigenobu Nagataki* 95

Native and Asialo-Tamm-Horsfall Glycoproteins as Important Ligands for the Detection of GalNAcβ1→ and Galβ1→ 4GlcNAc Active Lectins *Albert M. Wu, Winifred M. Watkins, Shuh-Chyng Song, Anthony Herp, and June H. Wu* 103

Signals from the IL-1 Receptor Homolog, Toll, Can Activate an Immune Response in a *Drosophila* Hemocyte Cell Line *Marco Rosetto, Ylva Engström, Cosima T. Baldari, John L. Telford, and Dan Hultmark* 111

Biochemical and Calmodulin Binding Properties of Estrogen Receptor Binding Cyclophilin Expressed in *Escherichia coli* *Thomas Ratajczak, Amerigo Carrello, and Rodney F. Minchin* 117

Mutational Study at Ser300 Position of the *Escherichia coli* Lactose Repressor *S. Miura-Onai, M. Yabuta, and K. Ohsuye* 126

EGF-Induced Activation of 70-kDa S6 Kinase in CHO Cells Expressing Human EGF Receptors *Yoshiaki Kido, Yoshinori Okabayashi, Toshio Okutani, Yutaka Sugimoto, Kazuhiko Sakaguchi, and Masato Kasuga* 131

Effects of H_2O_2 on Membrane Potential and $[Ca^{2+}]_i$ of Cultured Rat Arterial Smooth Muscle Cells *Peter Krippeit-Drews, Christian Haberland, Jürgen Fingerle, Gisela Drews, and Florian Lang* 139

Human Peripheral Eosinophils Have a Specific Mechanism to Express gp91-*phox*, the Large Subunit of Cytochrome b_{558} *Futoshi Kuribayashi, Atsushi Kumatori, Shoichi Suzuki, Michio Nakamura, Tadashi Matsumoto, and Yoshiro Tsuji* 146

Amino Acids of the Third Transmembrane Domain of the AT_{1A} Angiotensin II Receptor Are Involved in the Differential Recognition of Peptide and Nonpeptide Ligands *Thierry Groblewski, Bernard Maigret, Sandrine Nouet, Renée Larguier, Colette Lombard, Jean-Claude Bonnafous, and Jacky Marie* 153

Influence of Salt Loading on the Cardiac and Renal Preproendothelin-1 mRNA Expression in Stroke-Prone Spontaneously Hypertensive Rats *Olivier Feron, Salvatore Salomone, and Théophile Godfraind* 161

Enzymatic Synthesis and Degradation of Nicotinate Adenine Dinucleotide Phosphate (NAADP), a Ca^{2+}-Releasing Agonist, in Rat Tissues *Eduardo N. Chini and Thomas P. Dousa* 167

Suppression of Elastin Gene Expression in Dermal Fibroblasts by Protein Phosphatase Inhibitor Okadaic Acid *Jukka Westermarck, Elina Ilvonen, Jouni Uitto, and Veli-Matti Kähäri* 175

Expression of Insulin-like Growth Factor Receptor mRNA in Rabbit Atherosclerotic Lesions *José I. Polanco, María T. Berciano, Miguel Lafarga, Javier León, Miguel Pocoví, and José C. Rodríguez-Rey* 182

Culture Density and the Activity, Abundance, and Phosphorylation of the Na^+/H^+ Exchanger Isoform 1 in Human Fibroblasts *Martin Siczkowski and Leong L. Ng* 191

A Cell Division Inhibitor SulA of *Escherichia coli* Directly Interacts with FtsZ through GTP Hydrolysis *Atsushi Higashitani, Nahoko Higashitani, and Kensuke Horiuchi* 198

Antibody against Human α1β1 Integrin Inhibits HeLa Cell Adhesion to Laminin and to Type I, IV, and V Collagens *Terhi Riikonen, Pia Vihinen, Marita Potila, Wolfgang Rettig, and Jyrki Heino* 205

Mitochrondrial VDAC Can Be Phosphorylated by Cyclic AMP-Dependent Protein Kinase *Amal K. Bera, Subhendu Ghosh, and Sudipto Das* 213

Protein Tyrosine Kinases Expressed in Glomeruli and Cultured Glomerular Cells: Flt-1 and VEGF Expression in Renal Mesangial Cells *Takamune Takahashi, Takuji Shirasawa, Keiko Miyake, Yuichi Yahagi, Naoki Maruyama, Naruhiko Kasahara, Testsuya Kawamura, Osamu Matsumura, Tetsuya Mitarai, and Osamu Sakai* 218

Identification of a Putative Antioxidant Response Element in the 5′-Flanking Region of the Human γ-Glutamylcysteine Synthetase Heavy Subunit Gene *R. Timothy Mulcahy and Jerry J. Gipp* 227

Insulin-Dependent Phosphatidylinositol 3′-Kinase Activity Co-precipitates with Insulin Receptor in Human Circulating Mononuclear Cells *Eric Renard, Florin Grigorescu, Christine Lavabre, and C. Ronald Kahn* 234

Gly113→Asp Can Restore Activity to the Asp51→Ser Mutant in the Melibiose Carrier of *Escherichia coli* *Dorothy M. Wilson, Hiroko Hama, and T. Hastings Wilson* 242

Expression and Inflammatory Regulation of Haptoglobin Gene in Adipocytes *William W. Friedrichs, Andrea L. Navarijo-Ashbaugh, Barbara H. Bowman, and Funmei Yang* 250

DNA Binding and Transcriptional Properties of Wild-Type and Mutant Forms of the Homeodomain Protein Msx2 *Gregg L. Semenza, Guang L. Wang, and Ramendra Kundu* 257

Morphological and Biochemical Changes in a Hematopoietic Cell Line Induced by Jacalin, a Lectin Derived from *Artocarpus integrifolia* *Mayumi Yagi, Antonio Campos-Neto, and Katherine Gollahon* 263

A Mitogen-Activated Protein Kinase-Independent Pathway Involved in the Phosphorylation and Activation of Cytosolic Phospholipase A_2 in Human Neutrophils Stimulated with Tumor Necrosis Factor-α *Waltraut H. Waterman and Ramadan I. Sha'afi* 271

Gonadal Steroids Modulate Interleukin-1 Receptor Antagonist mRNA Expression in Cultured Human Monocytes *Bo Yon Lee, Tri Huynh, Lynn E. Prichard, Joseph McGuire, and Mary Lake Polan* 279

ATP Bimodal Switch That Regulates the Ligand Binding and Signal Transduction Activities of the Atrial Natriuretic Factor Receptor Guanylate Cyclase *Teresa Duda and Rameshwar K. Sharma* 286

Glycosylation-Dependent Binding of Pancreatic Type I Phospholipase A_2 to Its Specific Receptor *Hiroko Fujita, Keiko Kawamoto, Kohji Hanasaki, and Hitoshi Arita* 293

Focal Adhesion Kinase Is Not Essential for *in Vitro* and *in Vivo* Differentiation of ES Cells *Dusko Ilic, Yasuhide Furuta, Toshio Suda, Tadao Atsumi, Jiro Fujimoto, Yoji Ikawa, Tadashi Yamamoto, and Shinichi Aizawa* 300

Zn^{2+} Binding to Cardiac Calsequestrin *Shairaz Baksh, Cornelia Spamer, Kim Oikawa, William D. McCubbin, Claus Heilmann, Cyril M. Kay, and Marek Michalak* 310

Mast Cell Chemotactic Activity of RANTES *Sabrina Mattoli, Victoria Ackerman, Enza Vittori, and Maurizio Marini* 316

The *Saccharomyces cerevisiae* Processing α1,2-Mannosidase Is an Inverting Glycosidase *Francesco Lipari, Barbara J. Gour-Salin, and Annette Herscovics* 322

Drosophila Glutathione *S*-Transferase D27: Functional Analysis of Two Consecutive Tyrosines near the N-Terminus *Hin-Cheung Lee and Chen-Pei D. Tu* 327

Tumor Necrosis Factor α and Interleukin-1β but Not Interferon γ Induce Vascular Cell Adhesion Molecule-1 Expression on Primary Cultured Murine Hepatocytes *Yoshifumi Watanabe, Masahiko Morita, Naoko Ikematsu, and Toshihiro Akaike* 335

Requirement for Phosphoinositide 3-Kinase in Insulin-Stimulated GLUT4 Translocation in 3T3-L1 Adipocytes *Kei Kotani, Amanda J. Carozzi, Hiroshi Sakaue, Kenta Hara, Linda J. Robinson, Sharon F. Clark, Kazuyoshi Yonezawa, David E. James, and Masato Kasuga* 343

Failure of Copper Incorporation into Ceruloplasmin in the Golgi Apparatus of LEC Rat Hepatocytes *Yoshiko Murata, Erika Yamakawa, Taketoshi Iizuka, Hiroko Kodama, Toshiaki Abe, Yukio Seki, and Masaaki Kodama* 349

Phosphorylation of Tyrosine Residues of RNA Polymerase II and Other Nuclear Proteins by Active Chromatin Tyrosine Kinase(s) *Murali Palangat and Deodutta Roy* 356

Characterization of the Apolipoprotein(a) Gene *Akitada Ichinose* 365

Detection of Polymorphisms in the 5′-Flanking Region of the Gene for Apolipoprotein(a) *Akitada Ichinose and Masaru Kuriyama* 372

Multistrand Binding of Nuclear Factors to a Repressor of Mouse Mammary Tumor Virus Transcription Can Be Distinguished Kinetically *David J. Rodda, Ward Giffin, and Robert J. G. Haché* 379

Volume 209, Number 2, April 17, 1995

Cloning and Functional Characterization of the Human Vasoactive Intestinal Peptide (VIP)-2 Receptor *John E. Adamou, Nambi Aiyar, Stephanie Van Horn, and Nabil A. Elshourbagy* 385

Platelet-Derived Growth Factor Isoforms PDGF-AA, -AB and -BB Exert Specific Effects on Collagen Gene Expression and Mitotic Activity of Cultured Human Wound Fibroblasts *Jyri Lepistö, Juha Peltonen, Marko Vähä-Kreula, Juha Niinikoski, and Matti Laato* 393

Cell Cycle Dependent Induction of Apoptosis by Somatostatin Analog SMS 201-995 in AtT-20 Mouse Pituitary Cells *C. B. Srikant* 400

Mutagenesis of Human Adenosine Deaminase to Active Forms That Partially Resist Inhibition by Pentostatin *Monier M. Ibrahim, Irene T. Weber, and Thomas B. Knudsen* 407

Role of Lipid Peroxidation in Electroporation-Induced Cell Permeability *Mauro Maccarrone, Marco R. Bladergroen, Nicola Rosato, and Allesandro Finazzi Agrò* 417

Definition of an Interface Implicated in Gelsolin Binding to the Sides of Actin Filaments *J. Feinberg, Y. Benyamin, and C. Roustan* 426

Effects of Recombinant Human Osteogenic Protein-1 on the Differentiation of Osteoclast-like Cells and Bone Resorption *Teuvo A. Hentunen, Päivi T. Lakkakorpi, Juha Tuukkanen, Petri P. Lehenkari, T. Kuber Sampath, and H. Kalervo Väänänen* 433

Efficient Gene Delivery with Neutral Complexes of Lipospermine and Thiol-Reactive Phospholipids *Antoine Kichler, Jean-Serge Remy, Otmane Boussif, Benoît Frisch, Christophe Boeckler, Jean-Paul Behr, and Francis Schuber* 444

Quantal Release of Calcium in Permeabilized A7r5 Cells Is Not Caused by Intrinsic Inactivation of the Inositol Trisphosphate Receptor *Jan B. Parys, Ludwig Missiaen, Humbert De Smedt, Ilse Sienaert, Robert H. Henning, and Rik Casteels* 451

Identification of Triadin and of Histidine-Rich CA^{2+}-Binding Protein as Substrates of 60-kDa Calmodulin-Dependent Protein Kinase in Junctional Terminal Cisternae of Sarcoplasmic Reticulum of Rabbit Fast Muscle *Ernesto Damiani, Enzo Picello, Leopoldo Saggin, and Alfredo Margreth* 457

HPLC Demonstrates That an All Trp→Phe Replacement in Gramicidin A Results in a Conformational Rearrangement from β-Helical Monomer to Double-Stranded Dimer in Model Membranes *David Salom, M. Carmen Bañó, Lorenzo Braco, and Concepción Abad* 466

Evidence for the Ligand-Independent Activation of the AH Receptor *Pierre Lesca, Bogumila Peryt, Gilberte Larrieu, Michel Alvinerie, Pierre Galtier, Martine Daujat, Patrick Maurel, and Laurentius Hoogenboom* 474

$\mathrm{ET_B}$-Mediated Regulation of Extracellular Levels of Endothelin-1 in Cultured Human Endothelial Cells *Satoshi Ozaki, Kenji Ohwaki, Masaki Ihara, Takahiro Fukuroda, Kiyofumi Ishikawa, and Mitsuo Yano* 483

Cytosolic Nucleoside Diphosphate Kinase Associated with the Translation Apparatus May Provide GTP for Protein Synthesis *Jürgen Sonnemann and Rupert Mutzel* 490

Selection and Characterization of Verapamil-Resistant Multidrug Resistant Cells *Danielle F. Cano-Gauci, Fabian S. Seibert, Ahmad R. Safa, and John R. Riordan* 497

Pharmacological Differences between Rat and Human Endothelin B Receptors *Elwood E. Reynolds, Ok Hwang, Michael A. Flynn, Kathleen M. Welch, Wayne L. Cody, Bruce Steinbaugh, John X. He, Fu-Zon Chung, and Annette M. Doherty* 506

Association of Neurotrophin-3 Gene Variant with Severe Forms of Schizophrenia *Mineko Hattori and Shinichiro Nanko* 513

NOC, A Nitric-Oxide-Releasing Compound, Induces Dose Dependent Apoptosis in Macrophages *Motomu Shimaoka, Tetsuya Iida, Akitoshi Ohara, Nobuyuki Taenaka, Takashi Mashimo, Takeshi Honda, and Ikuto Yoshiya* 519

Genes Up-regulated in Hypertrophied Ventricle *Naoharu Iwai, Hitoshi Shimoike, and Masahiko Kinoshita* 527

cDNA Cloning of a Novel Rat Brain Cytochrome P450 Belonging to the CYP2D Subfamily *Hidenori Kawashima and Henry W. Strobel* 535

Human T Helper Cell Epitopes Overlap B Cell and Putative Cytotoxic T Cell Epitopes in the E2 Protein of Human Papillomavirus Type 16 *Matti Lehtinen, Merilyn H. Hibma, Giovanni Stellato, Tapio Kuoppala, and Jorma Paavonen* 541

Occurrence of Inosine Kinase as a Distinct Enzyme in *Spirulina platensis* *Piero Luigi Ipata, Claudio Gualerzi, Cosima Scolozzi, Maria Grazia Tozzi, Mirella Trinei, and Daniela Barsacchi* 547

The Sequence and Genomic Organization of the Human Type 2 Angiotensin II Receptor *Mickey M. Martin and Terry S. Elton* 554

Complementary DNA Cloning of a μ-Opioid Receptor from Rat Peritoneal Macrophages *M. Sedqi, S. Roy, S. Ramakrishnan, R. Elde, and H. H. Loh* 563

Synthetic Lipopeptides Activate Nucleoside Diphosphate Kinase in HL-60 Membranes *Jan F. Klinker and Roland Seifert* 575

IYK, A Novel Intracellular Protein Tyrosine Kinase Differentially Expressed in the Mouse Mammary Gland and Intestine *Maria Thuveson, Daniel Albrecht, Gisela Zürcher, Anne-Catherine Andres, and Andrew Ziemiecki* 582

The L-Arginine: Nitric Oxide Pathway Is the Major Source of Plasma Nitrite in Fasted Humans *P. Rhodes, A. M. Leone, P. L. Francis, A. D. Struthers, and S. Moncada* 590

Calreticulin—The Potential Autoantigen in Celiac Disease *K. Karská, L. Tučková, L. Steiner, H. Tlaskalová-Hogenová, and M. Michalak* 597

Sequence and Tissue Distribution of a Candidate G-Coupled Receptor Cloned from Rat Hypothalamus *Susan K. Welch, Bruce F. O'Hara, Thomas S. Kilduff, and H. Craig Heller* 606

mRNA Expression of Two Transmembrane Protein Tyrosine Phosphates Is Modulated by Growth Factors and Growth Arrest in 3T3 Fibroblasts *Jakub W. Celler, Xinmei Luo, L. Jorge Gonez, and Frank D. Böhmer* 614

Binding of Pleckstrin Homology Domains to WD40/β-Transducin Repeat Containing Segments of the Protein Product of the *Lis-1* Gene *Deng-Shun Wang, Regina Shaw, Mitsuharu Hattori, Hiroyuki Arai, Keizo Inoue, and Gerry Shaw* 622 α1B, but Not α1A, Adrenoreceptor Activates Calcium Influx through the Stimulation of a Tyrosine Kinase/Phosphotyrosine Phosphatase Pathway, Following Nora-drenaline-Induced Emptying of IP3 Sensitive Calcium Stores, in PC C13 Rat Thyroid Cell Line *Olimpia Meucci, Antonella Scorziello, Antonio Avallone, Tullio Florio, Vito D'Alto, Morena Fattore, and Gennaro Schettini* 630

Cloning and Promoter Mapping of Mouse κ Opioid Receptor Gene *Hsien-Ching Liu, Shengli Lu, Lance B. Augustin, Roderick F. Felsheim, Hung-Chun Chen, Horace H. Loh, and Li-Na Wei* 639

Distinct Patterns of Cyclin D1 Regulation in Models of Liver Regeneration and Human Liver *Jeffrey H. Albrecht, Michael Y. Hu, and Frank B. Cerra* 648

Autophosphorylation Activity and Association with Src Family Kinase of Sky Receptor Tyrosine Kinase *Jiro Toshima, Kazumasa Ohashi, Shintaro Iwashita, and Kensaku Mizuno* 656

A New Mitochondrial DNA Mutation Associated with Non-Insulin-Dependent Diabetes Mellitus *Yusuke Nakagawa, Hiroshi Ikegami, Eiji Yamato, Kiyoshi Takekawa, Tomomi Fujisawa, Yoichi Hamada, Hironori Ueda, Yasuko Uchigata, Tetsuro Miki, Yuichi Kumahara, and Toshio Ogihara* 664

The Protein Kinase C Inhibitor, Bisindolylmaleimide, Inhibits the TPA-Induced but Not the TNF-Induced Increase in LLC-PK$_1$ Transepithelial Permeability *Colleen W. Marano, Kathleen V. Laughlin, Linda M. Russo, and James M. Mullin* 669

Expression of VL30 Vectors in Human Cells That Are Targets for Gene Therapy *Asit K. Chakraborty, Mary Ann Zink, and Clague P. Hodgson* 677

The *Thermoplasma Acidophilum RPL15* Gene Encodes a Homologue of Eukaryotic Ribosomal Proteins L15/YL10 *Peter Zwickl, Andrei Lupas, and Wolfgang Baumeister* 684

GYIRFamide: A Novel FMRFamide-Related Peptide (FaRP) from the Triclad Turbellarian, *Dugesia tigrina* *R. N. Johnston, C. Shaw, D. W. Halton, P. Verhaert, and J. Baguna* 689

Evidence That *in Situ* Generated Reactive Oxygen Species Act as a Potent Stage I Tumor Promoter in Mouse Skin *Uma Giri, Som D. Sharma, Mohammad Abdulla, and Mohammad Athar* 698

The Differentiation-Related Upregulation of Aryl Hydrocarbon Receptor Transcript Levels Is Suppressed by Retinoic Acid *Reinhard Wanner, Solvig Brömmer, Beate M. Czarnetzki, and Thomas Rosenbach* 706

Species Difference in the Binding Characteristics of Res-701-1: Potent Endothelin ET$_B$ Receptor-Selective Antagonist *Takeo Tanaka, Tatsuhiro Ogawa, and Yuzuru Matsuda* 712

Evidence for the Existence of Two Human CYP2E1 cDNAs Using Different Polyadenylation Signals *Eric M. Seree, Florence Botto, Pascale Pisano, Eric Lechevalier, Alain Desobry, and Yves Barra* 717

Oxygen Stress Induces an Apoptotic Cell Death Associated with Fragmentation of Mitochondrial Genome *Makoto Yoneda, Kazumi Katsumata, Mika Hayakawa, Masashi Tanaka, and Takayuki Ozawa* 723

The Amino Acid Sequence GPLY Is Not Necessary for Normal Endocytosis of the Human Insulin Receptor B Isoform *Paulos Berhanu, Celia Anderson, David R. Paynter, and William M. Wood* 730

Endogenous Peroxynitrite Is Involved in the Inhibition of Mitochondrial Respiration in Immuno-Stimulated J774.2 Macrophages *Csaba Szabó and Andrew L. Salzman* 739

A New Type of Human Calcitonin Receptor Isoform Generated by Alternative Splicing *Misa Nakamura, Tomoko Hashimoto, Taisuke Nakajima, Shigetoshi Ichii, Jun-ichi Furuyama, Yasushi Ishihara, and Kennichi Kakudo* 744

A Novel Putative Neuropeptide Receptor Expressed in Neural Tissue, Including Sensory Epithelia *Michael Tal, David A. Ammar, Marcela Karpuj, Valery Krizhanovsky, Michael Naim, and Debra A. Thompson* 752

Galectin-1 Modulates Human Melanoma Cell Adhesion to Laminin
Frédéric A. van den Brûle, Crina Buicu, Martine Baldet, Mark E. Sobel, Douglas N. W. Cooper, Philippe Marschal, and Vincent Castronovo 760

Inductin of Apoptosis in HL-60 Cells by Lithium
Abram M. Madiehe, Leseilane J. Mampuru, and Errol M. Tyobeka 768

ERRATA

Volume 205, Number 1, November 30, 1994: Jin Mo Park, Jae-Eon Jung, and Byeong Jae Lee. "Antimicrobial Peptides from the Skin of a Korean Frog, *Rana rugosa*," pp. 948--954 775

Volume 208, Number 2, March 17, 1995: Ahmed H. Ahmed, Kenneth A. Jacobson, Jeongho Kim, and Leon A. Heppel, "Presence of Both A_1 and A_{2a} Adenosine Receptors in Human Cells and Their Interaction," pp. 871–878 775

Volume 209, Number 3, April 26, 1995

Myeloglycan, a Series of E-Selectin-Binding Polylactosaminolipids Found in Normal Human Leukocytes and Myelocytic Leukemia HL60 Cells *Mark R. Stroud, Kazuko Handa, Kazunori Ito, Mary Ellen K. Salyan, Hang Fang, Steven B. Levery, and Sen-itiroh Hakomori* 777

Substrate Specificity Differences between Recombinant Rat Testes Endopeptidase EC 3.4.24.15 and the Native Brain Enzyme *Rebecca A. Lew, Nina J. Hey, Timothy J. Tetaz, Marc J. Glucksman, James L. Roberts, and A. Ian Smith* 788

Glyceraldehyde 3-Phosphate Dehydrogenase Is an Enzyme–Crystallin in Diurnal Geckos of the Genus *Phelsuma* *Jose Jimenez-Asensio, Pedro Gonzalez, J. Samuel Zigler, Jr., and Donita L. Garland* 796

Immunohistochemical Localization of Guanylin in the Rat Small Intestine and Colon
Mitchell B. Cohen, David P. Witte, Jennifer A. Hawkins, and Mark G. Currie 803

An Additional Limb Can Be Induced from the Flank of the Chick Embryo by FGF4
Hideyo Ohuchi, Takashi Nakagawa, Masaki Yamauchi, Takeshi Ohata, Hidefumi Yoshioka, Takashi Kuwana, Tatsuo Mima, Takashi Mikawa, Tsutomu Nohno, and Sumihare Noji 809

Protein–Tyrosine Phosphatase Inhibition by a Peptide Containing the Phosphotyrosyl Mimetic, *L-O*-Malonyltyrosine (*L*-OMT) *Hemanta K. Kole, Miki Akamatsu, Bin Ye, Xinjian Yan, David Barford, Peter P. Roller, and Terrence R. Burke, Jr.* 817

The Association and Involvement of Some Members of the P1 Protein Family in a Cell-Free DNA Replication of *Xenopus* Eggs *Akira Someya, Masaki Shioda, and Akira Okuyama* 823

Characterization of Glucocorticoid Response Element of Rat Angiotensin II Type 1A Receptor Gene *Satoshi Murasawa, Hiroaki Matsubara, Mikihiko Kanasaki, Kazuhisa Kijima, Katsuya Maruyama, Yutaka Nio, Naohiko Okubo, Hiroyasu Tsukaguchi, Yasukiyo Mori, and Mitsuo Inada* 832

Arachidonate Metabolites Affect the Secretion of an N-Terminal Fragment of Alzheimer's Disease Amyloid Precursor Protein *Tadatoshi Kinouchi, Yasuko Ono, Hiroyuki Sorimachi, Shoichi Ishiura, and Koichi Suzuki* 841

Inhibition of Anti-V3 Domain Antibody Binding to Human Immunodeficiency Virus Type-1-Infected Cells by Sulfated Polysaccharides *Takeshi Okada, Bruce K. Patterson, and Mark E. Gurney* 850

Efficient Expression of a Heterodimer of Bone Morphogenetic Protein Subunits Using a Baculovirus Expression System *Masatoshi Hazama, Aki Aono, Naoto Ueno, and Yukio Fujisawa* 859

Canthaxanthin Biosynthesis by the Conversion of Methylene to Keto Groups in a Hydrocarbon β-Carotene by a Single Gene *Norihiko Misawa, Susumu Kajiwara, Keiji Kondo, Akihiro Yokoyama, Yoshiko Satomi, Toshiko Saito, Wataru Miki, and Takeshi Ohtani* 867

Neuromedin C Binds CU(II) and NI(II) via the ATCUN Motif: Implications for the CNS and Cancer Growth *Catherine Harford and Bibudhendra Sarkar* 877

Expression of Chicken Liver 6-Phosphofructo-2-Kinase/Fructose-2,6-Bisphosphatase in *Escherichia coli* *Lin Li, Wei-zhe Yao, Alex J. Lange, Simon J. Pilkis, Meng-qui Dong, Yong Yin, and Gen-jun Xu* 883

The Isolation and Characterization of the Human Cytochrome b_5 Gene *X. R. Li, S. J. Giordano, M. Yoo, and A. W. Steggles* 894

Post-transcriptional Regulation of Thromboxane A2 Synthase in U937 Cells *Barbara Belletti, Enzo Spisni, Giovanna Bartolini, Marina Orlandi, and Vittorio Tomasi* 901

Aspartate-Based Inhibitor of Interleukin-1β-Converting Enzyme Prevents Antitumor Agent-Induced Apoptosis in Human Myeloid Leukemia U937 Cells *Tetsuo Mashima, Mikihiko Naito, Shiro Kataoka, Hiroyuki Kawai, and Takashi Tsuruo* 907

Inhibition of Angiotensin II- and Potassium-Mediated Aldosterone Secretion by KN-62 Suggests Involvement of Ca^{2+}–Calmodulin-Dependent Protein Kinase II in Aldosterone Secretion *Arunabha Ganguly, Ling Li, and Mark Haxton* 916

Maackia amurensis Agglutinin Discriminates between Normal and Chronic Leukemic Human Lymphocytes *M. Benallal, H. Zotter, R. M. Anner, D. Lacotte, M. Moosmayer, and B. M. Anner* 921

A Novel Guanylyl Cyclase-A Isoform: Rat GC-A1 Identification and mRNA Localization to Renal Papilla and Adrenal *Teresa Tallerico-Melnyk, Valerie M. Watt, and Cecil C. Yip* 930

The Local Dynamics of the Active Site Region of Glycogen Phosphorylase *b* *B. Somogyi, Á. Szarka, and Zs. Lakos* 936

Cloning of Rat *Obese* cDNA and Its Expression in Obese Rats *Takashi Murakami and Kenji Shima* 944

Antioxidant, Probucol, Can Inhibit the Generation of Hydrogen Peroxide in Islet Cells Induced by Macrophages and Prevent Islet Cell Destruction in NOD Mice *Masahiro Fukuda, Hiroshi Ikegami, Yoshiko Kawaguchi, Toshiaki Sano, and Toshio Ogihara* 953

Pez, a Novel Human cDNA Encoding Protein Tyrosine Phosphatase- and Ezrin-like Domains *Anna L. Smith, Philip J. Mitchell, Janet Shipley, Barry A. Gusterson, Mark V. Rogers, and Mark R. Crompton* 959

Site-Directed Mutagenesis of Herpes Simplex Virus Type 1 Thymidine Kinase Opposes the Importance of Amino Acid Positions 251, 321, and 348 for Selective Recognition of Substrate Analogs *Martina Michael, Jürgen Fetzer, and Gerd Folkers* 966

Islet Phosphoinositide Hydrolysis and Insulin Secretory Responses from Prediabetic fa/fa ZDF Rats *Walter S. Zawalich, Kathleen C. Zawalich, Grant G. Kelley, and Gerald I. Shulman* 974

Identification of a New Bovine MHC Class II *DRB* Allele by Nucleotide Sequencing and an Analysis of Phylogenetic Relationships *Yoko Aida, Masashi Niimi, Masatoshi Asahina, Kosuke Okada, Yutaka Nakai, and Keiji Ogimoto* 981

Further Characterization of the 5′ - Flanking Region of the Rat Lactase–Phlorizin Hydrolase Gene *Menno Verhave, Stephen D. Krasinski, Saskia M. Maas, Frans J. W. Smiers, Ketu Mishra, Nelly G. Breeuwsma, Hassan Y. Naim, and Richard J. Grand* 989

Bioactivation of 5-Hydroxymethyl-2-Furaldehyde to an Electrophilic and Mutagenic Allylic Sulfuric Acid Ester *Young-Choon Lee, Mark Shlyankevich, Hee-Kyung Jeong, James S. Douglas, and Young-Joon Surh* 996

Expression of Kappa Opioid Receptors in Human and Monkey Lymphocytes *L. F. Chuang, T. K. Chuang, K. F. Killam, Jr., Q. Qiu, X. R. Wang, J-j. Lin, H-f. Kung, W. Sheng, C. Chao, L. Yu, and R. Y. Chuang* 1003

Plasma Membrane Fatty-Acid-Binding Protein in Human Placenta: Identification and Characterization *Fiona M. Campbell, Samson Taffesse, Margaret J. Gordon, and Asim K. Dutta-Roy* 1011

Electrochemical Studies on Nitrite Reductase toward a Biosensor *Mauro Scharf, Cristina Moreno, Cristina Costa, Cees Van Dijk, William J. Payne, Jean LeGall, Isabel Moura, and José J. G. Moura* 1018

Nucleotide and Primary Sequences of a Rice Endosperm cDNA Are Extensively Homologous to Elongation Factor 1β′ *Hari Bhupathi Krishnan* 1026

Calcium Signaling Initiated by CR1 (CD35) Crosslinking Is Mediated by Phagocyte Fcγ Receptors *in cis* *Joel D. Ernst, Jesusa L. Rosales, and Stefan Zimmerli* 1032

Annexin VI Is Secreted in Human Bile *B. Thorin, G. Gache, T. Dubois, R. Grataroli, N. Domingo, F. Russo-Marie, and H. Lafont* 1039

Palladium—A New Inhibitor of Cellulase Activities *Michael D. Schultz, Jeffrey P. Lassig, Melanie G. Gooch, Barbara R. Evans, and Jonathan Woodward* 1046

Fatty Genotype-Induced Increase in GLUT4 Promoter Activity in Transfected Adipocytes: Delineation of Two fa-Responsive Regions and Glucose Effect *Isabelle Hainault, Eric Hajduch, and Marcelle Lavau* 1053

The N-Terminal Half of Dystrophin Is Protected from Proteolysis *in Situ* *S. Hori, S. Ohtani, Nguyen thi Man, and G. E. Morris* 1062

Rapid Identification of Differentially Expressed Endothelial Cell Genes by RNA Display *Detlef H. Kozian and Hellmut G. Augustin* 1068

Identification in Mouse Macrophages of a New 4-Kb mRNA Present in Hematopoietic Tissues, Which Shares a Short Nucleotide Sequence with Erythropoietin mRNA *Yves Chicheportiche, Christiane Ody, and Pierre Vassalli* 1076

Studies with Wortmannin Suggest a Role for Phosphatidylinositol 3-Kinase in the Activation of Glycogen Synthase and Mitogen-Activated Protein Kinase by Insulin in Rat Adipocytes: Comparison of Insulin and Protein Kinase C Modulators *Mary L. Standaert, Gautam Bandyopadhyay, and Robert V. Farese* 1082

Regulation of Ovine β-Lactoglobulin Gene Expression during the First Stage of Lactogenesis *C. Bruce A. Whitelaw* 1089

Transmembrane Segments Critical for Potassium Channel Function *Annemie Van de Voorde and Jan Tytgat* 1094

Microfilament Assembly Is Required for Anti-IgM Dependent MAPK and p90^{rsk} Activation in Human B Lymphocytes *Isaac Melamed, Richard A. Franklin, and Erwin W. Gelfand* 1102

Platelet Activating Factor Activates MAPK and Increases in Intracellular Calcium via Independent Pathways in B Lymphocytes *R. A. Franklin, A. Tordai, B. Mazer, N. Terada, J. Lucas, and E. W. Gelfand* 1111

Abnormal Gene Product Identified in Huntington's Disease Lymphocytes and Brain *Keiko Ide, Nobuyuki Nukina, Naoki Masuda, Jun Goto, and Ichiro Kanazawa* 1119

Molecular Cloning of a cDNA Encoding Putative Molt-Inhibiting Hormone from the Blue Crab, *Callinectes sapidus* *Kara J. Lee, Terry S. Elton, Asim K. Bej, Stephen A. Watts, and R. Douglas Watson* 1126

Mass Spectrometric Identification and Quantification of Endogenous 5-Methoxyindole-3-Acetic Acid in Quail Tissues *C. W. Tsang, O. K. Leung, P. P. N. Lee, and S. F. Pang* 1132

Cloning and Expression of a Catalytic Core Bovine Brain 6-Phosphofructo-2-Kinase/Fructose-2,6-Bisphosphatase *Francese Ventura, Santi Ambrosio, Ramon Bartrons, M. Raafat El-Maghrabi, Alex J. Lange, and Simon J. Pilkis* 1140

Molecular Cloning and Sequencing of a Guinea Pig Cytochrome P4502D (CVP2D16): High Level Expression in Adrenal Microsomes *Qinshi Jiang, Jeffrey M. Voigt, and Howard D. Colby* 1149

Author Index for Volume 209 1157

Volume 210, Number 1, May 5, 1995

Protective Mechanism of Glucose against Alloxan-Induced Pancreatic β-Cell Damage *Byung-Hyun Park, Hye-Won Rho, Jin-Woo Park, Chung-Gu Cho, Jong-Suk Kim, Hun-Taeg Chung, and Hyung-Rho Kim* 1

Association of Multiple GTP-Binding Proteins with the Plant Cytoskeleton and Nuclear Matrix *Bjørn K. Drøbak, Peter A. C. Watkins, Tom D. Bunney, Stephen K. Dove, Peter J. Shaw, Ian R. White, and Paul A. Millner* 7

Scaled-Up Expression of Human α2,6(*N*)Sialyltransferase in *Saccharomyces cerevisiae* *Lubor Borsig, Svetoslav X. Ivanov, Guido F. Herrmann, Udo Kragl, Christian Wandrey, and Eric G. Berger* 14

Involvement of Phospholipase C in Heat-Shock-Induced Phosphorylation of P-Glycoprotein in Multidrug Resistant Human Breast Cancer Cells *Jin-Ming Yang, Khew-Voon Chin, and William N. Hait* 21

Structure and Expression of Murine Intestinal Trefoil Factor: High Evolutionary Conservation and Postnatal Expression *Hiroshi Mashimo, Daniel K. Podolsky, and Mark C. Fishman* 31

Regulation of Hepatic Genes and Liver Transcription Factors in Rat Hepatocytes by Extracellular Matrix *Masahito Nagaki, Yoshihiro Shidoji, Yasuhiro Yamada, Akihiko Sugiyama, Manabu Tanaka, Toshihiro Akaike, Hiroo Ohnishi, Hisataka Moriwaki, and Yasutoshi Muto* 38

Evidence for Indirect Utilization of Glycine for Production of N-Bases of Glycerophospholipids and Sphingolipids in Mouse Neuroblastoma Cells by Using ^{15}N-Labeled Glycine *Hisashi Kurahashi, Kei-ichi Uemura, Atsushi Hara, and Tamotsu Taketomi* 44

Interferon γ-Inducible Protein 10 (IP-10), a Member of the C-X-C Chemokine Family, Is an Inhibitor of Angiogenesis *R. M. Strieter, S. L. Kunkel, D. A. Arenberg, M. D. Burdick, and P. J. Polverini* 51

Neuronal Insulin Receptors in Y79 Retinoblastoma Cells *Norman M. Law and Steven A. Rosenzweig* 58

Catalytic Activity and Stability of Hammerhead Ribozymes Containing 2′-Acetamido-2′-Deoxyribonucleosides *Chris Hendrix, Muriel Mahieu, Jozef Anné, Serge Calenbergh, Arthur Van Aerschot, Jean Content, and Piet Herdewijn* 67

EGF Receptor Deletions Define a Region Specifically Mediating Stat Transcription Factor Activation *Paul J. Coffer and Wiebe Kruijer* 74

Identity in Molecular Struture between "Differentiation Enhancing Factor" of Murine Erythroleukemia Cells and the 30-kDa Heparin-Binding Protein of Developing Rat Brain *E. Melloni, B. Sparatore, M. Patrone, A. Pessino, M. Passalacqua, and S. Pontremoli* 82

Expression and Modulation of Protein Kinase C Isoforms in Differentiation-Competent and Differentiation-Resistant Erythroleukemic Cells *Dan Rosson and Thomas G. O'Brien* 90

The Role of Mitochondrial Potassium Fluxes in Controlling the Protonmotive Force in Energized Mitochondria *Aneta Czyż, Adam Szewczyk, Maciej J. Nałęcz, and Lech Wojtczak* 98

Epitope Mapping of a Monoclonal Antibody That Blocks the Binding of Retinol-Binding Protein to Its Receptor *Håkan Melhus, Claes-Olof Båvik, Lars Rask, Per A. Peterson, and Ulf Eriksson* 105

Oxygen Consumption Rates of Free and Alginate-Entrapped βTC3 Mouse Insulinoma Cells *Nancy E. Mukundan, P. Christopher Flanders, and Ioannis Constantinidis* 113

Lithium Transport Pathways in Human, Chicken, and Eel Erythrocytes *L. Romano, M. Battaglia, R. Cordì, C. Rinaldi, S. Leucci, and A. Amato* 119

Novel System for Monitoring Autophagy in the Yeast *Saccharomyces cerevisiae* *Takeshi Noda, Akira Matsuura, Yoh Wada, and Yoshinori Ohsumi* 126

Increased Nitric Oxide Biosynthesis in Leukotoxin, 9, 10-Epoxy-12-Octadecenoate Injured Lung *Takeshi Ishizaki, Kazuo Shigemori, Yoshiki Yamamura, Shigeru Matsukawa, Tsuguhiko Nakai, Susumu Miyabo, Mika Hayakawa, Takayuki Ozawa, and Norbert F. Voelkel* 133

Differential Expression of the Asyaloglycoprotein Receptor in Discrete Brain Areas, in Kidney and Thyroid *F. Pacifico, L. Laviola, L. Ulianich, A. Porcellini, C. Ventra, E. Consiglio, and V. E. Avvedimento* 138

Isolation of a Previously Unidentified Polysaccharide (MAR-10) from *Hyssop officinalis* That Exhibits Strong Activity against Human Immunodeficiency Virus Type 1 *Sastry Gollapudi, Hari A. Sharma, Sudeepta Aggarwal, Larry D. Byers, Harry E. Ensley, and Sudhir Gupta* 145

Inhibition of Actin-Dystrophin Interaction by Inositide Phosphate *Catherine Méjean, Marie-Christine Lebart, Claude Roustan, and Yves Benyamin* 152

The Carboxy-Terminal Tail Domain of Vinculin Contains a Cryptic Binding Site for Acidic Phospholipids *Robert P. Johnson and Susan W. Craig* 159

Isolation and Characterization of the Mouse PDGF β-Receptor Promoter *Andrea E. Ballagi, Akira Ishizaki, Jan-Olof Nehlin, and Keiko Funa* 165

Regulation of P-Selectin by Tumor Necrosis Factor-α *Joyce Bischoff and Christopher Brasel* 174

Identification of a Novel Regulatory Element in the *c-mos* Locus That Activates Transcription in Somatic Cells *J. L. Lenormand and S. A. Leibovitch* 181

Low-Level Oxidative Stress Causes Cell Cycle-Specific Arrest in Cultured Cells *David A. Clopton and Paul Saltman* 189

PTH and 1,25$(OH)_2$Vitamin D Priming to Growth Factors Differentially Regulates the Osteoblastic Markers in MBA-15 Clonal Subpopulations *D. Benayahu, A. Fried, and S. Wientroub* 197

A Three-Dimensional Model for the Interactions of MSH with the Melanocortin-1 Receptor *Peteris Prusis, Per-Anders Frändberg, Ruta Muceniece, Ivars Kalvinsh, and Jarl E. S. Wikberg* 205

Whole Mitochondrial Genome Amplification Reveals Basal Level Multiple Deletions in mtDNA of Patients with Dilated Cardiomyopathy *Yun-You Li, Christian Hengstenberg, and Bernhard Maisch* 211

Inhibition by Lacidipine of Salt-Dependent Cardiac Hypertrophy and Endothelin Gene Expression in Stroke-Prone Spontaneously Hypertensive Rats *Olivier Feron, Salvatore Salomone, and Théophile Godfraind* 219

Hutchinson-Gilford Progeria Fibroblasts Exhibit Metabolically Normal Uridine Uptake and RNA Synthetic Rates *Martin E. O'Brien and Anthony S. Weiss* 225

Hepatocyte Growth Factor Specifically Expressed in Microglia Activated RAS in the Neurons, Similar to the Action of Neurotrophic Factors *Takanori Yamagata, Kenkoh Muroya, Takeshi Mukasa, Hiroshi Igarashi, Mariko Momoi, Toshifumi Tsukahara, Kiichi Arahata, Hiromichi Kumagai, and Takashi Momoi* 231

Volume 210, Number 2, May 16, 1995

Effects of Melanocyte-Stimulating Hormone on Wild-Type and White Axolotl Neural Crest Cells *Alan D. Dean and Sally K. Frost-Mason* 239

Developmental Regulation of the α-Subunit of G_q/G_{11} as Determined by Quantitative Immunoblot Analysis *Naoki Mochizuki, Kazushi Urasawa, Adela Sanchez, and Paul A. Insel* 246

Genetic Construction of a Phosphorylation Site in Ricin A Chain: Specific Radiolabeling of Recombinant Proteins for Localization and Degradation Studies *D. Fryxell, B.-Y. Li, D. Mohanraj, B. Johnson, and S. Ramakrishnan* 253

Effect of "Enhancer" Sequences on Ventricular Myosin Light Chain-2 Promoter Activity in Heart Muscle and Nonmuscle Cells *Yan Jin, Kishore B. S. Pasumarthi, Margaret E. Bock, Yijing Chen, Elissavet Kardami, and Peter A. Cattini* 260

Carbohydrate Composition of Serum Transferrin Isoforms from Patients with High Alcohol Consumption *Eva Landberg, Peter Påhlsson, Arne Lundblad, Anna Arnetorp, and Jan-Olof Jeppsson* 267

A Bovine IGG Heavy Chain Contains *N*-Acetylgalactosaminylated *N*-Linked Sugar Chains *Naohito Aoki, Kiyoshi Furukawa, Ken Iwatsuki, Akihiro Noda, Takeshi Sato, Ryo Nakamura, and Tsukasa Matsuda* 275

Characterization and Regulation of Upstream Transcripts of the Murine Proopiomelanocortin Gene *Michael Woloschak and James L. Roberts* 281

Modular Structure of Neuronal Nitric Oxide Synthase: Localization of the Arginine Binding Site and Modulation by Pterin *Jonathan S. Nishimura, Pavel Martasek, Kirk McMillan, John C. Salerno, Qing Liu, Steven S. Gross, and Bettie Sue Siler Masters* 288

Tamoxifen Directly Stimulates the Mineralization of Human Osteoblast-like Osteosarcoma Cells through a Pathway Independent of Estrogen Response Element *Masakazu Takeuchi, Masahiro Tokin, and Kiyoshi Nagata* 295

The Induction of Cell Differentiation and Polarity of Tracheal Epithelium Cultured on the Amniotic Membrane *Yoshiko Noguchi, Yoshiyuki Uchida, Takeo Endo, Hiroki Ninomiya, Akihiko Nomura, Tohru Sakamoto, Yukio Goto, Seiji Haraoka, Tatsuro Shimokama, Teruo Watanabe, and Shizuo Hasegawa* 302

Light-Enhanced Gene Expression of NADPH-Protochlorophyllide Oxidoreductase in Cucumber *Hirofumi Kuroda, Tatsuru Masuda, Hiroyuki Ohta, Yuzo Shioi, and Kenichiro Takamiya* 310

Depletion of Small Cytoplasmic RNA Confers Fusidic-Acid Resistance on *Bacillus subtilis* *Toshinori Shibata, Yoshio Nakamura, Kouji Nakamura, and Kunio Yamane* 317

Proenkephalin Gene Expression: Interaction of Glucocorticoid and cAMP Regulatory Elements *Shirzad Jenab and Charles E. Inturrisi* 589

cDNA Cloning of p40, a Regulatory Subunit of the Human 26S Proteasome, and a Homolog of the *Mov-34* Gene Product *Chizuko Tsurumi, George N. DeMartino, Clive A. Slaughter, Naoki Shimbara, and Keiji Tanaka* 600

Differential Expression of Wild-Type and Variant ER mRNAs by Stocks of MCF-7 Breast Cancer Cells May Account for Differences in Estrogen-Responsiveness *Diane M. Klotz, Carl G. Castles, Suzanne A. W. Fuqua, Louaine L. Spriggs, and Steven M. Hill* 609

Identification of the Promoter Region of the Human Histamine H_2-Receptor Gene *Tsuyoshi Nishi, Takashi Koike, Toshihiko Oka, Masatomo Maeda, and Masamitsu Futai* 616

Inhibition by Haloperidol of Adenosine 5′-Triphosphate-Evoked Responses in Rat Pheochromocytoma Cells *Shuichi Koizumi, Makoto Ikeda, Ken Nakazawa, Kaori Inoue, Kanako Ito, and Kazuhide Inoue* 624

Activation of Ca^{2+}-Calmodulin-Dependent Protein Kinase Ia Is Due to Direct Phosphorylation by Its Activator *Jungsook Cho Lee and Arthur M. Edelman* 631

ERRATA

Volume 205, Number 2, December 15, 1994: Nashwa Gabra, Alex Khayat, and Paul Calabresi, "Detection of Elevated Basic Fibroblast Growth Factor during Early Hours of *in Vitro* Angiogenesis Using a Fast ELISA Immunoassay," pp.1423–1430 638

Volume 208, Number 2, March 17, 1995: Ahmed H. Ahmed, Kenneth A. Jacobson, Jeongho Kim, and Leon A. Heppel, "Presence of Both A_1 and A_{2a} Adenosine Receptors in Human Cells and Their Interaction," pp. 871–878 638

Volume 210, Number 3, May 25, 1995

The Protein Kinase C Isoforms Leading to MAP-Kinase Activation in CHO Cells *Keizo Yamaguchi, Kouji Ogita, Shun-ichi Nakamura, and Yasutomi Nishizuka* 639

DIDS Binding 30-kDa Protein Regulates the Calcium Release Channel in the Sarcoplasmic Reticulum *Naohiro Yamaguchi, Takashi Kawasaki, and Michiki Kasai* 648

Up-Regulation of Dystrophin mRNA by Exposure to Dibutyryl cAMP in the C2C12 Muscle Cell Line *Fusako Usuki, Shoichi Ishiura, Noboru Sasagawa, Hiroyuki Sorimachi, Koichi Suzuki, Teruo Shimizu, and Toshio Terao* 654

Interleukin-8 Induces Its Own Production in $CD4^+$ T Lymphocytes: A Process Regulated by Interleukin 10 *Borbala Gesser, Bent Deleuran, Marianne Lund, Christian Vestergård, Nicolai Lohse, Mette Deleuran, Steen Lindkær Jensen, Steen Sindet Pedersen, Kristian Thestrup-Pedersen, and Christian Grønhøj Larsen* 660

Potent Ectopic Bone-Inducing Activity of Bone Morphogenetic Protein-4/7 Heterodimer *Aki Aono, Masatoshi Hazama, Kohei Notoya, Shigehisa Taketomi, Hideki Yamasaki, Ryoichi Tsukuda, Satoshi Sasaki, and Yukio Fujisawa* 670

Macrophage Activation in Response to S-Form Lipopolysaccharides (LPS) Separated by Centrifugal Partition Chromatography from Wild-Type LPS: Effects of the *O*-Polysaccharide Portion of LPS *Yasuo Suda, Teruo Kirikae, Takaaki Shiyama, Takashi Yasukochi, Fumiko Kirikae, Masayasu Nakano, Ernst Th. Rietschel, and Shoichi Kusumoto* 678

Electrospray-Ionization Mass Spectrometry of Molecular Variants of a [2Fe-2S] Ferredoxin *Yves Petillot, Marie-Pierre Golinelli, Eric Forest, and Jacques Meyer* 686

Metabolism of $[^3H]$Farnesol to Cholesterol and Cholesterogenic Intermediates in the Living Rat Eye *Steven J. Fliesler and R. Kennedy Keller* 695

N-Linked Oligosaccharide of β-Amyloid Precursor Protein (βAPP) of C6 Glimoa Cells: Putative Regulatory Role in βAPP Processing *Fumiaki Saito, Akiyoshi Tani, Tadashi Miyatake, and Katsuhiko Yanagisawa* 703

Particulate and Soluble Forms of the Inducible Nitric Oxide Synthase Are Distinguishable at the Amino Terminus in Raw 264.7 Macrophage Cells *Garth E. Ringheim and Jinmei Pan* 711

Disassociation of Conventional DNA Binding and Endonuclease Activities by an Adeno-Associated Virus Rep78 Mutant *Ramesh B. Batchu and Paul L. Hermonat* 717

Caffeine Inhibits the Binding of Thyrotropin-Releasing Hormone in GH_4C_1 Pituitary Cells *Leena Karhapää and Kid Törnquist* 726

His273 of 3-Isopropylmalate Dehydrogenase from *Thermus thermophilus* HB8 Is Involved in the Coenzyme Binding *Takuro Yaoi, Kentaro Miyazaki, and Tairo Oshima* 733

Inhibition of Glycogen Synthase Kinase-3 by Insulin in Cultured Human Skeletal Muscle Myoblasts *Andrew C. Borthwick, Anne M. Wells, Justin J. Rochford, Steven J. Hurel, Douglass M. Turnbull, and Stephen J. Yeaman* 738

Direct Vesicle-Vesicle Exchange of Phospholipids Mediated by Polymyxin B *Yolanda Cajal, Otto G. Berg, and Mahendra Kumar Jain* 746

The Cellular Isoform of the Prion Protein, PRP^C, Is Associated with Caveolae in Mouse Neuroblastoma (N_2a) Cells *J. H. Harmey, D. Doyle, V. Brown, and M. S. Rogers* 753

Dicarbanonaborates—New Inhibitors of Mitochondrial L-Glycerol-3-phosphate Dehydrogenase *Zdencaek Drahota, Patrik Saf, Hana Rauchová, and Martin Kalous* 760

Effects of Endurance Training of Gene Expression on Insulin Signal Transduction Pathway *Youngbum Kim, Takatoshi Inoue, Rieko Nakajima, Kunie Nakae, Tomohiro Tamura, Kumpei Tokuyama, and Masashige Suzuki* 766

Bradykinin Induces Tyrosine Phosphorylation of Epidermal Growth Factor-Receptor and Focal Adhesion Proteins in Human Keratinocytes *Karine D. Coutant, Nathalie Corvaia, and Neil S. Ryder* 774

Erythromycin Suppresses Interleukin 6 Expression by Human Bronchial Epithelial Cells: A Potential Mechanism of Its Anti-inflammatory Action *Hajime Takizawa, Masashi Desaki, Takayuki Ohtoshi, Takehiko Kikutani, Hitoshi Okazaki, Makoto Sato, Norihisa Akiyama, Shunsuke Shoji, Keiichi Hiramatsu, and Koji Ito* 781

An Animal Model of Congenital Defect of Gene Expression of Cholecystokinin (CCK)-A Receptor *Akihiro Funakoshi, Kyoko Miyasaka, Hirotsugu Shinozaki, Masao Masuda, Takako Kawanami, Yutaka Takata, and Akira Kono* 787

Identification of a Genetic Mutation in a Family with Fructose-1,6-bisphosphatase Deficiency *Yoshiharu Kikawa, Manabu Inuzuka, Byun Young Jin, Satomi Kaji, Yoshiki Yamamoto, Yosuke Shigematsu, Akio Nakai, Akira Taketo, Toshihiro Ohura, Hitoshi Mikami, Hideo Mizunuma, Yoichi Suzuki, Kuniaki Narisawa, and Masakatsu Sudo* 797

Point Mutation of the Somatostatin Receptor 2 Gene in the Human Small Cell Lung Cancer Cell Line COR-L103 *Chen-Yu Zhang, Yutaka Yokogoshi, Katsuhiko Yoshimoto, Yuichi Fujinaka, Kazuya Matsumoto, and Shiro Saito* 805

Pyrrolidine Dithiocarbamate Prevents IL-1-Induced Nitric Oxide Synthase mRNA, but Not Superoxide Dismutase mRNA, in Insulin Producing Cells *F. J. Bedoya, M. Flodström, and D. L. Eizirik* 816

An Inward Rectifier K^+ Current Modulates in Neuroblastoma Cells the Tyrosine Phosphorylation of the $pp125^{FAK}$ and Associated Proteins: Role in Neuritogenesis *Laura Bianchi, Annarosa Arcangeli, Patrizia Bartolini, Gabriele Mugnai, Enzo Wanke, and Massimo Olivotto* 823

Adrenoleukodystrophy: The Restoration of Peroxisomal β-Oxidation by Transfection of Normal cDNA *Nobue Shinnoh, Takeshi Yamada, Takeo Yoshimura, Hirokazu Furuya, Yoshihiro Yoshida, Yasuyuki Suzuki, Nobuyuki Shimozawa, Tadao Orii, and Takuro Kobayashi* 830

Protein Kinase C-Independent Activation of RAF-1 and Mitogen-Activated Protein Kinase by Leukotriene B_4 in Guinea Pig Eosinophils *Rika Araki, Takuya Komada, Kaname Nakatani, Michiko Naka, Teruo Shima, and Toshio Tanaka* 837

Site-Specific Association of c-SRC with Epidermal Growth Factor Receptor in A431 Cells *Ken-ichi Sato, Ayako Sato, Mamoru Aoto, and Yasuo Fukami* 844

The Presence of 2-Keto-3-Deoxygluconic Acid and Oxoaldehyde Dehydrogenase Activity in Human Erythrocytes *Ei Fujii, Hitoo Iwase, Ikuko Ishii-Karakasa, Yoshitada Yajima, and Kyoko Hotta* 852

Isolation and Characterization of Testis-Specific cDNAs for Luteinizing Hormone β-Subunit in the Rat *Fu-ping Zhang, Antti Rannikko, and Ilpo Huhtaniemi* 858

Access to Peptide Regions of a Surface Mucin (MUC1) Is Reduced by Sialic Acids *Jenny J. L. Ho, Sandra Cheng, and Y. S. Kim* 866

Assignment of the Human Folate Transporter Gene to Chromosome 21q22.3 by Somatic Cell Hybrid Analysis and *in Situ* Hybridization *Teresa L. Yang-Feng, Yen-Ying Ma, Rong Liang, Puttur D. Prasad, Frederick H. Leibach, and Vadivel Ganapathy* 874

MtDNA Mutations Associated with Leber's Hereditary Optic Neuropathy: Studies on Cytoplasmic Hybrid (Cybrid) Cells *Lodovica Vergani, Andrea Martinuzzi, Valerio Carelli, Pietro Cortelli, Pasquale Montagna, Giuliana Schievano, Rosalba Carrozzo, Corrado Angelini, and Elio Lugaresi* 880

Endothelin-3 Reduces Ca^{2+} Uptake and Ca^{2+} Content of Platelet Internal Stores *C. Astarie-Dequeker, M. G. Pernollet, G. Le Breton, and M. A. Devynck* 889

Regulation of Interleukin-8 Gene Expression by All-*trans* Retinoic Acid *H. Harant, I. Lindley, A. Uthman, C. Ballaun, G. Krupitza, T. Grunt, H. Huber, and C. Dittrich* 898

Ethanol Stimulates Expression of Functional H^+,K^+-ATPase in SF9 Cells *Corné H. W. Klaassen, Herman G. P. Swarts, and Jan Joep H.H.M. De Pont* 907

NO Synthase Activity Does Not Influence Electrical Activity of Mouse Pancreatic B-Cells *Gisele Drews and Peter Krippeit-Drews* 914

Insulin-Stimulated Calmodulin Gene Expression in Rat H-411E Cells Can Be Selectively Blocked by Antisense Oligonucleotides *Sol S. Solomon, Marjorie R. Palazzolo, James A. Smoake, and Rajendra S. Raghow* 921

A Ser for Cys Mutation in the Extracellular Portion of Insulin Receptor β Subunit Impairs the Insulin–Insulin Receptor Complex Internalization in CHO Cells *Davide Maggi, Gabriella Andraghetti, and Renzo Cordera* 931

Nucleotide Sequence and Functional Analysis of Regulatory Region of the *lumP* and the *lux* Operon from *Photobacterium leiognathi* *Juey-Wen Lin, Yuh-Feu Chao, and Shu-Fen Weng* 938

Extracellular Cation Sensing by the Enterocyte: Prediction of a Novel Divalent Cation "Receptor" *Michael Pazianas, Olugbenga A. Adebanjo, Vijai S. Shankar, Sharon Y. James, Kay W. Colston, J. Douglas Maxwell, and Mone Zaidi* 948

Nicotinamide Inhibits HIV-1 in Both Acute and Chronic *in Vitro* Infection *Michael F. Murray and Alagarsamy Srinivasan* 954

Helicobacter pylori Increases Gene Expression of Hepatocyte Growth Factor in Human Gastric Mucosa *Shinya Kondo, Yasuhisa Shinomura, Shuji Kanayama, Yoshifumi Higashimoto, Tatsuya Kiyohara, Yuichi Yasunaga, Shinji Kitamura, Harumi Ueyama, Ikuo Imamura, Hiroyuki Fukui, and Yuji Matsuzawa* 960

Characterization of the Human*PCBD** Gene Encoding the Bifunctional Protein Pterin-4α-carbinolamine Dehydratase/Dimerization Cofactor for the Transcription Factor HNF-1α *Beat Thöny, Frank Neuheiser, Nenad Blau, and Claus W. Heizmann* 966

Sequence Analysis of Frog α Crystallin cDNA and Its Deduced Primary Structure: Comparison of αA Subunit Chains among Different Vertebrate Species *Shao-Fan Lu, Fu-Ming Pan, and Shyh-Horng Chiou* 974

Single Base Polymorphism Linked to the Ataxia-Telangiectasia Locus Is Detected by Mismatch PCR *Prasanna Athma, Naseem Fidahusein, and Michael Swift* 982

Peptidyl Dipeptidase A-Catalyzed Metabolism of Delta Sleep-Inducing Peptide in Bovine Brain Microvessel Endothelial Cells: A Cell Culture Model of the Blood–Brain Barrier *Patrick F. Augustijns, Ka-yun Ng, Todd M. Williams, and Ronald T. Borchardt* 987

Identification of the Mitochondrial NADH Dehydrogenase Subunit 3 as a Thyroid Hormone-Regulated Gene by Whole Genome PCR Analysis *Teresa Iglesias, Julio Caubain, Angel Zaballos, Juan Bernal, and Alberto Muñoz* 995

Bovine Adrenodoxin—A Mitochondrial Iron–Sulphur Protein—Binds to Chaperonin GroEl *Christoph Grunau, Rudolf Dettmer, Joachim Behlke, and Rita Bernhardt* 1001

Co-induction of Arginase and Nitric Oxide Synthase in Murine Macrophages Activated by Lipopolysaccharide *Winnie W. Wang, Christopher P. Jenkinson, Jeanette M. Griscavage, Rita M. Kern, Nicole S. Arabolos, Russell E. Byrns, Stephen D. Cederbaum, and Louis J. Ignarro* 1009

Lack of Critical Domains in the β-Chain of Hepatocyte Growth Factor *Hsuan-Shu Lee, Guan-Tarn Huang, Jin-Chuan Sheu, Ling-Ling Chiou, Ming-Chian Horng, Ming-Yang Lai, Ding-Shinn Chen, and Sheng-Chung Lee* 1017

Peroxynitrite Causes DNA Nicks in Plasmid pBR322 *Maria G. Salgo, Koni Stone, Giuseppe L. Squadrito, John R. Battista, and William A. Pryor* 1025

Electrochemical Transduction in Elastic Protein-Based Polymers: A Model for an Energy Conversion Step of Oxidative Phosphorylation *Dan W. Urry, Larry C. Hayes, D. Channe Gowda, Shao Qing Peng, and Naijie Jing* 1031

Evidence for Breaking of the Active Site Dimetal Cluster in Cu,Co Superoxide Dismutase upon Copper Reduction: A Polarized Absorption Spectra Study *Angelo Merli, GianLuigi Rossi, Kristina Djinovic-Carugo, Martino Bolognesi, Alessandro Desideri, and Guiseppe Rotilio* 1040

Repression of Cell Cycle Progression by Antisense HMG2 RNA *Fuminori Yamazaki, Yasuko Nagatsuka, Hitoshi Shirakawa, and Michiteru Yoshida* 1045

Generation of the Precursor (Lyso-PAF) of Platelet-Activating Factor via a CoA-Dependent Transacylase *Merle L. Blank, Veronica Fitzgerald, Zigrida L. Smith, and Fred Snyder* 1052

Bacterial Expression and Analysis of Cleavage Activity of HCV Serine Proteiase Using Recombinant and Synthetic Substrate *Nobuko Kakiuchi, Makoto Hijikata, Yasumasa Komoda, Yasunori Tanji, Yuji Hirowatari, and Kunitada Shimotohno* 1059

The Role of Protein Kinase in Human Synovial Fibroblast Growth *Kiyoshi Migita, Katsumi Eguchi, Toshiaki Tsukada, Yojiro Kawabe, Takahiko Aoyagi, and Shigenobu Nagataki* 1066

Transforming Growth Factor β1 Induces Apoptotic Cell Death in Cultured Human Umbilical Vein Endothelial Cells with Down-Regulated Expression of BCL-2
Toshiaki Tsukada, Katsumi Eguchi, Kiyoshi Migita, Yojiro Kawabe, Atsushi Kawakami, Naoki Matsuoka, Hiroyuki Takashima, Akinari Mizokami, and Shigenobu Nagataki 1076

ERRATUM

Volume 209, Number 2, April 17, 1995: Olimpia Meucci, Antonella Scorziello, Antonio Avallone, Tullio Florio, and Gennaro Schettini, α1B, but Not α1A, Adrenoreceptor Activates Calcium Influx through the Stimulation of a Tyrosine Kinase/Phosphotyrosine Phosphatase Pathway, Following Nonadrenaline-Induced Emptying of IP3 Sensitive Stores, in PC C13 Rat Thyroid Cell Line, Pages 630–638 1083

Author Index for Volume 210 1084

Volume 211, Number 1, June 6, 1995

The Effects of Thimerosal, a Sulfhydryl Reagent, on Phasic Myometrial Contractions *Mark Phillippe* 1

Formation of an Extremely Stable Polyalanine β-Sheet Macromolecule *Behrouz Forood, Enrique Pérez-Payá, Richard A. Houghten, and Sylvie E. Blondelle* 7

Sequence and Structural Homologies between *Mycobacterium tuberculosis* Chaperonin 10 and the MHC Class I/II Peptide Binding Cleft *Edith Chan, Gianluca Fossati, Paola Giuliani, Pierluigi Lucietto, Andrea Zaliani, Antony R. M. Coates, and Paolo Mascagni* 14

E-Cadherin Peptide Sequence Recognition by Anti-E-Cadherin Antibody *Karen L. Lutz and Teruna J. Siahaan* 21

Dopamine Transporter Gene Polymorphism and Alcoholism *Taro Muramatsu and Susumu Higuchi* 28

Telomere Shortening in Chronic Liver Diseases *Takuya Kitada, Shuichi Seki, Nobuyoshi Kawakita, Tetsuo Kuroki, and Takeyuki Monna* 33

Analysis of Translational Termination of Recombinant Human Methionyl Neurotrophin 3 in *Escherichia coli* *Shi-Yuan Meng, John O. Hui, Mitsuru Haniu, and Larry B. Tsai* 40

cis-Splicing and Polyadenylation of Actin RNA Can Precede 5′ *trans*-Splicing in Nematodes *Kuninori Shiwaku and John E. Donelson* 49

Calreticulin Is the Major Ca^{2+} Storage Protein in the Endoplasmic Reticulum of the Pea Plant (*Pisum sativum*) *A.-M. Hassan, C. Wesson, and W. R. Trumble* 54

Cyclodextrins as Protein Folding Aids *N. Karuppiah and A. Sharma* 60

Antibodies to ICAM-1 Protect Kidneys in Severe Ischemic Reperfusion Injury *Hamid Rabb, Carmelo C. Mendiola, Sabiha R. Saba, John R. Dietz, C. Wayne Smith, Joseph V. Bonventre, and German Ramirez* 67

Differential Induction of mRNA for ICAM-1 and Selectins in Hepatocytes, Kupffer Cells, and Endothelial Cells during Endotoxemia *Naeem A. Essani, Gerald M. McGuire, Anthony M. Manning, and Hartmut Jaeschke* 74

The Orphan Receptor TAK1 Acts as a Repressor of RAR-, RXR-, and T3R-Mediated Signaling Pathways *Takahisa Hirose, Rainer Apfel, Magnus Pfahl, and Anton M. Jetten* 83

Involvement of the Peptide-Sensitive Channel in the Translocation of Basic Peptides into Mitochondria *Philippe Juin, Marc Pelleschi, Corinne Sagné, Jean-Pierre Henry, Michel Theiffry, and François-Marie Vallette* 92

Peptides from the Amino Terminus of Rantes Cause Chemotaxis of Human T-Lymphocytes *Timothy N. C. Wells, Florence Guye-Coulin, and Kevin B. Bacon* 100

The Influence of RNA and DNA Template Structures during Transcript Elongation by RNA Polymerases *Srinivas S. Sastry and Patricia Lynn Hoffman* 106

A Regulatory Element in the 5′UTR Directs Cell-Specific Expression of the Mouse α_4 Gene *Els Schollen, Catherine De Meirsman, Gert Matthijs, and Jean-Jacques Cassiman* 115

A Chicken *WNT* Gene, *WNT-11*, Is Involved in Dermal Development *Nobuya Tanda, Hideyo Ohuchi, Hidefumi Yoshioka, Sumihare Noji, and Tsutomu Nohno* 123

HIV-1 gp120 Produces DNA Fragmentation in the Cerebral Cortex of Rat *Giacinto Bagetta, M. Tiziana Corasaniti, Laura Berliocchi, Michele Navarra, Alessandro Finazzi-Agrò, and Giuseppe Nisticò* 130

Leukemia Inhibitory Factor (LIF) Enhances Trophoblast Differentiation Mediated by Human Chorionic Gonadotropin (hCG) *Keisuke Sawai, Chihiro Azuma, Masayasu Koyama, Shin-ichi Ito, Kazumasa Hashimoto, Tadashi Kimura, Yoshihiro Samejima, Toshikatu Nobunaga, and Fumitaka Saji* 137

The Novel Aldehyde Dehydrogenase Gene, *ALDH5*, Encodes an Active Aldehyde Dehydrogenase Enzyme *Mark J. Stewart, Kevin Malek, Qing Xiao, Katrina M. Dipple, and David W. Crabb* 144

Activation of Mitogen-Activated Protein Kinase by the Human Prostaglandin EP_{3A} Receptor *Thomas H. Burkey and John W. Regan* 152

Potent Inhibitors of the HIV-1 Protease with Good Oral Bioavailabilities *Hing L. Sham, Chen Zhao, Kennan C. Marsh, David A. Betebenner, Shuqun Lin, Edith McDonald, Sudthida Vasavanonda, Norman Wideburg, Ayda Saldivar, Terrell Robins, Dale J. Kempf, Jacob J. Plattner, and Daniel W. Norbeck* 159

ATP Induces Dissociation of the 90-kDa Heat Shock Protein (hsp90) from F-Actin: Interference with the Binding of Heavy Meromyosin *Miklós S. Z. Kellermayer and Péter Csermely* 166

Telomere Repeat Fragment Sizes Do Not Limit the Growth Potential of Uterine Leiomyomas *Piere Rogalla, Corina Rohen, Yvonne Hennig, Ulrich Deichert, Ulrich Bonk, and Jörn Bullerdiek* 175

Coordinate Up- and Down-Modulation of Inducible Nitric Oxide Synthase, Nitric Oxide Production, and Tumoricidal Activity in Rat Bone Marrow-Derived Mononuclear Phagocytes by Lipopolysaccharide and Gram-Negative Bacteria *Robert Keller, Ruth Keist, Peter Joller, and Alexander Mülsch* 183

Evidence against Dephosphorylation of Insulin-Elicited Phosphotyrosine Proteins *in Vivo* by the Phosphatase PTP2C *Michelle R. Kuhné, Zhizhuang Zhao, and Gustav E. Lienhard* 190

EPR and Redox Characterization of Ferredoxins I and II from *Desulfovibrio vulgaris* Miyazaki *Marcel Asso, Omar Mbarki, Bruno Guigliarelli, Tatsuhiko Yagi, and Patrick Bertrand* 198

Constitutive Activation of the Thyrotropin Receptor by Deletion of a Portion of the Extracellular Domain *Mei-Luo Zhang, Hideo Sugawa, Shinji Kosugi, and Toru Mori* 205

Cloning of Rat and Mouse P_{2Y} Purinoceptors *Yoshiharu Tokuyama, Manami Hara, Eugenia M. C. Jones, Zheng Fan, and Graeme I. Bell* 211

Direct Measurement for Elasticity of Myosin Head *Hitoshi Suda, Masaya Sugimoto, Masafumi Chiba, and Chikao Uemura* 219

The Human Bradykinin B_2 Receptor Gene: Full-Length cDNA, Genomic Organization, and Indentification of the Regulatory Region *S. Kammerer, A. Braun, N. Arnold, and A. A. Roscher* 226

Identification of Polymorphic Sites of the Human Bradykinin B_2 Receptor Gene *A. Braun, S. Kammerer, E. Böhme, B. Müller, and A. A. Roscher* 234

Angiotensinogen Gene Expression Is Induced by Cyclical Mechanical Stretch in Cultured Rat Cardiomyocytes *K. G. Shyu, J. J. Chen, N. L. Shih, H. Chang, D. L. Wang, W. P. Lien, and C. C. Liew* 241

Expression of the Endothelin-Converting Enzyme Gene in Human Tissues *Gian Paolo Rossi, Giovanna Albertin, Elisa Franchin, Alfredo Sacchetto, Maurizio Cesari, Giorgio Palù, and Achille C. Pessina* 249

Transcription Initiation Is Localized to a TATA-less Region in the Ovine β1 Adrenergic Receptor Gene *James F. Padbury, Yi-Tang Tseng, and James A. Waschek* 254

Formation of Heparan Sulfate or Chondroitin/Dermatan Sulfate on Recombinant Domain I of Mouse Perlecan Expressed in Chinese Hamster Ovary Cells *Robert Kokenyesi and Jeremiah E. Silbert* 262

Elucidation of the Region Responsible for EDTA Tolerance in PQQ Glucose Dehydrogenases by Constructing *Escherichia coli* and *Acinetobacter calcoaceticus* Chimeric Enzymes *Koji Sode, Hiromi Yoshida, Kazunori Matsumura, Tomoko Kikuchi, Mika Watanabe, Nozomu Yasutake, Shunsuke Ito, and Hiroyuki Sano* 268

Characterization of DNase I Hypersensitive Sites in the 120-kb 5′ to the CFTR Gene *Annabel N. Smith, Catherine J. C. Wardle, and Ann Harris* 274

Not CA^{2+} but CAMP Is the Second Messenger for Morphological Changes in Rat Megakaryocyte *Chikako Uneyama, Takayoshi Imazawa, Hisayuki Uneyama, Norio Akaike, Toru Kawanishi, and Michihito Takahashi* 282

Molecular Cloning and Post-transcriptional Regulation of Macrophage Inflammatory Protein-1α in Alveolar Macrophages *Michael Ming Shi, John J. Godleski, and Joseph D. Paulauskis* 289

Purification and Characterization of *Rab* GDIβ from Rat Brain *Keishi Araki, Hiroyuki Nakanishi, Hisanobu Hirano, Masaki Kato, Takuya Sasaki, and Yoshimi Takai* 296

Activation of Membrane-Bound Phospholipase D by Protein Kinase C in HL60 Cells: Synergistic Action of a Small GTP-Binding Protein RhoA *Kenji Ohguchi, Yoshiko Banno, Shigeru Nakashima, and Yoshinori Nozawa* 306

The Influence of Sterols on the Sensitivity of Lipid Bilayers to Melittin *Alexander M. Feigin, John H. Teeter, and Joseph G. Brand* 312

An Extracellular Inositol Phospholipid-Specific Phospholipase C Is Released by Cultured Swiss 3T3 Cells *G. Bruce Birrell, Karen K. Hedberg, and O. Hayes Griffith* 318

The Cytomegalovirus US28 Protein Binds Multiple CC Chemokines with High Affinity *Donald E. Kuhn, Clifford J. Beall, and P. E. Kolattukudy* 325

Identification of Brush Border Myosin-I in Liver and Testis *Mitchel F. Balish and Lynne M. Coluccio* 331

Acute Endotoxin Tolerance Is Accompanied by Stimulated Glucose Use in Macrophage-Rich Tissues *Zoltán Spolarics and John J. Spitzer* 340

ERRATA

Volume 206, Number 1, January 5, 1995: Eric Paul Bennett, Rudi Steffensen, Henrik Clausen, Daniël Olde Weghuis, and Ad Geurts van Kessel, "Genomic Cloning of the Human Histo-Blood Group ABO Locus," pp. 318–325 347

Volume 209, Number 1, April 6, 1995: Yoshiko Murata, Erika Yamakawa, Taketoshi Iizuka, Hiroko Kodama, Toshiaki Abe, Yukio Seki, and Masaaki Kodama, "Failure of Copper Incorporation into Ceruloplasmin in the Golgi Apparatus of LEC Rat Hepatocytes," pp. 349–355 348

Volume 211, Number 2, June 15, 1995

Amyloid P Component Promotes Aggregation of Alzheimer's β-Amyloid Peptide *Hideaki Hamazaki* 349

Change in Variant Transthyretin Levels in Patients with Familial Amyloidotic Polyneuropathy Type I Following Liver Transplantation *Yukio Ando, Yoshiya Tanaka, Masamitsu Nakazato, Bo-Göran-Ericzon, Taro Yamashita, Kazuhiro Tashima, Naomi Sakashita, Moritaka Suga, Makoto Uchino, and Masayuki Ando* 354

Luminescence of Aequorin Is Triggered by the Binding of Two Calcium Ions
Osamu Shimomura 359

Deletion and Site-Directed Mutagenesis of EF-Hand Domain of Phospholipase C-δ1: Effects on Its Activity *Shigeru Nakashima, Yoshiko Banno, Toshio Watanabe, Yoshikatsu Nakamura, Toshihiro Mizutani, Hideki Sakai, Yutong Zhao, Yoshikazu Sugimoto, and Yoshinori Nozawa* 364

Plasma Nitric Oxide End Products Are Increased in the Ischemic Canine Heart
Koichi Node, Masafumi Kitakaze, Hiroaki Kosaka, Kazuo Komamura, Tetsuo Minamino, Michihiko Tada, Michitoshi Inoue, Masatsugu Hori, and Takenobu Kamada 370

Endothelial-Type Nitric Oxide Synthase (ec-NOS) in Skeletal Muscle Fibers: Mitochondrial Relationships *Lester Kobzik, Bradley Stringer, Jean-Luc Balligand, Michael B. Reid, and Jonathan S. Stamler* 375

Cloning of Salicylate Hydroxylase Gene and Catechol 2,3-Dioxygenase Gene, and Sequencing of an Intergenic Sequence between the Two Genes of *Pseudomonas putida* KF715
Jeongrai Lee, Kyung Rak Min, Young-Chang Kim, Chi-Kyung Kim, Jai-Yun Lim, Heejeong Yoon, Kyung-Hee Min, Ki-Sung Lee, and Youngsoo Kim 382

Active-Site Analysis of Ferric P450 Enzymes: Hydrogen-Bonding Effects on the Circular Dichroism Spectra *Laura A. Andersson and Julian A. Peterson* 389

Serine Palmitoyltransferase Is the Primary Target of a Sphingosine-like Immunosuppressant, ISP-1/Myriocin *Yurika Miyake, Yasunori Kozutsumi, Sachiko Nakamura, Tetsuro Fujita, and Toshisuke Kawasaki* 396

Homozygous Deletions of the MTS1 Gene Are Rare in Non-Astrocytic Brain Tumors
David G. Walker, Wei Duan, Andrew H. Kaye, and Martin F. Lavin 404

Translocation of Recombinant $p47^{phox}$ Cytosolic Component of the Phagocyte Oxidase by *in Vitro* Phosphorylation *Jeen-Woo Park and Soo Mi Ahn* 410

The Neuroendocrine Protein 7B2 Acts as a Molecular Chaperone in the *in Vitro* Folding of Human Insulin-like Growth Factor-1 Secreted from Yeast *Bhabatosh Chaudhuri, Christine Stephan, Richard P. H. Huijbregts, and Gerard J. M. Martens* 417

Evidence for the Presence of Functional Thyrotropin Receptor in Cardiac Muscle
Viktor Drvota, Annika Janson, Cecilia Norman, Christer Sylvén, Johan Häggblad, Mikael Brönnegård, and Claude Marcus 426

Depletion of Intracellular Calcium Stores Triggers Transplasmamembrane Chloride Influx in Human Lymphocytes: Regulation by Tyrosine Kinase
Martin Tepel, Guido Hahne, and Walter Zidek 432

Determination of a Necdin cis-Acting Element Required for Neuron-Specific Expression by Using Zebra Fish *C.-H. Kuo, T. Uetsuki, C.-H. Kim, H. Tanaka, B.-S. Li, E. Taira, H. Higuchi, H. Okamoto, K. Yoshikawa, and N. Miki* 438

Leucine Zipper-like Domain Regulates the Autophosphorylation and the Transforming Activity of $P130^{gag\text{-}fps}$ *Woong-Yang Park and Jeong-Sun Seo* 447

Effect of $_{2Y}$-Purinoceptor Stimulation on Renal Gluconeogenesis in Rats
Seok Ho Cha, Kyu Yong Jung, and Hitoshi Endou 454

12(S)-HETE Is a Mitogenic Factor for Microvascular Endothelial Cells: Its Potential Role in Angiogenesis *Dean C. Tang, Colette Renaud, Sanja Stojakovic, Clement A. Diglio, Arther Porter, and Kenneth V. Honn* 462

Enhanced Expression of Rat Obese (*ob*) Gene in Adipose Tissues of Ventromedial Hypothalamus-Lesioned Rats *Tohru Funahashi, Iichiro Shimomura, Hisatoyo Hiraoka, Takesi Arai, Masahiko Takahashi, Tadashi Nakamura, Shuichi Nozaki, Shizuya Yamashita, Kaoru Takemura, Katsuto Tokunaga, and Yuji Matsuzawa* 469

Modulation by Bovine Angiogenin of Tubular Morphogenesis and Expression of Plasminogen Activator in Bovine Endothelial Cells *Sei-ichiro Jimi, Ken-ichi Ito, Kimitoshi Kohno, Mayumi Ono, and Michihiko Kuwano* 476

Lysophosphatidic Acid Activates Phosphoinositide 3-Kinase and Phospholipase C in Human Platelets: Inhibitory Effects of Wortmannin on Phosphoinositide 3-Kinase and Aggregation *Jun Zhang and Susan E. Rittenhouse* 484

Differential Expression Patterns of β-Actin mRNA in Cells Undergoing Apoptosis *Honami Naora and Hiroto Naora* 491

CYP1A2 and 2E1 Expression in Rat Liver Treated with Combined Inducers (3-Methylcholanthrene and Ethanol) *T. Goasduff, J. F. Menez, Y. Dreano, and F. Berthou* 497

Sickling *in Vitro* at Venous and Arterial Oxygen Tensions of Reticulocytes from Patients with Sickle Cell Disease *Ahamefula E. Onyike, Kwaku Ohene-Frempong, and Kazumi Horiuchi* 504

Membranes of Human Neuroblastoma SH-SY5Y Cells Contain Specific Binding Sites for [^{3}H]K-252A *Ernest Knight, Jr., Thomas J. Connors, Robert Hudkins, Anna C. Maroney, and Nicola Neff* 511

Regulation of FGF-4 Enhancer Activity by Transcription Factor NF-Y *M. Bryans, J. M. Lucas, T. J. Knobloch, N. M. Wilkie, and J. C. Lang* 519

Catalytic Properties of the Two Active Sites of Angiotensin I-Converting Enzyme on the Cell Surface *Emmanuel Jaspard and François Alhenc-Gelas* 528

Inhibitors of Phosphoinositide 3-Kinase Block Exocytosis but Not Endocytosis of Transferrin Receptors in 3T3-L1 Adipocytes *Peter R. Shepherd, Maria A. Soos, and Kenneth Siddle* 535

Purification and Some of the Properties of a Novel Secondary Alcohol Dehydrogenase from *Alcaligenes eutrophus* *K. M. Madyastha and T. L. Gururaja* 540

Peritoneal Macrophages from Stroke-Prone Spontaneously Hypertensive Rats Accumulate More Cholesteryl Ester Than Do Macrophages from Wistar-Kyoto Rats *Shigeru Murakami, Yasuo Nara, and Yukio Yamori* 547

Human Colon Cancer Cell Lines Permanently Expressing α2,6-Sialylated Sugar Chains by Transfection with Rat β-Galactoside α2,6-Sialyltransferase cDNA *Fabio Dall'Olio, Mariella Chiricolo, Pierluigi Lollini, and Joseph T. Y. Lau* 554

A Novel Ca^{2+}/Calmodulin-Dependent Protein Kinase Lacking Autophosphorylation Activity in the Rabbit Heart *Arata Uemura, Katsuo Okazaki, Hisashi Takesue, Tatsuaki Matsubara, and Hiroyoshi Hidaka* 562

The Guinea Pig Histamine H_2 Receptor: Gene Cloning, Tissue Expression, and Chromosomal Localization of Its Human Counterpart *Elisabeth Traiffort, Maria Luiza Vizuete, Joël Tardivel-Lacombe, Evelyne Souil, Jean-Charles Schwartz, and Martial Ruat* 570

Differential Expression and Mutation of nme Genes in Autologous Cultured Human Melanoma Cells with Different Metastatic Potentials *Carl V. Hamby, Charmaine E. Mendola, Lyka Potla, Gregory Stafford, and Joseph M. Backer* 578

Primary Substrate Specificity of Recombinant Human Stratum Corneum Chymotryptic Enzyme *Åsa Skytt, Mats Strömqvist, and Torbjörn Egelrud* 586

Farnesol Is Utilized for Protein Isoprenylation and the Biosynthesis of Cholesterol in Mammalian Cells *Dean C. Crick, Douglas A. Andres, and Charles J. Waechter* 590

Potent Inhibition of Breast Cancer Cell Lines by the Isoflavonoid Kievitone: Comparison with Genistein *Richard Hoffman* 600

Calculated Effects of the Chemical Environment of 2-Phospho-D-glycerate on the pK_a of Its Carbon-2 and Correlations with the Proposed Mechanism of Action of Enolase *Said H. Hilal, John M. Brewer, Lukasz Lebioda, and L. A. Carreira* 607

The "*in Vitro* Motility Assay" and Phalloidin-F-actin
Paola Cuneo, Giorgio Trombetta, Ermes Magri, and Enrico Grazi 614

High D-Glucose Stimulates the Cell Cycle from the G_1 to the S and M Phases, but Has No Competent Effect on the G_0 Phase, in Vascular Smooth Muscle Cells
Goro Hiroishi, Sei Kobayashi, Junji Nishimura, Hajime Inomata, and Hideo Kanaide 619

Recombinant Expression of Hepatitis A Virus Protein 3A: Interaction with Membranes
Giulio Pisani, Francesca Beneduce, Verena Gauss-Müller, and Graziella Morace 627

Chloride Channels in Brown Adipocyte Plasma Membranes: Candidates for Mediation of α_1-Adrenergic Depolarization? *Victor Sabanov and Jan Nedergaard* 639

The Regulatory Site of Functional GTP Binding Protein Coupled to the High-Affinity Cholecystokinin Receptor and Phospholipase A_2 Pathway Is on the G_β Subunit of G_q Protein in Pancreatic Acini *Yasuhiro Tsunoda and Chung Owyang* 648

Characterization of cDNA Encoding Novel Pregnancy-Specific Glycoprotein Variants
Stephan Teglund, Guang-qian Zhou, and Sten Hammarström 656

Lovastatin Inhibits Proliferation and Differentiation and Causes Apoptosis in Lipopolysaccharide-Stimulated Murine B Cells *Kris A. Reedquist, Thomas K. Pope, and Deborah A. Roess* 665

Nitric Oxide Regulation of IL-8 Expression in Human Endothelial Cells
L. H. Villarete and D. G. Remick 671

Tyrosine Phosphorylation of vav Protooncogene Product in Primary Human Myelogenous Leukemic Cells Stimulated by Granulocyte Colony-Stimulating Factor
Akira Yuo, Seiichi Kitagawa, Seiko Iki, Masako Yagisawa, Eriko K. Inuo, Toshihide Mimura, Seiji Minoda, Yutaka Hanazono, Hisamaru Hirai, Akio Urabe, Akiyoshi Miwa, Atsushi Togawa, and Fumimaro Takaku 677

Adrenocortical Steroids, Thyroid Hormones, and Retinoic Acid Augment the Production of Adrenomedullin in Vascular Smooth Muscle Cells *Naoto Minamino, Hiroki Shoji, Shin Sugo, Kenji Kangawa, and Hisayuki Matsuo* 686

Human Proadrenomedullin N-Terminal 20 Peptide in Pheochromocytoma and Normal Adrenal Medulla *Kenji Kuwasako, Kazuo Kitamura, Yoshinari Ichiki, Johji Kato, Kenji Kangawa, Hisayuki Matsuo, and Tanenao Eto* 694

Absence of the Mitochondrial A7237T Mutation in Parkinson's Disease
Christoph B. Lücking, Siegfried Kösel, Parviz Mehraein, and Manuel B. Graeber 700

ERRATUM
Volume 209, Number 2, April 17, 1995: P. Rhodes, A. M. Leone, P. L. Francis, A. D. Struthers, and S. Moncada. "The L-Arginine:Nitric Oxide Pathway Is the Major Source of Plasma Nitrite in Fasted Humans," pp. 590–596 705

Volume 211, Number 3, June 26, 1995

Growth Stimulation by Transfection of Intestinal Epithelial Cells with an Antisense Insulin-like Growth Factor-Binding Protein-2 Construct *Mark R. Corkins, Jon A. Vanderhoof, Dorothy H. Slentz, Richard G. MacDonald, and Jung H. Y. Park* 707

Chimeric Receptors Expressing Juxtamembrane Sequences of the Insulin Receptor Undergo Rapid Endocytosis in the Absence of Receptor Tyrosine Kinase Activity
Malini Rajagopalan, Lee Hebert, and Donald A. McClain 714

Effect of the P-Glycoprotein Inhibitor, Cyclosporin A, on the Distribution of Rhodamine-123 to the Brain: An *in Vivo* Microdialysis Study in Freely Moving Rats *Qin Wang, Hua Yang, Donald W. Miller, and William F. Elmquist* 719

Interleukin-4 Stimulates Pro-α1(VI) Collagen Gene Expression in Cultured Human Osteoblast-like Cells *Hideaki Ishibashi, Shunji Karube, Akio Yamakawa, and Yasuko Koshihara* 727

SARs Do Not Impair Position-Dependent Expression of a kit/LacZ Transgene *Paulo De Sepulveda, Pierrick Salaün, Nicole Maas, Catherine André, and Jean-Jacques Panthier* 735

Drastic Influence of a Single Heme Axial Ligand Replacement on the Thermostability of Cytochrome c_3 *A. Dolla, L. Florens, M. Bruschi, I. V. Dudich, and A. A. Makarov* 742

Nucleotide-Selective Cleavage of Duplex DNA by Nitric Oxide *Yukio Sugiura and Takuyuki Matsumoto* 748

Apoc-III–β-Galactosidase Hybrid Distinguishes between VLDL and LDL Phospholipids *Vuong N. Trieu and Walter J. McConathy* 754

Overexpression of Human Lipoprotein Lipase Increases Hormone-Sensitive Lipase Acitivity in Adipose Tissue of Mice *Masako Shimada, Shun Ishibashi, Koji Yamamoto, Masako Kawamura, Yoshiro Watanabe, Takanari Gotoda, Kenji Harada, Toshimori Inaba, Junichi Ohsuga, Yoshio Yazaki, and Nobuhiro Yamada* 761

Induction of c-fos in Mouse Bone Marrow Macrophages: A Direct Method for Assessing Bone Marrow Cell Activation *Keith A. Yagaloff and Fan Xie* 767

The Yellow Bioluminescence Bacterium, *Vibrio fischeri* Y1, Contains a Bioluminescence-Active Riboflavin Protein in Addition to the Yellow Fluorescence FMN Protein *Valentine N. Petushkov, Bruce G. Gibson, and John Lee* 774

Analysis of the Glucose Transporter Compliment of Metabolically Important Tissues from the Milan Hypertensive Rat *Ian W. Campbell, Anna F. Dominiczak, Callum Livingstone, and Gwyn W. Gould* 780

Construction of a Chimeric Antibody with Therapeutic Potential for Cancers Which Overexpress c-erbB-2 *Hsiao-Lai C. Liu, Debbie L. Parkes, Beatrice C. Langton, Jian-Ai Xuan, Michael Longhi, Susan S. Elliger, Lorrine A. Chao, Michael P. McGrogan, John W. Brandis, and Laura K. Shawver* 792

RecA-Assisted Rapid Enrichment of Specific Clones from Model DNA Libraries *Martin Teintze, Iordanis I. Arzimanoglou, Christopher I. P. Lovelace, Zhi-jun Xu, and Basil Rigas* 804

Peptides from the Amino-Terminus of Mouse Mitochondrially Encoded NADH Dehydrogenase Subunit 1 Are Potent Chemoattractants *Said M. Shawar, Robert R. Rich, and Elmer L. Becker* 812

Binding of Sequence-Specific Proteins to the 3′-Untranslated Region of Vasoactive Intestinal Peptide mRNA *Johanna K. Wolford and Steven A. Signs* 819

Genomic Organization of the Human Cystathionine β-Synthase Gene: Evidence for Various cDNAs *J. F. Chassé, E. Paly, D. Paris, V. Paul, P. N. Sinet, P. Kamoun, and J. London* 826

Genetic Variability in the TNF-α Promoter Is Not Associated with Type II Diabetes Mellitus (NIDDM) *Andreas Hamann, Christos Mantzoros, Antonio Vidal-Puig, and Jeffrey S. Flier* 833

Effect of Interfacial Pressure on the Binding and Phospholipase A_2 Activity of Recombinant Human Lecithin–Cholesterol Acyltransferase *Richard B. Weinberg, Jennifer B. Jones, P. Haydn Pritchard, and Andras G. Lacko* 840

The Spin-Trap *N-tert*-α-Phenylbutylnitrone Prolongs the Life Span of the Senescence-Accelerated Mouse *Rei Edamatsu, Akitane Mori, and Lester Packer* 847

Sensitivity/Resistance Profile of a Simian Immunodeficiency Virus Containing the Reverse Transcriptase Gene of Human Immunodeficiency Virus Type 1 (HIV-1) toward the HIV-1-Specific Non-nucleoside Reverse Transcriptase Inhibitors *Jan Balzarini, Monica Weeger, Maria-José Camarasa, Erik De Clercq, and Klaus Überla* 850

Evidence for Bioeffects of LY 139478 on the Human Preosteoclastic Cell Line FLG 29.1 *G. Fiorelli, F. Gori, U. Fediani, A. M. Morelli, A. Falchetti, S. Benvenuti, L. Masi, and M. L. Brandi* 857

Reduction of Dopamine β-Hydroxylase Gene Expression by Calcium in Bovine Chromaffin Cells *Onyou Hwang and Jae Dam Lee* 864

T Cell Mitogens Induce Increased DNA Topoisomerase I Protein Levels and Its Translocation to the Nucleus Where Activation of the Enzyme Occurs *Sigal Gelkop, Esther Priel, and Noah Isakov* 872

Suppression of Anionic Amino Acid Transport Impairs the Maintenance of Intracellular Glutamate in Ha-*ras*-Expressing Cells *Jacopo Uggeri, Silvana Belletti, Ovidio Bussolati, Valeria Dall'Asta, and Gian C. Gazzola* 878

Properties of Chimeric Secretin and VIP Receptor Proteins Indicate the Importance of the N-Terminal Domain for Ligand Discrimination *Jean-Pierre Vilardaga, Philippe De Neef, Emmanuel Di Paolo, Alex Bollen, Magali Waelbroeck, and Patrick Robberecht* 885

Evidence for Close *in Vivo* Association of Protein with Mitochondrial Ribosomal RNA in a Trypanosome *Ivor Tittawella* 892

Mutational Analysis of Cysteine Residues within the Extracellular Domains of the Human Vasoactive Intestinal Peptide (VIP) 1 Receptor Identifies Seven Mutants That Are Defective in VIP Binding *Pascale Gaudin, Alain Couvineau, Jean-José Maoret, Christiane Rouyer-Fessard, and Marc Laburthe* 901

Synthesis and Secretion of Tobacco Neutral PR-5 Protein by Transgenic Tobacco and Yeast *Fumihiko Sato, Hisashi Koiwa, Yasuyoshi Sakai, Nobuo Kato, and Yasuyuki Yamada* 909

Effect of Ionic Strength on Membrane Potential Generation in Reconstituted Cytochrome c Oxidase *Yu. A. Ivashchuk-Kienbaum and Bernhard Kadenbach* 914

Coexpression of Skeletal Muscle Voltage-Dependent Calcium Channel α_1 and β cDNAs in Mouse Ltk$^-$ Cells Increases the Amount of α_1 Protein in the Cell Membrane *Olga Krizanova, Maria Varadi, Arnold Schwartz, and Gyula Varadi* 921

Phorbol Ester Stimulates Rapid Intracellular Phosphorylation of Glia Maturation Factor *Ramon Lim and Asgar Zaheer* 928

Localization and Processing of Glycosylphosphatidylinositol-Anchored Cathepsin D *Eric Ogier-Denis, Chantal Bauvy, Alain Couvineau, Daniela De Stefanis, Ciro Isidoro, and Patrice Codogno* 935

Regulated Expression of Heat Shock Factor 1 Isoforms with Distinct Leucine Zipper Arrays via Tissue-Dependent Alternative Splicing *Michael L. Goodson and Kevin D. Sarge* 943

Localization and Subcellular Distribution of SH-PTP2, a Protein-Tyrosine-Phosphatase with Src Homology-2 Domains, in Rat Brain *Toshiya Suzuki, Takashi Matozaki, Akira Mizoguchi, and Masato Kasuga* 950

Enhancement of Damage-Specific DNA Binding of XPA by Interaction with the ERCC1 DNA Repair Protein *Akira Nagai, Masafumi Saijo, Isao Kuraoka, Toshiro Matsuda, Naohiko Kodo, Yoshimichi Nakatsu, Takashi Mimaki, Makoto Mino, Maureen Biggerstaff, Richard D. Wood, Anneke Sijbers, Jan H. J. Hoeijmakers, and Kiyoji Tanaka* 960

Two Vasopressin Type 2 Receptor Gene Mutations R143P and Δ V278 in Patients with Nephrogenic Diabetes Insipidus Imapir Ligand Binding of the Receptor *Hiroyasu Tsukaguchi, Hiroaki Matsubara, Yasukiyo Mori, Yasunao Yoshimasa, Takaaki Yoshimasa, Kazuwa Nakao, and Mitsuo Inada* 967

Unusual Biphasic Melting Behavior of *Rhodotorula gracilis* DNA *Daesety Vishnuvardhan, Soundar Divakar, and Richard Joseph* 978

Mechanisms Involved in the Uptake of D-Glucose into the Milk-Producing Cells of Rat Mammary Tissue *David B. Shennan and R. Brian Beechey* 986

Downregulation of Thyroid Hormone Receptor Subtype mRNA Levels by Amiodarone during Catecholamine Stress *in Vitro* *V. Drvota, M. Brönnegård, J. Häggblad, T. Barkhem, and C. Sylvén* 991

Identification of Four Different Forms of Syntaxin 3 *Kyoko Ibaraki, Hiroshi P. M. Horikawa, Takao Morita, Hisashi Mori, Kenji Sakimura, Masayoshi Mishina, Hideo Saisu, and Teruo Abe* 997

Pentoxifylline Augments but Does Not Antagonize TNFα-Mediated Neuroblastoma Cell Differentiation: Modulation of Calcium Mobilization but Not cAMP *Kuender D. Yang, Hui-Lan Chuen, and Men-Fang Shaio* 1006

Modified Amyloid β Protein Ending at 42 or 40 with Different Solubility Accumulates in the Brain of Alzheimer's Disease *Y. Harigaya, M. Shoji, T. Kawarabayashi, M. Kanai, T. Nakamura, T. Iizuka, Y. Igeta, T. C. Saido, N. Sahara, H. Mori, and S. Hirai* 1015

Increased Expression of *AML1* during Retinoic-Acid-Induced Differentiation of U937 Cells *Kozo Tanaka, Tomoyuki Tanaka, Seishi Ogawa, Mineo Kurokawa, Kinuko Mitani, Yoshio Yazaki, and Hisamaru Hirai* 1023

Adrenomedullin Inhibits the Secretion of Cytokine-Induced Neutrophil Chemoattractant, a Member of the Interleukin-8 Family, from Rat Alveolar Macrophages *Hiroshi Kamoi, Hiroshi Kanazawa, Kazuto Hirata, Naotsugu Kurihara, Yoshihisa Yano, and Shuzo Otani* 1031

No Evidence for Mutations in a Putative Subunit of the β-Cell ATP-Sensitive Potassium Channel (K-ATP Channel) in Japanese NIDDM Patients *Kazuki Yasuda, Hiroshi Sakura, Yasumichi Mori, Keiji Iwamoto, Kohtaro Shimokawa, Hiroko Kadowaki, Ryoko Hagura, Yasuo Akanuma, John P. Adelman, Yoshio Yazaki, Frances M. Ashcroft, and Takashi Kadowaki* 1036

Phosphorothioate Oligonucleotides Block Reverse Transcription by the RNase H Activity Associated with the HIV-1 Polymerase *Toshifumi Hatta, Kazuyuki Takai, Shigeyuki Yokoyama, Hideki Nakashima, Naoki Yamamoto, and Hiroshi Takaku* 1041

Androgen Synthesis Modulation by Prostaglandin E_2 Is Differentially Mediated via Adenylate Cyclase and Phospholipase C in the Testis of the Crested Newt, *Triturus carnifex*: *In Vitro* Studies *Anna Gobbetti and Massimo Zerani* 1047

Isolation and Sequence Determination of 6- and 8-kDa Precursors of Human Neutrophil Peptides from Bone Marrow, Plasma, and Peripheral Blood Neutrophils *Masamitsu Nakazato, Kazutaka Shiomi, Yukari Date, Shigeru Matsukura, Kenji Kangawa, Naoto Minamino, and Hisayuki Matsuo* 1053

G Protein Mutations in Tumors of the Pituitary, Parathyroid, and Endocrine Pancreas *Clare V. Boothroyd, Sean M. Grimmond, Donald P. Cameron, and Nicholas K. Hayward* 1063

Interaction of the Aα Y and Z Mating-Type Homeodomain Proteins of *Schizophyllum commune* Detected by the Two-Hybrid System *Yumi Magae, Charles Novotny, and Robert Ullrich* 1071

Regulation of Mouse Soluble Interleukin-6 Receptor Secretion by Decidua *Masaaki Yamaguchi, Akiko Mammoto, Tetsuya Taga, Tadamitsu Kishimoto, and Akira Miyake* 1077

Protein Ligand Interactions: Alkylated Pyridinium Salts as Inhibitors of Acetylcholinesterase from *Electrophorus electricus* *C. G. Whiteley and D. S. Ngwenya* 1083

TGF-β Accelerated the Osteogenic Differentiation of Bone Marrow Cells Induced by Collagen Matrix *Morimichi Mizuno and Yoshinori Kuboki* 1091

ERRATA

Volume 208, Number 3, March 28, 1995: Valdur Saks, Yulia Belikova, Elena Vasilyeva, Andrey Kuznetsov, Eric Fontaine, Christiane Keriel, and Xavier Leverve. "Correlation between Degree of Rupture of Outer Mitochondrial Membrane and Changes of Kinetics of Regulation of Respiration by ADP in Permeabilized Heart and Liver Cells," pp. 919–926 1099

Volume 209, Number 2, April 17, 1995: Maria Thuveson, Daniel Albrecht, Gisela Zürcher, Anne-Catherine Andres, and Andrew Ziemiecki. "*IYK*, a Novel Intracellular Protein Tyrosine Kinase Differentially Expressed in the Mouse Mammary Gland and Intestine," pp. 582–589 1100

Author Index for Volume 211 1101

Volume 212, Number 1, July 6, 1995

Malondialdehyde-Modified HDL Leads to Accumulation of Cholesterol in Rat Liver Endothelial Cells *France Guertin, Sylvain Brunet, Victor Gavino, Beatriz Tuchweber, and Emile Levy* 1

Stereospecific Sulfoxidation by Toluene and Naphthalene Dioxygenases *Kyoung Lee, John M. Brand, and David T. Gibson* 9

cAMP Induces Phosphorylation of a 40-kDa Nuclear Protein Which Is Distinct from CREB during Chondrogenesis of Chick Limb Bud Mesenchymal Cells *in Vitro* *Sun-Young Park, Jae-Chang Jung, Soo-Dong Kim, Young-Sup Lee, Tae-Kyu Park, and Shin-Sung Kang* 16

Differential Display and Cloning of Messenger RNAs from the Late Phase of Rat Liver Regeneration *Siddhartha Kar and Brian I. Carr* 21

The Ah Receptor Recognizes DNA Binding Sites for the B Cell Transcription Factor, BSAP: A Possible Mechanism for Dioxin-Mediated Alteration of CD19 Gene Expression in Human B Lymphocytes *Scott A. Masten and Kathleen T. Shiverick* 27

Myocardial Flavin Reductase and Riboflavin: A Potential Role in Decreasing Reoxygenation Injury *Christopher P. Mack, Donald E. Hultquist, and Marshal Shlafer* 35

High-Performance Liquid Chromatographic Separation and pH-Dependent Electrochemical Properties of Pyrroloquinoline Quinone and Three Closely Related Isomeric Analogues *Zhoupeng Zhang, L. M. V. Tillekeratne, Jon R. Kirchhoff, and Richard A. Hudson* 41

Glycosylated Human Prolactin: Detection by Immunoblotting of Biological Fluids Is Confounded by Antisera Crossreactivity with Immunoglobulins *Linda J. Heffner, Edith Markoff, Ruth W. Yuan, and David W. Lee* 48

Histones from Diabetic Rats Contain Increased Levels of Advanced Glycation End Products *A. Gugliucci and M. Bendayan* 56

Oxidation of Mesangial Matrix Using a Mixed Function Oxidase System Augments Adhesion of Macrophages: Possible Role of Macrophage Scavenger Receptors *Joseph Mattana, Linda Margiloff, and Pravin C. Singhal* 63

In the Rat Pineal Gland, but Not in the Suprachiasmatic Nucleus, the Amount of Constitutive Neuronal Nitric Oxide Synthase Is Regulated by Environmental Lighting Conditions *Rainer Spessert, Elisabeth Layes, Andreas Schollmayer, Stefan Reuss, and Lutz Vollrath* 70

Multi-frequency EPR Evidence for a Binuclear Cu_A Center in Cytochrome c Oxidase: Studies with a ^{63}Cu- and ^{65}Cu-Enriched, Soluble Domain of the Cytochrome ba_3 Subunit II from *Thermus thermophilus* *James A. Fee, Donita Sanders, Claire E. Slutter, Peter E. Doan, Roland Aasa, Martin Karpefors, and Tore Vänngård* 77

Phenotypes of *dnaA* Mutants of *Escherichia coli* Sensitive to Detergents and Organic Solvents *Tomoko Shinpuku, Tohru Mizushima, Lei Guo, Takeyoshi Miki, and Kazuhisa Sekimizu* 84

Capacitative Ca^{2+} Entry in Human Platelets Is Resistant to Nitric Oxide *Yasuo Okamoto, Haruaki Ninomiya, Soichi Miwa, and Tomoh Masaki* 90

Involvement of HPC-1/Syntaxin-1A Antigen in Transmitter Release from PC12h Cells *Yoichi Kushima, Tomonori Fujiwara, Takako Morimoto, and Kimio Akagawa* 97

Enhancement of β-Galactosidase Gene Expression in Rat Pheochromocytoma Cells by Exposure to Extremely Low Frequency Magnetic Fields *Shuji Ohtsu, Junji Miyakoshi, Toshihiko Tsukada, Masahiro Hiraoka, Mitsuyuki Abe, and Hiraku Takebe* 104

Nucleotide Sequence and the Molecular Evolution of a New *A2* Gene in the *DQ* Subregion of the Bovine Major Histocompatibility Complex *Akira Morooka, Masatoshi Asahina, Chikara Kohda, Shigeru Tajima, Masashi Niimi, Yoshii Nishino, Masahiro Sugiyama, and Yoko Aida* 110

Benzoyl Peroxide Acts as a Promoter of Radiation-Induced Malignant Transformation *in Vitro* *Sarah H. Kennedy, Yefim Manevich, and John Biaglow* 118

HIV Infection Decreases Intracellular Nicotinamide Adenine Dinucleotide [NAD] *Michael F. Murray, Michael Nghiem, and Alagarsamy Srinivasan* 126

Photosynthetic Electron Transport in *Hydrilla verticillata* (L.) Is Insensitive to Methylviologen (Paraquat) Inhibition *S. R. Mishra and S. C. Sabat* 132

A Phospholipid-Dependent NADH–Coenzyme Q Reductase from Liver Plasma Membrane *F. Navarro, J. M. Villalba, F. L. Crane, W. C. Mackellar, and P. Navas* 138

Identification of a 120-kDa Protein Associated with Aromatic Hydrocarbon Receptor Nuclear Translocator *Anwar Hossain, Hideaki Kikuchi, Shuntaro Ikawa, Ikuko Sagami, and Minro Watanabe* 144

A Highly Conserved Red Pigment-Concentrating Hormone Precursor in the Blue Crab *Callinectes sapidus* *Jörg M. Klein, Carl J. Mohrherr, Frank Sleutels, Nicola Jaenecke, John P. Riehm, and K. Ranga Rao* 151

A Test of the Role of Electrostatic Interactions in Determining the CO Stretch Frequency in Carbonmonoxymyoglobin *Sean M. Decatur and Steven G. Boxer* 159

Transcriptional Regulation of Glyceraldehyde-3-Phosphate Dehydrogenase by 2,3,7,8-Tetrachlorodibenzo-p-Dioxin *Susan E. McNulty and William A. Toscano, Jr.* 165

Progress on Therapy of Breast Cancer with Vitamin Q_{10} and the Regression of Metastases *Knud Lockwood, Sven Moesgaard, Tatsuo Yamamoto, and Karl Folkers* 172

Neuroactive Steroids Modulate *in Vivo* the Mg^{2+}/Ca^{2+} – ATPase Activity in Rat Cortical and Cerebellar Synaptosomal Membranes *Ludmiła Żylińska, Elżbieta Rębas, Ewa Gromadzińska, and Lilla Lachowicz* 178

Diabetes Affects α-Crystallin Chaperone Function *M. Cherian and E. C. Abraham* 184

Structural Organization and Expression of the Human Phosphatidylinositol-Specific Phospholipase C β-3 Gene *K. Mazuruk, T. J. Schoen, G. J. Chader, and I. R. Rodriguez* 190

Conversion of D-Arabinose to D-Erythroascorbic Acid and Oxalic Acid in *Sclerotinia sclerotiorum* *Frank A. Loewus, Kazumi Saito, Robert K. Suto, and Ellen Maring* 196

Molecular Cloning and Functional Characterization of a Human Secretin Receptor *Billy K.-C. Chow* 204

A Dominant Negative Bone Morphogenetic Protein 4 Receptor Causes Neuralization in *Xenopus* Ectoderm *Ren-He Xu, Jaebong Kim, Masanori Taira, Shuning Zhan, Dvora Sredni, and Hsiang-fu Kung* 212

A Novel Cell-Cycle-Dependent 350-kDa Nuclear Protein: C-Terminal Domain Sufficient for Nuclear Localization *Qingqin Li, Yong Ke, Judith A. Kapp, Noreen Fertig, Thomas A. Medsger, Jr., and Harish C. Joshi* 220

The Interrelationship between Polyamines and the L-Arginine Nitric Oxide Pathway in the Human Placenta *S. R. Sooranna and I. Das* 229

Differential Cytokine-Mediated Modulation of Endocytosis in Rat Liver Endothelial Cells *Iñigo Martinez, Baldur Sveinbjørnsson, Fernando Vidal-Vanaclocha, Aintzane Asumendi, and Bård Smedsrød* 235

Effects of Insulin-like Growth Factor (IGF) Binding Proteins (BPs)-3 and -6 on DNA Synthesis of Rat Osteoblasts: Further Evidence for a Role of Auto-/Paracrine IGF I but Not IGF II in Stimulating Osteoblast Growth *Ch. Schmid, I. Schläpfer, A. Keller, M. Waldvogel, E. R. Froesch, and J. Zapf* 242

Isolation and Characterization of Novel Antimicrobial Peptides, Rugosins A, B, and C, from the Skin of the Frog, *Rana rugosa* *Shintaro Suzuki, Yoshihide Ohe, Toyoji Okubo, Tadao Kakegawa, and Kazuhiko Tatemoto* 249

Specific Inhibitors of Vacuolar Type H^+-ATPases Induce Apoptotic Cell Death *Tatsuji Nishihara, Sumio Akifusa, Takeyoshi Koseki, Satsuki Kato, Miyuki Muro, and Nobuhiro Hanada* 255

Wortmannin, a Specific Phosphatidylinositol 3-Kinase Inhibitor, Inhibits Adipocytic Differentiation of 3T3-L1 Cells *Koji Tomiyama, Hiroko Nakata, Hidenori Sasa, Shinya Arimura, Eisuke Nishio, and Yasuhiro Watanabe* 263

Potential Interaction between Annexin VI and a 56-kDa Protein Kinase in T Cells *Thierry Dubois, Mahdhia Soula, Stephen E. Moss, Françoise Russo-Marie, and Bernard Rothhut* 270

Volume 212, Number 2, July 17, 1995

Selective Coupling of Prostaglandin E Receptor EP3D to Multiple G Proteins Depending on Interaction of the Carboxylic Acid of Agonist and Arginine Residue of Seventh Transmembrane Domain *Manabu Negishi, Akira Harazono, Yukihiko Sugimoto, Atsuo Hazato, Seizi Kurozumi, and Atsushi Ichikawa* 279

Transdermal Transport of DNA Antisense Oligonucleotides by Electroporation *Thomas E. Zewert, Uwe F. Pliquett, Robert Langer, and James C. Weaver* 286

Interleukin-1β Induces the Synthesis of Adenylyl Cyclase in Swiss 3T3 Fibroblasts and MG-63 Osteosarcoma Cells *K. J. Armour, N. W. P. Smith, B. L. Brown, and P. R. M. Dobson* 293

Oxygen Tension Influences DNA Fragmentation and Cell Death in Glucocorticoid-Treated Thymocytes *Claudio Stefanelli, Ivana Stanic, Francesca Bonavita, Claudio Muscari, Carla Pignatti, Carmen Rossoni, and Claudio M. Caldarera* 300

Asynchronous Dynamic Changes of Intracellular Free Ca^{2+} and Possible Exocytosis in Human Tracheal Gland Cells Induced by Neutrophil Elastase *Jacky Jacquot, Marc Merten, Jean-Marc Millot, Stéphane Sébille, Monique Ménager, Catherine Figarella, and Michel Manfait* 307

Characterization of a Gain-of-Function Mutant of Poly(ADP-Ribose) Polymerase *Everson Alves Miranda, Françoise Dantzer, Minnie O'Farrell, Gilbert de Murcia, and Josiane Ménissier de Murcia* 317

Alterations of Angiotensin II Receptor Contents in Hypertrophied Hearts *Nobuharu Fujii, Masami Tanaka, Junji Ohnishi, Kyohei Yukawa, Eriko Takimoto, Seijiro Shimada, Mitsuhide Naruse, Fumihiro Sugiyama, Ken-ichi Yagami, Kazuo Murakami, and Hitoshi Miyazaki* 326

The Effect of Hepatocyte Growth Factor on the Behavior of Osteoclasts *K. Fuller, J. Owens, and T. J. Chambers* 334

Direct Detection of Expanded (CAG/CTG) Repeats in the Myotonin-Protein Kinase Genes of Myotonic Dystrophy Patients Using a High-Stringency Hybridization Method *K. Sanpei, S. Igarashi, I. Eguchi, Y. Takiyama, H. Tanaka, and S. Tsuji* 341

Purification of an ATP-Dependent Actin-Binding Protein from a Lower Eukaryote, *Physarum polycephalum* *Ryoki Ishikawa, Yo Sasaki, Akio Nakamura, Takashi Takagi, and Kazuhiro Kohama* 347

Unusual Processing of gp280, a Protein Associated with the Intermicrovillar Areas of Yolk Sac Epithelial Cells: Plasma Membrane Delivery of Immature Protein *Laurent Baricault, Marthe Galceran, Pierre M. Ronco, Germain Trugnan, and Pierre J. Verroust* 353

Ginkgo Biloba Extract (EGb 761) Protects Human Low-Density Lipoproteins against Oxidative Modification Mediated by Copper *Liang-Jun Yan, Marie Therese Droy-Lefaix, and Lester Packer* 360

Determination of the Complete Covalent Structure of the γ_2 Subunit of Bovine Brain G Proteins by Mass Spectrometry *Michael D. Wilcox, Kevin L. Schey, Mark Busman, and John D. Hildebrandt* 367

Elevated Platelet Calcium Mobilization and Nitric Oxide Synthase Activity May Reflect Abnormalities in Schizophrenic Brain *Indrajit Das, Nusrat S. Khan, Basant K. Puri, Suren R. Sooranna, Jacqueline de Belleroche, and Steven R. Hirsch* 375

Increased apoB100 mRNA in Inbred Strains of Mice by Estrogen Is Caused by Decreased RNA Editing Protein mRNA *Rai Ajit K. Srivastava* 381

Immunohistochemical Detection of Binding of CryIA Crystal Proteins of *Bacillus thuringiensis* in Highly Resistant Strains of *Plutella xylostella* (L.) from Hawaii *Baltasar Escriche, Bruce Tabashnik, Naomi Finson, and Juan Ferré* 388

Ornithine Decarboxylase from *Leishmania mexicana* Promastigotes: Interaction with Pyridoxal 5′-Phosphate and α-Difluoromethylornithine *Cecilia P. Sánchez, Carmela Sidrauski, Songeli Menezes Freire, Nélida S. González, and Israel D. Algranati* 396

The Interactions between Nitric Oxide and Brain Nerve Terminals as Studied by Electron Paramagnetic Resonance *Chris E. Cooper and Guy C. Brown* 404

α-Crystallin-like Molecular Chaperone against the Thermal Denaturation of Lens Aldose Reductase: The Effect of Divalent Metal Ions *Isabella Marini, Luca Bucchioni, Margaret Voltarelli, Antonella Del Corso, and Umberto Mura* 413

Effects of a Potent, Nonselective Endothelin Receptor Antagonist [Thr^{18}, γ-MeLeu^{19}]-Endothelin-1 on Isolated Blood Vessels *Hideaki Karaki, Sri Agus Sudjarwo, Norio Shimamoto, Mitsuhiro Wakimasu, and Masahiko Fujino* 421

A DNA-Binding Antitumor Antibiotic Binds to Spectrin *Sangita Majee and Abhijit Chakrabarti* 428

Cytochrome P450 Genes Expressed in Porcine Ovaries: Identification of Novel Forms, Evidence for Gene Conversion, and Evolutionary Relationships *Peter G. Zaphiropoulos, Anna Skantz, Maria Eliasson, and Margot Bengtsson Ahlberg* 433

Spontaneous Alterations in the Covalent Structure of Synapsin I during *in Vitro* Aging *Mallikharjun V. Paranandi and Dana W. Aswad* 442

Gramicidin D Is a Potent Insulin Secretagogue; Dependence on Extracellular Calcium Influx *Adnan I. Dibas, Thomas Yorio, and Richard A. Easom* 449

Metabolism of Highly Persistent PCB Congener, 2,4,5,2′,4′,5′-Hexachlorobiphenl, by Human CYP2B6 *Noritaka Ariyoshi, Kazuta Oguri, Nobuyuki Koga, Hidetoshi Yoshimura, and Yoshihiko Funae* 455

Differential Expression of the L10 Ribosomal Protein during Heart Development *Margaret L. Kirby, Guanghui Cheng, Harriett Stadt, and Greg Hunter* 461

Molecular Genetic Analysis of the Duplication of Human Inducible Nitric Oxide Synthase Sequences *Weiming Xu, Ian G. Charles, Lizhi Liu, Pandelakis A. Koni, Salvador Moncada, and Piers Emson* 466

Regulation of Hamster Hepatic Microsomal Triglyceride Transfer Protein mRNA Levels by Dietary Fats *Andrew J. Bennett, Michael A. Billett, Andrew M. Salter, and David A. White* 473

Mechanism of Farnesol Cytotoxicity: Further Evidence for the Role of PKC-Dependent Signal Transduction in Farnesol-Induced Apoptotic Cell Death *Paul A. Voziyan, Jeffrey S. Haug, and George Melnykovych* 479

Secretion of Endogenous Ouabain from Bovine Adrenocortical Cells: Role of the Zona Glomerulosa and Zona Fasciculata *James Laredo, Bruce P. Hamilton, and John M. Hamlyn* 487

Immune Response against the Murine MDRI Protein Induced by Vaccination with Synthetic Lipopeptides in Liposomes *Pierre-François Tosi, Dorel Radu, and Claude Nicolau* 494

Identification of a Short Form of the P2xR1-Purinoceptor Subunit Produced by Alternative Splicing in the Pituitary and Cochlea *G. D. Housley, D. Greenwood, T. Bennett, and A. F. Ryan* 501

The ATP/ADP Binding Domains of Actin Are Conserved in Nucleosome Complexed with Histone H1 and High-Mobility Group-17 Protein *Tatu Tarkka, Elina Raatikainen, Sanna Friman, and Jouko Oikarinen* 509

Isolation and Partial Characterization of the Insulin Binding Sites of *Tetrahymena pyriformis* *Gayle K. Christopher and Christine A. Sundermann* 515

Effects of Antisense Oligonucleotides to the Cardiac Na^+/Ca^{2+} Exchanger on Cultured Cardiac Myocytes *K. Takahashi, K. S. Bland, S. Islam, and M. L. Michaelis* 524

Coupling of a Single Receptor to Two Different G Proteins in the Signal Transduction of FMRFamide-Related Peptides *Zhixiang Wang, Angela B. Lange, and Ian Orchard* 531

Stereoselective Hydrolysis Catalyzed by a *Bacillus* Endoglucanase in Family D *Shunro Kawaminami, Katsuya Ozaki, and Susumu Ito* 539

Stretching Mesangial Cells Stimulates Tyrosine Phosphorylation of Focal Adhesion Kinase $pp125^{FAK}$ *Ken Hamasaki, Toshihide Mimura, Horiko Furuya, Noritsugu Morino, Tsutomu Yamazaki, Issei Komuro, Yoshio Yazaki, and Yoshihisa Nojima* 544

Effect of Altered Redox States on Expression and DNA-Binding Activity of Hypoxia-Inducible Factor 1 *Guang L. Wang, Bing-Hua Jiang, and Gregg L. Semenza* 550

Ferric Nitrilotriacetate Is a Potent Hepatic Tumor Promoter and Acts through the Generation of Oxidative Stress *Mohammad Iqbal, Uma Giri, and Mohammad Athar* 557

A Novel Missense Mutation (C522Y) Is Present in the β-Hexosaminidase β-Subunit Gene of a Japanese Patient with Infantile Sandhoff Disease *Yoko Kuroki, Kohji Itoh, Yoko Nadaoka, Tsukasa Tanaka, and Hitoshi Sakuraba* 564

Adrenomedullin Decreases Both Cytosolic Ca^{2+} Concentration and Ca^{2+} Sensitivity in Pig Coronary Arterial Smooth Muscle *Yasuko Kureishi, Sei Kobayashi, Junji Nishimura, Takeshi Nakano, and Hideo Kanaide* 572

Differential Activation of Bovine Brain *N*-Myristolytransferase(s) by a Cytosolic Activator *Martin J. King and Rajendra K. Sharma* 580

Inhibition of Diamine Oxidase Activity by Metronidazole *O. Befani, T. S. Shiozaki, P. Turini, P. Gerosa, and B. Mondovi* 589

The Effects of Tyrphostins B42 and B46 on Equine Platelet Function and Protein Tyrosine Phosphorylation *A. M. R. Dillon and M. F. Heath* 595

Cloning of a New FRTL5-Derived Cell Line Stably Expressing Active Human Thyroid Peroxidase *Marina Marinovich, Marina Guizzetti, Tiziano Zanelli, Emanuela Corsini, and Corrado L. Galli* 602

A Role for Calcineurin (Protein Phosphatase-2B) in the Regulation of Glutamate Release *Talvinder S. Sihra, Angus C. Nairn, Peter Kloppenburg, Zhixin Lin, and Christophe Pouzat* 609

Regulation of Heme Oxygenase mRNA in Mesangial Cells: Prostaglandin E_2 Negatively Modulates Interleukin-1-Induced Heme Oxygenase-1 mRNA *Toshifumi Tetsuka, Dorit Daphna-Iken, Sunil K. Srivastava, and Aubrey R. Morrison* 617

Sex Steroids Up-Regulate E-Cadherin Expression in Hormone-Responsive LNCaP Human Prostate Cancer Cells *Giuseppe Carruba, Dora Miceli, Domenico D'Amico, Rosaria Farruggio, Loredana Comito, Annalisa Montesanti, Lucia Polito, and Luigi A. M. Castagnetta* 624

Loss of Heterozygosity in Chromosomes 1, 5, 7, and 13 in Mouse Hepatoma Detected by Systematic Genome-Wide Scanning Using RLGS Genetic Map *Tomoya Ohsumi, Yasushi Okazaki, Hisato Okuizumi, Kazuhiro Shibata, Takashi Hanami, Yosuke Mizumo, Tokuei Takahara, Nobuya Sasaki, Masakazu Ueda, Masami Muramatsu, Kimberly A. Kerns, Verne M. Chapman, William A. Held, and Yoshihide Hayashizaki* 632

Inhibition of Tumor Necrosis Factor α- and Ceramide-Induced Internucleosomal DNA Fragmentation by Herbimycin A in U937 Cells *Li Ji, Gu Zhang, and Toshio Hirabayashi* 640

Cloning and Characterization of a Bovine P_{2Y} Receptor *D. J. Henderson, D. G. Elliott, G. M. Smith, T. E. Webb, and I. A. Dainty* 648

Heterologous Multimeric Assembly Is Essential for K^+ Channel Activity of Neuronal and Cardiac G-Protein-Activated Inward Rectifiers *Fabrice Duprat, Florian Lesage, Eric Guillemare, Michel Fink, Jean-Philippe Hugnot, Joëlle Bigay, Michel Lazdunski, Georges Romey, and Jacques Barhanin* 657

Redistribution of Protein Kinase C Isoforms in Human Neutrophils Stimulated by Formyl Peptides and Phorbol Myristate Acetate *Pham My-Chan Dang, Samira Rais, Jacques Hakim, and Axel Périanin* 664

The Amino-Terminal Fragment of the Adenylate Cyclase Activating Polypeptide (PACAP) Receptor Functions as a High-Affinity PACAP Binding Domain *Yong-Jiang Cao, Gerald Gimpl, and Falk Fahrenholz* 673

Significance of Phe-220 and Gln-221 in the Catalytic Mechanism of Farnesyl-Diphosphate Synthase of *Bacillus stearothermophilus* *Tanetoshi Koyama, Masaya Tajima, Tokuzo Nishino, and Kyozo Ogura* 681

Comparison of the Enzymatic Activities of Human Galactokinase GALK1 and a Related Human Galactokinase Protein GK2 *Yunjun Ai, Mitali Basu, Derk J. Bergsma, and Dwight Stambolian* 687

Extracellular Calcium Causes the Release of Calcium from Intracellular Stores in Chick Osteocytes *Hiroshi Kamioka, Yoshiki Miki, Koji Sumitani, Kahori Tagami, Kunihiro Terai, Kazuo Hosoi, and Terushige Kawata* 692

NF1 Gene Mutations in Japanese with Neurofibromatosis 1(NF1) *Nobuaki Hatta, Takahiko Horiuchi, Ichiro Watanabe, Yuzuru Kobayashi, Yuji Shirakata, Hisashi Ohtsuka, Taketsugu Minami, Kohji Ueda, Takatoshi Kokoroishi, and Shigeru Fujita* 697

Homology Cloning of GTP-Cyclohydrolase I from Various Unrelated Eukaryotes by Reverse-Transcription Polymerase Chain Reaction Using a General Set of Degenerate Primers *Josef Maier, Klaus Witter, Markus Gütlich, Irmgard Ziegler, Thomas Werner, and Helga Ninnemann* 705

Construction and Characterization of Adenoviral Vector Expressing Biologically Active Brain-Derived Neurotrophic Factor *Hisanori Kojima, Sawako Inuzuka, Tetsuya Miwa, Shoei Furukawa, Kyozo Hayashi, Yumi Kanegae, Izumu Saito, Nobuko Ohishi, Masaharu Takamori, and Kunio Yagi* 712

RETRACTION
Volume 210, Number 2, May 16, 1995. Nobuyuki Kakei, Masao Ichinose, Masae Tatematsu, Miyuki Shimizu, Satoshi Ishihama, Naohisa Yahagi, Masashi Matsuhima, Hiroshi Fukamachi, Kazumasa Miki, and Kiyoshi Kurokawa. "Effect of CCK-B/Gastrin Receptor Antagonist on Pepsinogen-Producing Cells during Omeprazole Treatment," pp. 400–408 718

ERRATUM
Volume 209, Number 2, April 17, 1995. Yusuke Nakagawa, Hiroshi Ikegami, Eiji Yamato, Kiyoshi Takekawa, Tomomi Fujisawa, Yoichi Hamada, Hironori Ueda, Yasuko Uchigata, Tetsuro Miki, Yuichi Kumahara, and Toshio Ogihara. "A New Mitochondrial DNA Mutation Associated with Non-Insulin-Dependent Diabetes Mellitus," pp. 664–668 718

Volume 212, Number 3, July 26, 1995

Early Detection of Catabolic State via Change in $^{13}C/^{12}C$ Ratios of Blood Proteins *Kent A. Hatch, Katherine A. Sacksteder, Isabel W. Treichel, Mark E. Cook, and Warren P. Porter* 719

Identification of an Upstream Region That Controls the Transcription of the Human Autocrine Motility Factor Receptor *Baiqu Huang, Yunjie Xie, and Avraham Raz* 727

A Subfamily 2 Homo-Dimeric Glutathione *S*-Transferase mYrs-mYrs of Class *Theta* in Mouse Liver Cytosol *Akira Hiratsuka, Mitsunori Kanazawa, Takahito Nishiyama, Haruhiro Okuda, Kenichiro Ogura, and Tadashi Watabe* 743

Molecular Cloning and Characterization of Rat V1B Vasopressin Receptor: Evidence for Its Expression in Extrapituitary Tissues *Masayuki Saito, Toru Sugimoto, Atsuo Tahara, and Hiroyuki Kawashima* 751

β1-6 Branching of N-Linked Carbohydrate Is Associated with K-*ras* Mutation in Human Colon Carcinoma Cell Lines *Donald C. Wojciechowicz, Patrick Y. Park, and Philip B. Paty* 758

Reversion of v-H-*ras*-Transformed NIH 3T3 Cells by Apigenin through Inhibiting Mitogen-Activated Protein Kinase and Its Downstream Oncogenes *Min-Liang Kuo and Nae-Cherng Yang* 767

Nonionic Contrast Agents Produce Thrombotic Effect by Inducting Adhesion of Leukocytes on Human Endothelium *Kazuhiro Abeyama, Saien Oh, Kazunori Kawano, Toshihiro Nakajima, Yasuko Soejima, Kazushi Nakano, and Ikuro Maruyama* 776

The Interaction of the Ferric Uptake Regulation Protein with DNA *Mark Coy* 784

Inhibition of Protein Phosphatase 1 and 2A Down-Regulates β-Tubulin Gene Expression in *Trypanosoma rhodesiense* *Shiyong Li and John E. Donelson* 793

Laminin-Rich Extracellular Matrix Maintains a High Level of Hepatocyte Nuclear Factor 4 in Rat Hepatocyte Culture *Hiroaki Oda, Katsura Nozawa, Yoshinori Hitomi, and Atsushi Kakinuma* 800

A Novel Highly Specific and Potent Inhibitor of Calmodulin-Dependent Protein Kinase II *Atsuhiko Ishida, Isamu Kameshita, Sachiko Okuno, Takako Kitani, and Hitoshi Fujisawa* 806

Pentose Cycling and the Distribution of ^{13}C in Trehalose during Glucogenesis from ^{13}C-Labeled Substrates in an Insect *Stewart N. Thompson, Victoria Mejia Scales, and D. B. Bochardt* 813

The Flavin-Containing Monooxygenases in Rat Liver: Evidence for the Expression of a Second Form Different from FMO1 *Patricia Moroni, Christiane Longin-Sauvageon, and Etienne Benoit* 820

Characterization of a Mutated Rubredoxin with a Cysteine Ligand of the Iron Replaced by Serine *Jacques Meyer, Jacques Gaillard, and Marc Lutz* 827

A Caution about the Azide Inhibition of Enzymes Associated with Electrophilic Metabolites *Manickam Sugumaran* 834

The Developmental Regulation of a Novel Muscle Lim-Protein *M. J. Morgan, A. J. Madgwick, B. Charleston, J. M. Pell, and P. T. Loughna* 840

Phosphorylation and DNA Binding of the Octamer Binding Transcription Factor OCT-3 *Edward Rosfjord, Beáta Scholtz, Robert Lewis, and Angie Rizzino* 847

A Role for the *GAL11* Protein in Pheromone-Induced Transcription in *Saccharomyces cerevisiae* *Joseph W. Dolan and Joel E. Gatlin* 854

Loss of Calcium Responsiveness in Cultured Bovine Parathyroid Cells Is Associated with Decreased Calcium Receptor Expression *Alex J. Brown, Min Zhong, Cynthia Ritter, Edward M. Brown, and Eduardo Slatopolsky* 861

Subunit Sites of Oxidative Inactivation of *Escherichia coli* F_1-ATPase by HOCl *Diane M. Hannum, William C. Barrette, Jr., and James K. Hurst* 868

Comparison of the *ADH7* Gene Structure in Caucasian and Japanese Subjects *Hirokazu Yokoyama, Enrique Baraona, and Charles S. Lieber* 875

The NF-κB-like Site in the TNF-α Repressor Element Is Essential for Its Repressor Function *Chin-Lin W. Fong and David F. Mark* 879

Cyclic AMP-Elevating Agents Negatively Regulate the Activation of p72^{syk} in *N*-Formylmethionyl-leucyl-phenylalanine Receptor Signaling *Momoyo Asahi, Yukie Tanaka, Suofu Qin, Misao Tsubokawa, Kiyonao Sada, Yasuhiro Minami, and Hirohei Yamamura* 887

Cloning of Rat K_{ATP}-2 Channel and Decreased Expression in Pancreatic Islets of Male Zucker Diabetic Fatty Rats *Markus Stoffel, Yoshiharu Tokuyama, Jeffrey B. Trabb, Michael S. German, Meei-Ling Tsaar, Lily Y. Jan, Kenneth S. Polonsky, and Graeme I. Bell* 894

Photodegradation of Tryptophan Residues and Attenuation of Molecular Chaperone Activity in α-Crystallin Are Correlated *Joseph A. Schauerte and Ari Gafni* 900

Inhibition of Hepatitis C Virus Replication by Antisense Oligonucleotide in Culture Cells *Tetsuya Mizutani, Nobuyuki Kato, Masami Hirota, Kazuo Sugiyama, Akira Murakami, and Kunitada Shimotohno* 906

Cloning, Characterization, and Expression of a Functional Mouse ACTH Receptor *Florence M. Cammas, Supriya Kapas, Stewart Barker, and Adrian J. L. Clark* 912

Assignment of Disulfide Bonds in the X Protein (HBx) of Hepatitis B Virus *Aparna Gupta, Tapas K. Mal, N. Jayasuryan, and Virander S. Chauhan* 919

The 5′-Untranslated Region of Human Transferrin mRNA, Which Contains a Putative Iron-Regulatory Element, Is Bound by Purified Iron-Regulatory Protein in a Sequence-Specific Manner *Laura A. Cox, Mary Claire Kennedy, and Gwendolyn S. Adrian* 925

Altered Expression of Insulin Signaling Components in Streptozotocin-Treated Rats *James A. Bonini, Jerry Colca, and Cecilia Hofmann* 933

Alteration of Transcription Factor Binding Activities in the Ischemic Rat Brain *Antero Salminen, Philip K. Liu, and Chung Y. Hsu* 939

Poisoning by Botulinum Neurotoxin A Does Not Inhibit Formation or Disassembly of the Synaptosomal Fusion Complex *Henning Otto, Phyllis I. Hanson, Edwin R. Chapman, Juan Blasi, and Reinhard Jahn* 945

Endothelin-1 Stimulates Proliferation of Normal Airway Epithelial Cells
Christopher G. Murlas, Anil Gulati, Govind Singh, and Feridoon Najmabadi 953

Developmental Changes in mRNA Encoding Cardiac NA$^+$/H$^+$ Exchanger (NHE-1) in Rabbit
Fayu Chen, Jay M. Jarmakani, and Cornelis Van Dop 960

The Cleaved N-Terminal Signal Sequence of the Cardiac Na$^+$-Ca^{2+} Exchanger Is Not Required for Functional Membrane Integration
Miklós Sahin-Tóth, Debora A. Nicoll, Joy S. Frank, Kenneth D. Philipson, and Martin Friedlander 968

Opioids Inhibit the Induction of Nitric Oxide Synthase in J774 Macrophages
T. Iuvone, A. Capasso, F. D'Acquisto, and R. Carnuccio 975

Fetuin Is a Substrate for *Pasteurella haemolytica* *O*-Sialoglyocoprotease
Louisa B. Tabatabai 981

Androgen Induction of Follicular Epithelial Cell Growth Is Mediated via Insulin-like Growth Factor-I from Dermal Papilla Cells
Satoshi Itami, Sotaro Kurata, Susumu Takayasu 988

Interaction of the Cobalt Complex of a Bleomycin Functional Model with d(CGCAATTGCG)$_2$: Evidence of Minor Groove Binding by 2D NMR Methods
Yanwu Yang, Liren Huang, Richard T. Pon, and J. William Lown 995

Decreased Map Kinase Activity in Human Gastric Adenocarcinoma
Mary Jo Atten, Bashar M. Attar, and Oksana Holian 1001

Inhibition of Rabbit Reticulocyte Guanine Nucleotide Exchange Factor Activity by Heparin and Its Reversal by Polyamines
Lalit P. Singh, Annayya R. Aroor, and Albert J. Wahba 1007

The Alternatively Spliced Type II Corticotropin-Releasing Factor Receptor, Stably Expressed in LLCPK-1 Cells, Is Not Well Coupled to the G Protein(s)
Chadi Nabhan, Yuting Xiong, Lin Y. Xie, and Abdul B. Abou-Samra 1015

G$_{\beta\gamma}$ Directly Binds to the Carboxyl Terminus of the G Protein-Gated Muscarinic K$^+$ Channel, GIRK1
Atsushi Inanobe, Ken-Ichirou Morishige, Naohiko Takahashi, Hiroyuki Ito, Mitsuhiko Yamada, Toru Takumi, Hiroshi Nishina, Katsunobu Takahashi, Yasunori Kanaho, Toshiaki Katada, and Yoshihisa Kurachi 1022

Antibodies to *Schistosoma japonicum* (Asian Bloodfluke) Paramyosin Induced by Nucleic Acid Vaccination
W. Yang, G. J. Waine, and D. P. McManus 1029

Structural Characterization of Thymidine Phosphorylase Purified from Human Placenta
Kazutaka Miyadera, Naoshi Doumae, Koji Takio, Tomoyuki Sumizawa, Misako Haraguchi, Tatsuhiko Furukawa, Yuji Yamada, and Shin-ichi Akiyama 1040

Single Amino Acid Residue-Linked Signaling Shifts in the Transduction Activities of Atrial and Type C Natriuretic Factor Receptor Guanylate Cyclases
Teresa Duda, Rafal M. Goraczniak, and Rameshwar K. Sharma 1046

Cytochrome *c* Oxidase Catalysis of the Reduction of Nitric Oxide to Nitrous Oxide
Xiao-Jian Zhao, Vijaya Sampath, and Winslow S. Caughey 1054

Inhibition of PDGF-Induced Phospholipase D but Not Phospholipase C Activation by Herbimycin A
Bo Yeon Kim, Soon Cheol Ahn, Hye Kyung Oh, Hyun Sun Lee, Tae Ick Mheen, Hyune Mo Rho, and Jong Seog Ahn 1061

4-Hydroxy-2-nonenal-Trapping ELISA: Direct Evidence for the Release of Cytotoxic Aldehyde from Oxidized Low Density Lipoproteins
Koji Uchida, Toshihiko Osawa, Hiroshi Hiai, and Shinya Toyokuni 1068

Allosteric Regulation of Eukaryotic Initiation Factor eIF-2B by Adenine Nucleotides
Scot R. Kimball and Leonard S. Jefferson 1074

Heteroduplex Analysis of the Xenopus RNA Polymerase I Terminator
Paul Labhart 1082

Purification and Preliminary Characterization of Three C-Type Cytochromes from *Pseudomonas nautica* Strain 617
Lígia M. Saraiva, Stéphane Besson, Isabel Moura, and Guy Fauque 1088

The Possible Involvement of Replication-Related Proteins with a DEAD-Box-like Motif in Cell-Free DNA Replication of *Xenopus* Eggs *Akira Someya and Masaki Shioda* 1098

Escherichia coli K-12 Copper-Containing Monoamine Oxidase: Investigation of the Copper Binding Ligands by Site-Directed Mutagenesis, Elemental Analysis, and Topa Quinone Formation *Jung Hyeob Roh, Yasuhiro Takenaka, Hideyuki Suzuki, Kenji Yamamoto, and Hidehiko Kumagai* 1107

A Hypothetical Structural Role for Proline Residues in the Flanking Segments of Protein–Protein Interaction Sites *R. Manjunatha Kini and Herbert J. Evans* 1115

Prostaglandin $F_{2\alpha}$ Inhibits Epidermal Growth Factor Binding to Cellular Receptors on Adipocyte Precursors in Primary Culture *Ginette Serrero and Nancy M. Lepak* 1125

Roles of α_1-Adrenoceptor Activity in the Release of Nitric Oxide during Ischemia of the Canine Heart *Koichi Node, Masafumi Kitakaze, Hiroaki Kosaka, Kazuo Komamura, Tetsuo Minamino, Michihiko Tada, Michitoshi Inoue, Masatsugu Hori, and Takenobu Kamada* 1133

Molecular Cloning of the Human Ryudocan Promoter *Huakui Yu, Donald E. Humphries, Michael Watkins, and Joel B. Karlinsky* 1139

Rapid Reaction of Singlet Molecular Oxygen ($^1O_2$) with *p*-Aminobenzoic Acid (PABA) in Aqueous Solution *John M. Allen, Stephanie Engenolf, and Sandra K. Allen* 1145

Author Index for Volume 212 1152

Volume 213, Number 1, August 4, 1995

Heat Shock Factor-1 and the Heat Shock Cognate 70 Protein Associate in High Molecular Weight Complexes in the Cytoplasm of NIH-3T3 Cells *Sandra L. Nunes and Stuart K. Calderwood* 1

Phosphorylation of Proteasome Substrate by a Protein Kinase Associated with the 26 S Proteasome Is Linked to the ATP-Dependent Proteolysis of the 26 S Proteasome *Kazuki Satoh, Takahiro Nishikawa, Hideyoshi Yokosawa, and Hitoshi Sawada* 7

NGF Promotes Amyloid Precursor Protein Secretion via Muscarinic Receptor Activation *Rachel Haring, David Gurwitz, Jacob Barg, Ronit Pinkas-Kramarski, Eliahu Heldman, Zipora Pittel, Haim D. Danenberg, Ada Wengier, Haim Meshulam, Daniele Marciano, Yishai Karton, and Abraham Fisher* 15

Ubiquitination of the Rat Uterine Estrogen Receptor: Dependence on Estradiol *P. B. Nirmala and Raghava Varman Thampan* 24

Ligand-Induced Polyubiquitination of Receptor Tyrosine Kinases *Seijiro Mori, Lena Claesson-Welsh, Yoshiko Okuyama, and Yasushi Saito* 32

Similarities of an Autoantigen in Aneurysmal Disease of the Human Abdominal Aorta to a 36-kDa Microfibril-Associated Bovine Aortic Glycoprotein *M. David Tilson* 40

High- and Low-Affinity CCK_A Receptor States Mediate Specific Growth Inhibitory Effects on CHO Cells *Katharina Detjen, Min-Jen Tseng, and Craig D. Logsdon* 44

Expression, Purification, and Neurotrophic Activity of Amyloid Precursor Protein-Secreted Forms Produced by Yeast *Ikuroh Ohsawa, Yuuichi Hirose, Mariko Ishiguro, Yoshinori Imai, Shoichi Ishiura, and Sinichi Kohsaka* 52

1,25-Dihydroxyvitamin D_3 Regulation of Myocardial Growth and *c-myc* Levels in the Rat Heart *Timothy D. O'Connell and Robert U. Simpson* 59

Cloning and Functional Expression of a Metalloendopeptidase from Human Brain with the Ability to Cleave a β-APP Substrate Peptide *Annick Thompson, Gerda Huber, and Pari Malherbe* 66

Mutational Specificity of the Ferrous Ion in a *supF* Gene of *Escherichia coli* *Susumu Akasaka and Kazuo Yamamoto* 74

Uptake of Exogenous DNA by Rat Liver: Effect of Cationic Lipids *Robert Wattiaux, Michel Jadot, Franz Dubois, Sandra Misquith, and Simone Wattiaux-de Coninck* 81

Role of Porins in the Antibiotic Susceptibility of *Pseudomonas aeruginosa*: Construction of Mutants with Deletions in the Multiple Porin Genes *Hiroshi Yoneyama, Yoshinori Yamano, and Taiji Nakae* 88

Platelets Are the Primary Source of Amyloid β-Peptide in Human Blood *Ming Chen, Nibaldo C. Inestrosa, Gilbert S. Ross, and Hugo L. Fernandez* 96

Phenol Sulfotransferase Activities and Localization in Human Nasal Polyp Epithelium *Joe D. Beckmann, Ron Bartzatt, Joseph Ulphani, Robert Palmatier, and Joseph H. Sisson* 104

Characterization of Nuclear Retinoic Acid Binding Activity in Sensitive Leukemic Cell Lines: Cell Specific Uptake of ATRA and RARα Protein Modulation *A. Agadir, M. Cornic, M. Jérôme, M. L. Menot, N. Cambier, M. P. Gaub, B. Gourmel, P. Lefebvre, L. Degos, and C. Chomienne* 112

Rapid Aldosterone Signaling in Vascular Smooth Muscle Cells: Involvement of Phospholipase C, Diacylglycerol and Protein Kinase C α *Michael Christ, Christiane Meyer, Katrin Sippel, and Martin Wehling* 123

Stable Production of Mutant Mice from Double Gene Converted ES Cells with Puromycin and Neomycin *Satoshi Watanabe, Nobuyuki Kai, Masahiro Yasuda, Naohiro Kohmura, Makoto Sanbo, Masayoshi Mishina, and Takeshi Yagi* 130

Cytoplasmic Cellular Structures Control Permeability of Outer Mitochondrial Membrane for ADP and Oxidative Phosphorylation in Rat Liver Cells *Eric M. Fontaine, Christiane Keriel, Sylvie Lantuejoul, Michel Rigoulet, Xavier M. Leverve, and Valdur A. Saks* 138

Loop-Size Spacings between CGCG Clusters in Long Segments of Human DNA *N. Avril, P. Deschavanne, M. Bellis, and J. Filipski* 147

Molecular Cloning of the Human Gene Encoding Lanosterol Synthase from a Liver cDNA Library *C. Hunter Baker, Seiichi P. T. Matsuda, David R. Liu, and E. J. Corey* 154

Poly(ADP-Ribose) Polymerase Activity in Various U937 Cell Subclones with Different Susceptibility to HIV-1 Infection: Its Dramatic Decrease Following Persistent Virus Infection *Yasuharu Tanaka, Koichiro Yoshihara, Kuniyuki Kojima, Asako Itaya, Masanori Kameoka, Kazuyoshi Ikuta, and Tomoya Kamiya* 161

Fasciola hepatica: Rapid Identification of Newly Excysted Juvenile Proteins *Josephine Tkalcevic, Keith Ashman, and Els Meeusen* 169

Kinetic Studies on Cyclophellitol Analogues—Mechanism-Based Inactivators *Vincent W.-F. Tai, P.-H. Fung, Y.-S. Wong, and Tony K. M. Shing* 175

Isolation of Candidate Genes for Macular Degeneration Using an Improved Solid-Phase Subtractive Cloning Technique *Timothy J. Schoen, Krzyzstof Mazuruk, Gerald J. Chader, and Ignacio R. Rodriguez* 181

Segregation of Mitochondrial DNAs Carrying a Pathogenic Point Mutation (tRNA^{leu3243}) in Cybrid Cells *Eric A. Shoubridge* 189

Endothelial Damage Induced by Nitric Oxide: Synergism with Reactive Oxygen Species *Thomas Volk, Iosif Ioannidis, Mario Hensel, Herbert deGroot, and Wolfgang J. Kox* 196

Human Nuclear and Mitochondrial Mt Element-Binding Proteins to Regulatory Regions of the Nuclear Respiratory Genes and to the Mitochondrial Promoter Region *Hiroshi Suzuki, Satoshi Suzuki, Sanjeev Kumar, and Takayuki Ozawa* 204

Genomic Organization of a Mouse Type I Activin Receptor *Jacky Schmitt, Renate Mielke, and Heinrich Schrewe* 211

Nitric Oxide Production by Sertoli Cells in Response to Cytokines and Lipopolysaccharide *Jean-Philippe Stéphan, Cyrille Guillemois, Bernard Jégou, and Françoise Bauché* 218

Cloning, Sequencing, and Expression of an Isoform of Cardiac C-Protein from the Mexican Axolotl (*Ambystoma mexicanum*) *Simone M. Ward, Larry F. Lemanski, Nihan Erginel-Unaltuna, and Dipak K. Dube* 225

Transcriptional Properties of Oligonucleosomal Templates Containing Acetylated (H3·H4)$_2$ Tetramers *Francisco Hernández, Carmen Puerta, Luisa López-Alarcón, and Enrique Palacián* 232

Purification and Characterization of Human Pancreatic Polypeptide Expressed in *E. coli* *Yuri V. Griko and Marina D. Kapanadze* 239

Functional Link between Phosphorylation State of Membrane Proteins and Morphological Changes of Human Erythrocytes *Luciana Bordin, Giulio Clari, Isabella Moro, Francesca Dalla Vecchia, and Vittorio Moret* 249

Cloning of *Not*I-Cleaved Genomic DNA Fragments Appearing as Spots in 2D Gel Electrophoresis *Hisaki Nagai, Mathurose Ponglikmongkol, Yong Sung Kim, Hirohide Yoshikawa, and Kenichi Matsubara* 258

Overexpression of Mammalian Protein Kinase C-ζ Does Not Affect the Growth Characteristics of NIH 3T3 Cells *Piero Crespo, Harald Mischak, and J. Silvio Gutkind* 266

Molecular Characterization of the Murine *SYK* Protein Tyrosine Kinase cDNA, Transcripts, and Protein *Martin Flück, Gisela Zürcher, Anne-Catherine Andres, and Andrew Ziemiecki* 273

Topoisomerase-II-Mediated DNA Cleavage within the Human Ribosomal Genes *Marzia Govoni, Simona Neri, Tullio Labella, James E. Sylvester, Francesco Novello, and Annalisa Pession* 282

Vanadium-Diascorbates Are Strong Candidates for Endogenous Ouabain-like Factors in Human Urine: Effects on Na-K-ATPase Enzyme Kinetics *H. J. Kramer, G. Krampitz, Angela Bäcker, G. Krampitz Jr., and H. Meyer-Lehnert* 289

Dystrophin, the Protein That Promotes Membrane Resistance *Eric Fabbrizio, Armelle Bonet-Kerrache, Farnoosh Limas, Gérald Hugon, and Dominique Mornet* 295

A Relatively Small 5′ Regulatory Region of Esterase S Gene of *Drosophila virilis* Determines the Specific Expression as Revealed in Transgenic Experiments *Leonid I. Korochkin, Vladislav M. Panin, Galina V. Pavlova, Marina R. Kopantseva, Natalia G. Shostak, Victor N. Bashkirov, Leila B. Gabitova, and Pavel V. Sergeev* 302

N-Acetylglucosaminidase Inhibitor Isolated from the Vitelline Coat of Ascidian Eggs Is a Candidate Sperm Receptor *Katsuyuki Matsuura, Hitoshi Sawada, and Hideyoshi Yokosawa* 311

Arrest of Cell Growth by Necdin, a Nuclear Protein Expressed in Postmitotic Neurons *Yokichi Hayashi, Kohki Matsuyama, Keiichi Takagi, Hiroko Sugiura, and Kazuaki Yoshikawa* 317

A Mammalian Delayed-Early Response Gene Encodes HNP36, a Novel, Conserved Nucleolar Protein *John B. Williams and Anthony A. Lanahan* 325

Type I, II, and III Inositol 1,4,5-Triphosphate Receptor Coimmunoprecipitation as Evidence for the Existence of Heterotetrameric Receptor Complexes *Richard J. H. Wojcikiewicz and Yaqin He* 334

Survival Motor Neuron Gene Transcript Analysis in Muscles from Spinal Muscular Atrophy Patients *Massimo Gennarelli, Marco Lucarelli, Francesca Capon, Antonio Pizzuti, Luciano Merlini, Corrado Angelini, Giuseppe Novelli, and Bruno Dallapiccola* 342

Influence of Caltropin on the Caldesmon Induced Polymerization of G-Actin *Rajam S. Mani and Cyril M. Kay* 349

Structural Investigation and Kinetic Characterization of Potential Cleavage Sites of HIV GP160 by Human Furin and PC1 *Noureddine Brakch, Monica Dettin, Claudia Scarinci, Nabil G. Seidah, and Carlo di Bello* 356

Suppression of Experimental Antigen-Induced Arthritis in Transgenic Mice Producing Human α-Fetoprotein *Akihiko Ogata, Tadashi Yamashita, Yoshikazu Koyama, Masaharu Sakai, and Shinzo Nishi* 362

ERRATA

Volume 208, Number 2, March 17, 1995: Ching-Yuang Lin and Jeng-Jer Shieh. "Identification of a *de Novo* Point Mutation Resulting in Infantile Form of Pompe's Disease," pp. 886–893 367

Volume 210, Number 2, May 16, 1995: Richard T. Timmer, Lisa A. Benkowski, Joanne M. Ravel, and Karen S. Browning. "Determination of the Amounts of Protein Synthesis Initiation Factors Required for Translation of Rabbit α-Globin and β-Globin mRNAs," pp. 370–377 367

Volume 213, Number 2, August 15, 1995

A Preadipocyte Clonal Line from Bovine Intramuscular Adipose Tissue: Nonexpression of GLUT-4 Protein during Adipocyte Differentiation *Hisashi Aso, Hiroyuki Abe, Ikuyo Nakajima, Kyouhei Ozutsumi, Takahiro Yamaguchi, Yasushi Takamori, Akira Kodama, Fuminori B. Hoshino, and Shoichi Takano* 369

Differential Display Identifies Developmentally Regulated Genes during Somatic Embryogenesis in Eggplant (*Solanum melogena* L.) *Takahiro Momiyama, John C. Afele, Takeo Saito, Toshiaki Kayano, Yutaka Tabei, Fumio Takaiwa, Kenji Takayanagi, and Shigeo Nishimura* 376

Effect of γ-Aminobutyric Acid on the Carnitine Metabolism in Neural Cells *Agnieszka Wawrzeńczyk, Katarzyna A. Nałęcz, and Maciej J. Nałęcz* 383

Baculovirus-Mediated Production of the Human Growth Hormone in Larvae of the Silkworm, *Bombyx mori* *Keiko Kadono-Okuda, Masanori Yamamoto, Yoshiaki Higashino, Kiyoko Taniai, Yusuke Kato, Subrata Chowdhury, Jinhua Xu, Su Kyung Choi, Masao Sugiyama, Kunio Nakashima, Susumu Maeda, and Minoru Yamakawa* 389

Modulation of Hemopexin Gene Expression by Physiological Oxygen Tensions in Primary Rat Hepatocyte Cultures *Thomas Kietzmann, Stephan Immenschuh, Norbert Katz, Kurt Jungermann, and Ursula Muller-Eberhard* 397

Calcium-Dependent K-Channels in Guinea Pig and Human Urinary Bladder *S. Trivedi, L. Potter-Lee, J. H. Li, G. D. Yasay, K. Russell, C. J. Ohnmacht, J. R. Empfield, D. A. Trainor, and S. T. Kau* 404

Characterization of a Novel *Schizosaccharomyces pombe* Multidrug Resistance Transporter Conferring Brefeldin A Resistance *Thomas G. Turi and John K. Rose* 410

β-Scorpion Toxin 2 from *Centruroides noxius* Blocks Voltage-Gated K^+ Channels in Human Lymphocytes *Rezső Gáspár, Jr., László Bene, Sándor Damjanovich, Carlos Muñoz-Garay, Emma S. Calderon-Aranda, and Lourival D. Possani* 419

O-Linked *N*-Acetylglucosamine Is Upregulated in Alzheimer Brains *Lee S. Griffith and Brigitte Schmitz* 424

Extensive Tissue Oxygenation Associated with Mitochondrial DNA Mutations *Takayuki Ozawa, Ko Sahashi, Yuzou Nakase, and Britton Chance* 432

Biradicals as ESR Probes of Conformations in Model β-Turn Peptides *S. Sankarapandi, M. Sukumar, P. Balaram, and P. T. Manoharan* 439

Transport of L-Arginine in Arginine-Deprived Endothelial Cells *Hagen Preik-Steinhoff, Sigrid Zink, Peter Rösen, and Malte Kelm* 447

Sequencing of the *tuf1* Gene and the Phosphorylation Pattern of EF-Tu1 during Development and Differentiation in *Streptomyces collinus* Producing Kirromycin *Karel Mikulík and Elena Zhulanova* 454

Expression of Syntaxin 4 in Rat Skeletal Muscle and Rat Skeletal Muscle Cells in Culture *Satoru Sumitani, Toolsie Ramlal, Zhi Liu, and Amira Klip* 462

Direct Evidence for Quinone–Quinone Methide Tautomerism during Tyrosinase Catalyzed Oxidation of 4-Allylcatechol *Manickam Sugumaran and Judy Bolton* 469

Vibrio mimicus Arylesterase Has Thioesterase and Chymotrypsin-like Activity *Rey-Chang Chang, Jack Chien Chen, and Jei-Fu Shaw* 475

Detection and Expression of the 70-kDa Heat Shock Protein ssb1p at Different Temperatures in *Saccharomyces cerevisiae* *Hitoshi Iwahashi, Yang Wu, and Robert M. Tanguay* 484

Melanotropin and Corticotropin Are Encoded on Two Distinct Genes in the Lamprey, the Earliest Evolved Extant Vertebrate *A. Takahashi, Y. Amemiya, M. Sarashi, S. A. Sower, and H. Kawauchi* 490

Vitamin D-Dependent Transcriptional Regulation of the Intestinal Plasma Membrane Calcium Pump *Thomas L. Pannabecker, John S. Chandler, and Robert H. Wasserman* 499

Cyclic Cholecystokinin-Analog Pentapeptide Cyclo (Asp-Trp-Met-Asp-Phe): An Unexpected Solution Conformation *H. Weißhoff, T. Wieprecht, P. Henklein, C. Antz, and C. Mügge* 506

Sarcolemmal Chloride and Potassium Channels from Normal and Myotonic Mouse Muscle Studied in Lipid-Supplemented Vesicles *E. Wischmeyer, S. Weber-Schürholz, and H. Jockusch* 513

Isolation of a Novel RFamide Peptide from the Midgut of the American Cockroach, *Periplaneta americana* *Jan A. Veenstra and George Lambrou* 519

Full Antitumor Action of Recombinant Seminal Ribonuclease Depends on the Removal of its N-Terminal Methionine *Bianca Stella Adinolfi, Valeria Cafaro, Giuseppe D'Alessio, and Alberto Di Donato* 525

Insulin-Dependent Regulation of Glut4 Gene Expression in Ventricular Cardiomyocytes: Evidence for a Direct Effect on Glut4 Transcription *Simone Petersen, Monika Bähr, and Jürgen Eckel* 533

Selection and Partial Characterization of Calcium Ionophore (A23187)-Resistant Cells *Masaru Kubota, Akihiro Kataoka, Akiro Okuda, Rikimaru Bessho, Ying Wei Lin, Yoshihiro Wakazono, Ikuya Usami, Yuichi Akiyama, and Kenshi Furusho* 541

Effects of Submaxillariectomy on Ovarian Androgen and Estrogen Production in Adult Female Rats *Masami Tanaka, Minoru Watanabe, Toshio Kumai, Hironori Nakura, and Shinichi Kobayashi* 550

The MEF2B Homologue Differentially Expressed in Mouse Embryonal Carcinoma Cells *Kyoko Hidaka, Takayuki Morisaki, Sang-Hyun Byun, Kazuo Hashido, Keiko Toyama, and Tsunehiro Mukai* 555

Human Aldehyde Dehydrogenase E3 Isozyme Is a Betaine Aldehyde Dehydrogenase *Ming-Kai Chern and Regina Pietruszko* 561

Immunosuppression by FK506 Markedly Prolongs Expression of Adenovirus-Delivered Transgene in Skeletal Muscles of Adult Dystrophic [mdx] Mice *H. Lochmüller, B. J. Petrof, C. Allen, S. Prescott, B. Massie, and G. Karpati* 569

RNA Signals for Translation Frameshift: Influence of Stem Size and Slippery Sequence *Ayae Honda, Takao Nakamura, and Susumu Nishimura* 575

Design of Noncovalent Trypsin Inhibitor Based on the X-Ray Crystal Structure of the Complex *Masahiro Nakamura, Koji Tomoo, Toshimasa Ishida, Hiroaki Taguchi, Yuko Tsuda, Yoshio Okada, Akiko Okunomiya, Keiko Wanaka, and Shosuke Okamoto* 583

A Novel mtDNA Point Mutation in Maternally Inherited Cardiomyopathy *Carlo Casali, Filippo M. Santorelli, Giulia D'Amati, Paola Bernucci, Luciano DeBiase, and Salvatore DiMauro* 588

Nonpeptide Bombesin Receptor Antagonists, Kuwanon G and H, Isolated from Mulberry *Shin-ichi Mihara, Mariko Hara, Miharu Nakamura, Kensuke Sakurawi, Katsuya Tokura, Masafumi Fujimoto, Toshio Fukai, and Taro Nomura* 594

Endogenous Interleukin 10 Prevents Apoptosis in Macrophages during *Salmonella* Infection *Toshiyuki Arai, Kenji Hiromatsu, Hitoshi Nishimura, Yuki Kimura, Noritada Kobayashi, Hiroshi Ishida, Yuji Nimura, and Yasunobu Yoshikai* 600

Transferrin Induces Nitric Oxide Synthase mRNA in Rat Cultured Aortic Smooth Muscle Cells *Katsunobu Takenaka, Satoshi Suzuki, Noboru Sakai, Neal F. Kassell, and Hiromu Yamada* 608

Reduced Level of Octamer Binding Transcription Factor Is Correlated with H2B Histone Gene Repression during Differentiation of HL-60 Cells by All-*trans* Retinoic Acid *Kye-Young Kim, Ki-Ryang Kweon, Myung-Sun Lee, Sang-Tae Kwak, Kyoon-Eon Kim, Byung-Doo Hwang, and Kyu Lim* 616

Circadian Variations of Prostaglandins D_2, E_2, and $F_{2\alpha}$ in the Cerebrospinal Fluid of Anesthetized Rats *Haushila P. Pandey, Arjun Ram, Hitoshi Matsumura, Shinsuke Satoh, and Osamu Hayaishi* 625

Models of *in Vitro* Angiogenesis: Endothelial Cell Differentiation on Fibrin but Not Matrigel Is Transcriptionally Dependent *Ann B. Zimrin, Bryant Villeponteau, and T. Maciag* 630

Osteoblast-like Cell Adherence and Migration through Three-Dimensional Porous Polymer Matrices *M. A. Attawia, K. M. Herbert, and C. T. Laurencin* 639

Exon Skipping Caused by a Base Substitution at a Splice Site in the GTP Cyclohydrolase I Gene in a Japanese Family with Hereditary Progressive Dystonia/DOPA-Responsive Dystonia *Makito Hirano, Yoshiko Tamaru, Toshitaka Nagai, Hidefumi Ito, Terukuni Imai, and Satoshi Ueno* 645

Synthesis of Caged Compounds of L-Leucyl-L-Leucine Methyl Ester, an Apoptosis Inducer, and Their Cytotoxic Activity *Mitsuyo Odaka, Toshiaki Furuta, Yoshiro Kobayashi, and Michiko Iwamura* 652

Functional Modulation of Human "Ganglionic-like" Neuronal Nicotinic Acetylcholine Receptors by L-Type Calcium Channel Antagonists *Diana L. Donnelly-Roberts, Stephen P. Arneric, and James P. Sullivan* 657

Evolutionary Reengineering of the Phosphofructokinase Active Site: Arg-104 Does Not Stabilize the Transition State in 6-Phosphofructo-2-Kinase *Irwin Kurland, Brett Chapman, Yong-Hwan Lee, and Simon Pilkis* 663

Role of Sp1 in Transcriptional Activation of Human Nitric Oxide Synthase Type III Gene *Jih-Luh Tang, Artur Zembowicz, Xiao-Ming Xu, and Kenneth K. Wu* 673

Receptor-Mediated Toxicity to Pericytes of Advanced Glycosylation End Products: A Possible Mechanism of Pericyte Loss in Diabetic Microangiopathy *Sho-ichi Yamagishi, Cheng-Chin Hsu, Masayuki Taniguchi, Shin-ichi Harada, Yasuhiko Yamamoto, Ken-sou Ohsawa, Ken-ichi Kobayashi, and Hiroshi Yamamoto* 681

Parathyroid Hormone Stimulates Electrogenic Sodium Transport in A6 Cells *Jose Rodriguez-Commes, John N. Forrest, Jr., Raquel Lopez, Jose Gasalla-Herraiz, and Carlos M. Isales* 688

Characterization of Gene Regulatory Elements for Selective Gene Expression in Human Melanoma Cells *Metin Artuc, Wolf Nürnberg, Beate M. Czarnetzki, and Dirk Schadendorf* 699

Effects of Vitamin A Deficiency and Retinoic Acid Treatment on Expression of a Phosphoenolpyruvate Carboxykinase–Bovine Growth Hormone Gene in Transgenic Mice *Dong-Ju Shin, Aiyang Tao, and Mary M. McGrane* 706

Primary Structure of BMK1: A New Mammalian MAP Kinase *Jiing-Dwan Lee, Richard J. Ulevitch, and Jiahuai Han* 715

A Simple Molecular Assay for the C^{1166} Variant of the Angiotensin II Type 1 Receptor Gene *Aroon D. Hingorani and Morris J. Brown* 725

Expression of Glycosylphosphatidylinositol-Anchored NAD Glycohydrolase in Differentiated HL60 Cells by Phorbol Ester *Myung-Kwan Han, Nyeon-Hyoung An, and Uh-Hyun Kim* 730

Volume 213, Number 3, August 24, 1995

Type A and B Neurotoxin Genes in a *Clostridium botulinum* Type AB Strain *Yukako Fujinaga, Kouichi Takeshi, Kaoru Inoue, Ryuji Fujita, Tohru Ohyama, Kohji Moriishi, and Keiji Oguma* 737

Active Site Peptides with CXXC Motif on Map-Resin Can Mimic Protein Disulfide Isomerase Activity *Tetsuya Ookura, Ken Kainuma, Hyun-jeon Kim, Akira Otaka, Nobutaka Fujii, and Yukio Kawamura* 746

Mononuclear Phagocytes of Acutely Injured Rat Liver Abundantly Synthesize and Secrete Fibronectin in Contrast to Kupffer Cells of Normal Liver *Thomas Armbrust and Giuliano Ramadori* 752

Regioselective Dioxygenation of *ortho*-Trifluoromethylbenzoate by *Pseudomonas aeruginosa* 142: Evidence for 1,2-Dioxygenation as a Mechanism in *ortho*-Halobenzoate Dehalogenation *Sergey A. Selifonov, Jerome E. Gurst, and Lawrence P. Wackett* 759

Differential Expression of Protein Tyrosine Kinases in the Cortical and Medullary Thymic Epithelial Cell Lines *Takeshi Kuwata, Hiroshi Takahashi, Michiyuki Kasai, Chieri Kurashima, Masanori Utsuyama, and Katsuiku Hirokawa* 768

Progesterone-Mediated Efflux of Cytosolic Chloride during the Human Sperm Acrosome Reaction *Kenneth O. Turner and Stanley Meizel* 774

Definition of the DNA-Binding Specificity of TTF-1 Homeodomain by Chromatographic Selection of Binding Sequences *Dora Fabbro, Gianluca Tell, Lucia Pellizzari, Antonio Leonardi, Carlo Pucillo, Renata Lonigro, and Giuseppe Damante* 781

Coexpression Pattern of C-MYC-Associated Genes in a Small Cell Lung Cancer Cell Line with High Steady State C-MYC Transcription *Steven Dooley, Iris Wundrack, Nikolaus Blin, and Cornelius Welter* 789

Synemin Contains the Rod Domain of Intermediate Filaments *Bruno Becker, Robert M. Bellin, Suzanne W. Sernett, Ted W. Huiatt, and Richard M. Robson* 796

The Possible Involvement of DNA-Dependent Protein Kinase in the Phosphorylation of P1 Protein in Cell-Free DNA Replication of *Xenopus* Eggs *Akira Someya, Yukinori Take, and Masaki Shioda* 803

Oxidation of Mitochondrial Proteins and DNA Following Administration of Ethanol *Peter Wieland and Bernhard H. Lauterburg* 815

Effects of Taurine and Hypotaurine on Lipid Peroxidation *Bruna Tadolini, Gianfranco Pintus, Gavino Giovanni Pinna, Federico Bennardini, and Flavia Franconi* 820

Antisense Oligonucleotides to the P65 Subunit of NF-κB Inhibit Human Vascular Smooth Muscle Cell Adherence and Proliferation and Prevent Neointima Formation in Rat Carotid Arteries *Michael V. Autieri, Tian-Li Yue, Giora Z. Ferstein, and Eliot Ohlstein* 827

Cysteine Produced from Lymph Node Stromal Cells Suppresses Apoptosis of Mouse Malignant T-Lymphoma Cells *Sang-Han Lee, Naoya Fujita, Kazuhiro Imai, and Takashi Tsuruo* 837

Identification of a Region of the N-Terminal of the Human CCKA Receptor Essential for the High Affinity Interaction with Agonist CCK *Karen Kennedy, Chantal Escrieut, Marlène Dufresne, Pascal Clerc, Nicole Vaysse, and Daniel Fourmy* 845

Changes of Adenylate Cyclase Activity in AH-130 Ascites Hepatoma of Yoshida Induced by Enrichment with Fatty Acids *Rosa A. Canuto, Luciana Paradisi, Giuliana Muzio, Marina Maggiora, Giulio Mengozzi, Andrea Garramone, and Mario U. Dianzani* 853

Differential Androgen Regulation of Rat Prostatic Acid Phosphatase Transcripts *Katja Porvari, Riitta Kurkela, Anne Kivinen, and Pirkko Vihko* 861

Age-Related Impairment in Striatal Muscarinic Cholinergic Signal Transduction Is Associated with Reduced Membrane Bilayer Width Measured by Small Angle X-Ray Diffraction *Jeremiah F. Kelly, R. Preston Mason, Natalia A. Denisova, James A. Joseph, Steven Erat, and George S. Roth* 869

Cleavage of DNA by N-Phosphoryl Histidine *YongFang Li, Yao Wu Sha, Yuan Ma, and YuFen Zhao* 875

Dietary Fish Oil Inhibits Human Erythrocyte Mg,NAK-ATPase *Bartoli Gianna Maria, Palozza Paola, Luberto Chiara, Franceschelli Piergiorgio, Piccioni Elisabetta* 881

Production of Recombinant PSA and HK2 and Analysis of Their Immunologic Cross-Reactivity *Janita Lövgren, Timo Piironen, Charlotta Övermo, Barry Dowell, Matti Karp, Kim Pettersson, Hans Lilja, and Åke Lundwall* 888

Immunocytochemical Evidence for a Mitochondrially Located Nitric Oxide Synthase in Brain and Liver *T. E. Bates, A. Loesch, G. Burnstock, and J. B. Clark* 896

Chemical Synthesis, Structural, and Functional Characterization of Noxiustoxin, a Powerful Blocker of Lymphocyte Voltage-Dependent K^+ Channels *Eugenia Drakopoulou, Joël Cotton, Henri Virelizier, Elisabeth Bernardi, Alain R. Schoofs, Michel Partiseti, Daniel Choquet, Georgina Gurrola, Lourival D. Possani, and Claudio Vita* 901

A Novel Action for Adenosine: Apoptosis of Astroglial Cells in Rat Brain Primary Cultures *M. P. Abbracchio, S. Ceruti, D. Barbieri, C. Franceschi, W. Malorni, L. Biondo, G. Burnstock, and F. Cattabeni* 908

Expression and Inducibility of Cytochrome P450 Proteins Belonging to Families 2, 3, and 4 in the Rabbit Aorta *Amaia Irizar and Costas Ioannides* 916

Crucial Role of c-myc in $1,25(OH)_2D_3$ Control of C-Cell-Carcinoma Proliferation *Andreas Grauer, Reinhard Baier, Reinhard Ziegler, and Friedhelm Raue* 922

Extracellular ATP and UTP Increase Cytosolic-Free Calcium by Activating a Common P_{2u}-Receptor in Single Human Thyrocytes *C. Schöfl, L. Rössig, E. Pötter, A. von zur Mühlen, and G. Brabant* 928

Quantification of α_1-Adrenoceptor Subtypes in Human Tissues by Competitive RT-PCR Analysis *Cécile Faure, Caroline Gouhier, Salomon Z. Langer, and David Graham* 935

Involvement of cAMP in the Regulation of High Affinity Choline Uptake by Rat Brain Synaptosomes *José M. Cancela, Nathalie Bertrand, and Alain Beley* 944

Phospholipase D Hydrolyzes Ether- and Ester-Linked Glycerophospholipids by Different Pathways in MDCK Cells *Chunfa Huang, Robert L. Wykle, and Larry W. Daniel* 950

Gene Structure of Rat Cholecystokinin Type-A Receptor *Yutaka Takata, Soichi Takiguchi, Akihiro Funakoshi, and Akira Kono* 958

Correspondence of RLGS-M Spot Behavior with Tissue Expression on Mouse Homologue of DP1/TB2 Gene *Jun Kawai, Harukazu Suzuki, Chiharu Taga, Ayako Hara, and Sachihiko Watanabe* 967

The Map Kinase Cascade Is Not Essential for Transcriptional Stimulation of Osmolyte Transporter Genes *H. Moo Kwon, Takahito Itoh, Jong S. Rim, and Joseph S. Handler* 975

Synergistic Potentiating Effects of Choline Phosphate and Ethanolamine on Insulin-Induced DNA Synthesis in NIH 3T3 Fibroblasts *Masahiro Tomono, Karan S. Crilly, and Zoltan Kiss* 980

Identification of Two p53-Binding Proteins Using a Recombinant Vaccinia Virus Containing the Wild-Type Human p53 Gene *Hao Yuwen, Yuriy Kazachkov, Yosuke Morimitsu, and Edward Tabor* 986

Requirement of $p56^{lck}$ in T-Cell Receptor/CD3-Mediated Apoptosis and Fas-Ligand Induction in Jurkat Cells *Naoki Oyaizu, Soe Than, Thomas W. McCloskey, and Savita Pahwa* 994

Cytokine-Stimulated Nitric Oxide Production Inhibits Mitochondrial Activity in Cardiac Myocytes *Carmine V. Oddis and Mitchell S. Finkel* 1002

Possible Function of SP-22, A Substrate of Mitochondrial ATP-Dependent Protease, as a Radical Scavenger *Shoji Watabe, Hiroyuki Hasegawa, Koichi Takimoto, Yoshimi Yamamoto, Susumu Y. Takahashi* 1010

Thrombospondin Promotes Resorption by Osteoclasts *in Vitro* *J. A. Carron, C. A. Walsh, W. D. Fraser, and J. A. Gallagher* 1017

CD95 (FAS/APO-1) Antibody-Mediated Apoptosis of Human Retinal Pigment Epithelial Cells *Peter Esser, Klaus Heimann, Harry Abts, Adriano Fontana, and Michael Weller* 1026

Fatty Acid β-Oxidation in Peroxisomes and Mitochondria: The First, Unequivocal Evidence for the Involvement of Carnitine in Shuttling Propionyl-CoA from Peroxisomes to Mitochondria *Bernadette S. Jakobs and Ronald J. A. Wanders* 1035

The Primary Structures of Rat Ribosomal Proteins: The Characterization of the cDNAs for S21 and L39; Corrections in the Sequences of L7 and L18a; and the Identification of L33 *Yuen-Ling Chan, Joe Olvera, and Ira G. Wool* 1042

Identification of an EWS-Pseudogene Using Translocation Detection by RT-PCR in Ewing's Sarcoma *J. V. M. G. Bovée, P. Devilee, C. J. Cornelisse, E. Schuuring, and P. C. W. Hogendoorn* 1051

Bradykinin Potentiates Acetylcholine-Induced Responses in Native Endothelial Cells from Rabbit Aorta *Xiaodong Wang, Winifred Chu, Frankie Lau, and Cornelis van Breemen* 1061

A Single Serine Mutation on the Nuclear Localization Signal of Hepatitis B Virus Core Protein Abolishes the Inhibition of Nuclear Transport by Surface Proteins *Chau-Ting Yeh, Chia-Ming Chu, and Yun-Fan Liaw* 1068

Inhibition of ADP-Ribose Pyrophosphatase-I by Nitric Oxide-Generating Systems: A Mechanism Linking Nitric Oxide to Processes Dependent on Free ADP-Ribose *João Meireles Ribeiro, José Carlos Cameselle, Ascensión Fernández, José Canales, Rosa María Pinto, and María Jesús Costas* 1075

Calcium-Dependent Activation of Skeletal Muscle Ca^{2+} Release Channel (Ryanodine Receptor) by Calmodulin *Roberta Buratti, Gianfranco Prestipino, Paola Menegazzi, Susan Treves, and Francesco Zorzato* 1082

Characterization of the Truncated Thrombopoietin Variants *Tamaki Wada, Yuka Nagata, Hiroshi Nagahisa, Keiichi Okutomi, Suk Hoon Ha, Toshio Ohnuki, Takumi Kanaya, Masatoshi Matsumura, and Kazuo Todokoro* 1091

Deletion Mutagenesis of Human Tyrosine Hydroxylase Type 1 Regulatory Domain *Akira Ota, Satoshi Yoshida, and Toshiharu Nagatsu* 1099

Synaphin: A Protein Associated with the Docking/Fusion Complex in Presynaptic Terminals *Toru Ishizuka, Hideo Saisu, Shoji Odani, and Teruo Abe* 1107

Cyclin A and CDK2 Kinase Activity Are Suppressed by Combined Treatment with Tumor Necrosis Factor-α and Interferon-α *Kazutaka Satomoto, Minoru Haisa, Yoshio Naomoto, Noriaki Tanaka, and Kunzo Orita* 1115

Functional Analysis of the Human Calcyclin Gene Promoter in a Panel of Human Melanoma Cell Lines *Jan J. M. van Groningen, Marian A. J. Weterman, Guido W. M. Swart, and Henri P. J. Bloemers* 1122

Changes of Protein Kinase C Subspecies in Staphylococcal Enterotoxin B-Induced Thymocyte Apoptosis *Yee-Shin Lin, Shing-Fen Kao, Ming-Shiou Jan, Mei-Ling Cheng, Lih-Yuh C. Wing, Wen-Chang Chang, Huan-Yao Lei, and Ming T. Lin* 1132

Role of ADF/TRX and Its Inhibitor on the Release of Major Basic Protein from Human Eosinophils *Hideki Koyanagi, Naomi Wakasugi, Kentaro Yoshimatsu, Yuichiro Takashima, Junji Yodoi, Mariko Momoi, Toshio Suda, Tadashi Kasahara, and Yuji Yamaguchi* 1140

ERRATUM

Volume 211, Number 2, June 15, 1995: Dean C. Crick, Douglas A. Andres, and Charles J. Waechter, "Farnesol Is Utilized for Protein Isoprenylation and the Biosynthesis of Cholesterol in Mammalian Cells," pp. 590–599 1148

Author Index for Volume 213 1149

Volume 214, Number 1, September 5, 1995

Contributions of NO Synthase and Heme Oxygenase to cGMP Formation by Cytokine and Hemin-Treated Brain Capillary Endothelial Cells *Paul Vigne, Erick Feolde, Annie Ladoux, Danièle Duval, and Christian Frelin* 1

Inhibition of Tumor Necrosis Factor Induced Human Aortic Endothelial Cell Adhesion Molecule Gene Expression by an Alkoxybenzo[b]thiophene-2-carboxamide *Joachim Wölle, Erika Ferguson, Channa Keshava, Larry J. Devall, Diane H. Boschelli, Roger S. Newton, and Uday Saxena* 6

Bilirubin Is Oxidized in Rats Treated with Endotoxin and Acts as a Physiological Antioxidant Synergistically with Ascorbic Acid *in Vivo* *Tokio Yamaguchi, Fumihiko Horio, Tsuneo Hashizume, Makiko Tanaka, Saiko Ikeda, Atsushi Kakinuma, and Hiroshi Nakajima* 11

Peptide-Specific Antibodies Indicate Species Heterogeneity of a 42-kDa High-Affinity Inositol 1,3,4,5-Tetrakisphosphate Receptor Protein from Brain *Georg Reiser, Ute Kunzelmann, Eckehard Hülser, Rolf Stricker, Jürgen Hoppe, Friedrich Lottspeich, and Hubert Kalbacher* 20

The Mechanism of the Anaerobic *Escherichia coli* Ribonucleotide Reductase Investigated with Nuclear Magnetic Resonance Spectroscopy *Rolf Eliasson, Peter Reichard, Etienne Mulliez, Sandrine Ollagnier, Marc Fontecave, Edvards Liepinsh, and Gottfried Otting* 28

In Vitro NCp7 Enhancement of Ribozyme-Mediated Cleavage of Full-Length Human IL-6 mRNA *M. Mahieu, C. Hendrix, J. Ooms, P. Herdewijn, and J. Content* 36

Role of 55- and 75-kDa TNF Receptors in the Potentiation of Fc-Mediated Phagocytosis in Human Neutrophils *Vittorina Della Bianca, Stefano Dusi, Katyuscia Alessia Nadalini, Marta Donini, and Filippo Rossi* 44

An Inhibitory Role for Phosphatidylinositol 3-Kinase in Insulin Secretion from Pancreatic B Cell Line MIN6 *Shinji Hagiwara, Takashi Sakurai, Fumi Tashiro, Yoshiaki Hashimoto, Yuzuru Matsuda, Yoshiaki Nonomura, and Jun-ichi Miyazaki* 51

Rapid Isolation of Cell-Type-Specific Protein Tyrosine Kinases by Degenerate Polymerase Chain Reaction Combined with Differential Hybridization Technique *Sun Jin Kim, Hiroki Sasaki, Atsushi Takahashi, Masaru Katoh, Tadao Kakizoe, Young Kyoon Kim, Takashi Sugimura, and Masaaki Terada* 60

Fluid Flow and Osmotic Stress Induce Tyrosine Phosphorylation of an Endothelial Cell 128-kDa Surface Glycoprotein *Noboru Harada, Michitaka Masuda, and Keigi Fujiwara* 69

Cyclic GMP-Mediated Phospholamban Phosphorylation in Intact Cardiomyocytes *Bartel Sabine, Roland Willenbrock, Hannelore Haase, Peter Karczewski, Gerd Wallukat, Rainer Dietz, and Ernst-Georg Krause* 75

Somatostatin (SSTR2) Receptors Mediate Phospholipase C-Independent Ca^{2+} Mobilization in Rat AR42J Pancreas Cells *John E. Taylor* 81

A Novel Point Mutation in the Mitochondrial $tRNA^{Ser(UCN)}$ Gene Detected in a Family with MERRF/MELAS Overlap Syndrome *Michikazu Nakamura, Satoshi Nakano, Yu-ichi Goto, Matsuko Ozawa, Yasuhiro Nagahama, Hidenao Fukuyama, Ichiro Akiguchi, Ryuji Kaji, and Jun Kimura* 86

Adhesive Hierarchy of the Cell Adhesion Molecules L1, CD24, and α6 Integrin in Murine Neuroblastoma N2A Cells *Guni Kadmon, Beat A. Imhof, Peter Altevogt, and Melitta Schachner* 94

Type IIB von Willebrand Factor Induces Phospholipase A2 Activation and Cytosolic Ca^{2+} Increase in Platelets *Mariangela Francesconi, Alessandra Casonato, Elena Pontara, Lisa Dalla Via, Antonio Girolami, and Renzo Deana* 102

Lysine^{200} Located in the Fifth Transmembrane Domain of the Histamine H_1 Receptor Interacts with Histamine but Not with All H_1 Agonists *Rob Leurs, Martine J. Smit, Remco Meeder, Anton M. Ter Laak, and Hendrik Timmerman* 110

Pseudomonas syringae pv. *syringae* Phytotoxins Reversibly Inhibit the Plasma Membrane H^+-ATPase and Disrupt Unilamellar Liposomes *Lorenzo Camoni, Domenico Di Giorgio, Mauro Marra, Patrizia Aducci, and Alessandro Ballio* 118

Extracellular ATP Enhances mRNA Levels of Nitric Oxide Synthase and TNF-α in Lipopolysaccharide-Treated Raw 264.7 Murine Macrophages *Michela Tonetti, Laura Sturla, Marco Giovine, Umberto Benatti, and Antonio De Flora* 125

Recombinant OB-Gene Product Reduces Food Intake in Fasted Mice *Juerg Rentsch, Nigel Levens, and Michele Chiesi* 131

Binding of Cell-Surface Expressed CD44 to Hyaluronate Is Dependent on Splicing and Cell Type *Robbert van der Voort, Eveliene Manten-Horst, Lia Smit, Ellen Ostermann, Frank van den Berg, and Steven T. Pals* 137

N^{ω}-Hydroxyagmatine: A Novel Substance Causing Endothelium-Dependent Vasorelaxation *Tsutomu Ishikawa, Tomoko Misonou, Masako Ikeno, Kunio Sato, and Tetsuo Sakamaki* 145

The Interferon Inducible Autoantigen, IFI 16:Localization to the Nucleolus and Identification of a DNA-Binding Domain *Michelle J. Dawson and Joseph A. Trapani* 152

The Complete Amino Acid Sequence of a Mannose-Binding Lectin from "Kidachi Aloe" (*Aloe arborescens miller var. Natalensis berger*) *Takaaki Koike, Koiti Titani, Masami Suzuki, Hidehiko Beppu, Hiroshi Kuzuya, Kazuhiro Maruta, Kan Shimpo, and Keisuke Fujita* 163

Loss of Expression of the Human MSH3 Gene in Hematological Malignancies *Koiti Inokuchi, Miyoko Ikejima, Atsushi Watanabe, Eiitsu Nakajima, Hideo Orimo, Takeo Nomura, and Takashi Shimada* 171

cDNA Cloning of Human Cytosolic Platelet-Activating Factor Acetylhydrolase γ-Subunit and Its mRNA Expression in Human Tissues *Hideki Adachi, Masafumi Tsujimoto, Mitsuharu Hattori, Hiroyuki Arai, and Keizo Inoue* 180

Substrates for Yeast Mitochondrial cAMP-Dependent Protein Kinase Activity *Mahboob U. Rahman and Alan P. Hudson* 188

Characterization of the Genomic Structure and the Promoter Region of the Human Intestinal Trefoil Factor *Thomas Seib, Steven Dooley, and Cornelius Welter* 195

LFA-3 ΔD2: A Novel *in Vivo* Isoform of Lymphocyte Function-Associated Antigen 3 *A. C. Kirby, V. Hill, I. Olsen, and S. R. Porter* 200

High-Efficiency Transformation of Human Endothelial Cells by Apo E-Mediated Transfection with Plasmid DNA *Rajender Sipehia and Giuseppe Martucci* 206

Inhibition of NF-κB by Pyrrolidine Dithiocarbamate Blocks Endothelial Cell Activation *Christiane Ferran, Maria T. Millan, Vilmos Csizmadia, Jeffrey T. Cooper, Christine Brostjan, Fritz H. Bach, and Hans Winkler* 212

Histaminergic Regulation of Pancreatic β-Cell Replication and Insulin Secretion *Åke Sjöholm* 224

Organization in the Membrane of the N-Terminal Proton-Translocating Domain of the β Subunit of the Pyridine Nucleotide Transhydrogenase of *Escherichia coli* *Natalie A. Glavas, Cynthia Hou, and Philip D. Bragg* 230

Expression of CD38 Gene, but Not of Mitochondrial Glycerol-3-phosphate Dehydrogenase Gene, Is Impaired in Pancreatic Islets of GK Rats *Taka-aki Matsuoka, Yoshitaka Kajimoto, Hirotaka Watada, Yutaka Umayahara, Minoru Kubota, Ryuzo Kawamori, Yoshimitsu Yamasaki, and Takenobu Kamada* 239

Characterisation of a Novel Enzyme of Human Fatty Acid β-Oxidation: A Matrix-Associated, Mitochondrial 2-Enoyl-CoA Hydratase *Sandra Jackson, Jochen Schaefer, Bruce Middleton, and Douglass M. Turnbull* 247

Identification of α-Subunits of Trimeric GTP-Binding Proteins in Human Platelets by RT-PCR *Gijsbert van Willigen, José Donath, Eduardo G. Lapetina, and Jan-Willem N. Akkerman* 254

Affinity Purification of the Ryanodine Receptor/Calcium Release Channel from Fast Twitch Skeletal Muscle Based on Its Tight Association with FKBP12 *Hong-Bo Xin, Anthony P. Timerman, Hitoshi Onoue, Gregory J. Wiederrecht, and Sidney Fleischer* 263

cDNA Cloning and Gene Expression of Lebocin, a Novel Member of Antibacterial Peptides from the Silkworm, *Bombyx mori* *Subrata Chowdhury, Kiyoko Taniai, Seiichi Hara, Keiko Kadono-Okuda, Yusuke Kato, Masanori Yamamoto, Jinhua Xu, Su Kyung Choi, Nitish C. Debnath, Hong Kyu Choi, Akihiro Miyanoshita, Masao Sugiyama, Ai Asaoka, and Minoru Yamakawa* 271

Novel Isoform of β1 Integrin Expressed in Skeletal and Cardiac Muscle *Natalia I. Zhidkova, Alexey M. Belkin, and Richard Mayne* 279

Functional Identification of the Transcription Start Site and the Core Promoter of the Juvenile Hormone Esterase Gene in *Trichoplusia ni* *Douglas Schelling and Grace Jones* 286

CAAX Peptidomimetic FTI-244 Decreases Platelet-Derived Growth Factor Receptor Tyrosine Phosphorylation Levels and Inhibits Stimulation of Phosphatidylinositol 3-Kinase but Not Mitogen-Activated Protein Kinase *Terence F. McGuire, Yimin Qian, Michelle A. Blaskovich, Renae D. Fossum, Jiazhi Sun, Tara Marlowe, Seth J. Corey, Steven P. Wathen, Andreas Vogt, Andrew D. Hamilton, and Saïd M. Sebti* 295

Volume 214, Number 2, September 14, 1995

TYR13 Is Essential for the Binding of w-Conotoxin MVIIC to the P/Q-Type Calcium Channel *Jae Il Kim, Masami Takahashi, Nicole Martin-Moutot, Michael J. Seagar, Atsuko Ohtake, and Kazuki Sato* 305

Growth and Maturation of Small Hepatocytes Isolated from Adult Rat Liver *Toshihiro Mitaka, Takashi Kojima, Toru Mizuguchi, and Yohichi Mochizuki* 310

Interaction between Influenza Virus Proteins and Pine Cone Antitumor Substance That Inhibits the Virus Multiplication *Ken Watanabe, Fumitaka Momose, Hiroshi Handa, and Kyosuke Nagata* 318

Sp1 Affinity for GC-Rich Elements Correlates with Ornithine Decarboxylase Promoter Activity *Rameez Al-Asadi, Eugene C. Yi, and Juanita L. Merchant* 324

Transcriptional Regulation of the Collagenase Gene by Basic Fibroblast Growth Factor in Osteoblastic MC3T3-E1 Cells *Marja M. Hurley, Kristina Marcello, Christine Abreu, Constance E. Brinckerhoff, Carol C. Bowik, and Margaret S. Hibbs* 331

The 33-kDa C-Terminal Domain of Raf-1 Protein Kinase Exhibits a RAS-Independent Serum- and Phorbol Ester-Induced Shift in Gel Mobility *Zoltán Oláh, Alma Ferrier, Csaba Lehel, and Wayne B. Anderson* 340

Role of Interleukin-3 in the Regulation of Intracellular K^+ Homeostasis in Cultured Murine Hemopoietic Cells *G. Laskay, T. Várhelyi, R. E. Dale, and T. M. Dexter* 348

Protein Kinase C Isozymes during Liver Regeneration *Luciana Tessitore, Gian Paolo Perletti, Eliana Sesca, Paolo Pani, Francesco Piccinini, and Mario Umberto Dianzani* 354
Induction of Tumor Suppressor P21 Protein by Kinase Inhibitors in MCF-7 Cells *Doo-Il Jeoung, Baiqing Tang, and Martin Sonenberg* 361
17-β-Estradiol Stimulation of Endothelial K^+ Channels *J. Rusko, K. Li, and C. van Breemen* 367
Calcium Sensitive Probes for the Measurement of Intracellular Calcium: Effects of Buffer System and Magnesium Concentration *J. Gasalla-Herraiz, S. Rhee, and C. M. Isales* 373
Functional Display and Expression of Chicken Cystatin Using a Phagemid System *Aparecida S. Tanaka, Claudio A. M. Sampaio, Hans Fritz, and Ennes A. Auerswald* 389
Interaction of Mistletoe Toxic Lectin-I with Sialoglycoproteins *Albert M. Wu, Shuh-Chyung Song, Pei-Yi Hwang, June H. Wu, and Uwe Pfüller* 396
Isolation of Active Ribozymes from an RNA Pool of Random Sequences Using an Anchored Substrate RNA *Masamichi Ishizaka, Yasumi Ohshima, and Tokio Tani* 403
Ribosome Modulation Factor: Stationary Growth Phase-Specific Inhibitor of Ribosome Functions from *Escherichia coli* *Akira Wada, Kazuei Igarashi, Shoko Yoshimura, Saburo Aimoto, and Akira Ishihama* 410
Implication of Protein Kinase Cα in PAF-Stimulated Phospholipase D Activation in Chinese Hamster Ovary (CHO) Cells Expressing PAF Receptor *Bo Liu, Shigeru Nakashima, Tomoko Takano, Takao Shimizu, and Yoshinori Nozawa* 418
TPO and IL-3 Induce Overlapping but Distinct Protein Tyrosine Phosphorylation in a Myeloid Precursor Cell Line *Marion Dorsch, Pang-Dian Fan, Jacob Bogenberger, and Stephen P. Goff* 424
Developmental and Differential Regulations in Gene Expression of *Xenopus* Pleiotrophic Factors-α and -β *Atsushi Tsujimura, Koji Yasojima, Yoshinori Kuboki, Atsushi Suzuki, Naoto Ueno, Koichiro Shiokawa, and Tamotsu Hashimoto-Gotoh* 432
Hepatocyte Growth Factor Inhibits Intercellular Communication via Gap Junctions in Rat Hepatocytes *Kenichi Ikejima, Sumio Watanabe, Tsuneo Kitamura, Miyoko Hirose, Akihisa Miyazaki, and Nobuhiro Sato* 440
Histidine Residues 102 and 117 of MELC1 Play Different Roles in the Chaperone Function for *Streptomyces* Apotyrosinase *Li-Ling Liaw and Yan-Hwa Wu Lee* 447
Neurokinin Receptor Antagonists Inhibit the Binding of Growth Hormone-Releasing Peptide to EP-1 Human Neuroblastoma Cells *Shigeru Tai, Hidesuke Kaji, Yasuhiko Okimura, Hiromi Abe, and Kazuo Chihara* 454
Characterization of the Promoter Region of Human BCL-6 Gene *Kazuteru Ohashi, Tohru Miki, Shinsaku Hirosawa, and Nobuo Aoki* 461
Repression of P53-Dependent Sequence-Specific Transactivation by MEF2C *Hiromi Sato, Teruyo Tsukada, Mariko Nagayoshi, Yoji Ikawa, Shinichi Aizawa, and Mitsuo V. Kato* 468
Mutant IGF-1 Receptors as Dominant Negatives for Growth and Transformation *Jean-Luc Burgaud, Mariana Resnicoff, and Renato Baserga* 475
Participation of a Proton-Cotransporter, MCT1, in the Intestinal Transport of Monocarboxylic Acids *Ikumi Tamai, Hitomi Takanaga, Hiroshi Maeda, Yoshimichi Sai, Takuo Ogihara, Haruhiro Higashida, and Akira Tsuji* 482
Secretion Kinetics of Alzheimer's Amyloid β-Protein Differs from Secreted β-Amyloid Precursor Protein *Wataru Araki, Tatsuhide Kunishita, Keikichi Takahashi, Sachiya Ikeda, and Takeshi Tabira* 490
Translational Control of Mammalian Serine Hydroxymethyltransferase Expression *Paula C. Byrne, Peter G. Sanders, and Keith Snell* 496

Mitochondrial Mass and Membrane Potential in Coelomocytes from the Earthworm *Eisenia foetida*: Studies with Fluorescent Probes in Single Intact Cells *Andrea Cossarizza, Edwin L. Cooper, Daniela Quaglino, Stefano Salvioli, Galina Kalachnikova, and Claudio Franceschi* 503

Cumulative Effects of Mutations in Newly Synthesized Mitochondrial Aspartate Aminotransferase on Uptake into Mitochondria *Ersilia Marra, Amalia Azzariti, Sergio Giannattasio, Shawn Doonan, and Ernesto Quagliariello* 511

Analysis by *in Vitro* Mutagenesis of PP2Aα Okadaic Acid Responsive Sequences *Shigeto Kaneko, Hiroshi Shima, Teruo Amagasa, Minoru Takagi, Takashi Sugimura, and Minako Nagao* 518

Molecular Cloning of a Putative Ca^{2+}-Sensing Receptor cDNA from Human Kidney *Kaoru Aida, Sawako Koishi, MasatoTawata, and Toshimasa Onaya* 524

Antisense Knockout of a Neuropeptide Gene Reduces Fibroblast Proliferation *Gary Weisinger, Oren Zinder, and Rabi Simantov* 530

Cloning and Sequencing of Mal d 1, the Major Allergen from Apple (*Malus domestica*), and Its Immunological Relationship to Bet v 1, the Major Birch Pollen Allergen *Monika Vanek-Krebitz, Karin Hoffmann-Sommergruber, Margit Laimer da Camara Machado, Markus Susani, Christof Ebner, Dietrich Kraft, Otto Scheiner, and Heimo Breiteneder* 538

The Thymus Atrophy Inducing Organotin Compound DBTC Stimulates TCRαβ-CD3 Signalling in Immature Rat Thymocytes *Raymond H. H. Pieters, Petra Punt, Marianne Bol, Jan Marcel van Dijken, Willem Seinen, and André H. Penninks* 552

Autoxidation of 4-Methylcatechol: A Model for the Study of the Biosynthesis of Copper Amine Oxidases Quinonoid Cofactor *Andrea C. Rinaldi, Maria C. Porcu, Nicoletta Curreli, Antonio Rescigno, Alessandro Finazzi-Agró, Jens Z. Pedersen, Augusto Rinaldi, and Enrico Sanjust* 559

Synthesis of Three Hetero Disaccharides, 4-O-β-Glucopyranosyl-6-deoxy-D-glucose, 4-O-β-D-Glucopyranosyl-D-mannosamine, and 4-O-β-D-Glucopyranosyl-D-mannose, and Confirmation of Their Structures by C-13 NRM and MS *M. A. Tariq and Kiyoshi Hayashi* 568

Identification of a Putative Steroidogenic Factor-1 Response Element in the DAX-1 Promoter *Thomas P. Burris, Weiwen Guo, Thinh Le, and Edward R. B. McCabe* 576

The Differential Response to Interferon γ by Normal and Transformed Endothelial Cells *Jeanette A. M. Maier, Daniele Morelli, and Andrea Balsari* 582

The P_{2Y} Purinoceptor-Operated Potassium Channel Is Possibly Regulated by the βγ Subunits of a Pertussis Toxin-Insensitive G-Protein in Cultured Rat Inferior Colliculus Neurons *Youji Ikeuchi and Tomoyuki Nishizaki* 589

Presence of Centrin in the Human Parasite *Giardia*: A Further Indication of Its Ubiquity in Eukaryotes *Abderrahmane Belhadri* 597

Expression and Synergistic Effect of Three Types of Crystal Protein Genes in *Bacillus thuringiensis* *Hyun-Woo Park, Ho-San Kim, Dae-Weon Lee, Yong-Man Yu, Byung-Rae Jin, and Seok-Kwon Kang* 602

Apolipoprotein B-Bound Lipids as a Marker for Evaluation of Low Density Lipoprotein Oxidation *in Vivo* *V. V. Tertov, V. V. Kaplun, S. N. Dvoryantsev, and A. N. Orekhov* 608

Human Adenosine A_1 Receptor Gene: Systematic Screening for DNA Sequence Variation and Linkage Mapping on Chromosome 1q31-32.1 Using a Silent Polymorphism in the Coding Region *Jürgen Deckert, Markus M. Nöthen, Stephen P. Bryant, Hongzu Ren, Helmut K. Wolf, Gary L. Stiles, Nigel K. Spurr, and Peter Propping* 614

The Occurrence of a Gene-Encoded Variant of Nuclear Basic Protein (SP4) in Sperm of *Xenopus laevis* *Kazufumi Takamune, Kaori Teshima, Shin-Ichi Abe, and Chiaki Katagiri* 622

A Test of the Hypothesis That a 60-Hz Magnetic Field Affects Ornithine Decarboxylase Activity in Mouse L929 Cells *in Vitro* *M. Azadniv, C. M. Klinge, R. Gelein, E. L. Carstensen, C. Cox, A. A. Brayman, and M. W. Miller* 627

Male Germ Cell Extracts Contain Proteins Binding to the Conserved 3′-End of Mouse p68 RNA Helicase mRNA *Harjeet Sandhu, Lydia Lemaire, and Uwe A. O. Heinlein* 632

Modulation of Metallothionein-III mRNA Content and Growth Rate of Rat C6-Glial Cells by Transfection with Human 5-$HT_{1\hat{D}}$ Receptor Genes *Marie-Claude Amoureux, Thierry Wurch, and Petrus J. Pauwels* 639

SaRD, A New Protein Isolated from the Extremophile Archaeon *Sulfolobus acidocaldarius*, Is a Thermostable Ribonuclease with DNA-Binding Properties *Dagmar Kulms, Günter Schäfer, and Ulrich Hahn* 646

Cloning and Structural Analysis of the Mouse Apolipoprotein B mRNA Editing Protein Gene *Jun-ichi Osuga, Toshimori Inaba, Kenji Harada, Hiroaki Yagyu, Masako Shimada, Yoshio Yazaki, Nobuhiro Yamada, and Shun Ishibashi* 653

The Effect of Membranes on the Conformation of Neuromedin C *Eugenia Polverini, Paolo Neyroz, Piero Fariselli, Rita Casadio, and Lanfranco Masotti* 663

Hepatocellular Metabolism of 4-Hydroxy-2,3-Nonenal Is Impaired in Conditions of Chronic Cholestasis *Gabriella Leonarduzzi, Maurizio Parola, Giuliana Muzio, Andrea Garramone, Marina Maggiora, Gaia Robino, Giuseppe Poli, Mario U. Dianzani, and Rosa A. Canuto* 669

Effects of Sphingosine Derivatives on MC3T3-E1 Preosteoblasts: Psychosine Elicits Release of Calcium from Intracellular Stores *Riting Liu, Mary C. Farach-Carson, and Norman J. Karin* 676

The *Retro-inverso* Form of a Homeobox-Derived Short Peptide Is Rapidly Internalized by Cultured Neurones: A New Basis for an Efficient Intracellular Delivery System *J. Brugidou, Ch. Legrand, J. Méry, and A. Rabié* 685

Carboxyl Terminal of G Protein β Subunit Is Required for Association with γ Subunit *Junji Yamauchi, Yoshito Kaziro, and Hiroshi Itoh* 694

Gene Targeting of DT-Diaphorase in Mouse Embryonic Stem Cells: Establishment of Null Mutant and Its Mitomycin C-Resistance *Takayuki Yoshida and Hirohisa Tsuda* 701

Characterization of *SFP2*, A Putative Sulfate Permease Gene of *Saccharomyces cerevisiae* *Yong Hwan Jin, Yeun Kyu Jang, Min Ji Kim, Massoud Ramezani Rad, Lutz Kirchrath, Rho Hyun Seong, Seung Hwan Hong, Cornelis P. Hollenberg, and Sang Dai Park* 709

Stereospecific DNA Binding of Luminescent Atropisomeric Viologens *Montserrat Bárcena, Gonzalo Colmenarejo, M. Carmen Gutiérrez-Alonso, Francisco Montero, and Guillermo Orellana* 716

On the Relationship of the ATP-Independent, Mitochondrial-Associated DNA Topoisomerase of *Saccharomyces cerevisiae* to the Nuclear Topoisomerase I *Jin Wang, Kenya Kearney, Marizel Derby, and Catherine M. Wernette* 723

Gene of Heat Shock Protein of Sulfur-Dependent Archaeal Hyperthermophile *Desulfurococcus* *Yasuo Kagawa, Toshiko Ohta, Yoriko Abe, Hitoshi Endo, Masafumi Yohda, Nobuko Kato, Isao Endo, Toshiro Hamamoto, Masaru Ichida, Toshihiro Hoaki, and Tadashi Maruyama* 730

Expression of a Catalytically Inert SYP Blocks Activation of Map Kinase Pathway Downstream of $p21^{ras}$ *Takeshi Sawada, Kim L. Milarski, and Alan R. Saltiel* 737

The Effect of Phosphorylation on the Antigenic Reactivity of p53 in Cultured Human Keratinocytes *Manish Kumar and Dan F. Spandau* 744

ERRATUM

Volume 207, Number 2, February 15, 1995: Tetsuji Taya, Noriyuki Yamasaki, Hiroshi Tsubamoto, Akiko Hasegawa, and Koji Koyama. "Cloning of a cDNA Coding for Porcine Zona Pellucida Glycoprotein ZP1 and Its Genomic Organization," pp. 790–799 754

Volume 214, Number 3, September 25, 1995

Flavonoids as Scavengers of Nitric Oxide Radical *Saskia A. B. E. van Acker, Michèl N. J. L. Tromp, Guido R. M. M. Haenen, Wim J. F. van der Vijgh, and Aalt Bast* 755

A Newly Identified GPI-Anchored Arginine-Specific ADP-Ribosyltransferase Activity in Chicken Spleen *Mikako Tsuchiya, Harumi Osago, and Makoto Shimoyama* 760

Phosphofructo-1-kinase: Role of Charge Neutralization in the Active Site *Rong-Lan Zheng and Robert G. Kemp* 765

Activation of Cyclin E-Dependent Kinase by DNA-Damage Signals during Apoptosis *Q. Ping Dou, Bing An, and Chen Yu* 771

Spontaneous Calcium Waves without Contraction in Cardiac Myocytes *José R. López, Aleksandar Jovanovic, and Andre Terzic* 781

Instability at the H-*ras* Minisatellite Is Associated with the Spontaneous Abortion of the Embryo *H. Kiaris, M. Ergazaki, and D. A. Spandidos* 788

Advanced Maillard Reaction and Crosslinking of Corneal Collagen in Diabetes *Candace Sady, Samer Khosrof, and Ramanakoppa Nagaraj* 793

Membrane Potential and Intercellular Calcium during Glucose Challenge in Mouse Islet of Langerhans *A. S. Moura* 798

Type I Inositol-Triphosphate Receptor Gene Is Alternatively Spliced in Human Cerebral Arteries *Zvonimir S. Katušić and Adele M. Stelter* 803

The Primary Structures of Rat Ribosomal Proteins L4 and L41 *Yuen-Ling Chan, Joe Olvera, and Ira G. Wool* 810

Serum Withdrawal Induces Apoptotic Cell Death in Ki-ras Transformed but Not in Normal Differentiated Thyroid Cells *Bruno Di Jeso, Luca Ulianich, Luigi Racioppi, Franco D'Armiento, Antonio Feliciello, Francesco Pacifico, Eduardo Consiglio, and Silvestro Formisano* 819

Fast Kinetic Studies of Plasmid DNA Transfer in Intact Yeast Cells Mediated by Electropulsation *V. Ganeva, B. Galutzov, and J. Teissie* 825

Selective Inhibition of Steroid 5α-Reductase Isozymes by Tea Epicatechin-3-Gallate and Epigallocatechin-3-Gallate *Shutsung Liao and Richard A. Hiipakka* 833

Dependence and Reversal of Nitric Oxide Production on NF-κB in Silica and Lipopolysaccharide Induced Macrophages *Fei Chen, Douglas C. Kuhn, Shao-Cong Sun, Lesley J. Gaydos, and Laurence M. Demers* 839

Estrogen Increases Endothelial Nitric Oxide by a Receptor Mediated System *Toshio Hayashi, Kazuyoshi Yamada, Teiji Esaki, Masafumi Kuzuya, Shosuke Satake, Tomohiko Ishikawa, Hiroyoshi Hidaka, and Akihisa Iguchi* 847

Adhesion-Inducible DNA Synthesis Regulated by Tyrosine Phosphorylation/Dephosphorylation *Keisuke Mashima and Yuriko Furuya* 856

Effects of Long-Term Omeprazole Treatment on Adult Rat Gastric Mucosa— Enhancement of the Epithelial Cell Proliferation and Suppression of Its Differentiation *Nobuyuki Kakei, Masao Ichinose, Masae Tatematsu, Miyuki Shimizu, Masashi Oka, Naohisa Yahagi, Masashi Matsushima, Kiyoshi Kurokawa, Satoshi Yonezawa, Chie Furihata, Koichiro Shiokawa, Takashi Kageyama, Kazumasa Miki, and Hiroshi Fukamachi* 861

In Vivo Effect of Prednisolone on Release of Leukotriene C4 in Eosinophils Obtained from Asthmatic Patients *Kunihiko Shindo, Yoshihiro Hirai, Kohei Koide, Midori Sumitomo, and Motonori Fukumura* 869

Ferrochelatase Binds the Iron-Responsive Element Present in the Erythroid 5-Aminolevulinate Synthase mRNA *Gloria C. Ferreira* 875

Eye CNG Channel Is Modulated by Nicotine *Julie E. M. McGeoch, Malcolm W. McGeoch, and Guido Guidotti* 879

Development of a Rapid Approach to Identification of Tyrosine Phosphorylation Sites: Application to PKCδ Phosphorylated upon Activation of the High Affinity Receptor for IgE in Rat Basophilic Leukemia Cells *Zoltan Szallasi, Mitchell F. Denning, En-Yuh Chang, Juan Rivera, Stuart H. Yuspa, Csaba Lehel, Zoltan Olah, Wayne B. Anderson, and Peter M. Blumberg* 888

Reduced Neurofibromin Content but Normal Gap Activity in a Patient with Neurofibromatosis Type 1 Caused by a Five-Base-Pair Duplication in Exon 12B of the NF1 Gene *Annett Böddrich, Johann Griesser, Denise Horn, Dieter Kaufmann, Winfrid Krone, and Peter Nürnberg* 895

Loss of Membrane Integrity and Inhibition of Type-I Iodothyronine 5′-Monodeiodinase Activity by Fenvalerate in Female Mouse *Prasanta Kumar Maiti, Anand Kar, Pratima Gupta, and Shyam Sunder Chaurasia* 905

Improved Gene Expression by a Modified Bicistronic Retroviral Vector *Chia-Ling Hsieh, Bing-Fang Chen, Chu-Chang Wang, Hsiao-Hei Liu, Ding-Shinn Chen, and Lih-Hwa Hwang* 910

Cyclic GMP Stimulates Growth Hormone Release in Rat Anterior Pituitary Cells *Donald J. Hartt, Takayuki Ogiwara, Anthony K. Ho, and Constance L. Chik* 918

HMG-I Binds to GATA Motifs: Implications for an HPFH Syndrome *Wendy Magis and David I. K. Martin* 927

Both RNA Polymerase III and RNA Polymerase II Accurately Initiate Transcription from a Human U6 Promoter *in Vitro* *JungSun Park and Gary R. Kunkel* 934

Involvement of CD45 in Dexamethasone- and Heat-Shock-Induced Apoptosis of Rat Thymocytes *L. Troiano, D. Monti, A. Cossarizza, E. Lovato, F. Tropea, D. Barbieri, M. C. Morale, F. Gallo, B. Marchetti, and C. Franceschi* 941

Nitric Oxide Regulates IL-8 Expression in Melanoma Cells at the Transcriptional Level *P. J. Andrew, H. Harant, and I. J. D. Lindley* 949

Identification and Purification of a 90-kDa Membrane-Bound Endogenous Inhibitor of Multicatalytic Proteinase from Human Erythrocytes *M. Tariq Khan, Kailing Wang, and Basil D. Roufogalis* 957

Structural Analysis of Invasion Plasmid Antigen D (IpaD) from *Shigella flexneri* *Mary E. Marquart, Wendy L. Picking, and William D. Picking* 963

Inactivation of DNA Polymerase α-Primase by Acrolein: Loss of Activity Depends on the DNA Substrate *Carlos Enrique Catalano and Robert D. Kuchta* 971

Transcriptional Activation of *ori*λ Regulates λ Plasmid Replication in Amino-Acid-Starved *Escherichia coli* Cells *Alicja Węgrzyn and Grzegorz Węgrzyn* 978

Essential Role of NF-κB Activation in Silica-Induced Inflammatory Mediator Production in Macrophages *Fei Chen, Shao-Cong Sun, Douglas C. Kuh, Lesley J. Gaydos, and Laurence M. Demers* 985

Copper Binding to the N-Terminal Tandem Repeat Region of Mammalian and Avian Prion Protein: Structural Studies Using Synthetic Peptides *M. P. Hornshaw, J. R. McDermott, J. M. Candy, and J. H. Lakey* 993

Control of a Novel Adenylyl Cyclase by Calcineurin *Janice M. Paterson, Susan M. Smith, Anthony J. Harmar, and Ferenc A. Antoni* 1000

Differential Expression of Heat Shock Protein 70 in Well Healing and Chronic Human Wound Tissue *M. Oberringer, H. P. Baum, V. Jung, C. Welter, J. Frank, M. Kuhlmann, W. Mutschler, and R. G. Hanselmann* 1009

Characterization of a Distal 5′-Flanking Region (-2010/-630) of Human GM-CSF *Paola Fiorentini, Marco Musso, Silvana Penco, Roberto Giuffrida, Vito Pistoia, Cecilia Garré, and Giovanna Bianchi-Scarrà* 1015

Kinetics of Nitric Oxide Liberation by 3,4-Diydro-1,2-Diazete 1,2-Dioxides and Their Vasodilatory Properties *in Vitro* and *in Vivo* *D. I. Utepbergenov, V. V. Khramtsov, L. P. Vlassenko, A. L. Markel, D. G. Mazhukin, A. Ya. Tikhonov, and L. B. Volodarsky* 1023

mRNA Binding Properties of Wheat Germ Protein Synthesis Initiation Factor 2 *Lisa A. Benkowski, Joanne M. Ravel, and Karen S. Browning* 1033

Positively Charged Surface Induces Discontinuous Transition for the High Order Structure in Duplex DNA *Yulia S. Mel'nikova, Noriyuki Kumazawa, and Kenichi Yoshikawa* 1040

Changes in the Ratio of Branched-Chain to Aromatic Amino Acids Affect the Secretion of Albumin in Cultured Rat Hepatocytes *Masataka Okuno, Hisataka Moriwaki, Masahiko Kato, Yasutoshi Muto, and Soichi Kojima* 1045

pH and the cAMP Dependent Protein Kinase Mediate Growth Phase Induction of the Cytochrome c Oxidase Subunit VI Gene, COX6, in *Saccharomyces cerevisiae* *Richard M. Wright, Susan L. Simpson, and Brian D. Lanoil* 1051

Picrotoxin is a CYP1A1 Inducer in Rainbow Trout Hepatocytes *Marianne D. Sadar, Roger Ash, and Tommy B. Andersson* 1060

Visible Spectrophotometric Assay, Purification, and Molecular Properties of a Lipoxygenase from Eggplant (*Solanum melongena* Linne) Fruits *Toru Nakayama, Yuriko Takeura, and Takashi Ueda* 1067

Carbamylation Inhibits the Ferroxidase Activity of Caeruloplasmin *H. E. Roxborough, C. A. Millar, J. McEneny, and I. S. Young* 1073

Sequence Analysis of Frog ρ-Crystallin by cDNA Cloning and Sequencing: A Member of the Aldo–Keto Reductase Family *Shao-Fan Lu, Fu-Ming Pan, and Shyh-Horng Chiou* 1079

Heteroatom Substitution Shifts Regioselectivity of Lauric Acid Metabolism from ω-Hydroxylation to (ω-1)-Oxidation *Michail A. Alterman, Chandra S. Chaurasia, Ping Lu, and Robert Hanzlik* 1089

Orally Active and Long-Term Acting Insulin-Mimetic Vanadyl Complex: Bis(picolinato)oxovanadium (IV) *Hiromu Sakurai, Kumiko Fujii, Hiromi Watanabe, and Hideyuki Tamura* 1095

Stochastic Behavior of Organelle Motion in *Nitella* Internodal Cells *Tomomi Nemoto, Go Uchida, Atsuko Takamatsu, and Yoshimi Tsuchiya* 1102

The Ubiquitous VA68 Isoform of Subunit A of the Vacuolar H$^+$-ATPase Is Highly Expressed in Human Osteoclasts *Benoît van Hille, Hanny Richener, Jonathan R. Green, and Graeme Bilbe* 1108

Staurosporine Potentiates cAMP-Mediated Promoter Activity of the Vasoactive Intestinal Polypeptide Gene in Rat Pheochromocytoma PC12 Cells *Kazuki Sasaki, Toshihiko Tsukada, Isamu Adachi, and Ken Yamaguchi* 1114

Expression of a Human Serum Albumin Variant with High Affinity for Thyroxine *Charles E. Petersen, Chung-Eun Ha, Morton Mandel, and Nadhipuram V. Bhagavan* 1121
Calpain Inhibitor-Induced Apoptosis in Human Prostate Adenocarcinoma Cells *Wen Zhu, Patricia E. Murtha, and Charles Y. F. Young* 1130
Visualization of Agonist-Induced Internalization of Histamine H_2 Receptors *Martine J. Smit, Hendrik Timmerman, Astrid E. Alewijnse, Mikhail Punin, Ingrid van den Nieuwenhof, Joeri Blauw, Jan van Minnen, and Rob Leurs* 1138
Differential Expression of Cytokine Genes in Cervical Cancer Tissues *Chia C. Pao, Chieh-Yu Lin, Ding-Shyan Yao, and Chih-Jen Tseng* 1146
Modulation of Heme Oxygenase Activity in Rat Brain and Spleen by Inhibitors and Donors of Nitric Oxide *D. Willis, A. Tomlinson, R. Frederick, M. J. Paul-Clark, and D. A. Willoughby* 1152
Age-Associated Change of 8-Hydroxyguanine Repair Activity in Cultured Human Fibroblasts *Takeshi Hirano, Yoko Yamaguchi, Hideyasu Hirano, and Hiroshi Kasai* 1157
Specific Inhibition of Vascular Cell Adhesion Molecule-1 Expression by Type IV Collagen in Endothelial Cells *Nobuhiro Morisaki, Tetsuto Kanzaki, Ken Tamura, Ichiro Saito, Ritsuko Shiina, and Yasushi Saito* 1163
An Embryonic Alternative Transcription Initiation Site and the 5′-Upstream Structure of Mouse Cardiac Troponin T Gene *Jian-Ping Jin, Jinyi Zhang, and Jennifer Wang* 1168
The Amino-Terminal Portion of Pro-Brain Natriuretic Peptide (Pro-BNP) Circulates in Human Plasma *P. J. Hunt, T. G. Yandle, M. G. Nicholls, A. M. Richards, and E. A. Espiner* 1175
A Second, Elongated, α2-Globin mRNA Is Present in Reticulocytes from Normal Persons and Subjects with Terminating Codon or Poly A Mutations *T. P. Molchanova, N. S. Smetanina, and T. H. J. Huisman* 1184
Calcium Destabilises *Drosophila* Cactus Protein and Dephosphorylates the Dorsal Transcription Factor *Ken Kubota and Nicholas J. Gay* 1191
The Protein Kinase C Activator Bryostatin-1 Induces the Rapid Release of TNFα from Mono-Mac-6 Cells *Klaus G. Steube and Hans G. Drexler* 1197
Two Novel Rat Guanylin Molecules, Guanylin-94 and Guanylin-16, Do Not Increase Cyclic GMP Production in T84 Cells *Hideki Yamaguchi, Masamitsu Nakazato, Mikiya Miyazato, Kenji Kangawa, Hisayuki Matsuo, and Shigeru Matsukura* 1204
Expression and Localization of Glucose Transporter 1 (GLUT1) in the Rat Oviduct: A Possible Supplier of Glucose to Embryo during Early Embryonic Development *Chikae Tadokoro, Yasuhiro Yoshimoto, Masahiro Sakata, Takashi Imai, Masaaki Yamaguchi, Hirohisa Kurachi, Yoshitomo Oka, Toshihiro Maeda, and Akira Miyake* 1211
Galactose Stabilizes Various Missense Mutants of α-Galactosidase in Fabry Disease *Toshika Okumiya, Satoshi Ishii, Toshihiro Takenaka, Ryoichi Kase, Sachiko Kamei, Hitoshi Sakuraba, and Yoshiyuki Suzuki* 1219
ICAM-1 Expression in Hepatocytes Following Dissociation of Cell-to-Cell Contact in Rats *Akihiko Ohno, Satoshi Mochida, Masahiro Arai, and Kenji Fujiwara* 1225
The Carboxy-Terminal 18 Amino Acids of the Measles Virus Hemagglutinin Are Essential for Its Biological Function *Francoise Blain, Peter Liston, and Dalius J. Briedis* 1232
Polymorphisms and Probable Lack of Mutation in a Human *mutT* Homolog, *hMTH1*, in Hereditary Nonpoliposis Colorectal Cancer *Chi Wu, Hiromi Nagasaki, Kazuo Maruyama, Yusaku Nakabeppu, Mutsuo Sekiguchi, and Yasuhito Yuasa* 1239
Reversible Inhibition of NADPH-Cytochrome P450 Reductase by α-Lipoic Acid *Irina A. Slepneva, Svetlana V. Sergeeva, and Valery V. Khramtsov* 1246

Improved Recombinant Tandem Expression of Translation Initiation Factor IF2 in RNase E Deficient *E. coli* Cells *Kim Kusk Mortensen, Eliane Hajnsdorf, Philippe Regnier, and Hans Uffe Sperling-Petersen* 1254

Dexamethasone Regulates *Obese* Expression in Isolated Rat Adipocytes *Takashi Murakami, Mitsuru Iida, and Kenji Shima* 1260

ERRATA

Volume 210, Number 3, May 25, 1995: Michael Pazianas, Olugbenga A. Adebanjo, Vijai S. Shankar, Sharon Y. James, Kay W. Colston, J. Douglas Maxwell, and Mone Zaidi, "Extracellular Cation Sensing by the Enterocyte: Prediction of a Novel Divalent Cation 'Receptor,'" pp. 948–953 1268

Volume 212, Number 2, July 17, 1995: Giuseppe Carruba, Dora Miceli, Domenico D'Amico, Rosaria Farruggio, Loredana Comito, Annalisa Montesanti, Lucia Polito, and Luigi A. M. Castagnetta, "Sex Steroids Up-Regulate E-Cadherin Expression in Hormone-Responsive LNCaP Human Prostate Cancer Cells," pp. 624–631 1269

Author Index for Volume 214 1270

Volume 215, Number 1, October 4, 1995

The T-Box near the Zinc Fingers of the Human Vitamin D Receptor Is Required for Heterodimeric DNA Binding and Transactivation *Jui-Cheng Hsieh, Peter W. Jurutka, Sanford H. Selznick, Mina C. Reeder, Carol A. Haussler, G. Kerr Whitfield, and Mark R. Haussler* 1

Selective Inhibition of Phosphatidylinositol 3-Kinase by Phosphatidic Acid and Related Lipids *Ron Lauener, Yaping Shen, Vincent Duronio, and Hassan Salari* 8

Peroxisomes Contain $\Delta^{3,5}$,$\Delta^{2,4}$-Dienoyl-CoA Isomerase and Thus Possess All Enzymes Required for the β-Oxidation of Unsaturated Fatty Acids by a Novel Reductase-Dependent Pathway *Xue-Ying He, Khaled Shoukry, Chinhung Chu, Jianji Yang, Howard Sprecher, and Horst Schulz* 15

Early Gene Signaling-Dependent and -Independent Induction of Apoptosis in Ramos Human B Cells Can Be Inhibited by Overexpression of BCL-2 *Zhi-Qiang Ning, John D. Norton, Diane Johnson, and John J. Murphy* 23

Enzymatic Analysis of Cell Surface Lactosaminyl Glycans by Flow Cytometry *L. C. Bollheimer, R. Schwartz-Albiez, A. Sauer, and H. J. Groß* 30

OK-1035, a Selective Inhibitor of DNA-Dependent Protein Kinase *Yukinori Take, Mariko Kumano, Yuji Hamano, Hiroshi Fukatsu, Hirobumi Teraoka, Susumu Nishimura, and Akira Okuyama* 41

Molecular Cloning of a New Erythropoiesis-Stimulating Activity (ESA36) from *Streptomyces thermoviolaceus* and Expression in *Escherichia coli* *Makiko Sugie, Syuichi Oka, and Hideoki Tanaka* 48

Butyrate and TGF-β Downregulate Na,K-ATPase Expression in Cultured Proximal Tubule Cells *Ming-Jer Tang, Young-Kao Wang, and Hsi-Hui Lin* 57

The Influence of Dystrophin on Lateral Diffusion of Proteins in Sarcolemma of L-185 and C2 Myoblasts and Mature Striated Muscle Cells of Rats and Mice, as Measured by FRAP Technique *I. Zs.-Nagy, X. Zhang, K. Kitani, and Y. Nonomura* 67

Ca^{2+}-Calmodulin-Dependent Phosphorylation and Dephosphorylation of Rat Parotid Secretion Granules *S. J. Cooperstein and Dudley T. Watkins* 75

Aggregation and Concentration-Dependent Sorting of Exocrine-Regulated Secretory Proteins *Sven-Ulrik Gorr and Sophia Y. Tseng* 82

2-Arachidonoylglycerol: A Possible Endogenous Cannabinoid Receptor Ligand in Brain *Takayuki Sugiura, Sachiko Kondo, Akihiro Sukagawa, Shinji Nakane, Akira Shinoda, Kiyoko Itoh, Atsushi Yamashita, and Keizo Waku* 89

Relationship between Susceptibility to Apoptosis and Fas Expression in Peripheral Blood T Cells from Uremic Patients: A Possible Mechanism for Lymphopenia in Chronic Renal Failure *Y. Matsumoto, T. Shinzato, I. Amano, I. Takai, Y. Kimura, H. Morita, M. Miwa, K. Nakane, Y. Yoshikai, and K. Maeda* 98

Molecular Cloning, Sequence, and Expression Patterns of the Human Gene Encoding CCAAT/Enhancer Binding Protein α (C/EBPα) *Per Antonson and Kleanthis G. Xanthopoulos* 106

Spin Trapping Agent, Phenyl-*N-tert*-butyl Nitrone (PBN) Inhibits Induction of Nitric Oxide Synthase in Endotoxin-Induced Shock in Mice *Takashi Miyajima and Yashige Kotake* 114

Embryonic Expression and DNA-Binding Properties of Zebrafish Pax-6
Kannapiran Amirthalingam, James B. Lorens, Bjørn O. Sætre, Erik Salaneck, and Anders Fjose 122

Spatial and Temporal Ca^{2+} Signaling in Articular Chondrocytes
Paola D'Andrea and Franco Vittur 129

Effects on CYP27 mRNA Expression in Rat Kidney and Liver by 1α,25-Dihydroxyvitamin D_3, a Suppressor of Renal 25-Hydroxyvitamin D_3 1α-Hydroxylase Activity
Eva Axén, Hans Postlind, and Kjell Wikvall 136

Detection of a β-Parvalbumin Isoform in the Mammalian Inner Ear
Isolde Thalmann, Osamu Shibasaki, Thomas H. Comegys, Michael T. Henzl, Masamitsu Senarita, and Ruediger Thalmann 142

Effect of Lipopolysaccharide Treatment *in Vivo* on Tissue Expression of Argininosuccinate Synthetase and Argininosuccinate Lyase mRNAs: Relationship to Nitric Oxide Synthase
Yoshiyuki Hattori, Shin-Ichi Shimoda, and Steven S. Gross 148

Increase in Cystine Transport Activity and Glutathione Level in Mouse Peritoneal Macrophages Exposed to Oxidized Low-Density Lipoprotein *Hideyo Sato, Yoko Takenaka, Kyoko Fujiwara, Mineko Yamaguchi, Kiyoshi Abe, and Shiro Bannai* 154

C-Terminal Domain of the Hepatitis C Virus NS3 Protein Contains an RNA Helicase Activity
Dong Wook Kim, Yousang Gwack, Jang H. Han, and Joonho Choe 160

Purification and Characterization of a Paralytic Polypeptide from Larvae of *Myrmeleon bore*
Kazuhiko Matsuda, Hiroyuki Suzuki, Fuminobu Nakanishi, Katsushi Shio, Koichiro Komai, and Keiichiro Nishimura 167

Long PCR of the ANP Gene and PCR–SSCP Analysis of the Proximal Promoter Region of the ANP Gene in Patients with Aldosterone-Producing Adenoma
Terry J. Tunny, Kimberley A. Richardson, Clare C. Moriarty, Shelley A. Klemm, Michael Stowasser, and Richard D. Gordon 172

Modulation of P-Glycoprotein and *mdr1b* mRNA Expression by Growth Factors in Primary Rat Hepatocyte Culture *Karen I. Hirsch-Ernst, Christina Ziemann, Christoph Schmitz-Salue, Heidi Foth, and Georg F. Kahl* 179

Generation of Resistance to the Diphenyl Ether Herbicide Acifluorfen by MEL Cells
A. R. K. Prasad and Harry A. Dailey 186

Physicochemical Modeling of the Role of Free Radicals in Photodynamic Therapy. III. Interactions of Stable Free Radicals with Excited Photosensitizers Studied by Kinetic ESR Spectroscopy *Tamás Kriska, László Korecz, István Nemes, and Dezső Gál* 192

Binding of Vitamin D to Low-Density Lipoprotein (LDL) and LDL Receptor-Mediated Pathway into Cells *Tamio Teramoto, Koichi Endo, Kyoji Ikeda, Noboru Kubodera, Makoto Kinoshita, Masami Yamanaka, and Etsuro Ogata* 199

Comparative Study of Bone Marrow Induced by Purified BMP and Recombinant Human BMP-2
Kenji Kusumoto, Kazuhisa Bessho, Kazuma Fujimura, Yasuzo Konishi, Yutaka Ogawa, and Tadahiko Iizuka 205

The Human Erythrocyte Membrane Contains a Novel 12-kDa Inositol Phosphate-Binding Protein That Is an Immunophilin *Earlene Brown Cunningham* 212

Effect of cAMP and cGMP on Endothelin-Stimulated Tyrosine Phosphorylation in Rabbit Platelets *R. E. Catalán, A. M. Martínez, L. Gargiulo, and A. Liras* 219

Biology of Enterostatin. II. Development of Enzyme-Linked Immunosorbent Assay (ELISA) for Enterostatin (Val-Pro-Asp-Pro-Arg), the Procolipase Activation Peptide
Haruo Mizuma, Makoto Imamura, William E. Tiemann, and Chandan Prasad 227

Room Temperature ESR Spectra of *Rhus vernicifera* Laccase and Derivatives
Takeshi Sakurai and Junya Takahashi 235

Functional and Structural Interactions of the Rab5 D136N Mutant with Xanthine Nucleotides *Simon Hoffenberg, Lydia Nikolova, Julie Y. Pan, D. Sundarsingh Daniel, Marianne Wessling-Resnick, Brian J. Knoll, and Burton F. Dickey* 241

High-Level Expression of Birch Pollen Profilin (Bet v 2) in *Escherichia coli*: Purification and Characterization of the Recombinant Allergen *Markus Susani, Peter Jertschin, Christiane Dolecek, Wolfgang R. Sperr, Peter Valant, Christof Ebner, Dietrich Kraft, Rudolf Valenta, and Otto Scheiner* 250

Structure of Prejunctional Receptor Binding Analog of Human Neuropeptide Y Dimer ANA-NPY *Julian A. Barden* 264

Cell-Specific Differences in DNase I Hypersensitivity between the Two Promoters of the Rat Glucokinase Gene *Christine P. Williams, Daryl K. Granner, Mark A. Magnuson, and Roger Chalkley* 272

Impaired Tumor Phenotypes in Class II Major Histocompatibility Complex Antigen-Inducible Cells Originated from Human Lung Adenocarcinoma *Seiji Kawamoto, Yuichi Inoue, Yuichi Shinozaki, Yoshinori Katakura, Hirofumi Tachibana, Sanetaka Shirahata, and Hiroki Murakami* 280

Ligand-Induced Conformational Changes in the Mineralocorticoid Receptor Analyzed by Protease Mapping *Thorsten Trapp and Florian Holsboer* 286

Inactivation of NF-κB Inhibitor IκBα: Ubiquitin-Dependent Proteolysis and Its Degradation Product *Chou-Chi H. Li, Ren-Ming Dai, and Dan L. Longo* 292

G-Protein Modulation of α_{1A} (P/Q)-Type Calcium Channel Expressed in GH_3 Cells *Shuqin Zong, Maged Yassin, and Tsutomu Tanabe* 302

Increased Expression of Keratinocyte Growth Factor in Human Pancreatic Cancer *Imran Siddiqi, Hitoshi Funatomi, Michael S. Kobrin, Helmut Friess, Markus W. Büchler, and Murray Korc* 309

Thermodynamic Characterization of the Interactions between Cytochrome b_5 and Cytochrome c *Mark A. McLean and Stephen G. Sligar* 316

Rab4, but Not the Transferrin Receptor, Is Colocalized with GLUT4 in an Insulin-Sensitive Intracellular Compartment in Rat Skeletal Muscle *J. Carlos Aledo, Froogh Darakhshan, and Harinder S. Hundal* 321

Negative and Positive Elements in the Promoter Region of the Human Apoferritin L Gene *P. D'Agostino, M. C. Faniello, B. Quaresima, M. A. Bevilacqua, M. T. Tiano, R. Ammendola, F. Cimino, and F. Costanzo* 329

Antagonism of COUP-TF and PPARα/RXRα on the Activation of the Malic Enzyme Gene Promoter: Modulation by 9-*cis*-RA *Myriam Baes, Hilde Castelein, Lieve Desmet, and Peter E. Declercq* 338

Activation of 2-Aminofluorene by Prostaglandin Endoperoxide H Synthase 2 *Ying Liu, Gerald N. Levy, and Wendell W. Weber* 346

Evidence That pH-Titratable Groups Control the Activity of a Large Epithelial Chloride Channel *Marek Duszyk, Dan Liu, Andrew S. French, and S. F. Paul Man* 355

Apo-Dystrophins (DP140 and DP71) and Dystrophin-Splicing Isoforms in Developing Brain *G. E. Morris, C. Simmons, and Nguyen thi Man* 361

Progressive Hyperphosphorylation of Neurofilament Heavy Subunits with Aging: Possible Involvement in the Mechanism of Neurofilament Accumulation *Jean-Philippe Gou, Joël Eyer, and Jean-François Leterrier* 368

Interleukin-1 and Oncostatin M in Combination Promote the Release of Collagen Fragments from Bovine Nasal Cartilage in Culture *T. E. Cawston, A. J. Ellis, G. Humm, E. Lean, D. Ward, and V. Curry* 377

Transforming Growth Factor-β Inhibits the Cytokine-Mediated Expression of the Inducible Nitric Oxide Synthase mRNA in Human Retinal Pigment Epithelial Cells
R. Krishnan Kutty, Geetha Kutty, John J. Hooks, Barbara Wiggert, and Chandrasekharam N. Nagineni 386

Transcriptional Regulation of the Apolipoprotein B-100 Gene: Identification of *cis*-Acting Elements in the First Nontranslated Exon of the Human Apolipoprotein B-100 Gene
Samuel S. Chuang, Hongming Zhuang, Samuel R. Reisher, Sheldon I. Feinstein, and Hriday K. Das 394

Identification of Cellular Protein That Can Interact Specifically with the Basic Helix–Loop–Helix Domain of the Aromatic Hydrocarbon Receptor
Anwar Hossain, Hideaki Kikuchi, Shuntaro Ikawa, Ikuko Sagami, and Minro Watanabe 405

Preferential Expression of Osteocalcin-Related Protein mRNA in Gonadal Tissues of Male Mice
Masahiro Sato and Norihiro Tada 412

Cloning, Subcellular Localization, and Expression of *chlI*, a Subunit of Magnesium Chelatase in Soybean *Masato Nakayama, Tatsuru Masuda, Naoki Sato, Hiroshi Yamagata, Chris Bowler, Hiroyuki Ohta, Yuzo Shioi, and Ken-ichiro Takamiya* 422

ERRATUM

Volume 199, Number 2, March 15, 1994: Ping Xu, Thomas P. Huecksteadt, Roger Harrison, and John R. Hoidal, “Molecular Cloning, Tissue Expression of Human Xanthine Dehydrogenase,” pp. 998–1004 429

Volume 215, Number 2, October 13, 1995

Ribozymes Cleave the AML1/MTG8 Fusion Transcript and Inhibit Proliferation of Leukemic Cells with t (8;21) *Hiromichi Matsushita, Hiroyuki Kobayashi, Shigehisa Mori, Masahiro Kizaki, and Yasuo Ikeda* 431

Integrin Stimulation Decreases Tyrosine Phosphorylation and Activity of Focal Adhesion Kinase in Thymocytes *Satoshi Kanazawa, Dusko Ilic, Tetsuo Noumura, Tadashi Yamamoto, and Shinichi Aizawa* 438

Consequences of p53 Gene Expression by Adenovirus Vector on Cell Cycle Arrest and Apoptosis in Human Aortic Vascular Smooth Muscle Cells
Dai Katayose, Robert Wersto, Kenneth Cowan, and Prem Seth 446

Intracellular Stability of α Fragments of β-Galactosidase: Effects of Amino-Terminally Fused Polypeptides *Takayuki Homma, Tohru Yoshihisa, Akio Kihara, Yoshinori Akiyama, and Koreaki Ito* 452

Spin-Lattice Relaxation Times of Water in Polarized and Depolarized Rabbit Vagus Nerves
Kazuo Kuwata, Shunsuke Ueki, Seiichi Era, Masaru Sogami, and Hiroshi Watari 459

Nuclear Location of the Regulatory Protein of Glucokinase in Rat Liver and Translocation of the Regulator to the Cytoplasm in Response to High Glucose
Yukiyasu Toyoda, Ichitomo Miwa, Seiichi Satake, Motonobu Anai, and Yoshitomo Oka 467

Interaction of Peptide Substrates of Fibroblast Collagenase with Divalent Cations: Ca^{2+} Binding by Substrate as a Suggested Recognition Signal for Collagenase Action
Suneel Upadhye and Vettai S. Ananthanarayanan 474

Expression of Local Hepatocyte Growth Factor System in Vascular Tissues
Yoshio Nakamura, Ryuichi Morishita, Jitsuo Higaki, Iwao Kida, Motokuni Aoki, Atsushi Moriguchi, Kazuo Yamada, Shin-ichiro Hayashi, Yoshikage Yo, Kunio Matsumoto, Toshikazu Nakamura, and Toshio Ogihara 483

Tumor Necrosis Factor α Increases Tyrosine Phosphorylation of a 23-kDa Nuclear Protein in U937 Cells through Ceramide Signaling Pathway
Li Ji, Gu Zhang, and Yoshio Hirabayashi 489

Characterization of the Murine PIG-A Promoter Region High Constitutive PIG-A Gene Expression in Brain *Jianliang Yu and M. Edward Medof* 497

Evidence for a Transient Interresidue Hydrogen Bond in Sucrose in Aqueous Solution Obtained by Rotating-Frame Exchange NMR Spectroscopy under Supercooled Conditions
Shuqun Sheng and Herman van Halbeek 504

Down-regulation of *bcl-x*$_s$ Gene Expression in Rat Thymocytes by Dexamethasone
Tohru Sakamoto, William T. Repasky, Jing Chen, Aiko Hirata, and Fusao Hirata 511

cDNA Cloning and Bacterial Expression of the Human Type I Keratin 16
Rudolph D. Paladini, Kenzo Takahashi, Tracey M. Gant, and Pierre A. Coulombe 517

Nicotinamide Inhibits IRF-1 mRNA Induction and Prevents IL-1β-Induced Nitric Oxide Synthase Expression in Pancreatic β Cells *Atsuya Akabane, Ichiro Kato, Shin Takasawa, Michiaki Unno, Hideto Yonekura, Takashi Yoshimoto, and Hiroshi Okamoto* 524

Endotoxin Markedly Elevates Plasma Concentration and Gene Transcription of Adrenomedullin in Rat *Hiroki Shoji, Naoto Minamino, Kenji Kangawa, and Hisayuki Matsuo* 531

Involvement of *Pim*-1 in DNA Fragmentation in Mouse NS-1 Derived Cells
Chizuko Takahashi, Yohsuke Harada, Hiroyoshi Ariga, and Sanae M. M. Iguchi-Ariga 538

Sialyl Lewis X Moiety on Rat Polymorphonuclear Leukocytes Responsible for Binding to Rat E-Selectin *Emi Misugi, Nobuko Kawamura, Noriaki Imanishi, Shinichiro J. Tojo, and Shigeaki Morooka* 547

A Mutation in the β_3-Adrenergic Receptor Gene Is Associated with Obesity and Hyperinsulinemia in Japanese Subjects *Hiroko Kadowaki, Kazuki Yasuda, Keishi Iwamoto, Shuichi Otabe, Kotaro Shimokawa, Kristi Silver, Jeremy Walston, Hideo Yoshinaga, Kinori Kosaka, Nobuhiro Yamada, Yasushi Saito, Ryoko Hagura, Yasuo Akanuma, Alan Shuldiner, Yoshio Yazaki, and Takashi Kadowaki* 555

Evidence for a Glycyl-Proline Transport System in Ovine Enterocyte Brush-Border Membrane Vesicles *F. R. Colette Backwell, Dana Wilson, and Annette Schweizer* 561

Effect of KN-62, Ca^{2+}/Calmodulin-Dependent Protein Kinase II Inhibitor, on Adriamycin-Resistance of Human Ovarian Cancer Cells *Naoko Hasegawa Obata, Katsuo Okazaki, Osamu Maeda, Fumitaka Kikkawa, Yutaka Tomoda, and Hiroyoshi Hidaka* 566

Selective Killing of Cholinergic Neurons by Microglial Activation in Basal Forebrain Mixed Neuronal/Glial Cultures *Michael McMillian, Ling-Yuan Kong, Shannon Mullis Sawin, Belinda Wilson, Kaberi Das, Pearlie Hudson, Jau-Shyong Hong, and Guoying Bing* 572

A Single Base-Pair Change (ATG → ATC) Nullifies the Activity of Cytosolic Fumarase in *Saccharomyces cerevisiae* *Mian Wu, Sek-Man Wong, Hai-Meng Tan, and Robert Ting* 578

Molecular Cloning and Functional Analysis of the Rat μ Opioid Receptor Gene Promoter
Jürgen Kraus, Gabi Horn, Alexander Zimprich, Tatiana Simon, Peter Mayer, and Volker Höllt 591

Nuclear Matrix Condensation and c-*myc* and c-*fos* Expression Are Specifically Altered in Cultured Rat Hepatocytes after Exposure to Cyproterone Acetate and Phenobarbital
Wilhelmina C. M. Duivenvoorden, Reinhold Schäfer, Andrea M. A. Pfeifer, Dominique Piquet, and Peter Maier 598

Functional Analysis of the 5′ Flanking Sequence in the Ovine β_1-Adrenergic Receptor Gene
Yi T. Tseng, James A. Waschek, and James F. Padbury 606

N-Acetylcysteine Diminishes Injury Induced by Balloon Angioplasty of the Carotid Artery in Rabbits *Howard Mass, Beatriz Pirazzi, Priscila Gonzalez, Victor Collazo, Douglas Fitzovich, and Edward Avakian* 613

Autocrine Regulation of the Renal Arterial Tone by Adrenomedullin *Hiroshi Seguchi, Junji Nishimura, Sei Kobayashi, Joichi Kumazawa, and Hideo Kanaide* 619

The Synthetic [$\text{Tyr}^{5,12}$, Lys^7]-Polyphemusin II Peptide (T22) Binds to the CD4 Cell Surface Molecule *Benjamin S. Weeks, Motoyoshi Nomizu, Akira Otaka, Christi A. Weston, Akiko Okusu, Hirokazu Tamamura, Naoki Yamamoto, and Nobutaka Fujii* 626

Purification and Characterization of ζ-Crystallin from the Camel Lens
Ali S. Duhaiman, Nayyar Rabbani, Abdulaziz A. AlJafari, and Abdullah S. Alhomida 632

Phorbol Esters Attenuate the Expression of p53 in Cells Treated with Doxorubicin and Protect ts-p53/K562 from Apoptosis *Lucia Magnelli, Marina Cinelli, and Vincenzo Chiarugi* 641

Molecular Cloning and *in Vivo* Expression of the Bovine Steroidogenic Acute Regulatory Protein *Stefan Hartung, Werner Rust, Marga Balvers, and Richard Ivell* 646

Mechanical and Thermal Changes in the *Torpedo* Electric Organ Associated with Its Postsynaptic Potentials *I. Tasaki* 654

Expression of *ras* Gene in Flounder (*Platichtys flesus*) and Red Mullet (*Mullus barbatus*)
Françoise Vincent, Stéphanie Jaunet, Françoise Galgani, Harry Besselink, and Jan Koeman 659

Molecular Cloning and Developmental Regulation of Expression of Two Isoforms of the Catalytic Subunit of Protein Phosphatase 2A from *Xenopus laevis*
Christine Van Hoof, Françoise Ingels, Xavier Cayla, Ilse Stevens, Wilfried Merlevede, and Jozef Goris 666

Decreased β-Adrenergic Stimulation of Glycoprotein Secretion in CF Mice Submandibular Glands: Reversal by the Methylxanthine, IBMX *C. Lloyd Mills, J. R. Dorin, D. J. Davidson, D. J. Porteus, E. W. F. W. Alton, R. L. Dormer, and M. A. McPherson* 674

The Carboxyl Extensions of Two Rat Ubiquitin Fusion Proteins Are Ribosomal Proteins S27a and L40 *Yuen-Ling Chan, Katsuyuki Suzuki, and Ira G. Wool* 682

Secretion of Prostaglandins Elicited by Lipopolysaccharide and Ethanol in Cultured Rat Kupffer Cells *Alexander V. Victorov and Jan B. Hoek* 691

Increased Production of Hydroxyl Radical by Pericentral Microsomes Compared to Periportal Microsomes after Pyrazole Induction of Cytochrome P4502E1
Ewa Kukiełka and Arthur I. Cederbaum 698

Dephosphorylation of a 30-kDa Protein of Fowl Spermatozoa by the Addition of Myosin Light Chain Kinase Substrate Peptide Inhibits the Flagellar Motility
Koji Ashizawa, Graham J. Wishart, Kei Hashimoto, and Yasuhiro Tsuzuki 706

Retinoic Acid Induces Three Newly Cloned HOXA1 Transcripts in MCF7 Breast Cancer Cells
Alain Chariot, Louis Moreau, Geoffroy Senterre, Mark E. Sobel, and Vincent Castronovo 713

Serine and Cysteine Proteinase Inhibitors Prevent Nitric Oxide Production by Activated Macrophages by Interfering with Transcription of the Inducible NO Synthase Gene
Jeanette M. Griscavage, Sherwin Wilk, and Louis J. Ignarro 721

Chain Length-Dependent Pb(II)-Coordination in Phytochelatins
Rajesh K. Mehra, V. Ramana Kodati, and Rizwana Abdullah 730

Expression of the Chemokine Receptor BLR2/EBI1 Is Specifically Transactivated by Epstein–Barr Virus Nuclear Antigen 2 *Ralf Burgstahler, Bettina Kempkes, Klaus Steube, and Martin Lipp* 737

A Novel Sequence Found at the $3'$ Terminus of Hepatitis C Virus Genome *Torahiko Tanaka, Nobuyuki Kato, Myung-Je Cho, and Kunitada Shimotohno* 744
A Novel Method to Purify Recombinant Vascular Endothelial Growth Factor (VEGF121) Expressed in Yeast *D. Mohanraj, T. Olson, and S. Ramakrishnan* 750
An Alternatively Spliced Form of the Human Lysosome-Associated Membrane Protein-2 Gene Is Expressed in a Tissue-Specific Manner *David S. Konecki, Kay Foetisch, Klaus-Peter Zimmer, Magdalena Schlotter, and Uta Lichter-Konecki* 757
The Sugar Composition and Partial Structure of the Self-Induced Endogenous Elicitor from Potato *Tsutomu Monden, Hideshi Nakamura, and Akio Murai* 768
Expression of the Type 1 and 2 Steroid 5α-Reductases in Human Fetal Tissues *Kenneth Ellsworth and Georgianna Harris* 774
Only in the Presence of Immunophilins Can Cyclosporin and FK506 Disrupt *in Vivo* Binding of Calcineurin A to Its Autoinhibitory Domain yet Strengthen Interaction between Calcineurin A and B Subunits *Bhabatosh Chaudhuri and Christine Stephan* 781

ERRATUM

Volume 213, Number 1, August 4, 1995: Simone M. Ward, Larry F. Lemanski, Nihan Erginel-Unaltuna, and Dipak K. Dube, "Cloning, Sequencing, and Expression of an Isoform of Cardiac C-Protein from the Mexican Axolotl (*Ambystoma mexicanum*)," pp. 225–231 791

Volume 215, Number 3, October 24, 1995

NMDA-Dependent Prostaglandin E_2 Release by Human Cultured Astroglial Cells Is Driven by Nitric Oxide *Vincenzo Mollace, Marco Colasanti, Paola Rodinó, Giuliana M. Lauro, Domenicantonio Rotiroti, and Giuseppe Nisticó* 793
Use of Protease Sensitivity to Probe the Conformations of Newly Synthesized Mutant Forms of Mitochondrial Aspartate Aminotransferase *Amalia Azzariti, Sergio Giannattasio, Shawn Doonan, Riccardo S. Merafina, Ersilia Marra, and Ernesto Quagliariello* 800
Reduction of Mono(ADP-ribosyl)ation of Histones in Rat Testis by Gonadotropin-Testosterone System *Tomonori Kurokawa, Yoko Fujimura, Kaori Takahashi, Eriko Chono, and Sadahiko Ishibashi* 808
Multiple Types of Ryanodine Receptor/Ca^{2+} Release Channels Are Expressed in Vascular Smooth Muscle *Craig B. Neylon, Steve M. Richards, Michelle A. Larsen, Alex Agrotis, and Alex Bobik* 814
Age-Dependent Changes of NO Synthase Activity in the Rat Brain *Vincenzo Mollace, Paola Rodinó, Renato Massoud, Domenicantonio Rotiroti, and Giuseppe Nisticó* 822
Such Hydrophobic Peptides as Dansylated Mastoparan Can Elevate the Fertilization Membrane of Sea Urchin Eggs *Kazuki Saito, Masakatsu Imoto, Nozomi Nagano, Masaru Toriyama, and Terumi Nakajima* 828
Novel Nonsense Proteolipid Protein Gene Mutation as a Cause of X-Linked Spastic Paraplegia in Twin Males *Hitoshi Osaka, Chiaki Kawanishi, Ken Inoue, Haruo Uesugi, Kurisaki Hiroshi, Kazutoshi Nishiyama, Yoshiteru Yamada, Kyoko Suzuki, Seiji Kimura, and Kenji Kosaka* 835
Direct Measurement of Nitric Oxide Production in Platelets: Relationship with Cytosolic Ca^{2+} Concentration *Frédérique Lantoine, Annie Brunet, Fethi Bedioui, Jacques Devynck, and Marie-Aude Devynck* 842

Antisense Oligonucleotide Inhibits the Expression of Procollagen Type III Gene in Mouse Fibroblasts *Yukisato Kitamura, Takahiko Tanigawa, Eiji Nanba, Eri Ueno, Soji Fukumoto, and Keiichi Ichihara* 849

Evidence of Histidine Coordination to the Catalytic Ferrous Ion in the Ring-Cleaving 2,2′,3-Trihydroxybiphenyl Dioxygenase from the Dibenzofuran-Degrading Bacterium *Sphingomonas* sp. Strain RW1 *Ivano Bertini, Francesco Capozzi, Alexander Dikiy, Birgitta Happe, Claudio Luchinat, and Kenneth N. Timmis* 855

Purification and Characterization of a Novel Protein Activator of Ca^{2+}/Calmodulin-Dependent Protein Kinase I *S. Inoue, A. Mizutani, R. Sugita, K. Sugita, and H. Hidaka* 861

Adrenomedullin Suppresses Mitogenesis in Rat Mesangial Cells via cAMP Pathway *Eduardo N. Chini, Eunhee Choi, Joseph P. Grande, John C. Burnett, and Thomas P. Dousa* 868

CTF/NF-1 Binds the Stage Selector Element of the Human γ-Globin Gene Promoter *Stefania Bottardi and Claudio Santoro* 874

Characterization of Human Prodynorphin Gene Transcripts *Thomas Geijer, Miroslav Telkov, and Lars Terenius* 881

Down Regulation of C-*MYC* and *MAX* Genes Is Associated to Inhibition of Protein Phosphatase 2A in K562 Human Leukemia Cells *Ana Lerga, Borja Belandia, M. Dolores Delgado, M. Angeles Cuadrado, Carlos Richard, Jose M. Ortiz, Jorge Martín-Perez, and Javier León* 889

In Vivo Degradation of Human Fibrinogen Aα: Detection of Cleavage Sites and Release of Antithrombotic Peptides *Ludger Ständker, Rannar Sillard, Klaus W. Bensch, Andreas Ruf, Manfred Raida, Peter Schulz-Knappe, Andreas G. Schepky, Heinrich Patscheke, and Wolf-Georg Forssmann* 896

Ca^{2+}-Induced Ca^{2+} Oscillations in Parathyroid Cells *Peter Ridefelt, Erik Björklund, Göran Åkerström, Mats J. Olsson, Jonas Rastad, and Erik Gylfe* 903

Characterization of the Human NM23-H2 Promoter Region and Localization of the Microsatellite D17S396 *Markus Seifert, Thomas Seib, Matthias Engel, Steven Dooley, and Cornelius Welter* 910

Properties of the Kv1.1 Rat Brain Potassium Channels Expressed in Mammalian Cells: Temperature Effects *Oscar Moran and Franco Conti* 915

Interferon-α Primes Macrophages for Lipopolysaccharide-Induced Apoptosis *Barbara Adler, Heiko Adler, Thomas W. Jungi, and Ernst Peterhans* 921

Efficient Cleavage of p220 by Poliovirus $2A^{pro}$ Expression in Mammalian Cells: Effects on Vaccinia Virus *Rafael Aldabe, Elena Feduchi, Isabel Novoa, and Luis Carrasco* 928

Chromaffin Granule Aspartic Proteinase Processes Recombinant Proopiomelanocortin (POMC) *Anahit V. Azaryan, Martin R. Schiller, and Vivian Y. H. Hook* 937

pH-Dependent Alterations of Monoepoxides and Monochlorohydrins of Linoleic Acid and Their Existence *in Vivo* *Hirotaro Iwase, Kimie Takahashi, Takehiko Takatori, Takao Shimizu, Kazunori Aono, Yoshihiro Yamada, Kimiharu Iwadate, and Masataka Nagao* 945

Mitochondrial DNA Minicircles, Lacking Replication Origins, Exist in the Cardiac Muscle of a Young Normal Subject *Mika Hayakawa, Kazumi Katsumata, Makoto Yoneda, Masashi Tanaka, Satoru Sugiyama, and Takayuki Ozawa* 952

High Level Production and Localization of Bovine Rod cGMP-Gated Cation Channel Subunit 1 in Baculovirus-Infected Insect Cells and *Saccharomyces cerevisiae* *Kathrin Marheineke, Marion Bach, Winfried Haase, and Helmut Reiländer* 961

Biocatalytic Oxidation of Polycyclic Aromatic Hydrocarbons by Hemoglobin and Hydrogen Peroxide *M. Ortiz-Leon, L. Velasco, and R. Vazquez-Duhalt* 968

Thrombin Receptor Polymorphism in Chinese Hamster
T. Hartmann, M. B. Grace, G. S. Buzard, and S. J. Ruoss 974

Endothelin-Induced Collagen Remodeling in Experimental Pulmonary Hypertension
Abdul M. Mansoor, Masaaki Honda, Kaname Saida, Yuji Ishinaga, Takehiko Kuramochi, Atsuyoshi Maeda, Toshikazu Takabatake, and Youji Mitsui 981

DNA End-Joining in Extracts from Human Cells
Stig-Ove Bøe, Joseph Sodroski, Dag E. Helland, and Chris M. Farnet 987

A Novel Cl$^-$-Pump: Intracellular Regulation of Transport Activity
George A. Gerencser and Karnam R. Purushotham 994

The Mitochondrial DNA Mutation ND6*14,484C Associated with Leber Hereditary Optic Neuropathy, Leads to Deficiency of Complex I of the Respiratory Chain
Roelof-Jan Oostra, Mieke J. M. Van Galen, Pieter A. Bolhuis, Elisabeth M. Bleeker-Wagemakers, and Coby Van den Bogert 1001

The Role of the TATA Box in the Hormonal Regulation of Phosphoenolpyruvate Carboxykinase Gene Expression *Paul W. Tebbey, Robert K. Hall, and Daryl K. Granner* 1006

Depolarization of Cell Membrane Is Associated with an Increase in Ciliary Beat Frequency (CBF) *Hua Mao and Lid B. Wong* 1014

ATP Activates the Potassium Channel and Enhances Cytosolic Ca^{2+} Release via a P$_{2Y}$ Purinoceptor Linked to Pertussis Toxin-Insensitive G-Protein in Brain Artery Endothelial Cells
Youji Ikeuchi and Tomoyuki Nishizaki 1022

Structure and Chromosomal Localization of the Human Anti-Müllerian Hormone Type II Receptor Gene *Jenny A. Visser, Anke McLuskey, Tessa van Beers, Daniël Olde Weghuis, Ad Geurts van Kessel, J. Anton Grootegoed, and Axel P. N. Themmen* 1029

Phosphatidylinositol 3-Kinase Is Involved in Tre-Dependent Gene Expression in Response to Arginine Vasopressin *Naoya Nishioka, Kazunori Akimoto, Shigeharu Moriya, Junji Takayanagi, Yasuhisa Fukui, Syu-ichi Hirai, Keiko Mizuno, Kenji Kosaka, and Shigeo Ohno* 1037

In Vivo Isoproterenol Treatment Leads to Downregulation of the mRNA Encoding the cAMP Response Element Binding Protein in the Rat Heart *Frank Ulrich Müller, Peter Boknik, Andreas Horst, Jörg Knapp, Bettina Linck, Wilhelm Schmitz, Ute Vahlensieck, and Andrea Walter* 1043

Expression, Purification, and Functional Characterization of a Kunitz-Type Module from ChickenType VI Collagen *A. Bearz, G. Tolazzi, A. Leonardi, C. Pucillo, G. Tell, A. Colombatti, and S. Formisano* 1050

Hyperphosphorylation of the Cytoskeletal Protein Tau by the MAP-Kinase PK40^{erk2}: Regulation by Prior Phosphorylation with cAMP-Dependent Protein Kinase A
Ramadevi Raghunandan and Vernon M. Ingram 1056

The Hydrophilic Domain of Phospholamban Inhibits the Ca^{2+}-ATPase—The Importance of the Method of Assay *Anthony P. Starling, Glen Hughes, Ram P. Sharma, J. Malcolm East, and Anthony G. Lee* 1067

Dual Effects of ATP on the Potassium Channel and Intracellular Ca^{2+} Release in Smooth Muscle Cells of the Bovine Brain Arteries *Youji Ikeuchi and Tomoyuki Nishizaki* 1071

c-SRC Phosphorylates Epidermal Growth Factor Receptor on Tyrosine 845
Ken-ichi Sato, Ayako Sato, Mamoru Aoto, and Yasuo Fukami 1078

Cloning, Expression, and Functional Role of XRPFI α and β Subunits in *Xenopus laevis* Oocyte
Barbara Gorgoni, Loredana Fiorentino, Marcella Marchioni, and Francesca Carnevali 1088

Adenosine Deaminase from Human Thyroid Purification and Some Properties
Leokadia Jaroszewicz and Krystyna Kowalczyk 1096

Reciprocal Regulation by Cyclic Nucleotides of the Differentiation of Rat Osteoblast-like Cells and Mineralization of Nodules *Atsuto Inoue, Yoshiharu Hiruma, Shigehisa Hirose, Akira Yamaguchi, and Hiromi Hagiwara* 1104

Peroxynitrite Causes Apoptosis in Rat Thymocytes *Maria G. Salgo, Giuseppe L. Squadrito, and William A. Pryor* 1111

Cysteine 99 of Endothelial Nitric Oxide Synthase (NOS-III) Is Critical for Tetrahydrobiopterin-Dependent NOS-III Stability and Activity *Pei-Feng Chen, Ah-Lim Tsai, and Kenneth K. Wu* 1119

Didemnin B Induces Cell Death by Apoptosis: The Fastest Induction of Apoptosis Ever Described *David R. Grubb, Ernst J. Wolvetang, and Alfons Lawen* 1130

Dietary Estrogenic Isoflavones Are Potent Inhibitors of β-Hydroxysteroid Dehydrogenase of *P. testosteronii* *Wing-Ming Keung* 1137

Molecular Cloning and Organization of the Coding Region of the Human Norepinephrine Transporter Gene *Peter Pörzgen, Heinz Bönisch, and Michael Brüss* 1145

Volume 216, Number 1, November 2, 1995

The Neuroendocrine Protein 7B2 Contains Unusually Potent Transcriptional Activating Sequences *Bhabatosh Chaudhuri, Richard P. H. Huijbregts, Jeremy J. Coen, and Peter Fürst* 1

Essential Fatty Acid Metabolism in Cultured Rat Cardiomyocytes in Response to either n-6 or n-3 Fatty Acid Supplementation *S. Hrelia, J. A. Lopez Jimenez, A. Bordoni, S. Zamora Navarro, D. F. Horrobin, C. A. Rossi, and P. L. Biagi* 11

Galanin Inhibits Cholecystokinin Secretion in STC-1 Cells *C. H. L. Chang, W. Y. Chey, D. H. Coy, and T. -M. Chang* 20

Truncated Type II Receptor for BMP-4 Induces Secondary Axial Structures in *Xenopus* Embryos *Tetsuya Ishikawa, Hidefumi Yoshioka, Hideyo Ohuchi, Sumihare Noji, and Tsutomu Nohno* 26

Molecular Cloning and Sequencing of the Murine Gastrin Gene *Theodore J. Koh and Timothy C. Wang* 34

Nucleoside Triphosphate Donors for Nucleoside Kinases: Donor Properties of UTP with Human Deoxycytidine Kinase *Krzysztof Krawiec, Borys Kierdaszuk, Staffan Eriksson, Birgitte Munch-Petersen, and David Shugar* 42

Human Satellite Cell Proliferation *in Vitro* Is Regulated by Autocrine Secretion of IL-6 Stimulated by a Soluble Factor(s) Released by Activated Monocytes *Marcello Cantini, Maria Lina Massimino, Elena Rapizzi, Katia Rossini, Claudia Catani, Luciano Dalla Libera, and Ugo Carraro* 49

The Liver Response to *in Vivo* Heat Shock Involves the Activation of Map Kinases and Raf and the Tyrosine Phosphorylation of Shc Proteins *Paola Bendinelli, Roberta Piccoletti, Paola Maroni, and Aldo Bernelli-Zazzera* 54

Ligand Binding Kinetics of a Soluble Full Length Murine Erythropoietin Receptor *Lena S. Avedissian, Indra Poola, and Jerry L. Spivak* 62

Characterization of a Silencer That Modulates Transcription of the Human Distal Aldolase A Promoter *Angelo Lupo, Paola Costanzo, Lina Medugno, Francesco Salvatore, and Paola Izzo* 69

Cloning and Characterization of the Murine Activin Receptor-like Kinase-1 (ALK-1) Homolog *Xiying Wu, Claudius E. Robinson, Hon Wa Fong, Judy S. Crabtree, Brenda R. Rodriguez, Bruce A. Roe, and Jeffrey M. Gimble* 78

Decrease in Actin Gene Expression in Melanoma Cells Compared to Melanocytes Is Partly Counteracted by BrdU-Induced Cell Adhesion and Antagonized by L-Tyrosine Induction of Terminal Differentiation *Luis A. Gómez, Mary Strasberg Rieber, and Manuel Rieber* 84

Phosphorylation of Myosin-I from Rat Liver by Protein Kinase C Reduces Calmodulin Binding *Roger Williams and Lynne M. Coluccio* 90

Differential Activation of PKC Isozymes by 14-3-3 ζ Protein *Peter Acs, Zoltan Szallasi, Marcelo G. Kazanietz, and Peter M. Blumberg* 103

Macrophage-Stimulating Protein Activates Ras by both Activation and Translocation of SOS Nucleotide Exchange Factor *Bao-Qun Li, Ming-Hai Wang, Hsiang-fu Kung, Christophe Ronsin, Richard Breathnach, Edward J. Leonard, and Tohru Kamata* 110

The *Claviceps purpurea* Gene Encoding Dimethylallyltryptophan Synthase, the Committed Step for Ergot Alkaloid Biosynthesis *Huei-Fung Tsai, Hong Wang, John C. Gebler, C. Dale Poulter, and Christopher L. Schardl* 119

A Brain Specific G Protein Gamma Subunit *S. Kalyanaraman, V. Kalyanaraman, and N. Gautam* 126

Regulation of Rhodopsin Phosphorylation by a Family of Neuronal Calcium Sensors *Serge Nef, Edouard De Castro, Hubert Fiumelli, Stefan E. Lenz, Satoru Kawamura, and Patrick Nef* 133

Adaptation to Phosphate Depletion in Opossum Kidney Cells *Sunil Saxena, Linda Dansby, and Michael Allon* 141

Overexpression of the Obese Gene in the Genetically Obese JCR:LA-Corpulent Rat *S. Vydelingum, G. Shillabeer, G. Hatch, J. C. Russell, and D. C. W. Lau* 148

L-Band ESR Spectra of Copper(II) Complexes with CuN_4 Configurations *Takashi Sawada, Katsuya Fukumaru, and Hiromu Sakurai* 154

In Vivo and *in Vitro* Binding of Microcystin to Protein Phosphatases 1 and 2A *Maria Runnegar, Norbert Berndt, Shou-Ming Kong, Ernest Y. C. Lee, and Lifang Zhang* 162

An Alternately Spliced mRNA Encoding Functional Domains of Murine MAdCAM-1 *Susan G. Schiffer, Eric Day, Sara M. Latanision, Richard Tizard, and Laurelee Osborn* 170

Ulex Europaeus I Lectin Induces Activation of Matrix-Metalloproteinase-2 in Endothelial Cells *Daniel E. Gomez, Hitoshi Yoshiji, Julie C. Kim, and Unnur P.Thorgeirsson* 177

Effect of Diabetic Duration on the Secondary Structures of the Human Lens Capsules in Diabetic Cataracts *Shan-Yang Lin, Shui-Mei Lee, Ching-Li Cheng, and Run-Chu Liang* 183

Adenylyl Cyclase Integrates Multiple G Protein Signals to Modulate Calcium Currents in Neonatal Rabbit Heart *Fuhua Chen, Cornelis Van Dop, Glenn T. Wetzel, Rehwa H. Lee, William F. Friedman, and Thomas S. Klitzner* 190

Induction of Liver Cytochrome P450 2B1 by β-Ionone in Sprague Dawley Rats *Tae Cheon Jeong, Hyun Ju Kim, Chul-Ho Yun, Sang Seop Lee, Kyu-Hwan Yang, Sang Seop Han, and Jung Koo Roh* 198

Hyperphosphorylated p47-phox Lost the Ability to Activate NADPH Oxidase in Guinea Pig Neutrophils *Masafumi Yamaguchi, Satoshi Saeki, Hana Yamane, Naoki Okamura, and Sadahiko Ishibashi* 203

DAN Gene Product Has an Affinity for Ni^{2+} *Kazuhiro Kondo, Toshinori Ozaki, Yohko Nakamura, and Shigeru Sakiyama* 209

Upstream Structure of Human *ADH7* Gene and the Organ Distribution of Its Expression *Hirokazu Yokoyama, Enrique Baraona, and Charles S. Lieber* 216

Characterization of Multiple Metalloproteinases with Fibrinogenolytic Activity from the Venom of Taiwan Habu (*Trimeresurus mucrosquamatus*): Protein Microsequencing Coupled with cDNA Sequence Analysis *K.-F. Huang, C.-C. Hung, F.-M. Pan, L.-P. Chow, A. Tsugita, and S.-H. Chiou* 223

Maxadilan Binds to Membrane Fractions of Brain Tissue *Osamu Moro, Theodore J. Tsomides, Masahiro Tajima, and Ethan A. Lerner* 234

Identification of Novel Guanylyl Cyclases from Chemosensory Tissues of Rat and Cattle *Ichiro Matsuoka, Tetsuya Mori, Taiji Sato, Masahiro Sakai, and Kenzo Kurihara* 242

Regional Expression and Dietary Regulation of Rat Small Intestinal Peptide and Amino Acid Transporter mRNAs *Roger H. Erickson, James R. Gum, Jr., Michelle M. Lindstrom, David McKean, and Young S. Kim* 249

γ-Glutamylcysteine Synthetase Gene Overexpression Results in Increased Activity of the ATP-Dependent Glutathione S-Conjugate Export Pump and Cisplatin Resistance
Hirokazu Kurokawa, Tomoyuki Ishida, Kazuto Nishio, Hitoshi Arioka, Makoto Sata, Hisao Fukumoto, Mamoru Miura, and Nagahiro Saijo 258

Cloning and Expression of Human Uridine Phosphorylase
Shin-Ichi Watanabe and Takafumi Uchida 265

RNA Polymerase II Transcribes *Dictyostelium* Untranslatable Gene, *dutA*, Specifically in the Developmental Phase *Hiroshi Kumimoto, Hiderou Yoshida, and Koji Okamoto* 273

The Cytosolic Chaperonin Subunit TRiC-P5 Begins to Be Expressed at the Two-Cell Stage in Mouse Embryos *G. Sévigny, R. Kothary, E. Tremblay, Y. De Repentigny, E. C. Joly, and V. Bibor-Hardy* 279

Ornithine Decarboxylase Induction during Liver Regeneration in IRS-1-Deficient Mice
Akihiro Furusaka, Masaki Nishiyama, Hideharu Nishimaki, Yoji Ogasawara, Hiroyuki Tamemoto, Toshimasa Yamauchi, Kazuyuki Tobe, Takashi Kadowaki, and Teruji Tanaka 284

Neuronal Differentiation of Neuro 2a Cells by Lactacystin and Its Partial Inhibition by the Protein Phosphatase Inhibitors Calyculin A and Okadaic Acid
Haruo Tanaka, Masako Katagiri, Shiho Arima, Keiichi Matsuzaki, Junji Inokoshi, and Satoshi Ōmura 291

Hepatocyte Growth Factor Stimulates Wound Repair of the Rabbit Esophageal Epithelial Cells in Primary Culture *Morio Takahashi, Shinichi Ota, Keiji Ogura, Toshikazu Nakamura, and Masao Omata* 298

Domain III Exchanges of *Bacillus thuringiensis* CryIA Toxins Affect Binding to Different Gypsy Moth Midgut Receptors *Mi Kyong Lee, B. A. Young, and D. H. Dean* 306

Non-oxidative Loss of Glutathione in Apoptosis via GSH Extrusion
L. Ghibelli, S. Coppola, G. Rotilio, E. Lafavia, V. Maresca, and M. R. Ciriolo 313

Cloning of a cDNA Encoding a 190-kDa Insulin Receptor Substrate-1(IRS-1)-like Protein of Simian COS Cells *Lihong Wang, Hideki Hayashi, Yasumasa Mitani, Kazuo Ishii, Tetsuo Ohnishi, Yasuharu Niwa, Hiroshi Kido, and Yousuke Ebina* 321

Stabilization of Purified Human Collagenase by Site-Directed Mutagenesis
Mary C. O'Hare, Valerie A. Curry, Rebecca E. Mitchell, and Tim E. Cawston 329

TPO/c-mpl Ligand Induces Tyrosine Phosphorylation of Multiple Cellular Proteins Including Proto-oncogene Products, Vav and c-Cbl, and Ras Signaling Molecules
Ko Sasaki, Hideharu Odai, Yutaka Hanazono, Hiroo Ueno, Seishi Ogawa, Wallace Y. Langdon, Tomoyuki Tanaka, Kiyoshi Miyagawa, Kinuko Mitani, Yoshio Yazaki, and Hisamaru Hirai 338

The Molecular Basis of the Self/Non-self Selectivity of a Coelenterate Toxin
E. Meinardi, M. Florin-Christensen, G. Paratcha, J. M. Azcurra, and J. Florin-Christensen 348

Augmented Expression of the *obese* Gene in the Adipose Tissue from Rats Fed High-Fat Diet
Hiroaki Masuzaki, Yoshihiro Ogawa, Kiminori Hosoda, Teruo Kawada, Toru Fushiki, and Kazuwa Nakao 355

Gene Transcription of Angiotensin II Type 2 Receptor Is Repressed by Growth Factors and Glucocorticoids in PC12 Cells *Kazuhisa Kijima, Hiroaki Matsubara, Satoshi Murasawa, Katsuya Maruyama, Yasukiyo Mori, and Mitsuo Inada* 359

Endotoxin Antagonism by a Synthetic Lipid A Analogue, DT-5461, with Low Endotoxicity in Human Peripheral Blood Monocytes *Katsuaki Sato, Mitsuhiro Fujihara, Tsuneo A. Takahashi, Yung Choon Yoo, Katsusuke Hata, Shuichi Tono-Oka, Tsuneo Suzuki, Sadayoshi Sekiguchi, and Ichiro Azuma* 367

A Designed β-Hairpin Peptide *Satish K. Awasthi, S. Raghothama, and P. Balaram* 375

Cloning and Characterization of Seizure-Related Gene, SEZ-6 *Keiko Shimizu-Nishikawa, Kagemasa Kajiwara, and Eiichi Sugaya* 382

Cloning of the cDNA for a Brain Glycine-, Glutamate-, and Thienylcyclohexylpiperidine (TCP)-Binding Protein *K. N. Kumar, K. K. Babcock, P. S. Johnson, X. Chen, M. Ahmad, and E. K. Michaelis* 390

Receptor-Linked Antigen Delivery System (R-LADS): Importance of Autologous α2-Macroglobulin in the Development of Peptide Vaccine *Shinobu Mitsuda, Tomohiro Nakagawa, Hiroshi Nakazato, and Atsushi Ikai* 399

Recombinant Human Pancreatic Ribonuclease Produced in *E. coli*: Importance of the Amino-Terminal Sequence *Junichiro Futami, Masaharu Seno, Megumi Kosaka, Hiroko Tada, Satimaru Seno, and Hidenori Yamada* 406

Noncovalent Interactions in Maintaining the Native Structure of Low-Density Lipoprotein *Susan Lakatos, József Fűrész, Éva Pállinger, Katalin Rischák, Katalin Schweitzer, and Lajos Szollár* 414

Suppression of Cyclin D1 but Not cdk4 or Cyclin A with Induction of Melanoma Terminal Differentiation *Mary Strasberg Rieber and Manuel Rieber* 422

Volume 216, Number 2, November 13, 1995

IL-1 Induces Expression of WAF1 mRNA in Human Fibroblasts: Mechanisms of Accumulation *Yoshiaki Osawa, Misao Hachiya, H. Phillip Koeffler, Gen Suzuki, and Makoto Akashi* 429

Interleukin 1β-Induced Expression of Nitric Oxide Synthase in Rat Renal Mesangial Cells Is Suppressed by Cyclosporin A *Dieter Kunz, Gaby Walker, Wolfgang Eberhardt, Dorothea Nitsch, and Josef Pfeilschifter* 438

Association of X-Linked Adrenoleukodystrophy with HLA DRB1 Alleles *Johannes Berger, Hanno Bernheimer, Ingrid Faé, Andreas Braun, Adelbert Roscher, Brunhilde Molzer, and Gottfried Fischer* 447

Mutations of the Transforming Growth Factor-β Type II Receptor Gene and Genomic Instability in Hereditary Nonpolyposis Colorectal Cancer *Shi-Long Lu, Yoshimitsu Akiyama, Hiromi Nagasaki, Kiyoshi Saitoh, and Yasuhito Yuasa* 452

Identification of a Low Specificity, Oxygen, Heme, and Growth Phase-Regulated DNA Binding Activity in *Saccharomyces cerevisiae* *Richard M. Wright, Susan L. Simpson, and Brian D. Lanoil* 458

Monoclonal Antibody against the Polymorphic Site Distinguishes Apolipoprotein E4 from Other Isoforms *Nobuyuki Nukina, Kazuyo Uchida, Terumi Sakamoto, Keiko Ide, and Ichiro Kanazawa* 467

17-β Estradiol Protects Neurons from Oxidative Stress-Induced Cell Death *in Vitro* *Christian Behl, Martina Widmann, Thorsten Trapp, and Florian Holsboer* 473

Establishment of a Monoepoxide (Leukotoxin and Its Isomer) Producing System Using a Hydrogen Peroxide-Generating System *Hirotaro Iwase, Takehiko Takatori, Kazunori Aono, Kimiharu Iwadate, Megumi Takahashi, Makoto Nakajima, and Masataka Nagao* 483

Different Expression of the Myotonin Protein Kinase Gene in Discrete Areas of Human Brain *Massimo Gennarelli, Marco Lucarelli, Giovanni Zelano, Antonio Pizzuti, Giuseppe Novelli, and Bruno Dallapiccola* 489

The Identification and Partial Characterization of a Novel Inducible Extracellular Thermostable Esterase from the Archaeon *Sulfolobus shibatae* *S. Huddleston, C. A. Yallop, and B. M. Charalambous* 495

Lesioned Low-Density Lipoprotein in Atherosclerotic Apolipoprotein E-Deficient Transgenic Mice and in Humans Is Oxidized and Aggregated *Michael Aviram, Irit Maor, Shlomo Keidar, Tony Hayek, Judith Oiknine, Yaron Bar-EL, Zvi Adler, Victor Kertzman, and Simcha Milo* 501

Endothelin-1 Expression by Human Hepatocellular Carcinoma *Siddhartha Kar, Samuel A. Yousem, and Brian I. Carr* 514

Differences in Substrate Specificity between Cdk2-Cyclin A and Cdk2-Cyclin E *in Vitro* *Hideaki Higashi, Ikuko Suzuki-Takahashi, Yoichi Taya, Kaoru Segawa, Susumu Nishimura, and Masatoshi Kitagawa* 520

Molecular Cloning and Characterization of a New Member of the RAC Protein Kinase Family: Association of the Pleckstrin Homology Domain of Three Types of RAC Protein Kinase with Protein Kinase C Subspecies and βγ Subunits of G Proteins *Hiroaki Konishi, Shun'ichi Kuroda, Motonari Tanaka, Hidenori Matsuzaki, Yoshitaka Ono, Kimihiko Kameyama, Tatsuya Haga, and Ushio Kikkawa* 526

Differential Gene Expression of Vascular Natriuretic Peptide Receptor Subtype in Artery and Vein *Takanobu Yoshimoto, Mitsuhide Naruse, Kiyoko Naruse, Kiseko Shionoya, Akiyo Tanabe, Masami Tanaka, Hiromi Hagiwara, Shigehisa Hirose, Takamura Muraki, and Hiroshi Demura* 535

Lineage Switch of a Mouse Pre-B Cell Line (SPGM–1) to Macrophage-like Cells after Incubation with Phorbol Ester and Calcium Ionophore *Torsten Spencker, Detlef Neumann, Andreas Strasser, Klaus Resch, and Michael Martin* 540

The Directed Evolution of Radiation Resistance in *E. coli* *David Ewing* 549

Lactate Production from the Rat Hindlimb Is Increased after Glucose Administration and Is Suppressed by a Selective Amylin Antagonist: Evidence for Action of Endogenous Amylin in Skeletal Muscle *William Vine, Pamela Smith, Robin LaChappell, Timothy J. Rink, and Andrew A. Young* 554

Regulation of the Human Serotonin Transporter by Interleukin-1β *Sammanda Ramamoorthy, Jayanthi D. Ramamoorthy, Puttur D. Prasad, Ganapathy K. Bhat, Virendra B. Mahesh, Frederick H. Leibach, and Vadivel Ganapathy* 560

Cupric Ion Blocks NFκB Activation through Inhibiting the Signal-Induced Phosphorylation of IκBα *Honoo Satake, Kimie Suzuki, Tsutomu Aoki, Masami Otsuka, Yukio Sugiura, Tadashi Yamamoto, and Jun-ichiro Inoue* 568

Midkine Is a Heat and Acid Stable Polypeptide Capable of Enhancing Plasminogen Activator Activity and Neurite Outgrowth Extension *Soichi Kojima, Tatsuya Inui, Hisako Muramatsu, Terutoshi Kimura, Shumpei Sakakibara, and Takashi Muramatsu* 574

NMDA Receptor Subunits ε1 (NR2A) and ε2 (NR2B) Are Substrates for Fyn in the Postsynaptic Density Fraction Isolated from the Rat Brain *Tatsuo Suzuki and Kuniko Okumura-Noji* 582

Vanadate and Bafilomycin A_1 Are Potent Inhibitors of the ATPase Activity of the Reconstituted Bacterial ATP-Binding Cassette Transporter for Maltose ($MalFGK_2$) *Sabine Hunke, Stefan Dröse, and Erwin Schneider* 589

High-Level Expression of the IL-1 Receptor Related T1 Receptor in Insect Cells *Brigitte Rupp, Ute Rößler, Marianne Löwel, and Anne Katrin Werenskiold* 595

Drug-Stimulated ATPase Activity of a Deletion Mutant of the Human Multidrug-Resistance Protein (MDR1) *Ervin Welker, Katalin Szabó, Zsolt Holló, Marianna Müller, Balázs Sarkadi, and András Váradi* 602

The Use of RT-PCR to Distinguish between Plasmid MnSOD Transcripts and Endogenous MnSOD mRNA *Jian-Jian Li, Frederick Domann, and Larry W. Oberley* 610

Novel Phosphorylation at a Mitotic Site, Serine 75, in Human pp60$^{c\text{-}src}$ from Unsynchronized Human Tumor Cells Having a Spherical Morphology *Goro Kato and Shuichiro Maeda* 619

Fine Mapping of *MEP1A*, the Gene Encoding the α Subunit of the Metalloendopeptidase Meprin, to Human Chromosome 6p21 *Weiping Jiang, Georg Dewald, Ellen Brundage, Gabi Mücher, Hans-Ulrich Schildhaus, Klaus Zerres, and Judith S. Bond* 630

Extracellular Nucleotides Increase Cytosolic Free Calcium by Activating P_{2u}-Receptors in Single Human Gastric Mucous Cells *C. Schöfl, L. Rössig, A. von zur Mühlen, W. Beil, J. Jähne, M. P. Manns, and S. Wagner* 636

An A^{el} Allele-Specific Nucleotide Insertion at the Blood Group ABO Locus and Its Detection Using a Sequence-Specific Polymerase Chain Reaction *Martin L. Olsson, Britt Thuresson, and M. Alan Chester* 642

Mutation of the Carboxy Terminal Zinc Finger of *E. coli* Isoleucyl-tRNA Synthetase Alters Zinc Binding and Aminoacylation Activity *Lei Zhou and Paul R. Rosevear* 648

Radiolabeling of Catalytic Subunits of PI 3-Kinases with 17β-Hydroxy-16α-[^{125}I]iodowortmannin: Identification of the Gβγ-Sensitive Isoform as a Complex Composed of 45- and 100-kDa Subunits *Hiroshi Kurosu, Osamu Hazeki, Iwao Kukimoto, Shinobu Honzawa, Masakatsu Shibasaki, Masahisa Nakada, Michio Ui, and Toshiaki Katada* 655

The Bone-Specific Estrogen Centchroman Inhibits Osteoclastic Bone Resorption *in Vitro* *T. J. Hall, H. Nyugen, M. Schaueblin, and B. Fournier* 662

Effect of Protein Kinase and Phosphatase Inhibitors on Expression of Hypoxia-Inducible Factor 1 *Guang L. Wang, Bing-Hua Jiang, and Gregg L. Semenza* 669

Oxygen Regulation of the Cytochrome c Oxidase Subunit VI Gene, COX6, in *Saccharomyces cerevisiae* *Richard M. Wright, Susan L. Simpson, and Brian D. Lanoil* 676

A New Perspective on the Inhibitory Role of Nitric Oxide in Sympathetic Neurotransmission *Heather Macarthur, Michael B. Mattammal, and Thomas C. Westfall* 686

Genotoxicity Induced by Furocoumarin Hydroperoxides in Mammalian Cells upon UVA Irradiation *Marianne Möller, Helga Stopper, Martin Häring, Yvonne Schleger, Bernd Epe, Waldemar Adam, and Chantu R. Saha-Möller* 693

The Role of Iron in Beta Amyloid Toxicity *David Schubert and Mordechai Chevion* 702

Is Polyamine Decrease a Common Feature of Apoptosis? Evidence from γ Rays- and Heat Shock-Induced Cell Death *Emanuela Grassilli, Maria Alfonsina Desiderio, Enrica Bellesia, Paolo Salomoni, Francesca Benatti, and Claudio Franceschi* 708

Stimulation of DNA Polymerase γ Activity by Proliferating Cell Nuclear Antigen *Takahiko Taguchi, Mari Ogihara, Takafumi Maekawa, Fumio Hanaoka, and Munehiko Tanno* 715

Classic Steroid 11β-Hydroxylase Deficiency Caused by a C→G Transversion in Exon 7 of *CYP11B1* *Li-Xia Yang, Katsumi Toda, Kaoru Miyahara, Satoshi Nomoto, Ei-ichi Kinoshita, Tsuneyoshi Baba, Masaaki Yoshimoto, Kumiko Araki, Takanobu Kurashige, Kozo Hashimoto, Saburo Ohnishi, and Yutaka Shizuta* 723

A Sp1 Binding Site in the GC-Rich Region Is Essential for a Core Promoter Activity of the Human Endothelial Nitric Oxide Synthase Gene *Seiichiro Wariishi, Kaoru Miyahara, Katsumi Toda, Shohei Ogoshi, Yoshinori Doi, Saburo Ohnishi, Youji Mitsui, Yoshiki Yui, Chuichi Kawai, and Yutaka Shizuta* 729

ERRATUM
Volume 215, Number 1, October 4, 1995: Shuqin Zong, Maged Yassin, and Tsutomu Tanabe, "G-Protein Modulation of α_{1A} (P/Q) Type Calcium Channel Expressed in GH_3 Cells," pp. 302–308 736

Volume 216, Number 3, November 22, 1995

The Signal Modulator Protein 14-3-3 Is a Target of Sphingosine- or *N,N*-Dimethylsphingosine-Dependent Kinase in 3T3(A31) Cells *Tamar Megidish, Thayer White, Koji Takio, Koiti Titani, Yasuyuki Igarashi, and Senitiroh Hakomori* 739

Effect of Microinjection of RAP 2A Point Mutant Proteins on Maturation and Mottling in *Xenopus* Oocytes *Amancio Carnero and Benilde Jiménez* 748

Altered cAMP Levels in Retinas from Transgenic Mice Expressing a Rhodopsin Mutant *Ellen R. Weiss, Ying Hao, Charlene D. Dickerson, Shoji Osawa, Wen Shi, Lirong Zhang, and Fulton Wong* 755

DBL Expression Driven by the Neuron Specific Enolase Promoter Induces Tumor Formation in Transgenic Mice with a *P53*(+/-) Genetic Background *G. Luca Colucci-D'Amato, Giovanni Santelli, Amelia D'Alessio, Gennaro Chiappetta, Alba Mineo, Giovanni Manzo, Giancarlo Vecchio, and Vittorio de Franciscis* 762

Structural Organization and Chromosomal Localization of the Human Nuclear Gene (NDUFV2) for the 24-kDa Iron–Sulfur Subunit of Complex I in Mitochondrial Respiratory Chain *Nobutaka Hattori, Hiroshi Suzuki, Yimin Wang, Shinsei Minoshima, Nobuyoshi Shimizu, Hiroyo Yoshino, Reiri Kurashima, Masashi Tanaka, Takayuki Ozawa, and Yoshikuni Mizuno* 771

Increased Activity of Porcine Pancreatic Phospholipase A_2 by Designed Long-Range Electrostatic Stabilization of the Transition State *Peter J. Sheffield, K. Mahalingeshwara Bhat, A. Jane Owen, Barry Perry, Ian G. Sumner, and James Warwicker* 778

Fibronectin Binding Domain of *P. gingivalis* Fimbriae *Hakimuddin T. Sojar, Jin-Yong Lee, and Robert J. Genco* 785

Up-Regulation of Glutathione *S*-Transferases Alpha by Interleukin 4 in Human Hepatocytes in Primary Culture *Sophie Langouet, Laurent Corcos, Ziad Abdel-Razzak, Pascal Loyer, Brian Ketterer, and AndréGuillouzo* 793

Detection of High Density Lipoprotein Binding Proteins with a New Method Using Apolipoprotein A1-DNP as a Ligand *Jichun Ma, Tohru Komiya, Mikako Takeshima, and Takayuki Hara* 801

HPLC Analysis of 5-Fu and FdUMP in Tissue and Serum *William R. Wrightson, Steven R. Myers, and Susan Galandiuk* 808

Affinity of *Bandeiraea (Griffonia) simplicifolia* Lectin-I, Isolectin B_4 (BSI-B_4) for Galα1→4Gal Ligand *Albert M. Wu, Shuh-Chyung Song, June H. Wu, and Elvin A. Kabat* 814

A Synthetic Sialic Acid Analog That Is Resistant to the Receptor-Destroying Enzyme Can Be Used by Influenza C Virus as a Receptor Determinant for Infection of Cells *Georg Herrler, Hans-Jürgen Groß, and Reinhard Brossmer* 821

Physical Association of Ras and Cathepsins B and L in the Conditioned Medium of v-Ha-*ras*-Transformed NIH3T3 Cells *Takaki Hiwasa and Eiki Kominami* 828

A Novel Mitochondrial DNA Point Mutation Associated with Mitochondrial Encephalocardiomyopathy *Filippo M. Santorelli, Suk-Chun Mak, Miriam Vàzquez-Acevedo, Adalberto González-Astiazarán, Cecilia Ridaura-Sanz, Diego González-Halphen, and Salvatore DiMauro* 835

Metal Uptake of Recombinant Cambialistic Superoxide Dismutase from *Propionibacterium shermanii* Is Affected by Growth Conditions of Host *Escherichia coli* Cells *Roberta Gabbianelli, Andrea Battistoni, Francesca Polizio, Maria Tesesa Carrì, Angelo De Martino, Beate Meier, Alessandro Desideri, and Giuseppe Rotilio* 841

Dolichyl Phosphate, a Potent Inducer of Apoptosis in Rat Glioma C6 Cells *Etsuko Yasugi, Yoshiko Yokoyama, Yousuke Seyama, Kazutaka Kano, Yokichi Hayashi, and Mieko Oshima* 848

Copper-Induced Lipid Oxidation in Unfractionated Plasma: The Lag Preceding Oxidation as a Measure of Oxidation-Resistance *E. Schnitzer, I. Pinchuk, M. Fainaru, Z. Schafer, and D. Lichtenberg* 854

Overexpression of Prostacyclin Synthase Inhibits Growth of Vascular Smooth Muscle Cells *Shuntaro Hara, Ryuichi Morishita, Yoshinori Tone, Chieko Yokoyama, Hiroyasu Inoue, Yasufumi Kaneda, Toshio Ogihara, and Tadashi Tanabe* 862

Different Effects on the Expression of CYP7 and CYP27 in Rabbit Liver by Cholic Acid and Cholestyramine *Zufan Araya, Helena Sjöberg, and Kjell Wikvall* 868

Biochemical Characterization and Posttranslational Modification of Algu, a Regulator of Stress Response in *Pseudomonas aeruginosa* *M. J. Schurr, H. Yu, J. M. Martinez-Salazar, N. S. Hibler, and V. Deretic* 874

Sequence Analysis of Frog αB-Crystallin cDNa: Sequence Homology and Evolutionary Comparison of αA, αB, and Heat Shock Proteins *Shao-Fan Lu, Fu-Ming Pan, and Shyh-Horng Chiou* 881

Reemergence of the Fetal Pattern of L-Type Calcium Channel Gene Expression in Noninfarcted Myocardium during Left Ventricular Remodeling *Madhavi Gidh-Jain, Boyu Huang, Praveer Jain, Venkat Battula, and Nabil El-Sherif* 892

Isozyme Analysis of Human Normal Polymorphonuclear Leukocyte Phosphofructokinase *Paula Durante R., Xiomara Raliegh, Maria E. Gómez, Gilberto Campos, and Elena Ryder* 898

Identification of a Novel 85-kDa Lipoprotein Lipase Binding Protein on Human Aortic Endothelial Cell Surface *Joachim Wölle, Erika Ferguson, Larry J. Devall, Roger S. Newton, and Uday Saxena* 906

Identification of a Critical Aspartate Residue in Transmembrane Domain Three Necessary for the Binding of Somatostatin to the Somatostatin Receptor SSTR2 *Joann Strnad and John R. Hadcock* 913

Mu Opioid Receptor Gene Expression in Immune Cells *T. K. Chuang, K. F. Killam, Jr., L. F. Chuang, H-f Kung, W. S. Sheng, C. C. Chao, L. Yu, and R. Y. Chuang* 922

Small pH Gradients Inhibit Cytochrome *C* Oxidase: Implications for H^+ Entry to the Binuclear Center *Martyn A. Sharpe, John M. Wrigglesworth, Jerome Loewen, and Peter Nicholls* 931

Identification of the Major Lipoproteins in Crayfish Hemolymph as Proteins Involved in Immune Recognition and Clotting *Martin Hall, Miranda C. van Heusden, and Kenneth Söderhäll* 939

The Liver-Specific Response to Phenobarbital Involves a Transient Increase in Phosphorylation of a 34-kDa Nuclear Protein in Rat Liver and in Hepatocytes in Culture *Georges Baffet and Laurent Corcos* 947

cDNA Cloning and the Identification of an Aggrecanase-like Cleavage Site in Rat Brevican *Hidekazu Yamada, Ken Watanabe, Motoyuki Shimonaka, Motoo Yamasaki, and Yu Yamaguchi* 957

Mitogenic Response to TGF-β in 3T3-F442A Cells *Doo-Il Jeoung, Baiqing Tang, and Martin Sonenberg* 964

Inhibition of the Thiol-Specific Antioxidant Activity of Rat Liver MSP23 Protein by Hemin *Tetsuro Ishii, Tetsuya Kawane, Shigeru Taketani, and Shiro Bannai* 970

Why Is Phosphonodifluoromethyl Phenylalanine a More Potent Inhibitory Moiety Than Phosphonomethyl Phenylalanine toward Protein–Tyrosine Phosphatases? *Li Chen, Li Wu, Akira Otaka, Mark S. Smyth, Peter P. Roller, Terrence R. Burke, Jr., Jeroen den Hertog, and Zhong-Yin Zhang* 976

Cloning of the Gene Encoding a Putative Serine/Threonine Protein Kinase Which Enhances Spermine Uptake in *Saccharomyces cerevisiae* *Yoshimi Kakinuma, Takaharu Maruyama, Takako Nozaki, Yoh Wada, Yoshinori Ohsumi, and Kazuei Igarashi* 985

Glucose-6-Phosphate Dehydrogenase from *Saccharomyces cerevisiae* Is a Glycoprotein *Karen E. Reilly and John B. Allred* 993

Activation of Signal Transducer and Activator of Transcription -3 (STAT3) Expression by Interferon-γ and Interleukin-6 in Hepatoma Cells *Tomasz Kordula, Marcin Bugno, Jason Goldstein, and James Travis* 999

Protective Effect of Coenzyme Q_{10} on Cultured Skeletal Muscle Cell Injury Induced by Continuous Electric Field Stimulation *Tadashi Okamoto, Naoki Kubota, Kazue Takahata, Takayuki Takahashi, Kiyota Goshima, and Takeo Kishi* 1006

Expression of Fungal Mn Peroxidase in *E. coli* and Refolding to Yield Active Enzyme *Ross E. Whitwam, Irina G. Gazarian, and Ming Tien* 1013

A Template for Generation and Comparison of Three-Dimensional Selectin Models *Jürgen Bajorath and Alejandro Aruffo* 1018

Production of a Form-Specific, Inhibitory Antibody against Rat Cytochrome P450 2B1 Using a Synthetic Peptide Antigen against a Putative Substrate Binding Site *Jonathan Charnecki, David Putt, Edward Y. Kim, and Hyesook Kim* 1024

Expression of Protein Kinase C Isozymes That Are Required for Chondrogenesis of Chick Limb Bud Mesenchymal Cells *Bohm Choi, Jang-Soo Chun, Young-Sup Lee, Jong-Kyung Sonn, and Shin-Sung Kang* 1034

Induction of Heat-Shock Proteins and Accumulation of Trehalose by TPN in *Saccharomyces cerevisiae* *Katsuhide Fujita, Hitoshi Iwahashi, Osamu Kodama, and Yasuhiko Komatsu* 1041

Characterization of the Subunit Isoforms of Duck Salt Gland Na/K Adenosine Triphosphatase *Alexander A. Boldyrev, Olga D. Lopina, Mary Kenney, and Peter Johnson* 1048

Topography of the 27- and 31-kDa Electron Transport Proteins in the Onion Root Plasma Membrane *M. C. Córdoba, A. Serrano, F. Córdoba, J. A. González-Reyes, P. Navas, and J. M. Villalba* 1054

Sexually Dimorphic Expression of Pituitary Growth Hormone-Releasing Factor Receptor in the Rat *Masami Ono, Nobuhiro Miki, Yoji Murata, Emiko Osaki, Kaori Tamitsu, Toshiretsu Ri, Masao Yamada, and Hiroshi Demura* 1060

Plant Growth Hormone Kinetin Delays Ageing, Prolongs the Lifespan, and Slows Down Development of the Fruitfly *Zaprionus paravittiger* *Suraj P. Sharma, Parminder Kaur, and Suresh I. S. Rattan* 1067

The GGNG Peptides: Novel Myoactive Peptides Isolated from the Gut and the Whole Body of the Earthworms *T. Oumi, K. Ukena, O. Matsushima, T. Ikeda, T. Fujita, H. Minakata, and K. Nomoto* 1072
Peroxinectin, a Novel Cell Adhesion Protein from Crayfish Blood *Mats W. Johansson, Maria I. Lind, Torbjörn Holmblad, Per-Ove Thörnqvist, and Kenneth Söderhäll* 1079
cDNA Sequence Analysis and Expression of α-Bungarotoxin from Taiwan Banded Krait (*Bungarus multicinctus*) *Kou-Wha Kuo, Yung-Chin Chen, and Chun-Chang Chang* 1088
Properties of D-Hydantoinase from *Agrobacterium tumefaciens* and Its Use for the Preparation of *N*-Carbamyl D-Amino Acids *Don R. Durham and Jennifer E. Weber* 1095
Mouse Rhodanese Gene (*Tst*): cDNA Cloning, Sequencing, and Recombinant Protein Expression *Thomas P. Dooley, Shalini K. Nair, Roy E. Garcia IV, and Bernard C. Courtney* 1101
Formation of Malondialdehyde-Modified 2′-Deoxyguanosinyl Adduct from Metabolism of Chloral Hydrate by Mouse Liver Microsomes *Yi-Chang Ni, Fred F. Kadlubar, and Peter P. Fu* 1110
Author Index for Volume 216 1118

Volume 217, Number 1, December 5, 1995

Characterization and Cloning of the Cathepsin L Proteinases of *Schistosoma japonicum* *Sharon R. Day, John P. Dalton, Karen A. Clough, Lydia Leonardo, Wilfred U. Tiu, and Paul J. Brindley* 1

Immunological and Partial Sequence Identity of Mouse BM180 with Wheat α-Gliadin *Gordon W. Laurie, Paul J. Ciclitira, H. Julia Ellis, and Gabor Pogany* 10

A Novel RNA Splicing Mutation in Japanese Patients with Wilson Disease *Norikazu Shimizu, Chikako Kawase, Hiroki Nakazono, Hiromichi Hemmi, Hiroyuki Shimatake, and Tsugutoshi Aoki* 16

Molecular Characterization of Recombinant Green Fluorescent Protein by Fluorescence Correlation Microscopy *B. R. Terry, E. K. Matthews, and J. Haseloff* 21

22-kDa and 20-kDa hGH Isoforms Show Differential Effects When Assayed in 3T3-F442A and 3T3-F442A/C4 Adipocytes *Enrique Juárez-Aguilar and Federico Castro-Muñozledo* 28

The Number of Nucleotide Binding Sites in Cytochrome C Oxidase *Theophil Rieger, Jörg Napiwotzki, Fritz-Joachim Hüther, and Bernhard Kadenbach* 34

Requirement of ATP Hydrolysis for Assembly of ClpA/ClpP Complex, the ATP-Dependent Protease Ti in *Escherichia coli* *Jae Hong Seol, Kee Min Woo, Man-Sik Kang, Doo Bong Ha, and Chin Ha Chung* 41

Activation of Phospholipase A_2 by the Human Endothelin Receptor in Chinese Hamster Ovary Cells Involves G_i Protein Mediated Calcium Influx *Helen Kruger, Sharon Carr, John C. Brennand, and John S. McLean* 52

Accumulation of Deletions in MtDNA during Tissue Aging: Analysis by Long PCR *Pascal Reynier and Yves Malthiery* 59

A Hydrophobic Region of Ricin A Chain Which May Have a Role in Membrane Translocation Can Function as an Efficient Non-cleaved Signal Peptide *John A. Chaddock, Lynne M. Roberts, Berit Jungnickel, and J. Michael Lord* 68

IL-12 Rescues Galactosamine-Loaded Mice from Lethal Shock Triggered by Staphylococcal Enterotoxin *Ichiro Takahashi, Ichiro Nakagawa, Lihua Xu, and Shigeyuki Hamada* 74

A Lipid Droplet-Specific Capsule Is Present in Rat Adrenal Cells: Evidence from a Monoclonal Antibody *Seu-Mei Wang and Tsorng-Harn Fong* 81

A Nonsense Mutation of the Ceruloplasmin Gene in Hereditary Ceruloplasmin Deficiency with Diabetes Mellitus *Makoto Daimon, Takeo Kato, Toru Kawanami, Makoto Tominaga, Masahiko Igarashi, Keiichi Yamatani, and Hideo Sasaki* 89

Nitric Oxide Production by Lymphatic Endothelial Cells *in Vitro* *L. V. Leak, J. L. Cadet, C. P. Griffin, and K. Richardson* 96

Transcriptional Expression of Mannose Receptor Gene during Differentiation of Human Macrophages *Florence Rouleux-Bonnin, Michel Monsigny, and Alain Legrand* 106

Regulatory Elements in the Promoter Region of the Renal Kallikrein Gene in Normotensive vs Hypertensive Rats *Cindy Wang, Yin-Peng Chen, Lee Chao, and Julie Chao* 113 ζPKC in Rat Preadipocytes: Modulation by Insulin and Serum Mitogenic Factors and Possible Role in Adipogenesis *Danièle Lacasa, Brigitte Agli, and Yves Giudicelli* 123

Identification of a Rapidly Dephosphorylating 95-kDa Protein as Elongation Factor 2 during 8-Br-cAMP Treatment of N1E115 Neuroblastoma Cells *Hua Li, Hao-Chia Chen, and Freesia L. Huang* 131

Expression of GM-CSF and a Functional GM-CSF Receptor in the Human Colon Carcinoma Cell Line SW403 *Thomas Hirsch, Stefan Eggstein, Sabine Frank, Eduard Heinrich Farthmann, and Bernd-Ulrich v. Specht* 138

Effect of Polycation Peptides on Mitochondrial Permeability Transition *M. P. Rigobello, E. Barzon, O. Marin, and A. Bindoli* 144

The Yeast *YBR235W* Gene Encodes a Homolog of the Mammalian Electroneutral Na^+-(K^+)-Cl^- Cotransporter Family *Bruno André and Bart Scherens* 150

Expression of PTP35, the Murine Homologue of the Protein Tyrosine Phosphatase-Related Sequence IA-2, Is Regulated during Cell Growth and Stimulated by Mitogens in 3T3 Fibroblasts *Giovanni Magistrelli, Nevie Covini, Monica Mosca, Guido Lippoli, and Antonella Isacchi* 154

A New Selenoprotein Found in the Glandular Epithelial Cells of the Rat Prostate *Margrit Kalcklösch, Antonios Kyriakopoulos, Christian Hammel, and Dietrich Behne* 162

Recognition of Human Recombinant Myelin Associated Glycoprotein by Anti-carbohydrate Antibodies of the L2/HNK-1 Family *Mei Bigliardi-Qi, Guido C. Miescher, and Andreas J. Steck* 171

Short-Chain Phospholipids Enhance Amphipathic Peptide-Mediated Gene Transfer *Jean-Yves Legendre and Andreas Supersaxo* 179

Inhibition of Replication Initiation by Triple Helix-Forming Oligonucleotides *Anne-Laure Guieysse, Danièle Praseuth, Jean-Christophe Francois, and Claude Helene* 186

Deletion and Transfection Analysis of the P15/MTS2 Gene in Malignant Gliomas *Mirna Teñan, Sara Benedetti, and Gaetano Finocchiaro* 195

Phospholipase A_2-Activating Peptide Induced Contraction of Smooth Muscle Is Mediated by Protein Kinase C–MAP Kinase Cascade *Hirotaka Yamada and Khalil N. Bitar* 203

Adrenomedullin Induces Expression of c-*fos* and AP-1 Activity in Rat Vascular Smooth Muscle Cells and Cardiomyocytes *Atsuhisa Sato and Dominic J. Autelitano* 211

Preferential Interaction of Sec-G with Sec-E Stabilizes an Unstable Sec-E Derivative in the *Escherichia coli* Cytoplasmic Membrane *Ken-ichi Nishiyama, Shoji Mizushima, and Hajime Tokuda* 217

Ligand-Activated Platelet-Derived Growth Factor β-Receptor Is Degraded through Proteasome-Dependent Proteolytic Pathway *Seijiro Mori, Harumi Kanaki, Keiji Tanaka, Nobuhiro Morisaki, and Yasushi Saito* 224

Thrombopoietin Induces Tyrosine Phosphorylation and Activation of Mitogen-Activated Protein Kinases in a Human Thrombopoietin-Dependent Cell Line *Minami Yamada, Norio Komatsu, Koji Okada, Takashi Kato, Hiroshi Miyazaki, and Yasusada Miura* 230

Molecular Cloning and Gene Mapping of Human Basic and Acidic Calponins *Motofumi Maguchi, Wataru Nishida, Katuhiko Kohara, Akira Kuwano, Ikuko Kondo, and Kunio Hiwada* 238

Farnesyl-Derived Inhibitors of *ras* Farnesyl Transferase *Mohinder S. Kang, David M. Stemerick, John H. Zwolshen, Brenda S. Harry, Prasad S. Sunkara, and Boyd L. Harrison* 245

Insulin Decreases the Glycogen Synthase Kinase-3α mRNA Levels by Altering Its Stability in Streptozotocin-Induced Diabetic Rat Liver *P. Venkata Rao, Subbiah Pugazhenthi, and Ramji L. Khandelwal* 250

Amino Acid Sequence Analysis of Human S100A7 (Psoriasin) by Tandem Mass Spectrometry *Daniel M. Bürgisser, Georges Siegenthaler, Thomas Kuster, Ulf Hellman, Peter Hunziker, Neil Birchler, and Claus W. Heizmann* 257

Sequential Analysis of Gene Expression after an Osteogenic Stimulus: c-*fos* Expression Is Induced in Osteocytes *T. Inaoka, J. M. Lean, T. Bessho, J. W. M. Chow, A. Mackay, T. Kokubo, and T. J. Chambers* 264

Differential Expression of Transforming Growth Factor-α and Epidermal Growth Factor during Postnatal Development of Rat Submandibular Gland *Makio Mogi, Sachiko Matsuura, Kazuo Suzuki, Hirofumi Inagaki, Masayasu Minami, Kohichi Kojima, and Minoru Harada* 271

Advanced Glycation End Products Stimulate Plasminogen Activator Activity via GM-CSF in Raw 264.7 Cells *Tetsushi Saishoji, Takayuki Higashi, Kazuyoshi Ikeda, Hiroyuki Sano, Yoshiteru Jinnouchi, Michio Ogawa, and Seikoh Horiuchi* 278

The Ca^{2+}-Dependent Activation by Fluoride of Human Red Cell Membrane Sodium Permeability: Evidence for a Chemically Activated Tetrodotoxin-Sensitive Na^{+} Channel *Ľudovit Varečka, Elena Peterajová, and Juraj Ševčík* 286

Galectin-3 Is a Nuclear Matrix Protein Which Binds RNA *Li Wang, Hidenori Inohara, Kenneth J. Pienta, and Avraham Raz* 292

cDNA Sequence Analysis of the Human Brain Insulin Receptor *Kathleen A. Kenner, Jyotirmoy Kusari, and Kim A. Heidenreich* 304

Cell Cycle Phase-Dependent Changes of Localization and Oligomerization States of Nucleophosmin / B23 *Ya-Hui Chou and Benjamin Yat Ming Yung* 313

Inhibition of Angiogenesis by Thrombospondin-2 *Olga V. Volpert, Sara S. Tolsma, Sylvie Pellerin, Jean-Jacques Feige, Hui Chen, Deane F. Mosher, and Noël Bouck* 326

The Region 3′ to the Major Transcriptional Start Site of the MDR1 Downstream Promoter Mediates Activation by a Subset of Mutant P53 Proteins *Bryan E. Strauss and Martin Haas* 333

The Cysteine-Rich Region of Dipeptidyl Peptidase IV (CD 26) Is the Collagen-Binding Site *K. Löster, K. Zeilinger, D. Schuppan, and W. Reutter* 341

Detection of Growth Hormone Receptor mRNA in an Ovine Choroid Plexus Epithelium Cell Line *Madeleine Thörnwall, Vijay Chhajlani, Pierre Le Grevès, and Fred Nyberg* 349

Truncation of the Receptor Carboxyl Terminus Impairs Membrane Signaling but Not Ligand Binding of Human ET$_{B}$ Endothelin Receptor *Taka-aki Koshimizu, Gozolh Tsujimoto, Kageyoshi Ono, Tomoh Masaki, and Aiji Sakamoto* 354

Stimulation of Glyceraldehyde-3-phosphate Dehydrogenase mRNA Levels by Endogenous Nitric Oxide in Cytokine-Activated Endothelium *Joanna Bereta and Michal Bereta* 363

cDNA Cloning and Functional Characterization of Rat Intestinal Monocarboxylate Transporter *Hitomi Takanaga, Ikumi Tamai, Shin-ichi Inaba, Yoshimichi Sai, Haruhiro Higashida, Hiroshi Yamamoto, and Akira Tsuji* 370

Association of Estrogen Receptor Dinucleotide Repeat Polymorphism with Osteoporosis *Michio Sano, Satoshi Inoue, Takayuki Hosoi, Yasuyoshi Ouchi, Mitsuru Emi, Masataka Shiraki, and Hajime Orimo* 378

Volume 217, Number 2, December 14, 1995

Quantitation of APC mRNA in Human Tissues *Margaret Schnitzler, Trisha Dwight, Debbie J. Marsh, Elizabeth J. Gaskin, Bruce G. Robinson* 385

Efficient Regulation of Gene Expression by Adenovirus Vector-Mediated Delivery of the CRE Recombinase *Katsunaga Sakai, Kohnosuke Mitani, and Jun-ichi Miyazaki* 393

Galectin-3 Binding Potentials of Mouse Tumor EHS and Human Placental Laminins *Josiah Ochieng and Paula Warfield* 402

Characterization of a Specific Monoclonal Antibody 9F5-3a and the Development of Assay System for Oxidized HDL *Takanori Nakajima, Yoshikatsu Sakagishi, Tomoyoshi Katahira, Atsuo Nagata, Toyoyasu Kuwae, Hiroaki Nakamura, Ikuo Inoue, Keiichi Takahashi, Shigehiro Katayama, and Tsugikazu Komoda* 407

Epidermal Growth Factor Regulates Expression of the Mucous Phenotype of Rat Tracheal Epithelial Cells *Karen Guzman, Scott H. Randell, and Paul Nettesheim* 412

Distinct Phosphorylation Sites Differentially Influence Facilitated Transport of an NLS-Protein and Its Subsequent Intranuclear Binding *Ivana Vancurova, Jana Jochova-Rupes, Willard Lou, and Philip L. Paine* 419

Characterization of Chimeric Heme-Copper Respiratory Oxidases Using Subunits I of *Escherichia coli* Cytochrome *b o* and *Halobacterium salinarium* Cytochrome aa_3 *Kimitoshi Denda, Tatsuhi Mogi, Yasuhiro Anraku, Tateo Yamanaka, and Yoshihiro Fukumori* 428

Inhibition of Bovine β-Trypsin by the Active Site Titrant N^{α}-(*N*, *N*-Dimethylcarbamoyl)-α-azaornithine *p*-Nitrophenyl Ester: A Kinetic and X-Ray Crystallographic Study *Paolo Ascenzi, Gianni Balliano, Paola Milla, Raffaella Ferraccioli, Patrizia Sartori, Kristina Djinovic-Carugo, and Martino Bolognesi* 437

Endothelin-1 Induces Rapid and Long Lasting Internalization of the Thrombin Receptor in Human Glomerular Epithelial Cells *Xin Chen, Jeannig Berrou, Genevieve Nguyen, Jean-Daniel Sraer, and Eric Rondeau* 445

ρB-Crystallin, an Aldose Reductase-like Lens Protein in the Gecko *Lepidodactylus lugubris* *Beate Röll, Martinus A. M. van Boekel, Reinout Amons, and Wilfried W. de Jong* 452

Stimulation of Protein Kinase C Activity by Compactin in Vascular Smooth Muscle Cells *Norbert Latruffe, Daniel Boscoboinik, and Angelo Azzi* 459

Direct Binding of F Actin to the Cytoplasmic Domain of the α2 Integrin Chain *in Vitro* *J. David Kieffer, George Plopper, Donald E. Ingber, John H. Hartwig, and Thomas S. Kupper* 466

Constitutive Expression of the Thrombopoietin Gene in a Human Hepatoma Cell Line *Masayuki Hino, Yoshiki Nishizawa, Shinichi Tagawa, Takahisa Yamane, Hirotoshi Morii, and Noriyuki Tatsumi* 475

Functional Expression of Two Forms of Rat Acyl-CoA Oxidase and Their Substrate Specificities *Chiaki Setoyama, Haruhiko Tamaoki, Yasuzo Nishina, Kiyoshi Shiga, and Retsu Miura* 482

PD 90780, a Nonpeptide Inhibitor of Nerve Growth Factor's Binding to the P75 NGF Receptor *Katharyn Spiegel, Dimitris Agrafiotis, Bradley Caprathe, Robert E. Davis, Melvin R. Dickerson, James H. Fergus, Timothy W. Hepburn, James S. Marks, Martin Van Dorf, Donald M. Wieland, and Juan C. Jaen* 488

Downregulation of Prohormone Convertase-1 by a Phorbol Ester *Vidyavathi Udupi, Courtney M. Townsend, Jr., Guillermo Gomez, Tao Zhang, and George H. Greeley, Jr.* 495

The Transformation of C-Jun-Overexpressing Cells Is Correlated with IGFS-Induced C-Jun Phosphorylation *S. Lagarrigue, C. Heberden, P. Martel, and I. Gaillard-Sanchez* 501

Binding of Adenylate Kinase to RNA *Uwe Schlattner, Edgar Wagner, Hubert Greppin, and Marc Bonzon* 509

Nitric Oxide Contributes to Tissue Injury in Mercuric Chloride-Induced Autoimmunity *R. G. Woolfson, F. J. Qasim, S. Thiru, D. B. G. Oliveira, G. H. Neild, and P. W. Mathieson* 515

Nucleotide Sequences and the Molecular Evolution of the *DMA* and *DMB* Genes of the Bovine Major Histocompatibility Complex *Masashi Niimi, Yutaka Nakai, and Yoko Aida* 522

Possible Involvement of Ubiquitination in Neurofilament Degradation *Jean-Philippe Gou and Jean-François Leterrier* 529

N23K, A Gene Transiently Up-Regulated during Neural Differentiation, Encodes a Precursor Protein for a Newly Identified Neuropeptide Nociceptin *Yumiko Saito, Kei Maruyama, Takaomi C. Saido, and Seiichi Kawashima* 539

Differential Expression of Five Protein Kinase C Isoenzymes in FAO and HEPG2 Hepatoma Cell Lines Compared with Normal Rat Hepatocytes *Laurent Ducher, Frédéric Croquet, Sophie Gil, Jean Davy, Jeanne Féger, and Arlette Bréhier* 546

Differential Distribution of Heterogeneous Nuclear Ribonucleoproteins in Rat Tissues *Magdalena Faura, Jaime Renau-Piqueras, Oriol Bachs, and Ramon Bosser* 554

D-Glucose Metabolism in Cross-Linked Pancreatic Islets *C. Vanhoutte, F. Malaisse-Lagae, and W. J. Malaisse* 561

Calmodulin Is Involved in the Induction of DNA Polymerases α and δ Activities in Normal Rat Kidney Cells Activated to Proliferate *Antònia López-Girona, Oriol Bachs, and Neus Agell* 566

The Pulmonary Epithelial Cell Line L 2 as a New Model for an Inducible Nitric Oxide Synthase Expressing Distal Airway Epithelial Cell *G. Hoffmann, J. Grote, F. Friedrich, N. Mutz, and W. Schobersberger* 575

Nitric Oxide (Nitrogen Monoxide, NO) Stimulates Insulin Secretion by Inducing Calcium Release from Mitochondria *Renato Laffranchi, Vladimir Gogvadze, Christoph Richter, and Giatgen A. Spinas* 584

Effects of Nucleotide on Skeletal Muscle Myosin Unfolding in Myofibrils by DSC *D. Lőrinczy and J. Belagyi* 592

The Loss of 40-kDa Chromosomal Protein in Tuberous Sclerosis Lesions *Mari Wataya-Kaneda, Koji Hashimoto, Kunihiko Yoshikawa, and Yasufumi Kaneda* 599

The Association of the C-Terminal Region of β1ΣII Spectrin to Brain Membranes Is Mediated by a pH Domain, Does Not Require Membrane Proteins, and Coincides with a Inositol-1,4,5 Trisphosphate Binding Site *Deng-Shun Wang and Gerry Shaw* 608

Allosteric Activation of Rabbit Reticulocyte Guanine Nucleotide Exchange Factor Activity by Sugar Phosphates and Inositol Phosphates *Lalit P. Singh and Albert J. Wahba* 616

Procathepsin L Degrades Extracellular Matrix Proteins in the Presence of Glycosaminoglycans *in Vitro* *Kazumi Ishidoh and Eiki Kominami* 624

Determination of *N*-Myristoyl Peptide Sequence Both by Maldi TOF Mass and with an *N*-Myristoyl Cleaving Enzyme (Polymyxin Acylase) *Shogo Misumi, Mitsutoshi Tsuruta, Kazuchika Furuishi, and Shozo Shoji* 632

Pulsating Fluid Flow Increases Nitric Oxide (NO) Synthesis by Osteocytes but Not Periosteal Fibroblasts—Correlation with Prostaglandin Upregulation *J. Klein-Nulend, C. M. Semeins, N. E. Ajubi, P. J. Nijweide, and E. H. Burger* 640

Elevated Calcium Level Induces Calcium-Dependent Proteolysis of A-CAM (*N*-Cadherin) in Heart—Analysis by Detergent-Treated Model *Naoyuki Sato, Yasushi Fujio, Fumiko Yamada-Honda, Hiroko Funai, Akira Wada, Seiichi Kawashima, Nobuhisa Awata, and Nobuhiko Shibata* 649

Activation of Protein Kinase C by Oxidized Diacylglycerols *Susumu Takekoshi, Yasuhiro Kambayashi, Hidetaka Nagata, Tetsuo Takagi, Yorihiro Yamamoto, and Keiichi Watanabe* 654

Molecular Cloning of a Novel Macrophage Maturation-Associated Transcript Encoding a Protein with Several Potential Transmembrane Domains *Michael Rehli, Stefan W. Krause, Lucia Schwarzfischer, Marina Kreutz, and Reinhard Andreesen* 661

Age-Associated Changes of Mitochondrial Translation and Respiratory Function in Mouse Brain *Daisaku Takai, Kimiko Inoue, Hayase Shisa, Yasuo Kagawa, and Jun-Ichi Hayashi* 668

Expression of Recombinant Human MET-ASE-1: A NK Cell-Specific Granzyme *Mark J. Smyth, Michael D. O'Connor, Janice M. Kelly, Pangayachelvi Ganesvaran, Kevin Y. T. Thia, and Joseph A. Trapani* 675

The *lumQ* Gene Is Linked to the *lumP* Gene and the *lux* Operon in *Photobacterium leiognathi* *Juey-Wen Lin, Kuei-Ying Yu, Yuh-Fen Chao, and Shu-Fen Weng* 684

Developmental and Tissue Distribution of Expression of Nonmuscle and Smooth Muscle Isoforms of Myosin Light Chain Kinase *Steven A. Fisher and Mitsuo Ikebe* 696

Volume 217, Number 3, December 26, 1995

Functional Characterization of the Promoter Region of the Human Phospholipid Transfer Protein Gene *An-Yue Tu, Gertrud Wolfbauer, and John J. Albers* 705

Human Papillomavirus 11 E5A Delays the Growth Restriction Induced by Temperature Shift in Temperature-Sensitive Simian Virus 40 T Antigen-Immortalized Keratinocytes *Yeou-Ping Tsao, Shu-Wen Kuo, Shu-Fang Li, Tzung-Chieh Tsai, Long-Yuan Li, and Show-Li Chen* 712

Melanoma Cell Lines Express VEGF Receptor KDR and Respond to Exogenously Added VEGF *Bo Liu, Helena M. Earl, Dilair Baban, Mahmood Shoaibi, Angels Fabra, David J. Kerr, and Leonard W. Seymour* 721

Inhibitors of Farnesyltransferase and Ras Processing Peptidase *Clifford C. Hall, John D. Watkins, Stephen B. Ferguson, Louise H. Foley, and Nafsika H. Georgopapadakou* 728

Biosynthesis of the So-Called "a" and "Asialo" Pathway Glycosphingolipids Is Differentially Regulated in Murine Myelogenous Leukemia NFS60 Cells *Mitsuru Nakamura, Takao Sakai, Yusuke Furukawa, Seiichi Kitagawa, Kumi Sakoe, and Atsuko Tsunoda* 733

Lipid Peroxidation Product, 4-Hydroxynonenal and Its Conjugate with GSH Are Excellent Substrates of Bovine Lens Aldose Reductase *Sanjay Srivastava, Animesh Chandra, Aruni Bhatnagar, Satish K. Srivastava, and Naseem H. Ansari* 741

Differential Phospholipid-Labeling Suggests Two Subtypes of Phospholipase D in Rat Leydig Cells *Lotte Lauritzen and Harald S. Hansen* 747

The Experimental Hardness and Electronegativity of the Purines and Pyrimidines in DNA and RNA Supported by the AM1 Calculation of the Electron Affinities and Ionization Potentials *Qi Zhang and E. C. M. Chen* 755

Endosomolytic Activity of Cationic Liposomes Enhances the Delivery of Human Immunodeficiency Virus-1 Trans-activator Protein (TAT) to Mammalian Cells *Leaf Huang, Hassan Farhood, Natalya Serbina, Annette G. Teepe, and James Barsoum* 761

GM1492 Human Diploid Skin Fibroblasts Lack the p53-Dependent G1 Cell-Cycle Checkpoint *Theo van Laar, Wilma T. Steegenga, A. G. Jochemsen, Carrol Terleth, and Alex J. van der Eb* 769

Purification of an α-2,8-Sialyltransferase, a Potential Initiating Enzyme for the Biosynthesis of Polysialic Acid in Human Neuroblastoma Cells *Lidia I. Stoykova and Mary Catherine Glick* 777

E-Selectin Gene Induction by Ionizing Radiation Is Independent of Cytokine Induction *Dennis Hallahan, Elizabeth Talley Clark, Jaya Kuchibhotla, Bruce L. Gewertz, and Tucker Collins* 784

Increase in Osmotolerance of *Rhizobium fredii* Soybean Isolate *BD32* by the *proB proA* Operon of *Escherichia coli* *Leonid V. Neumivakin, Vladimir P. Solovjev, Ashrafaddin Sokhansanj, Vladimir A. Tilba, Nikola A. Moseiko, Rusana V. Shachbasian, and Eleonora S. Piruzian* 796

Characterization of the DNA-Binding Activity of HIV-1 Integrase Using a Filter Binding Assay *Ida R. Haugan, Bente M. Nilsen, Steve Worland, Litta Olsen, and Dag E. Helland* 802

Lysophosphatidylcholine Inhibits NMDA-Induced Currents by a Mechanism Independent of Phospholipase A_2-Mediated Protein Kinase C Activation in Hippocampal Glial Cells *Youji Ikeuchi, Tomoyuki Nishizaki, and Toshiyuki Matsuoka* 811

Bronchial Epithelial Cells of Atopic Patients with Asthma Lack the Ability to Inactivate Allergens *Luca Mori, John Kleimberg, Carlo Mancini, Alberto Bellini, Maurizio Marini, and Sabrina Mattoli* 817

The MDR1 Downstream Promoter Contains Sequence-Specific Binding Sites for Wild-Type p53 *Bryan E. Strauss, Chittari Shivakumar, Swati P. Deb, Sumitra Deb, and Martin Haas* 825

Identification of an Orphan Receptor Gene as a Type 1 Calcitonin Gene-Related Peptide Receptor *Supriya Kapas and Adrian J. L. Clark* 832

Ubiquitin Gene Expression in Skeletal Muscle Is Increased during Sepsis: Involvement of TNF-α but Not IL-1 *Cèlia García-Martínez, Marta Llovera, Neus Agell, Francisco J. López-Soriano, and Josep M. Argilés* 839

Isolation of AF2 (KHEYLRFamide) from *Caenorhabiditis elegans*: Evidence for the Presence of More Than One FMRFamide-Related Peptide-Encoding Gene *N. J. Marks, C. Shaw, A. G. Maule, J. P. Davis, D. W. Halton, P. Verhaert, T. G. Geary, and D. P. Thompson* 845

Glycolipid Acceptor Specificity of a Human Galβ(1-3/1-4) GlcNAc α2,3-Sialyltransferase *Daisei Miyamoto, Sachiko Takashima, Takashi Suzuki, Tatsunari Nishi, Katsutoshi Sasaki, Yoshikazu Morishita, and Yasuo Suzuki* 852

Structures Stabilizing the Dimer Interface on Human 11β-Hydroxysteroid Dehydrogenase Types 1 and 2 and Human 15-Hydroxyprostaglandin Dehydrogenase and Their Homologs *Igor Tsigelny and Michael E. Baker* 859

Multivalent Binding of Complement Protein C1q to the Amyloid β-Peptide (Aβ) Promotes the Nucleation Phase of Aβ Aggregation *Scott Webster, Charles Glabe, and Joseph Rogers* 869

Molecular Analysis of Ras Activation by Tyrosine Phosphorylated Vav *E. Gulbins, K. Schlottmann, B. Brenner, F. Lang, and K. M. Coggeshall* 876

Effect of Different Solubilizing Agents on the Aggregation State and Catalytic Activity of Two Purified Rabbit Cytochrome P450 Isozymes, CYP1A2 (LM4) and CYP2B4 (LM2)
Rosa I. Viner, Kirill N. Novikov, Vladimir B. Ritov, Valerian E. Kagan, and Michail A. Alterman 886

Agents That Elevate cAMP Inhibit Human Neutrophil Apoptosis
A. G. Rossi, J. M. Cousin, I. Dransfield, M. F. Lawson, E. R. Chilvers, and C. Haslett 892

Thioredoxin-Linked Peroxidase from Human Red Blood Cell: Evidence for the Existence of Thioredoxin and Thioredoxin Reductase in Human Red Blood Cell
Mee-Kyung Cha and Il-Han Kim 900

The Mechanism of Sphingosine Enhancement of Phorbol Ester-Mediated Phospholipase D Activation in Lymphocytes *Yu-Zhang Cao, Andrea M. Mastro, Mary Lou Eskew, George Hildenbrandt, Padala V. Reddy, and C. Channa Reddy* 908

Cyclic AMP Phosphodiesterases of Human and Rat Islets of Langerhans: Contributions of Types III and IV to the Modulation of Insulin Secretion *Janice C. Parker, Maria A. VanVolkenburg, Robert J. Ketchum, Kenneth L. Brayman, and Kim M. Andrews* 916

Survival of F-Reticulocytes in Sickle Cell Disease
Kazumi Horiuchi, Melissa L. Osterhout, and Kwaku Ohene-Frempong 924

Reducing PIP_2 Hydrolysis, $Ins(1,4,5)P_3$ Receptor Availability, or Calcium Gradients Inhibits Progesterone-Stimulated *Xenopus* Oocyte Maturation
Jin-Kwan Han and Sung-Kuk Lee 931

Sequence Analysis of One Major Basic β-Crystallin (βBp) of Amphibian Lenses: Evolutionary Comparison and Phylogenetic Relatedness between β- and γ-Crystallins
Fu-Ming Pan, Wen-Chang Chang, Shao-Fan Lu, Ao-Lin Hsu, and Shyh-Horng Chiou 940

Differences in Stability of Recombinant Apoaequorin within Subcellular Compartments
M. N. Badminton, G. B. Sala-Newby, J. M. Kendall, and A. K. Campbell 950

Activity of the Bifunctional Protein 4a-Hydroxy-Tetrahydropterin Dehydratase/DCoH during Human Fetal Development: Correlation with Dihydropteridine Reductase Activity and Tetrahydrobiopterin Levels *Igor Rebrin, Steven W. Bailey, and June E. Ayling* 958

Induction of Rat Hepatic Cytochrome P450 Enzymes by Myristicin
Hye Gwang Jeong and Chul-Ho Yun 966

Chlorogenic Acid as a Natural Scavenger for Hypochlorous Acid
Yasuhisa Kono, Hitoshi Shibata, Yasuko Kodama, Akane Ueda, and Yoshihiro Sawa 972

Heterotetramer Formation of Prenylated *Rab*3A with Two Rabphilin-3A Molecules
Kazuo Takahashi, Takuya Sasaki, and Yoshimi Takai 979

Genomic DNA Organization of Human Mitochondrial Very-Long-Chain Acyl-CoA Dehydrogenase and Mutation Analysis *Koji O. Orii, Toshifumi Aoyama, Masayoshi Souri, Kenji E. Orii, Naomi Kondo, Tadao Orii, and Takashi Hashimoto* 987

A New Type Soluble Guanylyl Cyclase, Which Contains a Kinase-like Domain: Its Structure and Expression *Masayasu Kojima, Kazuhiro Hisaki, Hisayuki Matsuo, and Kenji Kangawa* 993

Establishment of Immortal Hepatocytes from a CYP3A7-Transgenic/p53-Knockout Mouse
Miyuki Shimoji, Kiyomi Hattori, Susumu Itoh, Kazuo Nakayama, Motoya Katsuki, Shinichi Aizawa, Tsuyoshi Yokoi, and Tetsuya Kamataki 1001

Mucin Genes Are Regulated by Estrogen and Dexamethasone
Edith G. Gollub, Howard Waksman, Satindra Goswami, and Zvi Marom 1006

Rat PPARδ Contains a CGG Triplet Repeat and Is Prominently Expressed in the Thalamic Nuclei
Guoqiang Xing, Lixin Zhang, Lei Zhang, Terri Heynen, Takeo Yoshikawa, Mark Smith, Susan Weiss, and Sevilla Detera-Wadleigh 1015

Endogenous Retinoids in the Early Avian Embryo *Ding Dong and Maija H. Zile* 1026

Activation by Heat Shock of hsp70 Gene Transcription in Sea Urchin Embryos
Gabriella Sconzo, Maria Grazia Ferraro, Gabriele Amore, Giovanni Giudice, Domenico Cascino, and Giuseppe Scardina 1032

pp60^{c-src} Increases Voltage-Operated Calcium Channel Currents in Vascular Smooth Muscle Cells
S. Wijetunge and A. D. Hughes 1039

Characterization of a Protein That Binds a Negative Regulatory Element in the Mammary-Specific Whey Acidic Protein Promoter *Andreas F. Kolb, Richard Albang, Gottfried Brem, Volker Erfle, Walter H. Günzburg, and Brian Salmons* 1045

Molecular Cloning of an Isoform of Doc2 Having Two C2-like Domains
Gaku Sakaguchi, Satoshi Orita, Miki Maeda, Hisanaga Igarashi, and Yoshimi Takai 1053

Induction of Tyrosine Phosphorylation and Translocation of Ezrin by Hepatocyte Growth Factor/Scatter Factor (HGF/SF) *W. G. Jiang, S. Hiscox, S. K. Singhrao, M. C. A. Puntis, T. Nakamura, R. E. Mansel, and M. B. Hallett* 1062

Lactacystin, a Specific Inhibitor of the Proteasome, Induces Apoptosis in Human Monoblast U937 Cells *Shinobu Imajoh-Ohmi, Tomoko Kawaguchi, Shinji Sugiyama, Keiji Tanaka, Satoshi Ōmura, and Hidehiko Kikuchi* 1070

Molecular Cloning and Expression of a Guinea Pig 3-Hydroxysteroid Sulfotransferase Distinct from Chiral-Specific 3α-Hydroxysteroid Sulfotransferase
Nga X. Luu, William J. Driscoll, Brian M. Martin, and Charles A. Strott 1078

Thyroid Hormone Regulation of Gene Expression of the Pituitary Growth Hormone-Releasing Factor Receptor *Nobuhiro Miki, Masami Ono, Yoji Murata, Emiko Ohsaki, Kaori Tamitsu, Toshiretsu Ri, Hiroshi Demura, and Masao Yamada* 1087

mt-mRNA Stability Regulates the Expression of the Mitochondrial Genome during Liver Development *L. K. Ostronoff, J. M. Izquierdo, and J. M. Cuezva* 1094

(Ca+Mg)ATPase and Calcium Influx in Erythrocytes of Patients with Idiopathic Hypercalciuria
Giuseppe Vezzoli, Maria Cristina Reina, Simona Zerbi, Renato Spaventa, Laura Soldati, Daniele Cusi, and Giuseppe Bianchi 1099

Down-regulation by Progesterone of CFTR Expression in Endometrial Epithelial Cells: A Study by Competitive RT-PCR *Angélique Mularoni, Laurent Beck, Rabia Sadir, Gérard L. Adessi, and Monique Nicollier* 1105

Molecular Cloning of a Novel High Molecular Weight Mucin (MG1) from Human Sublingual Gland *Robert F. Troxler, Gwynneth D. Offner, Fan Zhang, Iveta Iontcheva, and Frank G. Oppenheim* 1112

Polyprotein Processing in Echovirus 22 (EV22): A First Assessment
Tina Schultheiß, Suzanne U. Emerson, Robert H. Purcell, and Verena Gauss-Müller 1120

A Serum Mannose-Binding Lectin Mediates Complement-Dependent Lysis of Influenza Virus-Infected Cells *Patrick C. Reading, Carol A. Hartley, R. Alan B. Ezekowitz, and E. Margot Anders* 1128

cDNA Cloning of Three New Forms of Rat Brain Cytochrome P450 Belonging to the CYP4F Subfamily *Hidenori Kawashima and Henry W. Strobel* 1137

The L-Selectin Antibody FMC46 Mediates Rapid, Transient Increase in Intracellular Calcium in Human Peripheral Blood Mononuclear Cells and Daudi Lymphoma Cells
John L. Po, Bruce Mazer, and Gitte S. Jensen 1145

Nonideality of Water–Hexafluoropropanol Mixtures as Studied by X-Ray Small Angle Scattering
Sergei Kuprin, Astrid Gräslund, Anders Ehrenberg, and Michel H. J. Koch 1151

A Novel Mutation Substituting Tryptophan with Arginine in the Carboxyl-Terminal, Non-collagenous Domain of Collagen X in a Case of Schmid Metaphyseal Chondrodysplasia
Rohit Kumar Pokharel, Haryanto Alimsardjono, Koki Uno, Shoji Fujii, Ryoichi Shiba, and Masafumi Matsuo 1157

Activation of Calcium-Sensitive Potassium Channels in L6 Skeletal Myocytes by Arginine Vasopressin Requires Extracellular Calcium *M. Gosling, J. W. Smith, and D. R. Poyner* 1163

Tumorigenicity and Gene Amplification Potentials of Cyclin D1-Overexpressing NIH3T3 Cells *Koji Asano, Hiromi Sakamoto, Hiroki Sasaki, Takahiro Ochiya, Teruhiko Yoshida, Yukihiko Ohishi, Toyohei Machida, Tadao Kakizoe, Takashi Sugimura, and Masaaki Terada* 1169

P-Azidoiodoacetanilide, a New Short Photocrosslinker That Has Greater Cysteine Specificity Than *P*-Azidophenacyl Bromide and *P*-Azidobromoacetanilide *Jundong Zhang, Melissa H. Lee, and Graham C. Walker* 1177

Identification of Actin as a Substrate of ICE and an ICE-like Protease and Involvement of an ICE-like Protease but Not ICE in VP-16-Induced U937 Apoptosis *Tetsuo Mashima, Mikihiko Naito, Naoya Fujita, Kohji Noguchi, and Takashi Tsuruo* 1185

Specific Inhibition of Apoptosis after Cerebral Hypoxia-Ischaemia by Moderate Post-insult Hypothermia *A. D. Edwards, X. Yue, M. V. Squier, M. Thoresen, E. B. Cady, J. Penrice, C. E. Cooper, J. S. Wyatt, E. O. R. Reynolds, and H. Mehmet* 1193

The Secondary Structure of Phospholamban: A Two-Dimensional NMR Study *I. V. Maslennikov, A. G. Sobol, J. Anagli, P. James, T. Vorherr, A. S. Arseniev, and E. Carafoli* 1200

Lipoteichoic Acid-Induced Neutrophil Adhesion via E-Selectin to Human Umbilical Vein Endothelial Cells (HUVECs) *Nobuko Kawamura, Noriaki Imanishi, Haruhiko Koike, Hajime Nakahara, Laurie Phillips, and Shigeaki Morooka* 1208

Lipopolysaccharide Induces Manganese Superoxide Dismutase in the Rat Pancreas: Its Role in Caerulein Pancreatitis *Reishi Abe, Tooru Shimosegawa, Shigeki Moriizumi, Yoshifumi Kikuchi, Kenji Kimura, Akihiko Satoh, Masaru Koizumi, and Takayoshi Toyota* 1216

Identification and Localization of Gene Expression of a Low Mr GTP-Binding Protein, *ram* p25 in Pituitary Gland *Koh-ichi Nagata, Hiroyuki Sakagami, Hisataka Kondo, and Yoshinori Nozawa* 1223

Highly Purified Biotin Synthase Can Transform Dethiobiotin into Biotin in the Absence of Any Other Protein, in the Presence of Photoreduced Deazaflavin *Annick Méjean, Bernadette Tse Sum Bui, Dominique Florentin, Olivier Ploux, Yoshikazu Izumi, and Andrée Marquet* 1231

Immunological and Physical Characterization of the Brain G Protein-Gated Muscarinic Potassium Channel *Atsushi Inanobe, Hiroyuki Ito, Minoru Ito, Yukio Hosoya, and Yoshihisa Kurachi* 1238

Streptokinase Contains Two Independent Plasminogen-Binding Sites *Deepak Nihalani and Girish Sahni* 1245

PI 3-Kinase-Dependent and Independent Chemotaxis of Human Neutrophil Leukocytes *Marcus Thelen, Mariagrazia Uguccioni, and Jürg Bösiger* 1255

Phospholipase A2 Is Activated by Tumor Necrosis Factor-α in Primary Hepatocytes Stimulated by a Deleted Form of Hepatocyte Growth Factor *Eleftherios Georgakopoulos, Mary McMenamin, and George G. Skouteris* 1263

Selective Regulation of Steroid Receptor Expression in MCF-7 Breast Cancer Cells by a Novel Member of the Heregulin Family *Heinz Mueller, Willy Kueng, Fabrice Schoumacher, Sibylle Herzer, and Urs Eppenberger* 1271

TGF-β1 Overexpression in Murine Pancreas Induces Chronic Pancreatitis and, Together with TNF-α, Triggers Insulin-Dependent Diabetes *Francesca Sanvito, Anthony Nichols, Pedro-Luis Herrera, Joachim Huarte, Annelise Wohlwend, Jean-Dominique Vassalli, and Lelio Orci* 1279

ERRATUM

Volume 215, Number 2, October 13, 1995: Alexander V. Victorov and Jan B. Hoek, "Secretion of Prostaglandins Elicited by Lipopolysaccharide and Ethanol in Cultured Rat Kupffer Cells," pp. 691–697 1287
Author Index for Volume 217 1288

CUMULATIVE AUTHOR INDEX
FOR VOLUMES 206–217

Volume 206

Aarhus, Robert, 786
Abe, Tetsuya, 548
Abraham, Christine, 909
Adlercreutz, Herman, 895
Adrian, Thomas E., 909
Adunyah, Samuel Evans, 103
Aebersold, R. H., 590
Agarwal, S. K., 153
Agrez, M. V., 590
Agrò, Alessandro Finazzi, 238
Ahluwalia, Ritu, 577
Aizawa, Shinichi, 948
Akagi, Yoshitaka, 525
Albano, Emanuele, 180
Alberghina, L., 253
Aldabe, Rafael, 64
Ali-Osman, Francis, 764
Amanuma, Hiroshi, 468
Ando, Akio, 525
Ando, Joji, 988
Andrews, Robert K., 570
Antolini, M., 674
Appert, Hubert E., 362
Arai, Makoto, 525
Atsumi, Takamasa, 474
Autelli, Riccardo, 180

Bailey, Howard H., 584
Baldwin, Samuel W., 694
Barbato, Roberta, 201
Barmada, Suzanne, 601
Basha, Fatima, 511
Battaglia, Piero A., 326
Battistuzzi, Gianantonio, 161
Baulieu, Etienne-Emile, 644
Beck, James, 119
Becker, Frederick F., 764
Behringer, Richard R., 310
Beilin, L. J., 455
Bellitti, Maria Rosaria, 97
Bellomo, Giorgio, 180
Beninati, Simone, 201
Bennett, Eric Paul, 318
Berelowitz, Michael, 935
Bergamini, Carlo M., 201
Berndt, Michael C., 570
Bethell, Richard C., 355
Bhattacharya, Gautam, 909
Bilbe, Graeme, 89
Biswas, Esther E., 850
Biswas, Subhasis B., 850
Boer, Rainer, 119
Bohr, David, 77
Boldyreff, Brigitte, 171
Boman, Bruce M., 909
Bonardi, M. Antonietta, 260
Bonet-Kerrache, Armelle, 127
Born, Walter, 341
Bova, S., 674
Bradley, Christopher J., 146
Brass, Lawrence F., 857
Brouet, Isabelle, 533
Bruni, Paola, 878
Bruno, John F., 935
Burns, G. F., 590
Burnside, J., 153
Buxton, Brian F., 146

Cabrera, Camilo, 77
Calabrese, Giuseppe, 294
Callaghan, Sarah, 480
Calzolai, Luigi, 161
Capon, Francesca, 294
Cargnelli, G., 674
Carini, Rita, 180
Carrasco, Luis, 64
Carson, Marion, 895
Carter, George W., 511
Caspary, W. F., 962
Cassani, Giovanni, 97
Castagnoli, Luisa, 326
Castillón, María P., 629
Catelli, Maria-Grazia, 644
Caudill, Douglas, 975
Cawston, T. E., 590
Ceoldo, S., 57
Chae, Hee Don, 659
Chan, John Y. H., 764
Chan, Lawrence, 266
Chang, Hway-Ying C., 742
Chang, Xiu-Bao, 207
Chaudhuri, Gautam, 380
Cheetham, J. J., 652
Chen, Carol I., 335
Chen, Joan R., 146
Chen, Pei-Hua, 850
Chen, Qin, 421
Chen, S.-T., 22
Chiou, S.-H., 22
Cho, Nam-Young, 997
Chung, Hun-Taeg, 969
Clark, I. M., 590
Clausen, Henrik, 318
Clements, John D., 414
Cloix, Jean-François, 112
Clopton, David A., 421
Coccetti, P., 253
Cogburn, L. A., 153
Collins, Tucker, 462
Colosimo, Alessia, 294
Constantinescu, Anastasia, 724
Cooper, Roland S., 103
Copeland, Neal G., 310
Corraliza, Inés María, 667
Coulombe, Pierre A., 370
Couvineau, Alain, 246
Croft, K. D., 455
Cusinato, F., 674

da Cruz e Silva, E. F., 652
Dallapiccola, Bruno, 294
Danesi, Romano, 637
Dausse, Jean-Pierre, 112

Copyright © 1995 by Academic Press, Inc.
All rights of reproduction in any form reserved.

Davies, E. V., 348
Day, Richard A., 577
Deber, Charles M., 230
Debetto, P., 674
De Luca, Mariagrazia, 570
Denefle, P., 652
Desdouits, F., 652
Deubner, C., 962
Dhurjati, Prasad, 393
Dianzani, Mario U., 180
Dierckman, Theodore A., 975
Dieudonne, Marie-Noëlle, 112
Di Lisa, Fabio, 201
Di Virgilio, Francesco, 408
Doyle, Sharon A., 902
Duffy, Lawrence K., 718
Dulhanty, Ann M., 207

Ehlers, Mario R. W., 541
Ehrlich, M. E., 652
Eichmann, Klaus, 667
Eidels, Leon, 710
El Maradny, Emad, 927
Endo, Noriaki, 955
Erl, Wolfgang, 621
Esumi, Hiroyasu, 511
Ewing, David, 781

Fan, Xuedong, 694
Farnararo, Marta, 878
Fassina, Giorgio, 97
Feramisco, J. R., 518
Fischer, Jan A., 341
Fletcher, Garth L., 387
Flühmann, Beat, 341
Foresta, Carlo, 408
Fossati, Gianluca, 260
Frankfort, Benjamin J., 916
Freund, Gregory G., 272
Fries, Jochen W. U., 462
Fujii, Tomomi, 563
Fujita, Michiya, 927
Fujiwara, Akira, 33
Fukuda, Michiko N., 362
Fukuto, Jon M., 380
Fulep, Eva, 223

Gabrys, Halina, 829
Ganapathy, Vadivel, 681
García, José L., 629
Gardner, Michael L. G., 480
Gaudin, Pascale, 246
Gavioli, R., 8
Gekeler, Volker, 119
Gelfand, Erwin W., 857
Gelman, Irwin H., 916
Gelvan, Dan, 421
Gennarelli, Massimo, 294
Ghezzi, Cristina, 294
Gigliani, Franca, 326
Gilbert, Debra J., 310
Giovanetti, Elena, 260
Gipp, Jerry J., 584
Girault, J.-A., 652
Giudicelli, Yves, 112
Goble, Martin L., 629
Gong, Zhiyuan, 387
Gorza, Luisa, 201
Goto, Kunihiko, 497
Gould, Stephen J., 335
Graeff, Richard M., 786
Gray, Norman M., 355
Green, M. R., 518
Greengard, P., 652
Gromo, Gianni, 260
Grones, Jozef, 942
Gschwendt, Michael, 614
Guerra, Barbara, 171
Guerrini, R., 8
Gutierrez, L. M., 1

Halim, Abdul, 927
Hallett, M. B., 348
Hamada, Shigeyuki, 414
Han, Derick, 138
Han, Jin-Kwan, 775
Handelman, Garry J., 724
Handwerger, S., 215
Haramaki, Nobuya, 724
Hashimoto, Yuichi, 1003
Hatase, Osamu, 502
Hew, Choy L., 387
Higashi, Ken, 548
Hirai, Hisamaru, 287
Hirai, Syu-ichi, 429
Hirano, Masami, 429
Hirano, Takeshi, 548
Hirota, Kiyonori, 807
Hokari, Atsushi, 511
Honda, Hiroaki, 287
Hooper, Kyle P., 710
Hosaka, Masahiko, 429
Hötten, Gertrud, 608
Hu, Lina, 948
Huang, H.-B., 652
Huang, H.-C., 22
Huang, S., 279
Hudson, Alan P., 756
Hughes, Thomas K., 223
Hung, C.-C., 22
Hunziker, Willy, 341
Hyun, Jinjoo, 380

Igarashi, Hisanaga, 439
Ignarro, Louis J., 380
Imai, Enyu, 525
Inaoka, Tetsuya, 89
Inoko, Moriaki, 814
Inui, Tatsuya, 468
Isaka, Yoshitaka, 525
Ise, Wolfgang, 119
Ishibashi, Osamu, 89
Ishii, Koji, 955
Issinger, Olaf-G., 171
Itano, Toshifumi, 502
Iwasaki, Shigeo, 1003
Iwasaki, Toshio, 563

Jang, Daniel, 15
Jenkins, Nancy A., 310
Jiang, Jinjie, 829
Johnson, Pauline, 302
Johnston, Colin I., 146
Jun, Chang-Duk, 969

Kagechika, Hiroyuki, 1003
Kalish, Jennifer E., 335
Kamada, Takenobu, 525
Kaminski, Norbert E., 703
Kamiya, Akira, 988
Kanayama, Naohiro, 927
Kaneda, Yasufumi, 525
Kang, Yong Koo, 997
Kasai, Hiroshi, 548
Kashimura, Masamichi, 548
Kass, Ignatius J., 688
Kato, Nobuyuki, 863
Katsuki, Motoya, 287
Kawaguchi, Hideaki, 799
Kawakami, Yasuhiko, 33
Khachigian, Levon M., 462
Khan, Amir R., 230
Kielbassa, Kirsten, 614
Kienle, Eric, 601
Kihara, Yasuki, 814
Kim, Hyung-Min, 969
Kim, Jae Il, 449
Kim, Kyong Tai, 659
Kim, Yong Sik, 194
Kimura, Terutoshi, 468
King, David S., 731
King, Madonna J., 387

Kitabatake, Akira, 799
Kitamura, Yoshihisa, 492
Kitayama, Yoshinori, 492
Kittstein, Walter, 614
Kiyono, Hiroshi, 414
Klauser, Stefan, 46
Klinghofer, Vered, 511
Koehler, Karl A., 742
Koh, Woo S., 703
Kohno, Mitsuyuki, 835
Kojima, Soichi, 468
Kokubo, Toshio, 89
Kolm, Rüdiger H., 748
Komori, Yumiko, 380
Komuro, Ryutaro, 439
Konishi, Tetsumi, 548
Koop, Dennis R., 601
Korenaga, Risa, 988
Krueger, Matthew J., 556
Ku, Nam-On, 370
Kumarasamy, Ramasamy, 694
Kumegawa, Masayoshi, 89
Kwon, Y.-G., 652

Laburthe, Marc, 246
Le, Hung V., 694
Lee, Hon Cheung, 786
Lee, Hwanghee Blaise, 997
Lee, Seung-Jae, 194
Lee, Young Han, 194
Legname, Giuseppe, 260
Lehman-McKeeman, Lois D., 975
Leibach, Frederick H., 681
Leipold, Robert J., 393
Leneveu, Marie-Christine, 112
Leszyk, John, 850
Li, Li, 764
Liao, Jian, 370
Lindsey, Nigel J., 480
Liu, James J., 146
Liu, Ke Jian, 829
Liu, Zhongdong, 362
Lo, Jing-Yi, 266
Lo Cicero, Stefania, 294
Lods, Jean-Sébastien, 870
Longo, Fatima, 326
Loukovaara, Mikko, 895
Lovas, Sandor, 909
Lowthert, Lori A., 370
Luciani, S., 674
Lyashenko, Alla A., 736

Maccarrone, Mauro, 238
Maeda, Miki, 439
Maehara, Kayoko, 927
Maiti, Arpita, 302
Malhotra, Om P., 742
Mannervik, Bengt, 748
Mano, Hiroyuki, 287
Maoret, Jean-José, 246
Marastoni, M., 8
Marbello, Rey, 909
Marchetti, Maria A., 326
Marcucci, Fabrizio, 260
Marin, Oriano, 171
Marks, Friedrich, 614
Marsden, Philip A., 511
Martegani, E., 253
Maruta, Hiroshi, 468
Masaki, Hitoshi, 474
Masucci, M. G., 8
Matsugo, Seiichi, 138
Matsui, Hideki, 502
Matsumoto, Gen, 807
Mauri, I., 253
Mazouz, Fathi, 556
McGhee, Jerry R., 414
McLellan, Catherine A., 637
Meacci, Elisabetta, 878
Meggio, Flavio, 171
Meldrum, C. J., 590
Menabò, Roberta, 201
Meng, Xia, 644
Messori, Luigi, 161
Milcent, René, 556
Milovic, V., 962
Mishina, Yuji, 310
Miyabo, Susumu, 835
Miyata, Naoki, 885
Miyazaki, Mutsuo, 525
Mizuno, Keiko, 429
Mizutani, Tetsuya, 863
Modena, Daniela, 260
Modolell, Manuel, 667
Moelling, Karin, 46
Momoi, Mariko, 821
Momoi, Takashi, 821
Mooney, Robert A., 272
Moreno, Veronica, 421
Morgan, Robin W., 393
Morisset, Jean, 870
Moriyama, Toshiki, 525
Mornet, Dominique, 127
Motoki, Masamichi, 955
Moya, F., 1
Muff, Roman, 341
Mulcahy, R. Timothy, 584
Murakami, Takeshi, 799
Muramatsu, Hisako, 468
Muramatsu, Takashi, 468
Muramoto, Shin-nosuke, 799
Murphy, Richard F., 909
Murrell, George A. C., 15
Myers, Charles E., 637

Nadal-Ginard, Bernardo, 82
Nairn, A. C., 652
Naito, Akira, 439
Nakagawa, Ichiro, 414
Nakai, Tsuguhiko, 835
Nakajima, Osamu, 1003
Nakane, Masaki, 511
Nakazawa, Takahide, 863
Naruse, Kiyoko, 525
Naruse, Mitsuhide, 525
Nauss, Jeffrey, 577
Neidhardt, Helge, 608
Ng, David H. W., 302
Nicole, Pascal, 246
Niehof, Monika, 46
Nishi, Norio, 981
Nishio, Hajime, 502
Noh, Moon Jong, 997
Nohno, Tsutomu, 33
Noji, Sumihare, 33
Nolet, Bernard, 870
Nomura, Yasuyuki, 492
Novelli, Giuseppe, 294

Oda, Toshiaki, 927
Odaka, Ayako, 821
O'Day, Danton H., 401
O'Donnell, Rosemary, 694
Ogura, Tsutomu, 511
Oh-hara, Tomoko, 486
Ohiso, Isao, 981
Ohmori, Keizo, 570
Ohno, Shigeo, 429
Ohshima, Hiroshi, 533
Ohtake, Atsuko, 449
Ohtsuka, Toshihisa, 439
Ohuchi, Hideyo, 33
Oida, Koji, 835
Oka, Masahito, 981
Okatani, Kunihiko, 133
Olde Weghuis, Daniël, 318
Omary, M. Bishr, 370
Orita, Satoshi, 439
Orita, Yoshimasa, 525
Osada, Shin-ichi, 429
Oshima, Tairo, 563

Packer, Lester, 138, 724
Page, Michel, 792
Palka, Giandomenico, 294
Parmeggiani, A., 253
Pasley, Amy M., 51
Pecquery, René, 112
Pegram, Melvin L., 103
Penn, Charles R., 355
Petrusa, M. Meznaric, 57
Phillips, L. S., 279
Pick, Uri, 724
Piiper, A., 962
Pinna, Lorenzo A., 171
Pizzuti, Antonio, 294
Podein, Rian J., 786
Pohl, Jens, 608
Pollock, Jennifer S., 511
Porro, Giuliana, 260
Pramanik, Birendra, 694
Prasad, Puttur D., 681
Proteau, Gerald A., 401
Proudfoot, J. M., 455

Quintanar, J. L., 1

Radulescu, Razvan T., 97
Radziwill, Gerald, 46
Raffaniello, Robert D., 843
Rahman, Mahboob U., 756
Rajan, Nithya, 694
Ramamoorthy, Sammanda, 681
Ramsay, Rona R., 556
Ratti, Antonia, 294
Raufman, Jean-Pierre, 843
Reali, E., 8
Reichard, Peter, 731
Reig, J. A., 1
Riordan, James F., 541
Riordan, John R., 207
Roa, Ana, 629
Roby, Philippe, 792
Rosato, Nicola, 238
Rossato, Marco, 408
Rouyer-Fessard, Christiane, 246
Ruvo, Menotti, 97
Ryu, Sung Ho, 194

Sakairi, Nobuo, 981
Sakakibara, Shumpei, 468
Sakurai, Hiromu, 133, 474
Salinas, E., 1
Saltman, Paul, 421
Salviati, G., 57
Sampson, Nicole S., 688
Sanders, Karl Heinrich, 119
Sarno, Stefania, 171
Sasaki, Takuya, 439
Sasayama, Shigetake, 814
Sato, Chikara, 807
Sato, Kazuki, 449
Scarlato, Guglielmo, 294
Schächtele, Christoph, 119
Schallreuter-Wood, Karin U., 480
Schneider, Carsten, 608
Scholle, Renate R., 541
Seelig, Gail F., 694
Sekler, Michal Shani, 186
Senter, L., 57
Sharp, Z. Dave, 40
Shi, Xianglin, 829
Shimada, Akihiko, 835
Shimizu, Kenji, 548
Shimotohno, Kunitada, 863
Shudo, Koichi, 1003
Signorini, Marco, 201
Silani, Vincenzo, 294
Sim, A. T. R., 590
Simoni, Robert D., 186
Singer, Thomas P., 556
Sivitz, William I., 51
Smith, Blake E., 401
Smith, Louis C., 266
Sola, Marco, 161
Soler, Germán, 667
Sorscher, S. M., 518
Steffensen, Rudi, 318
Stein, J., 962
Stephanou, A., 215
Sugiura, Toshihiro, 525
Suh, Pann-Ghill, 194
Suwa, Yorimasa, 955
Suzuki, Atsushi, 310
Suzuki, Harukazu, 439
Suzuki, Jinya, 835
Swartz, Harold M., 829

Takada, Yoshio, 988
Takahashi, Ichiro, 414
Takahashi, Masami, 449
Takahashi, Sadao, 835
Takai, Yoshimi, 439
Takeuchi, Yoshiki, 502
Talalay, Paul, 748
Tamai, Toshitaka, 835
Tamura, Hideyuki, 133
Tanaka, Hiroko, 955
Tang, Quansheng, 362
Taremi, S. Shane, 694
Terao, Toshihiko, 927
Tezuka, Ken-ichi, 89
Thulé, P. M., 279
Tokuda, Masaaki, 502
Tokuhisa, Takeshi, 948
Tokura, Seiichi, 981
Tolan, Dean R., 902
Tomatis, R., 8
Tordai, Attila, 857
Traniello, S., 8
Trevisi, L., 674
Tritschler, Hans J., 724
Tsarbopoulos, Anthony, 694
Tsuboi, Hiroko, 988
Tsuchiya, Toshie, 885
Tsukahara, Toshifumi, 821
Tsunemi, Masahiko, 981
Tsuruo, Takashi, 486
Turňa, Ján, 942

Ueda, Naohiko, 525
Uehara, Takashi, 492
Ueno, Naoto, 310
Urasawa, Kazushi, 799
Uvarov, Valentin Yu., 736

van Kessel, Ad Geurts, 318
Varotto, R., 674
Vasta, Valeria, 878
Viniegra, S., 1
Virden, Richard, 629
Vyas, Sandip B., 718

Wada, Akira, 525
Wakagi, Takayoshi, 563
Wakamiya, Akiko, 449
Walczak, Tadeusz, 829
Wang, Jian, 82
Wang, K.-T., 22
Wang, Yong, 362
Ward, Christopher M., 570
Watkins, Paul A., 335
Weber, Christian, 621
Weber, Peter C., 621
Williams, Riley J., 15
Wittig, James G., 272
Wong, Shan S., 362
Wood, John M., 480

Xu, Yun, 935

Yamagami, Shinsuke, 955
Yamakoshi, Yoko Nakajima, 885
Yamamoto, Tokuo, 835
Yan, Liang-Jun, 138
Yang, C.-C., 22

Yang, Kyu-H., 703
Yazaki, Yoshio, 287
Yoo, Heahyun, 764
Yoo, Ook Joon, 997
Yoon, Hyun-Ju, 969
Yoshioka, Hidefumi, 33
Young, Judith A., 975
Yusa, Keisuke, 486
Zeuzem, S., 962
Zhang, Q-J., 8
Zhang, Yuesheng, 748
Zu, Hongya, 362

Volume 207

Abdalla, Dulcineia Saes Parra, 231
Abrahamse, S. L., 1003
Abumrad, N. A., 747
Abumrad, N. N., 312
Ahn, Natalie G., 1051
Akamizu, Takashi, 985
Akioka, Hiroshi, 318
Aksamit, Robert R., 265
Alam, Md. Shariful, 460
Albers, John J., 552
Amati, Paolo, 339
Andriolo, Maria, 852
Anthony-Cahill, Spencer, 1051
Aquino, Alessandra, 852
Armbrust, Thomas, 637
Asada, Hideo, 971
Asaoka, Ai, 452
Asashima, Makoto, 1
Askari, A., 155
Assmann, Gerd, 148
Atwood, Craig S., 860
Augustin, Lance B., 111

Babcock, Gerald T., 652
Bae, Kwang Hee, 20
Baldwin, Brian C., 910
Banno, Yoshiko, 460
Banovac, Kresimir, 877
Baracca, Alessandra, 369
Barbee, R. Wayne, 89
Barogi, Silvia, 369
Basiricò, Loredana, 852
Battistini, Bruno, 675
Bauer, Carl E., 265
Benatti, Umberto, 331
Beneytout, J. L., 398
Bernal, Ricardo A., 740
Bettendorff, L., 375
Biasi, F., 477
Biban, Carla, 661
Bicknell, Gareth R., 40
Biebricher, Christof K., 250
Billard, Martine, 933
Bindels, R. J. M., 1003
Blanco, G., 155
Bokser, Lázaro, 105
Borde, Isabelle, 630
Bordi, C., 363
Boucheix, Claude, 933
Bousquet, J., 273
Boutillon, Marguerite-Marie, 852
Boxer, R., 312
Brandi, M. L., 363
Braun, Thomas, 708
Britsch, Stefan, 33
Brown, Michèle, 675
Buggy, Joseph J., 265
Burke, Patricia A., 348
Busch, Andreas E., 195
Busch, Harris, 485
Byun, Si Myung, 20

Callon, Karen E., 133
Camandola, S., 477
Camardella, Laura, 331
Candy, J. M., 621
Cappiello, Mario, 775
Carlomagno, Francesca, 1022
Carlsson, B., 13
Carraro, R., 363
Carratore, Vito, 331
Casabiell, Xesús A., 105
Casanueva, Felipe F., 105
Caselgrandi, Eva, 288
Castora, Frank J., 839
Cecconi, Ilaria, 775
Chambers, T. J., 280
Chamoun, C., 768
Chan, Edward K. L., 1029
Chanez, P., 273
Chavis, C., 273
Chen, Guojin, 897
Chiarpotto, E., 477
Chik, Constance L., 994
Chino, N., 695
Choi, Hong Kyu, 452
Choi, Su Kyung, 452
Chowdhury, Subrata, 452
Cleal, Steven, 424
Cohen, Gerald M., 40
Cohen, Hélène, 1015
Cohen, Margo Panush, 521
Colantuoni, Vittorio, 1022
Conover, Cheryl A., 963
Cook, Julia L., 89
Cooper, Garth J. S., 133
Corder, Roger, 355
Cornish, Jill, 133
Corran, Andrew J., 910
Cossarizza, Andrea, 715
Cudney, Bob, 819

D'Amico, Elbio Antonio, 231
Damonte, Gianluca, 331
Damsker, Keith E., 515, 957
Danoff, Theodore M., 80
Dauzats, Michèle, 175
Davenport, William D., 89
Day, Joseph R., 552
Dean, Christopher, 389
Debnath, Nitish C., 452
Deeb, Samir S., 552
de Franciscis, Vittorio, 1022
De Jonge, H. R., 1003
De Kruijff, B., 508
Del Corso, Antonella, 775
Demin, Peter, 191
DePiero, Andrew, 80
Devenish, Rodney J., 943
Dianzani, M. U., 477

Dong, Xueyin, 927
Drews, Gisela, 33
Drvota, V., 13
Dugail, Isabelle, 761
Dunham, W. Richard, 572
Durham, Susan K., 963
Dynan, William S., 1051

Ebisui, Chikara, 168
Enslen, Hervé, 1038
Enzi, G., 363
Eto, Tanenao, 25
Eto, Yuzuru, 1
Evrard, Claudine, 630
Ewing, David, 515, 957

Fabiani, S., 363
Falchetti, A., 363
Fayard, Jean-Michel, 1015
Felsheim, Roderick F., 111
Ferreira, Raùl, 339
Fimia, Gian Maria, 339
Fischer, Anna, 740
Flynn, James, 544
Forsberg, Neil E., 318
Franceschi, Claudio, 288, 715
Franzén, Petra, 682
Freij, Maysoun, 891
French, Lars E., 62
Fries, Diana Marli, 231
Fuchs, James A., 111
Fuchs, Stephanie M., 111
Fujimoto, Kazuteru, 75
Fujimoto, M., 1044
Fujinaka, Yuichi, 238
Fujita, Hiroyoshi, 160
Fujita, Junya, 168
Fukasawa, Hiroshi, 444
Fukie, Michio, 324
Fuller, K., 280
Furusho, K., 1044
Fusco, Alfredo, 1022
Futterweit, Stephen, 120

Gabellieri, Edi, 369
Galiana, Eric, 630
Garavito, R. Michael, 652
Gebhardt, Rolf, 578
Giardina, Jason, 89
Giblin, Frank J., 775
Glatz, J. F. C., 747
Glickman, J. Fraser, 544
Godard, P., 273
Göke, Burkhard, 950
Gong, YuXi, 897
Good, Theresa A., 209
Gordon, Richard D., 565
Grebenkämper, Kai, 411
Greene, Robert M., 690
Gregor, Michael, 33
Gremse, David, 783
Grisar, T., 375
Grober, Jacques, 175
Gulbins, Erich, 195
Guo, Donglin, 927
Gutiérrez-Merino, Carlos, 293

Häggblad, J., 13
Halim, Abdul, 324
Hall, T. J., 280
Hamblet, Natasha S., 839
Han, Derick, 258
Haouas, Houda, 933
Harauz, George, 848
Harrington, Michael G., 432
Harrison, Vanessa J., 355
Hasegawa, Akiko, 790
Hasegawa, Akira, 244
Hashida, Seiichi, 75
Hashiguchi, Y., 312
Hashimoto, Yuichi, 444
Hatakeyama, Hiroo, 382
Hatanaka, Akikazu, 438
Hatch, G., 768
Hayakawa, Mika, 613
Hayashi, Hideo, 978
Hayashi, Hirotaka, 244
He, Liyan, 1051
Heldin, Carl-Henrik, 682
Henning, Dale, 485
Hermann, April S., 1051
Herring, Patricia A., 48
Herzer, Tobias, 195
Hidaka, Kazuyuki, 467
Higashi, Makiko, 1
Higuti, Tomihiko, 943
Hikiba, Yohko, 813
Ho, Anthony K., 994
Hofland, Hans, 492
Hoganson, Curtis W., 652
Holbrook, John A., 848
Holm, Cecilia, 175
Hook, Vivian Y. H., 701
Hori, Masatoshi, 668
Hornicek, Francis J., 877
Hornshaw, M. P., 621
Houbiguian, Marie-Laure, 761
Hsi, Linda C., 652
Hu, Xiaoyu, 99
Huang, Jenq-Kuen, 897
Huang, Leaf, 492
Huang, W.-H., 155
Hwang, Shin-Rong, 701

Iijima, Toru, 444
Iijima, Yasuteru, 807
Ikeda, Mario, 800, 860
Immenschuh, Stephan, 202
Imoto, M., 69
Irmler, Martin, 62
Ishida, Naruhiro, 318
Ishikawa, Eiji, 75
Ishikawa, Haruo, 753
Ishiura, Shoichi, 971
Itoyama, Shinnji, 613
Iwasaki, Lori, 552
Iwasaki, Shigeo, 444

Jack-Hays, M., 155
Jackson, Christine, 424
Jackson, Julius H., 48
Jahan, Nazma, 903
Jang, Jeong Su, 20
Jasmin, Claude, 933
Jayaraman, G., 536
Jeker, H., 280
Ji, Hong, 99
Jiang, Suping, 883
Jonsson, Julie R., 565
Ju, Hsin-Shan Julia, 183

Kadono, Takafumi, 829
Kadono-Okuda, Keiko, 452
Kajiwara, Tadahiko, 438
Kajiwara, Yayoi, 324
Kameda, Takashi, 753
Kanayama, Naohiro, 324
Kangawa, Kenji, 25
Kaplan, Ronald S., 783
Karaki, Hideaki, 668
Kato, Koichi, 244
Kato, Naoya, 813
Kato, Yusuke, 452
Katsumata, Kazumi, 613
Katsume, Asao, 168
Kawada, M., 69

Kawamura, Yuuki, 971
Kawashima, Akira, 585
Kehrel, Beate, 148
Keller, R. C. A., 508
Kelly, Diane E., 910
Kelly, Steven L., 910
Khan, Noorafza, 355
Kikuchi, Kanako, 829
Kim, Jay, 891
Kim, Peter T., 848
Kimata, H., 1044
Kimura, T., 695
Kirszbaum, Louis, 424
Kishibuchi, Masanori, 168
Kitamura, Kazuo, 25
Klemm, Shelley A., 565
Knowles, Aileen F., 529
Kobayashi, Y., 695
Kohn, Andrea B., 701
Kojima, Hisanori, 8
Kominami, Eiki, 168
Komiya, Tohru, 405
Koyama, Koji, 790
Krippeit-Drews, Peter, 33
Krishnamoorthi, Ramaswamy, 897
Kubo, S., 695
Kumar, T. K. S., 536
Kuroda, Makoto, 978
Kuwajima, Masamichi, 646
Kwong, Jeffrey, 868
Kyogoku, Y., 695

Lachowicz, Agnieszka, 606
Lachowicz, Lilla, 606
Lagarde, Michel, 1015
Lai, Luhua, 99
Lamb, David C., 910
Landberg, Göran, 1029
Lang, Florian, 33, 195
Langgut, W., 306
Langin, Dominique, 175
Lau, D. C. W., 768
Laugier, Christian, 1015
Laurell, Henrik, 175
Lavau, Marcelle, 761
Lavenu, Agnès, 933
Le, Thinh V., 485
Leboutet, M. J., 398
Lee, C.-S., 536
Lee, Insuk, 897
Lee, Si Hyoung, 20
Lee, Yau-Jiunn, 216
Lehmann-Bruinsma, Karin, 348
Le Liepvre, Xavier, 761
Lenaz, Giorgio, 369
Leverenz, Victor, 775
Li, Hua, 985
Lin, Cheng-Sheng, 223
Lin, Nien-Tsung, 223
Lin, Shiu-Ru, 216
Lin, W.-Y., 536
Lindley, I., 1044
Loh, Horace H., 111
Lublin, Douglas M., 868
Luisi, Pier Luigi, 250

MacEvilly, Ursula, 432
Madras, Diane E., 89
Maehara, Kayoko, 324
Makatani, Maki, 668
Malinin, George I., 877
Malinin, Theodore I., 877
Malinvaud, G., 398
Malorni, Walter, 715
Margineanu, I., 375
Markowitz, Rhea-Beth, 1051
Marletta, Michael A., 572
Marsh, Lorraine, 559
Maruyama, Kei, 971
Masuoka, S., 69
Mateescu, Mircea Alexandru, 599
Matsubara, Aki, 807
Matsuda, Fumihiko, 985
Matsuda, Yuzuru, 668
Matsui, Kenji, 438
Matsumoto, Mitsuyuki, 467
Matsumura, Masayuki, 813
Matsumura, Toshiko, 646
Matsuo, Hisayuki, 25
Matsushita, Youichi, 807
Matsuzawa, Yuji, 646
Matthews, Kathleen, 183
Matthews, Randall, 183
Mayor, June A., 783
McDermott, J. R., 621
McKnight, Bette L., 48
McPherson, Alex, 819
Meijerink, W. J. H. J., 312
Melloni, E., 1009
Merino, Jaime M., 293
Michalopoulos, George, 578
Michel, F. B., 273
Michetti, M., 1009
Min, Bon H., 111
Minafra, Salvatore, 852
Minaguchi, Hiroshi, 800
Minamino, Naoto, 25
Mineo, Ikuo, 646
Mitsuya, Hiroaki, 903
Miyamoto, Eishichi, 75
Miyanoshita, Akihiro, 452
Miyazaki, Hitoshi, 593
Miyazono, Kohei, 682
Mizutani, Y., 69
Modjtahedi, Helmout, 389
Molina, P. E., 312
Momoi, Takashi, 1
Monden, Morito, 168
Moneti, Gloriano, 331
Monteiro, Hugo Pequeno, 231
Monti, Daniela, 715
Morelli, A., 363
Morello, Dominique, 933
Mori, Toru, 985
Morimoto, Sachio, 585
Morimoto, Takashi, 168
Morishima, Isao, 417
Moriwaki, Hisataka, 382
Muganda, Perpetua M., 740
Mukasa, Takeshi, 1
Muller-Eberhard, Ursula, 202
Muntyan, M. S., 55
Mura, Umberto, 775
Murakami, Kazuo, 593
Murdoch, Gordon, 994
Murer, Heini, 195
Murgo, Joseph P., 89
Muro, Yoshinao, 1029
Muroya, Kenkoh, 1
Murphy, Regina M., 209
Muto, Yasutoshi, 382

Nadeau, Réginald, 599
Nagano, Shingo, 417
Nagata, Yuka, 916
Nagley, Phillip, 943
Nakamura, Noriaki, 382
Nakao, Koichi, 75
Nakashima, Shigeru, 460
Nałęcz, Maciej J., 126
Namba, Mitsuyoshi, 646
Nappez, C., 398
Naruse, Mitsuhide, 593
Naukam, R. J., 312
Nemoto, N., 695
Nicolau, Claude, 411
Nissen, Mark S., 497
Niwa, Yasuro, 813
Noda, Chiseko, 318

Nofer, Jerzy-Roch, 148
Nogami, Masahiro, 318
Nozawa, Yoshinori, 460
Nugent, Paul, 690
Nunoda, Shinniti, 613

Obata, Kunihiko, 971
Oberholzer, Thomas, 250
Obinata, Masuo, 916
O'Brien, Mary C., 903
Odaka, Ayako, 1
Ogawa, Atsuhiro, 168
Ogiwara, Takayuki, 994
Ohishi, Nobuko, 8
Ohnishi, Junji, 593
Ohsugi, Yoshiyuki, 168
Ohta, Toshiko, 978
Ohtsuki, Iwao, 585
Okada, Shoji, 244
Okano, Ken-ichi, 813
Okazaki, Ryo, 963
Okuda, Jyoji, 985
Okumura, Katsuzumi, 318
Omata, Masao, 813
Ottaviani, Enzo, 288
Ozawa, Takayuki, 613
Ozawa, Yasuhiro, 593

Pace-Asciak, Cecil R., 191
Packer, Lester, 258
Pageaux, Jean-François, 1015
Panariello, Luigi, 1022
Park, Kyung Soo, 20
Passanti, Claudio, 339
Patel, Sam, 819
Peitsch, Manuel C., 62
Penha, Renatta Giongo, 231
Periyasamy, S. M., 155
Pettit, Flora, 183
Phillippe, Mark, 891
Poli, G., 477
Pontremoli, S., 1009
Powell, Jerry S., 348
Prescott, Mark, 943
Pucci Minafra, Ida, 852
Puntoni, Franca, 732

Qiu, Qifeng, 927
Quadro, Loredana, 1022

Raber, Gertraud, 195
Rainaldi, Gabriella, 715
Rakowska, Mariola, 300
Ramadori, Giuliano, 637
Ré, Richard N., 89
Rębas, Elzbieta, 606
Reeves, Raymond, 497
Reich, Norbert O., 544
Reid, Ian R., 133
Remaury, Anne, 175
Reynaud, Denis, 191
Reynisdottir, Signy, 175
Reynolds, Eric C., 424
Riggs, B. Lawrence, 963
Rivabene, Roberto, 715
Rockey, Don C., 725
Rolland, Violaine, 761
Rouget, Pierre, 630
Ryan, Raymond, 432

Saito, Shiro, 238
Sakakibara, Hideya, 800
Sakakibara, S., 695
Salamino, F., 1009
Salvatore, Domenico, 1022
Salvioli, Stefano, 715
Sands, Richard H., 572
Santoro, Massimo, 1022
Sasaki, Toru, 444
Sato, Shinichi, 829
Satoh, Hiroyuki, 202
Saunders, Trevania, 891
Sawada, Takayuki, 444
Scavazza, A., 477
Schaeublin, M., 280
Schäfer, Konstanze, 708
Schmitt, Edgar, 637
Seedorf, Udo, 148
Sekiguchi, Morie, 613
Sen, Malini, 559
Sharma, Kumar, 80
Shen, Baohe, 927
Shibahara, Shigeki, 160
Shibata, Yasushi, 438
Shidoji, Yoshihiro, 382
Shiina, Shuichiro, 813
Shillabeer, G., 768
Shimada, Kohei, 807
Shimazawa, Rumiko, 444
Shin, Shyi-Jang, 216
Shingu, Ryosuke, 646
Shiraishi, Fumie, 585
Shiratori, Yasushi, 813
Shive, William, 183
Shoji, Hiroki, 25
Shoji, Wataru, 916
Shudo, Koichi, 444
Siino, Joseph S., 497
Siliprandi, Dagmar, 661
Silvius, J. R., 508
Singhal, Pravin, 120
Sivaraman, T., 536
Skulachev, V. P., 55
Slakeski, Nada, 424
Smith, William L., 652
Soderling, T. R., 1038
Solaini, Giancarlo, 369
Song, De-Xiu, 202
Sotiropoulos, Chris, 424
Stapleton, Dwight D., 89
Stone, James R., 572
Stowasser, Michael, 565
Straface, Elisabetta, 715
Strowski, Mathias Z., 950
Sugawa, Hideo, 985
Sugimoto, Masataka, 593
Sugiyama, Satoru, 613
Sugo, Shin, 25
Suzuki, Akito, 585
Sylvén, C., 13
Szewczyk, Adam, 126

Tada, Shoko, 467
Taga, Michiyoshi, 800
Tagawa, Kazuhiko, 971
Taguchi, Hiroshi, 318
Takahashi, Masaaki, 807
Takamori, Masaharu, 8
Takeda, Kazuhisa, 160
Takehara, Kazuhiko, 829
Tamaki, Kunihiko, 829
Tan, Eng M., 1029
Tan, Mian-Shin, 216
Tanaka, Keiji, 318
Tanaka, Masami, 593
Tanaka, Masashi, 613
Tanaka, Motomasa, 417
Tanaka, Taihei, 613
Tanaka, Takeo, 668
Taniai, Kiyoko, 452
Tanigawa, Yoko, 405
Tanzawa, Kazuhiko, 807
Tasaki, Yoshikazu, 467
Tassani, Vinicio, 661
Taya, Tetsuji, 790
Taylor, Daniel F., 1051
Terao, Toshihiko, 324
Tessier, Christian, 1015
Todokoro, Kazuo, 916
Tokumitsu, Hiroshi, 1038

Tomassetti, P., 363
Tonelli, F., 363
Tonetti, Michela, 331
Toninello, Antonio, 661
Topek, Nathan H., 183
Trachtman, Howard, 120
Tritschler, Hans J., 258
Tsai, Juei-Hsiung, 216
Tschopp, Jürg, 62
Tseng, Yi-Hsiung, 223
Tsubamoto, Hiroshi, 790
Tsubata, Takeshi, 985
Tsujinaka, Toshimasa, 168
Tsutsui, Takeki, 753
Tu, An-Yue, 552
Tu, Ke-Yin, 183
Tunny, Terry J., 565

Uchiyama, Hideho, 1
Ueno, Takamasa, 903
Ulrich, Charles, 883
Umezawa, K., 69
Ustiyan, V. S., 55
Usuki, Satoshi, 593

Vachier, I., 273
Valdez, Benigno C., 485
van der Rest, Michel, 852
Van Der Vusse, G. J., 747
Vane, John R., 675
Van Eys, G. J. J. M., 747
Van Nieuwenhoven, F. A., 747
Van Os, C. H., 1003
Verstijnen, C. P. H. J., 747
Vilardo, Pier Giuseppe, 775
Villa-Moruzzi, Emma, 732
Viryasov, M. B., 55
Volk, Annette, 578
Vonderhaar, Barbara K., 800, 860

Wagner, Andreas C. C., 950
Wakabayashi, Kenji, 807
Waldegger, Siegfried, 195
Walter, Michael, 148
Wang, Rui, 599
Wang, Y., 155
Watanabe, Yoshihito, 417
Wei, H., 13
Weidner, Michael, 578
Weinstein, L., 363
Wen, Lisa, 897
Weng, Shu-Fen, 223
Weston, Wayde M., 690
Wick, Roger, 250
Willemsen, P. H. M., 747
Williams, Gwilym A., 432
Williams, John A., 950
Wins, P., 375
Wójcik, Grażyna, 126
Wojtczak, Lech, 300
Wood, David O., 783
Wu, Van-Yu, 521

Xie, Z., 155
Xu, Guorong, 544
Xu, Jinhua, 452
Xu, Xianxiu, 927
Xu, Xiaojie, 99
Xu, Yan, 783

Yagi, Kunio, 8
Yamada, Yasuhiro, 382
Yamaguchi, Tokio, 467
Yamakawa, Minoru, 452
Yamamoto, Masanori, 452
Yamamura, Takaki, 668
Yamanaka, Kenzo, 244
Yamasaki, Noriyuki, 790
Yang, Bih-Ying, 223
Yang, Shiaw-Der, 140
Yasue, Hirofumi, 75
Yokogoshi, Yutaka, 238
Yokota, Chika, 1
Yoneyama, Tomoko, 668
Yoshida, T., 695
Yu, C., 536
Yu, Jau-Song, 140

Zajac-Kaye, Maria, 903
Zhang, Chen-Yu, 238
Zhang, Liming, 599
Zhang, Ruoheng, 99
Ziyadeh, Fuad N., 80
Zugaza, José L., 105
Zuzan, Harry, 848

Volume 208

Abe, Satoshi, 1166
Abou-Issa, Hussein, 688
Abraham, E. C., 675
Adams, Eric F., 555
Adrian, Gwen S., 309
Aeberhard, Ernesto E., 1053
Ahmed, Ahmed H., 871
Ahmed, S. Parvin, 267
Aiba, Sei-Ichi, 511
Aizawa, Hiromi, 19
Aizawa, Yasunori, 168
Akagi, Kiwamu, 1137
Akimoto, Shingo, 1067
Aksoy, Ibrahim A., 786
Albano, Emanuele, 813
Albarwani, Sulayma, 183
Alberti, Guido, 825
Allen, Rodger A., 223
Allet, Bernard, 260
Alter, Craig A, 190
Ando, Katsuyuki, 447
Anguita, Juan, 89
Aoki, Takashi, 118
Aono, Hiroyuki, 1040
Arabolos, Nicole S., 1053
Arai, Ken-ichi, 360, 368
Arias-Negrete, Sergio, 582
Asahi, Ken-ichi, 1036
Au, Tai Kong, 280
Auclair, M., 597

Babish, John G., 144
Backer, Joseph M., 603
Backlund, Peter S., Jr., 174
Barrett, Cynthia T., 1053
Basavappa, Srisaila, 457
Batchu, Ramesh B., 714
Beck, James, 345
Belikova, Yulia, 919
Bellini, Tiziana, 36
Bellomo, Giorgio, 813
Benetti, D., 742
Benjamin, David, 704
Bennardini, F., 742
Bernard, Nathalie, 895
Berts, Alf, 644
Bessho, Kazuhisa, 316
Best, Jennifer L., 562
Bezouška, Karel, 68
Bhattacharya, Gautam, 103
Bianchi, Roberta, 901, 910
Bleckwenn, Nicole A., 144
Bohr, Vilhelm A., 198
Boman, Bruce M., 103
Bond, Judith S., 498
Bonnefont-Rousselot, D., 597
Boone, Thomas, 390
Bouhoute, Abdellah, 748
Bourinbaiar, Aldar S., 779
Boutaud, Olivier, 42
Bowman, Barbara H., 309
Brasseur, R., 773
Bréchot, Christian, 957
Bridges, C. Gordon, 267
Brûle, Gérard, 440
Buchanan, James M., 309
Buchfelder, Michael, 555
Buescher, E. S., 650
Buggy, Joseph, 339
Burns, Daniel K., 562
Butterfield, Lisa, 964

Cai, Luwei, 274
Carini, Rita, 813
Carlson, Elaine, 523
Castro, Fidel E., 1053
Cattel, Luigi, 42
Ceruti, Maurizio, 42
Chadee, Kris, 582
Chalfant, Michael L., 89
Chang, Hogil, 943
Chavan, Ashok J., 390
Chen, Hsing I, 1016
Chen, Yuping, 603
Cherian, M., 675
Chiesi, M., 742
Cho, Steve K., 523
Chu, Wei, 562
Chu, Yanfang, 274
Cichy, Joanna, 216
Civan, Mortimer M., 89
Coca-Prados, Miguel, 89
Collin, Thibault, 440
Connolly, Thomas M., 532
Cook, Jo Ann, 590
Corção, Gertrudes, 1131
Coughtrie, Michael W. H., 855
Coulomb, Bernard, 245

Daimon, Makoto, 1028
Dallocchio, Franco, 36
Damrau-Abney, Alice, 1147
Daniell, H., 287
Dash, Pramod K., 542
David, Tonya S., 1147
De, Prabir K., 412
Delattre, J., 597
Delcour, Jean, 895
Deora, Rajendar, 610
de Vos, Sven, 523
Dianzani, Mario U., 813
Dietrich, Janet M., 498
Donato, Rosario, 901, 910
Dong, Cheng, 476
Dorsey, Waneene C., 463
Doukas, Michael A., 390
Drake, Richard R., 714

Due, A. Denise, 590
Dunten, Rhonda L., 174
Durant, F., 773
Düzgüneş, Nejat, 75

Ebisui, Chikara, 353
Ehmsen, Eckard, 135
Elmendorf, Jeffrey S., 1147
Endo, Akira, 405
Endo, Masahiko, 470
Endris, Richard G., 532
Epstein, Charles J., 523
Erickson, Robert P., 624

Fagnant, Patricia M., 835
Fahlbusch, Rudolf, 555
Faraone-Mennella, M. Rosaria, 55
Farina, Benedetta, 55
Feizi, Ten, 68
Felczak, Krzysztof, 418
Femenia, Patricia, 26
Ferenci, Thomas, 927
Ferry, Nicolas, 957
Finazzi-Agrò, Alessandro, 825
Finkenzeller, Günter, 432
Fletcher, Sara J., 590
Flood, James G., 549
Fontaine, Eric, 919
Ford, Byron D., 463
Fournier, Franck, 440
Franco, Marta, 970
Franconi, F., 742
Franson, R. C., 650
Freeze, Hudson H., 384, 517
Frey-Fressart, V., 597
Frillingos, Stathis, 1116
Fujii, Junichi, 10
Fujimura, Kazuma, 316
Fujita, Junya, 353
Fujita, Toshiro, 447
Fukase, Norio, 1028

Garattini, E., 846
Garbuglia, Marisa, 901, 910
Gardès-Albert, M., 597
Gass, Cecelia, 390
Gekeler, Volker, 345
Gerstenfeld, Louis C., 863
Giambanco, Ileana, 901, 910
Gianni, M., 846
Gicquaud, Claude, 1154
Glatt, Hansruedi, 855
Glimcher, Melvin J., 863
Goormaghtigh, E., 773
Gordon, M. N., 650
Gotoh, Yohko, 511
Gotoh, Yozo, 863
Goustin, Anton Scott, 879
Grankowski, Nikodem, 418
Graves, Penelope E., 624
Griscavage, Jeanette M., 1053
Grunberger, George, 879
Gylfe, Erik, 644

Hadchouel, Michelle, 957
Hagen, Maria, 855
Haley, Boyd E., 390
Hamaguchi, Tomoya, 991
Hamann, Jörg, 68
Hamazaki, Shuji, 1021
Han, Derick, 161
Hanazono, Yutaka, 1060
Hara, Kenta, 735, 985
Harada, Naomoto, 1080
Hardy, Thomas A., 728
Harris, L. K., 650
Hasunuma, Tomoko, 1040
Hayashi, Takio, 82
Heinert, Gideon, 183
Heith, Agnieszka M., 549
Hellman, Bo, 644
Henderson, Scott A., 1053
Heppel, Leon A., 871
Herbert, Damon C., 309
Herman, Lee E., 978
Hermonat, Paul L., 714
Higuchi, Masahiro, 511
Higuchi, Tsuyoshi, 470
Hirai, Hisamaru, 1060
Hirai, Koichi, 576
Hirano, Fuminori, 935
Hirayama, Yasushi, 118
Hirohashi, Setsuo, 1067
Hirono, Ikuo, 118
Hirose, Tadaaki, 96
Hirshman, Michael F., 835
Holbrook, J. John, 895
Holliday, L. Shannon, 1073
Honda, Ayae, 1080
Honda, Makoto, 405
Horikawa, Izumi, 999
Horton, Edward S., 835
Horton, Elizabeth D., 835
Horváth, Ondrej, 68
Hotta, Tomomitsu, 360
Houdebine, Louis-Marie, 245
Hsu, Kang, 1016
Hull, Jacqueline, 339
Humez, Sandrine, 440
Hunt, Donna, 1046
Hwang, Byung-Doo, 1174
Hwang, Chie-Ping, 1016

Ichikawa, Mie, 384
Ichikawa, Tomio, 1166
Igarashi, Masahiko, 1028
Ignarro, Louis J., 1053
Iizuka, Tadahiko, 316
Ikeda, Kazutaka, 302, 1166
Ikeda, Kyoji, 447
Imai, Jun-ichi, 118
Imai, Yohji, 511
Imamura, Kiichi, 991
Inaba, Mamoru, 935
Inagaki, Nobuya, 721
Inoguchi, Toyoshi, 492
Inoue, Daisuke, 447
Inouye, Satoshi, 1
Ise, Wolfgang, 345
Ishidoh, Kazumi, 353
Ishimura, Yuzuru, 96
Ishiura, Shoichi, 376
Itakura, Hiroshige, 405
Ito, Koji, 576
Iwashita, Soh, 1092

Jacobson, Kenneth A., 871
Janata, Jirí, 569
Jansen, Laila, 309
Jeon, Young Jin, 1124
Jeong, Hye Gwang, 1124
Jiang, Bing, 238
Johnsen, Keyji, 895
Jones, Alwen L., 855
Jones, C. L., 1159
Juliano, C., 742

Kaback, H. Ronald, 1116
Kamei, Sachiko, 1106
Kanai, Yae, 1067
Kanduc, Darja, 506
Kaneko, Hideo, 1137
Kang, Jing X., 629
Kang, Mohinder S., 267
Karczewski, Jerzy, 532
Kasuga, Masato, 735, 985
Kato, Hiroshi, 82
Kato, Takeo, 1028
Kawabe, Yoshiki, 405
Kawanami, Toru, 1028
Keller, Kathy, 582
Keriel, Christiane, 919

Kihara, Hidetoshi, 576
Kim, Anthony, 964
Kim, Jeongho, 871
Kim, Youngbum, 1092
Kim, Youngsoo, 943
Kimata, Yoko, 96
Kimura, Sadao, 721
King, Patricia A., 835
Kinsey, William H., 204
Kiss, Zoltan, 63
Kitamura, Daisuke, 1137
Kitani, Seiichi, 576
Knobloch, Thomas J., 704
Kobayashi, Toru, 302, 1166
Kodama, Tatshuiko, 405
Koeffler, H. Phillip, 523
Kojima, Asato, 735
Kolattukudy, Pappachan E., 210
Kominami, Eiki, 353
Kono, Norio, 991
Konopka, Krystyna, 75
Koshino, Yusuke, 82
Kosugi, Hiroshi, 360
Kotani, Kei, 735, 985
Kotani, Ko, 735, 985
Kozlowski, Roland Z., 183
Kubohara, Yuzuru, 1036
Kubota, Shunichiro, 1106
Kumanishi, Toshiro, 302, 1166
Kumar, Rakesh, 819
Kusel, John, 1131
Kusumoto, Kenji, 316
Kutsumi, Yasunori, 82
Kuwajima, Masamichi, 991
Kuznetsov, Andrey, 919
Kwak, Sang-Tae, 1174
Kweon, Gi-Ryang, 1174
Kwiatkowski, Ann P., 457

Lakos, Zsuzsa, 111
Lane, M. Daniel, 1008
Lång, Hannu, 927
Laposata, Michael, 549
Leaf, Alexander, 629
Leclercq, Guy, 748
Lee, Sang Seop, 1124
Lee-Huang, Sylvia, 779
LeGall, Jean, 680
Lei, Ting, 555
Lelkes, Peter I., 323
Lemaire, Geneviève, 295
Lengeler, Joseph W., 1116
Le Panse, Rozen, 245
Leung, Pak Chow, 280
Leverve, Xavier, 919
Li, Dian-dong, 238
Li, Fei, 697
Li, Ning, 756
Liao, Kan, 1008
Li Calzi, M., 846
Lim, Kyu, 1174
Lima, Simone Fulgêncio, 1131
Lin, Ching-Yuang, 886
Ling, Nicholas, 1
Link, Charles J., 198
Liu, Jiandong, 323
Liu, Xin-Jun, 1
Lloyd, Steven G., 680
Lonergan, G. T., 1159
Lundstrom , Kenneth, 260
Luzi, Paola, 153

Maier, Olaf, 135
Mainwaring, D. E., 1159
Makino, Isao, 935
Makino, Yuichi, 935
Mallouh, Camille, 603
Mangel, Allen W., 457
Manolopoulos, Vangelis G., 323
Marmé, Dieter, 432
Martinez, Andrew, 309
Martínez, Flavio, 970
Masaki, Haruhiko, 118
Masaki, Tomoh, 721
Masuda, Yoshiaki, 721
Matifat, Fabrice, 440
Matsugo, Seiichi, 161
Matsumoto, Akiyo, 405
Matsumoto, Takuyuki, 168
Matsumoto, Toshio, 447
Matsuo, Shinji, 1021
Matsuzawa, Yuji, 991
Mattana, A., 742
May, James M., 590
Mazière, C., 597
Mazière, J. C., 597
McGill, James M., 457
Meléndez, Estela, 970
Mendola, Charmaine E., 603
Mian, M., 742
Miele, Mary E., 476
Mikulík, Karel, 569
Miles, Dorothy A., 714
Min, Kyung Rak, 943
Mino, Terumasa, 397
Minoura, Norihiko, 511
Misra, Tapan K., 610
Mitev, Vanio, 245
Miteva, Ljubka, 245
Miura, Takanori, 935
Miyabo, Susumu, 82
Miyajima, Atsushi, 360, 368
Miyake, Akira, 230
Momose, Kazutaka, 19
Monden, Morito, 353
Mookerjea, Sailen, 1046
Moon, Jangho, 943
Moore, Anthony N., 542
Morimoto, Takashi, 353
Morita, Yutaka, 576
Moroi, Kayoko, 721
Morrison, Richard P., 697
Morse, Christopher R., 549
Moura, Isabel, 680
Moura, José J. G., 680
Mufti, Naheed A., 144
Musarrat, Javed, 688
Muto, Akihiko, 368

Nagai, Naoko, 1099
Nagai, Shizuka, 576
Nagata, Kazuhiro, 1099
Naka, Michiko, 397
Nakagawa, Yasushi, 360
Nakai, Akira, 1099
Nakai, Tsuguhiko, 82
Nakajima, Hiromu, 991
Nakajima, Kazunori, 576
Nakajima, Toshihiro, 1040
Nakamura, Toshiya, 470
Nakaya, Misako, 118
Nash, Robert J., 267
Nawata, Hajime, 492
Nepovim, Aleš, 68
Newberry, Elizabeth P., 253
Ng, Chunyung, 603
Ng, Shi-Chung, 950
Nielsen, B. L., 287
Niikawa, Norio, 10
Nilsson, Åke, 765
Ning, Yang-Min, 48
Nishimura, Susumu, 1080
Nishioka, Kusuki, 1040
Nitta, Hiroyuki, 1060
Nobe, Koji, 19
Noguchi, Tamio, 991
Nonomura, Yoshiaki, 576

Ochiai, Atsushi, 1067
Ogawa, Atsuhiro, 353
Ogawa, Yutaka, 316
Ohata, Hisayuki, 19

Öhlin, Ann-Kristin, 765
Oida, Koji, 82
Okamoto, Kensaku, 935
Okamoto, Koji, 1036
Okamoto, Yoh, 118
Okuno, Yasushi, 168
Okuyama, Akira, 1080
Olah, Edith, 425
Oliva, Rafael, 802
Osaka, Mitsuhiko, 1021
Oshimura, Mitsuo, 999
Oyama, Tsukasa, 1067

Packer, Lester, 161
Palù, G., 332
Panneerselvam, K., 517
Parolin, C., 332
Perry, George, 657
Petersen, Beate, 555
Petit, Jean-François, 295
Phaneuf, Daniel, 957
Pike, Linda J., 253
Pinto da Silva, Pedro, 637
Porcu, Maria C., 825
Porter, Elaine A., 267
Pospíšil, Miloslav, 68
Potempa, Jan, 216
Powers, C. Alvin, 590
Prajda, Noemi, 425
Presky, David H., 562
Pretzer, Elizabeth, 75

Queralt, Rosa, 802

Rajala, Raju V. S., 617
Rambaldi, A., 846
Ramsay, R., 773
Ranganathan, Velvizhi, 412
Rangel, Marta, 970
Rechtin, Tammy M., 714
Rescigno, Antonio, 825
Reyes, José L., 970
Richey, Peggy L., 657
Rinaldi, Andrea C., 825
Rinaldi, Augusto, 825
Roach, Peter J., 728, 796
Roberts, Richard C., 855
Roberts, Thomas M., 1073
Rols, Marie-Pierre, 26
Romanov, Victor I., 637
Rosenberg, Helene F., 697
Rosenthal, M. D., 650
Ruysschaert, J.-M., 773
Ryder, John W., 796

Saeed, Badr, 950
Sahin-Tóth, Miklós, 1116
Saito, Hidehiko, 360
Saito, Toshihiro, 721
Sakaue, Hiroshi, 735
Saks, Valdur, 919
Sakurai, Akira, 1036
Salih, Erdjan, 863
Sánchez, Edwin R., 48
Sanders, Karl Heinrich, 345
Sanjust, Enrico, 825
Sasaki, Hideo, 1028
Sasaki, Ko, 1060
Sauri, Humberto, 964
Scheinberg, David A., 664
Schlender, Keith K., 274
Schuber, Francis, 42
Seetharam, Bellur, 756
Seetharam, Shakuntla, 756
Seino, Susumu, 721
Seito, Nakako, 19
Sekkaï, Dalila, 295
Seo, Han Geuk, 10
Seyama, Yousuke, 1106
Sharma, Rajendra K., 617
Sharma, Venkatanarayanan, 704
Shau, Hungyi, 964
Shibata, Shigeru, 470
Shibata, Tatsuhiro, 1067
Shieh, Jeng-Jer, 886
Shimada, Hideo, 96
Shimasaki, Shunichi, 1
Shimokawa, Teruhiko, 405
Shiozaki, Hitoshi, 353
Shugar, David, 418
Shuler, Michael L., 144
Shum, Jenny K., 223
Siedlak, Sandra L., 657
Simmons, Todd D., 637
Singhal, Radhey L., 425
Sledge, George W., Jr., 425
Slusser, J. H., 650
Smith, Mark A., 657
Smith, Terry R., 1147
Sobel, Mark E., 637
Soejima, Hidenobu, 10
Someya, Akira, 1080
Somogyi, Béla, 111
Sorimachi, Hiroyuki, 376
Spreca, Antonio, 910
Srinivas, Pothur R., 879
Strayer, David S., 153
Suárez, Jorge, 970

Sugiura, Yukio, 168
Sugiyama, Taketoshi, 1021
Sumitomo, Shoji, 1
Sutcliffe, Roger, 1131
Suzuki, Koichi, 376
Suzuki, Masashige, 1092
Suzuki, Mikio, 999
Swerlick, Robert A., 562
Symington, Banu E., 126
Szarka, Ágnes, 111
Szyszka, Ryszard, 418

Takagaki, Keiichi, 470
Takahashi, Katsutoshi, 447
Takahashi, Nobutaka, 1036
Takaishi, Toshiaki, 576
Tamura, Tomohiro, 1092
Tanabe, Tsutomu, 485
Tanaka, Hiromi, 999
Tanaka, Hirotoshi, 935
Tanaka, Kanji, 470
Tanaka, Nobuo, 1080
Tanaka, Takehiko, 991
Tanaka, Toshio, 397
Tanaka, Yoshimasa, 1036
Tanguay, Robert M., 957
Taniguchi, Naoyuki, 10
Taniuchi, Ichiro, 1137
Tavares, Pedro, 680
Taylor, Debra L., 267
Tazaki, Hiroshi, 603
Technau, Antje, 432
Teissie, Justin, 26
Tenu, Jean-Pierre, 295
Terao, M., 846
Togashi, Shunji, 1166
Tokuyama, Kumpei, 1092
Tomasi, Maurizio, 36
Tominaga, Makoto, 1028
Tomioka, Sigeo, 376
Tomita, Koji, 991
Tomono, Masahiro, 63
Totsuka, Ryuichi, 168
Townsel, James G., 463
Toyokuni, Shinya, 1021
Trachtman, Howard, 498
Travis, James, 216
Trischler, Hans J., 161
Tsujinaka, Toshimasa, 353
Tsujita, Takahiro, 549
Tsukada, Masuhiro, 511
Turinsky, Jiri, 1147
Turner, Joanne L., 183
Tyms, A. Stanley , 267

Ueda, Fusao, 492
Uenaka, Rikako, 991
Uesugi, Motonari, 168
Ulrich, Wolf-Rüdiger, 345
Umeda, Fumio, 492
Unsworth, Brian R., 323
Uozumi, Takeshi, 118
Ushijima, Saori, 1067
Usui, Hiroshi, 302

Valderrama, Elsa, 498
Vargas, Alfredo, 260
Vasilyeva, Elena, 919
Verzini, Marco, 901, 910
Vik, Terry A., 796
Volpacelli, Sheila A., 549

Wada, Yoichiro, 405
Wait, Stephanie J., 174
Walter, Christi A., 309
Wang, David, 1016
Wang, Q. May, 796
Wang, Xing, 210
Wani, Altaf A., 688
Watabe, Shugo, 118
Watanabe, Sumiko, 368
Watanabe, Takeshi, 1137
Waterfield, Michael D., 735
Waxman, Lloyd, 532
Weaker, Frank J., 309
Weber, George, 425
Weinshilboum, Richard M., 786
Welch, Danny R., 476
Wellner, Daniel, 664
Westermann, Peter, 135
Wilson, Jasna A., 688
Wilson, Susan E., 274
Wolf, Bryan A., 190
Wong, Yung H., 223
Wouters, J., 773
Wrathall, Linda S., 637
Wrenn, Robert W., 978
Wu, David, 728
Wu, Joseph M., 603
Wunderlich, John K., 680

Xu, Ning, 765
Xu, Yang, 664

Yamada, Kazuya, 991
Yamada, Takeshi, 1106
Yamamoto, Kazuhiko, 1040
Yamamura, Ken-ichi, 1137
Yamashita, Tsukasa, 492
Yamatani, Keiichi, 1028
Yan, Liang-Jun, 161
Yang, Funmei, 309
Yang, Kyu-Hwan, 1124
Yano, Masahiko, 353
Yapo, Alexandre, 295
Yazaki, Yoshio, 405, 1060
Yeh, Y. Albert, 425
Yen, Margaret S., 457
Yokota, Takashi, 360, 368
Yonezawa, Kazuyoshi, 735, 985
Yoo-Warren, Heeja, 339
Yorimitsu, Kazuyuki, 721
Yoshimura, Ichiro, 603
Yoshizawa, Toshio, 376
You, Jun, 476
Yuasa, Uhito, 397
Yuasa, Yoshihiro, 999
Yun, Chul-Ho, 1124

Zanotti, G., 332
Zhang, Haichao, 950
Zhen, Yong-su, 238
Zheng, D., 287
Zhi-Chao, Qu, 590
Zhou, Jiuying, 485
Zhou, Li, 765
Zong, Shuqin, 485

Volume 209

Abad, Concepción, 466
Abdulla, Mohammad, 698
Abe, Toshiaki, 349
Ackerman, Victoria, 316
Adamou, John E., 385
Agrò, Alessandro Finazzi, 417
Aida, Yoko, 981
Aiyar, Nambi, 385
Aizawa, Shinichi, 300
Akaike, Toshihiro, 335
Akamatsu, Miki, 817
Akazawa, Shoichi, 95
Albrecht, Daniel, 582
Albrecht, Jeffrey H, 648
Alia, 1
Alvinerie, Michel, 474
Ambrosio, Santi, 1140
Ammar, David A., 752
Anderson, Celia, 730
Andres, Anne-Catherine, 582
Anner, B. M., 921
Anner, R. M., 921
Aono, Aki, 859
Arai, Hiroyuki, 622
Araki, Hiroshi, 66
Arita, Hitoshi, 293
Arora, Sandeep, 1
Asahina, Masatoshi, 981
Athar, Mohammad, 698
Atsumi, Tadao, 300
Augustin, Hellmut G., 1068
Augustin, Lance B., 639
Avallone, Antonio, 630

Bagnato, Anna, 80
Baguna, J., 689
Baksh, Shairaz, 310
Baldari, Cosima T., 111
Baldet, Martine, 760
Bandyopadhyay, Gautam, 1082
Bañó, M. Carmen, 466
Barford, David, 817
Barra, Yves, 717
Barsacchi, Daniela, 547
Bartolini, Giovanna, 901
Bartrons, Ramon, 1140
Baumeister, Wolfgang, 684
Behr, Jean-Paul, 444
Bej, Asim K., 1126
Belletti, Barbara, 901
Benallal, M., 921
Bennett, Michael J., 47
Benyamin, Y., 426
Bera, Amal K., 213
Berciano, María T., 182
Berhanu, Paulos, 730
Bladergroen, Marco R., 417
Boeckler, Christophe, 444
Böhmer, Frank D., 614
Bonnafous, Jean-Claude, 153
Botto, Florence, 717
Boussif, Otmane, 444
Bowman, Barbara H., 250
Braco, Lorenzo, 466
Breeuwsma, Nelly G., 989
Brickell, Paul M., 60
Brömmer, Solvig, 706
Brown, Timothy R. P., 60
Buicu, Crina, 760
Burke, Terrence R., Jr., 817

Campbell, Fiona M., 1011
Campos-Neto, Antonio, 263
Cano-Gauci, Danielle F., 497
Carozzi, Amanda J., 343
Carrello, Amerigo, 117
Cassatella, Marco A., 87
Casteels, Rik, 451
Castronovo, Vincent, 760
Ceccarelli, Daniela, 53
Celler, Jakub W., 614
Cerra, Frank B., 648
Chakraborty, Asit K., 677
Chao, C., 1003
Chaudhuri, Bhabatosh, 31
Chen, Hung-Chun, 639
Chicheportiche, Yves, 1076
Chini, Eduardo N., 167
Chuang, L. F., 1003
Chuang, R. Y., 1003
Chuang, T. K., 1003
Chui, David H. K., 40
Chung, Fu-Zon, 506
Clark, Sharon F., 343
Cody, Wayne L., 506
Cohen, Mitchell B., 803
Colby, Howard D., 1149
Cooper, Douglas N. W., 760
Costa, Cristina, 1018
Crompton, Mark R., 959
Currie, Mark G., 803
Czarnetzki, Beate M., 706

D'Alto, Vito, 630
Damiani, Ernesto, 457
Das, Sudipto, 213
Daujat, Martine, 474
Delany, Natalie S., 31
De Smedt, Humbert, 451
Desobry, Alain, 717
Di Castro, Valeriana, 80
Doherty, Annette M., 506
Domingo, N., 1039
Dong, Meng-qui, 883
Donini, Marta, 87
Douglas, James S., 996
Dousa, Thomas P., 167
Drews, Gisela, 139
Dubois, T., 1039
Duda, Teresa, 286

Dusi, Stefano, 87
Dutta-Roy, Asim K., 1011

Elde, R., 563
El-Maghrabi, M. Raafat, 1140
Elshourbagy, Nabil A., 385
Elton, Terry S., 554, 1126
Engström, Ylva, 111
Ernst, Joel D., 1032
Evans, Barbara R., 1046

Fang, Hang, 777
Farese, Robert V., 1082
Fattore, Morena, 630
Feinberg, J., 426
Felsheim, Roderick F., 639
Feron, Olivier, 161
Ferrali, Marco, 53
Fetzer, Jürgen, 966
Fingerle, Jürgen, 139
Florio, Tullio, 630
Flynn, Michael A., 506
Folkers, Gerd, 966
Francis, P. L., 590
Franklin, R. A., 1102, 1111
Friedrichs, William E., 250
Frisch, Benoît, 444
Fujimoto, Jiro, 300
Fujisawa, Tomomi, 664
Fujisawa, Yukio, 859
Fujita, Hiroko, 293
Fukuda, Masahiro, 953
Fukuroda, Takahiro, 483
Furuta, Yasuhide, 300
Furuyama, Jun-ichi, 744

Gache, G., 1039
Gallesi, Daniela, 53
Galtier, Pierre, 474
Ganguly, Arunabha, 916
Garland, Donita L., 796
Gasperini, Sara, 87
Gelfand, E. W., 1102, 1111
Ghosh, Subhendu, 213
Giffin, Ward, 379
Giordano, S. J., 894
Giovannini, Fabiola, 53
Gipp, Jerry J., 227
Giri, Uma, 698
Glucksman, Marc J., 788
Godfraind, Théophile, 161
Goldring, Christopher E. P., 73
Gollahon, Katherine, 263
Gonez, L. Jorge, 614
Gonzalez, Pedro, 796
Gooch, Melanie G., 1046
Gordon, Margaret J., 1011
Goto, Jun, 1119
Gour-Salin, Barbara J., 322
Grand, Richard J., 989
Grataroli, R., 1039
Grigorescu, Florin, 234
Groblewski, Thierry, 153
Gualerzi, Claudio, 547
Gurney, Mark E., 850
Gusterson, Barry A., 959

Haberland, Christian, 139
Haché, Robert J. G., 379
Hainault, Isabelle, 1053
Hajduch, Eric, 1053
Hakomori, Sen-itiroh, 777
Halton, D. W., 689
Hama, Hiroko, 242
Hamada, Yoichi, 664
Hanasaki, Kohji, 293
Handa, Kazuko, 777
Hara, Kenta, 343
Harford, Catherine, 877
Harrison, Robert W., III, 18
Hashimoto, Tomoko, 744
Hattori, Mineko, 513
Hattori, Mitsuharu, 622
Hawkins, Jennifer A., 803
Haxton, Mark, 916
Hayakawa, Mika, 723
Hazama, Masatoshi, 859
He, John X., 506
Heilmann, Claus, 310
Heino, Jyrki, 205
Heller, H. Craig, 606
Henning, Robert H., 451
Hentunen, Teuvo A., 433
Herp, Anthony, 103
Herscovics, Annette, 322
Hey, Nina J., 788
Hibma, Merilyn H., 541
Higashitani, Atsushi, 198
Higashitani, Nahoko, 198
Hodgson, Clague P., 677
Honda, Takeshi, 519
Hoogenboom, Laurentius, 474
Hori, S., 1062
Horiuchi, Kensuke, 198
Hu, Michael Y., 648
Hultmark, Dan, 111
Huynh, Tri, 279
Hwang, Ok, 506

Ibrahim, Monier M., 407
Ichii, Shigetoshi, 744
Ichinose, Akitada, 365, 372
Ide, Keiko, 1119
Ihara, Masaki, 483
Iida, Tetsuya, 519
Iizuka, Taketoshi, 349
Ikawa, Yoji, 300
Ikegami, Hiroshi, 664, 953
Ikematsu, Naoko, 335
Ilic, Dusko, 300
Ilvonen, Elina, 175
Inada, Mitsuo, 832
Inoue, Keizo, 622
Ipata, Piero Luigi, 547
Ishibashi, Miwa, 95
Ishihara, Yasushi, 744
Ishikawa, Kiyofumi, 483
Ishiura, Shoichi, 841
Ito, Kazunori, 777
Iwai, Naoharu, 527
Iwashita, Shintaro, 656

James, David E., 343
Jeannin, Jean-François, 73
Jeong, Hee-Kyung, 996
Jiang, Qinshi, 1149
Jimenez-Asensio, Jose, 796
Johnston, R. N., 689

Kähäri, Veli-Matti, 175
Kahn, C. Ronald, 234
Kajiwara, Susumu, 867
Kakudo, Kennichi, 744
Kanasaki, Mikihiko, 832
Kanazawa, Ichiro, 1119
Karpuj, Marcela, 752
Karská, K., 597
Kasahara, Naruhiko, 218
Kasuga, Masato, 131, 343
Kataoka, Shiro, 907
Katsumata, Kazumi, 723
Katz, David R., 60
Kawada, Manabu, 25
Kawaguchi, Yoshihiko, 953
Kawai, Hiroyuki, 907
Kawamoto, Keiko, 293

Kawamura, Testsuya, 218
Kawashima, Hidenori, 535
Kay, Cyril M., 12, 310
Kefalas, Panagiotis, 60
Kelley, Grant G., 974
Kichler, Antoine, 444
Kido, Yoshiaki, 131
Kijima, Kazuhisa, 832
Kilduff, Thomas S., 606
Killam, K. F., Jr., 1003
Kinoshita, Masahiko, 527
Kinouchi, Tadatoshi, 841
Klinker, Jan F., 575
Knudsen, Thomas B., 407
Kodama, Hiroko, 349
Kodama, Masaaki, 349
Kole, Hemanta K., 817
Kondo, Keiji, 867
Kotani, Kei, 343
Kozian, Detlef H., 1068
Krasinski, Stephen D., 989
Krippeit-Drews, Peter, 139
Krishnan, Hari Bhupathi, 1026
Krizhanovsky, Valery, 752
Kumahara, Yuichi, 664
Kumatori, Atsushi, 146
Kundu, Ramendra, 257
Kung, H-f., 1003
Kuoppala, Tapio, 541
Kuribayashi, Futoshi, 146
Kuriyama, Masaru, 372
Kuwana, Takashi, 809

Laato, Matti, 393
Lacotte, D., 921
Lafarga, Miguel, 182
Lafont, H., 1039
Lagadec, Patricia, 73
Lakkakorpi, Päivi T., 433
Lakos, Zs., 936
Lang, Florian, 139
Lange, Alex J., 883, 1140
Larguier, Renée, 153
Larrieu, Gilberte, 474
Lassig, Jeffrey P., 1046
Laughlin, Kathleen V., 669
Lavabre, Christine, 234
Lavau, Marcelle, 1053
Lechevalier, Eric, 717
Lee, Bo Yon, 279
Lee, Hin-Cheung, 327
Lee, Kara J., 1126
Lee, P. P. N., 1132
Lee, Young-Choon, 996
LeGall, Jean, 1018
Lehenkari, Petri P., 433
Lehtinen, Matti, 541
Leone, A. M., 590
Lepistö, Jyri, 393
Lesca, Pierre, 474
Leung, O. K., 1132
Levery, Steven B., 777
Lew, Rebecca A., 788
Li, Lin, 883
Li, Ling, 916
Li, X. R., 894
Lin, J-j., 1003
Lipari, Francesco, 322
Lippman, Stephen S., 18
Liu, Hsien-Ching, 639
Loh, Horace H., 563, 639
Lombard, Colette, 153
Lu, Shengli, 639
Lucas, J., 1111
Luo, Xinmei, 614
Lupas, Andrei, 684

Maas, Saskia M., 989
Maccarrone, Mauro, 417
Madiehe, Abram M., 768
Maigret, Bernard, 153
Mampuru, Leseilane J., 768
Man, Nguyen thi, 1062
Mani, Rajam S., 12
Marano, Colleen W, 669
Marcante, Maria Luisa, 80
Margreth, Alfredo, 457
Marie, Jacky, 153
Marini, Maurizio, 316
Marschal, Philippe, 760
Martin, Mickey M., 554
Maruyama, Katsuya, 832
Maruyama, Naoki, 218
Mashima, Tetsuo, 907
Mashimo, Takashi, 519
Masini, Alberto, 53
Masuda, Naoki, 1119
Matsubara, Hiroaki, 832
Matsuda, Yuzuru, 712
Matsumoto, Kazunari, 95
Matsumoto, Tadashi, 146
Matsumura, Osamu, 218
Matsuo, Hiroshi, 95
Mattoli, Sabrina, 316
Maurel, Patrick, 474
Mazer, B., 1111
McCubbin, William D., 310
McGuire, Joseph, 279
Melamed, Isaac, 1102
Meucci, Olimpia, 630
Michael, Martina, 966
Michalak, M., 310, 597
Mikawa, Takashi, 809
Miki, Tetsuro, 664
Mima, Tatsuo, 809
Minchin, Rodney F., 117
Misawa, Norihiko, 867
Mishra, Ketu, 989
Missiaen, Ludwig, 451
Mitarai, Tetsuya, 218
Mitchell, Philip J., 959
Miura-Onai, S., 126
Miyake, Keiko, 218
Mizuno, Kensaku, 656
Moncada, S., 590
Moosmayer, M., 921
Moreno, Cristina, 1018
Mori, Yasukiyo, 832
Morita, Masahiko, 335
Moriwaki, Hisataka, 66
Morris, G. E., 1062
Moura, Isabel, 1018
Moura, José J. G., 1018
Mulcahy, R. Timothy, 227
Mullin, James M., 669
Murakami, Takashi, 944
Murasawa, Satoshi, 832
Murata, Yoshiko, 349
Muto, Yasutoshi, 66
Mutzel, Rupert, 490

Nagamatsu, Shinya, 95
Nagataki, Shigenobu, 95
Naim, Hassan Y., 989
Naim, Michael, 752
Naito, Mikihiko, 907
Nakagawa, Takashi, 809
Nakagawa, Yusuke, 664
Nakai, Yutaka, 981
Nakajima, Taisuke, 744
Nakamura, Michio, 146
Nakamura, Misa, 744
Nanko, Shinichiro, 513

Narayanan, Ramaswamy, 73
Navarijo-Ashbaugh, Andrea L., 250
Ng, Leong L., 191
Niimi, Masashi, 981
Niinikoski, Juha, 393
Nio, Yutaka, 832
Nohno, Tsutomu, 809
Noji, Sumihare, 809
Nouet, Sandrine, 153
Nukina, Nobuyuki, 1119

Ody, Christiane, 1076
Ogawa, Tatsuhiro, 712
Ogihara, Toshio, 664, 953
Ogimoto, Keiji, 981
Ohara, Akitoshi, 519
O'Hara, Bruce F., 606
Ohashi, Kazumasa, 656
Ohata, Takeshi, 809
Ohsuye, K., 126
Ohtani, S., 1062
Ohtani, Takeshi, 867
Ohuchi, Hideyo, 809
Ohwaki, Kenji, 483
Oikawa, Kim, 310
Okabayashi, Yoshinori, 131
Okada, Kosuke, 981
Okada, Takeshi, 850
Okubo, Naohiko, 832
Okutani, Toshio, 131
Okuyama, Akira, 823
Ono, Yasuko, 841
Orkin, Stuart H., 40
Orlandi, Marina, 901
Ozaki, Satoshi, 483
Ozawa, Takayuki, 723

Paavonen, Jorma, 541
Palangat, Murali, 356
Pang, S. F., 1132
Parys, Jan B., 451
Patterson, Bruce K., 850
Payne, William J., 1018
Paynter, David R., 730
Peltonen, Juha, 393
Perera, Kumar, 6
Peryt, Bogumila, 474
Picello, Enzo, 457
Pilkis, Simon J., 883, 1140
Pisano, Pascale, 717
Pocoví, León Miguel, 182
Polan, Mary Lake, 279
Polanco, José I., 182
Potila, Marita, 205
Prasad, K. V. S. K., 1
Prichard, Lynn E., 279

Qiu, Q., 1003

Ramakrishnan, S., 563
Ratajczak, Thomas, 117
Remy, Jean-Serge, 444
Renard, Eric, 234
Rettig, Wolfgang, 205
Reynolds, Elwood E., 506
Rhodes, P., 590
Riikonen, Terhi, 205
Rinaldo, Piero, 47
Riordan, John R., 497
Roberts, James L., 788
Robinson, Linda J., 343
Rodda, David J., 379
Rodríguez-Rey, José C., 182
Rogers, Mark V., 959
Roller, Peter P., 817
Rosales, Jesusa L., 1032
Rosato, Nicola, 417
Rosenbach, Thomas, 706
Rosetto, Marco, 111
Roustan, C., 426
Roy, Deodutta, 356
Roy, S., 563
Russo, Linda M., 669
Russo-Marie, F., 1039

Safa, Ahmad R., 497
Saggin, Leopoldo, 457
Saito, Toshiko, 867
Sakaguchi, Kazuhiko, 131
Sakai, Osamu, 218
Sakaue, Hiroshi, 343
Salom, David, 466
Salomone, Salvatore, 161
Salyan, Mary Ellen K., 777
Salzman, Andrew L., 739
Sampath, T. Kuber, 433
Sano, Toshiaki, 953
Saradhi, P. Pardha, 1
Sarkar, Bibudhendra, 877
Satomi, Yoshiko, 867
Scharf, Mauro, 1018
Schettini, Gennaro, 630
Schuber, Francis, 444
Scolozzi, Cosima, 547
Scorziello, Antonella, 630
Sedqi, M., 563
Seibert, Fabian S., 497
Seifert, Roland, 575
Seki, Yukio, 349
Semenza, Gregg L., 257
Seree, Eric M., 717
Sha'afi, Ramadan I., 271
Sharma, Rameshwar K., 286
Sharma, Som D., 698
Shaw, C., 689
Shaw, Gerry, 622
Shaw, Regina, 622
Sheng, W., 1003
Shidoji, Yoshihiro, 66
Shima, Kenji, 944
Shimaoka, Motomu, 519
Shimoike, Hitoshi, 527
Shioda, Masaki, 823
Shipley, Janet, 959
Shirasawa, Takuji, 218
Shlyankevich, Mark, 996
Shulman, Gerald I., 974
Shultz, Michael D., 1046
Siczkowski, Martin, 191
Sienaert, Ilse, 451
Smiers, Frans J. W., 989
Smith, A. Ian, 788
Smith, Anna L., 959
Sobel, Mark E., 760
Someya, Akira, 823
Somogyi, B., 936
Song, Shuh-Chyng, 103
Sonnemann, Jürgen, 490
Sorimachi, Hiroyuki, 841
Spamer, Cornelia, 310
Spisni, Enzo, 901
Srikant, C. B., 400
Standaert, Mary L., 1082
Steggles, A. W., 894
Steinbaugh, Bruce, 506
Steiner, L., 597
Stellato, Giovanni, 541
Stephan, Christine, 31
Strauss, Arnold W., 47
Strobel, Henry W., 535
Stroud, Mark R., 777
Struthers, A. D., 590
Suda, Toshio, 300
Sugimoto, Yutaka, 131
Surh, Young-Joon, 996
Suzuki, Koichi, 841
Suzuki, Shoichi, 146
Szabó, Csaba, 739
Szarka, Á., 936

Taenaka, Nobuyuki, 519
Taffesse, Samson, 1011
Takahashi, Takamune, 218
Takekawa, Kiyoshi, 664
Tal, Michael, 752
Tallerico-Melnyk, Teresa, 930
Tanaka, Masashi, 723
Tanaka, Takeo, 712
Tang, Wozhan, 40
Telford, John L., 111
Terada, N., 1111
Tetaz, Timothy J., 788
Thompson, David C., 6
Thompson, Debra A., 752
Thorin, B., 1039
Thuveson, Maria, 582
Tlaskalová-Hogenová, H., 597
Tomasi, Vittorio, 901
Tordai, A., 1111
Toshima, Jiro, 656
Tozzi, Maria Grazia, 547
Trinei, Mirella, 547
Trocino, Romulo A., 95
Tsang, C. W., 1132
Tsuji, Yoshiro, 146
Tsukaguchi, Hiroyasu, 832
Tsuruo, Takashi, 907
Tu, Chen-Pei D., 327
Tucková, L., 597
Tuukkanen, Juha, 433
Tyobeka, Errol M., 768
Tytgat, Jan, 1094

Uchigata, Yasuko, 664
Ueda, Hironori, 664
Ueno, Naoto, 859
Uitto, Jouni, 175
Umezawa, Kazuo, 25

Väänänen, H. Kalervo, 433
Vähä-Kreula, Marko, 393
van den Brûle, Frédéric A., 760
Van de Voorde, Annemie, 1094
Van Dijk, Cees, 1018
Van Horn, Stephanie, 385
Vassalli, Pierre, 1076
Ventura, Francese, 1140
Venuti, Aldo, 80
Verhaert, P., 689
Verhave, Menno, 989
VerHoeven, Richard, 18
Vihinen, Pia, 205
Vittori, Enza, 316
Voigt, Jeffrey M., 1149

Wang, C.-L. Albert, 12
Wang, Deng-Shun, 622
Wang, Guang L., 257
Wang, X. R., 1003
Wanner, Reinhard, 706
Watanabe, Yoshifumi, 335
Wataru, Miki, 867
Waterman, Waltraut H., 271
Watkins, Winifred M., 103
Watson, R. Douglas, 1126
Watt, Valerie M., 930
Watts, Stephen A., 1126
Weber, Irene T., 407
Wei, Li-Na, 639
Weinberger, Michael J., 47
Welch, Kathleen M., 506
Welch, Susan K., 606
Westermarck, Jukka, 175
Whitelaw, C. Bruce A., 1089
Wilson, Dorothy M., 242
Wilson, T. Hastings, 242
Witte, David P., 803
Wood, William M., 730
Woodward, Jonathan, 1046
Wu, Albert M., 103
Wu, June H., 103

Xu, Gen-jun, 883

Yabuta, M., 126
Yagi, Mayumi, 263
Yahagi, Yuichi, 218
Yamada, Yasuhiro, 66
Yamaguchi, Yoshihiko, 95
Yamakawa, Erika, 349
Yamamoto, Tadashi, 300
Yamasaki, Hironori, 95
Yamato, Eiji, 664
Yamauchi, Masaki, 809
Yan, Xinjian, 817
Yang, Funmei, 250
Yano, Mitsuo, 483
Yao, Wei-zhe, 883
Ye, Bin, 817
Yin, Yong, 883
Yip, Cecil C., 930
Yokoyama, Akihiro, 867
Yoneda, Makoto, 723
Yonezawa, Kazuyoshi, 343
Yoo, M., 894
Yoshioka, Hidefumi, 809
Yoshiya, Ikuto, 519
Yu, L., 1003

Zawalich, Kathleen C., 974
Zawalich, Walter S., 974
Zhuang, Shaobin, 12
Ziemiecki, Andrew, 582
Zigler, J. Samuel, Jr., 796
Zimmerli, Stefan, 1032
Zink, Mary Ann, 677
Zotter, H., 921
Zürcher, Gisela, 582
Zwickl, Peter, 684

Volume 210

Adebanjo, Olugbenga A., 948
Aggarwal, Sudeepta, 145
Akaike, Toshihiro, 38
Akisue, Toshihiro, 542
Akiyama, Norihisa, 781
Amato, A., 119
Anderson, Robert J., 363
Andraghetti, Gabriella, 931
Angelini, Corrado, 880
Anné, Jozef, 67
Antione, Marrianne, 384
Aoki, Kazumasa, 329
Aoki, Naohito, 275
Aono, Aki, 670
Aoto, Mamoru, 844
Aoyagi, Takahiko, 1066
Arabolos, Nicole S., 1009
Arahata, Kiichi, 231
Araki, Rika, 837
Arcangeli, Annarosa, 823
Arenberg, D. A., 51
Arnetorp, Anna, 267
Arock, Michel, 507
Astarie-Dequeker, C., 889
Athma, Prasanna, 982
Atkinson, Alfonza, 424
Augustijns, Patrick F., 987
Avvedimento, V. E., 138

Babu, Vikas, 417
Baffy, György, 378
Baillie, Thomas A., 498
Bak, Judit, 457
Ballagi, Andrea E, 165
Ballaun, C., 898
Barbero, José Luis, 524
Bartolini, Patrizia, 823
Batchu, Ramesh B., 717
Battaglia, M., 119
Battista, John R., 1025
Båvik, Claes-Olof, 105
Bécherel, Pierre-André, 507
Bedoya, F. J., 816
Behlke, Joachim, 1001
Benayahu, D., 197
Benkowski, Lisa A., 370
Benyamin, Yves, 152
Berg, Otto G., 746
Berger, Eric G., 14
Bernal, Juan, 995
Bernhardt, Rita, 1001
Bhat, Manoj Kumar, 464
Bianchi, Laura, 823
Bidri, Mohamed, 507
Bischoff, Joyce, 174
Blank, Merle L., 1052
Blau, Nenad, 966
Bock, Margaret E., 260
Bolognesi, Martino, 1040
Borchardt, Ronald T., 987
Borsig, Lubor, 14
Borthwick, Andrew C., 738
Bradley, William A., 491
Brasel, Christopher, 174
Brown, V., 753
Browning, Karen S., 370
Bunney, Tom D., 7
Burdick, M. D., 51
Byers, Larry D., 145
Byrns, Russell E., 1009

Cajal, Yolanda, 746
Carelli, Valerio, 880
Carroll, Richard T., 345
Carrozzo, Rosalba, 880
Castles, Carl G., 609
Cattini, Peter A., 260
Caubín, Julio, 995
Cederbaum, Stephen D., 1009
Chang, H., 567
Chao, Yuh-Fen, 938
Chen, Ding-Shinn, 1017
Chen, J. J., 567
Chen, Yijing, 260
Chen, Yuh-Ling, 472
Cheng, Sandra, 866
Cheng, Sheue-yann, 464
Chin, Khew-Voon, 21
Chiou, Ling-Ling, 1017
Chiou, Shyh-Horng, 974
Cho, Chung-Gu, 1
Cho Lee, Jungsook, 631
Chung, Hun-Taeg, 1
Clemens, Dahn L., 363
Clopton, David A., 189
Coffer, Paul J., 74
Colston, Kay W., 948
Consiglio, E., 138
Constantinidis, Ioannis, 113
Content, Jean, 67
Cordera, Renzo, 931
Cordì, R., 119
Cortelli, Pietro, 880
Corvaia, Nathalie, 774
Coutant, Karine D., 774
Craig, Susan W., 159
Czyż, Aneta, 98

Dattatreyamurty, Bosukonda, 392
Davis, Margaret R., 498
Dean, Alan D., 239
Debré, Patrice, 507
Deleuran, Bent, 660,
Deleuran, Mette, 660
DeMartino, George N., 600
De Pont, Jan Joep H. H. M., 907
Desaki, Masashi, 781
Desideri, Alessandro, 1040
Dettmer, Rudolf, 1001
Devynck, M. A., 889
Dittrich, C., 898
Djinovic-Carugo, Kristina, 1040
Dove, Stephen K., 7

Doyle, D., 753
Doyle, Patrice D., 345
Drahota, Zdeněk, 760
Drews, Gisela, 914
Drøbak, Bjørn K., 7

Edelman, Arthur M., 631
Eguchi, Katsumi, 1066, 1076
Eizirik, D. L., 816
Emmerling, Mark R., 345
Endo, Takeo, 302
Ensley, Harry E., 145
Eriksson, Ulf, 105

Feron, Olivier, 219
Fidahusein, Naseem, 982
Fishman, Mark C., 31
Fitzgerald, Veronica, 1052
Flanders, P. Christopher, 113
Fliesler, Steven J., 695
Flodström, M., 816
Forest, Eric, 686
Frändberg, Per-Anders, 205
Fried, A., 197
Fried, Mike, 384
Frost-Mason, Sally K., 239
Fryxell, D., 253
Fujii, Ei, 852
Fujinaka, Yuichi, 805
Fujisawa, Yukio, 670
Fukamachi, Hiroshi, 400
Fukami, Yasuo, 844
Fukui, Hiroyuki, 960
Funa, Keiko, 165
Funakoshi, Akihiro, 787
Fuqua, Suzanne A. W., 609
Furukawa, Kiyoshi, 275
Furuya, Hirokazu, 830
Futai, Masamitsu, 616

Galbraith, Richard A., 350
Ganapathy, Vadivel, 874
Gardner, Brigitte, 478
Gesser, Borbala, 660
Gianturco, Sandra H., 491
Godfraind, Théophile, 219
Goldman, David, 530
Golinelli, Marie-Pierre, 686
Gollapudi, Sastry, 145
Goto, Yukio, 302
Gowda, D. Channe, 1031
Gratzer, W. B., 478
Griscavage, Jeanette M., 1009
Gross, Steven S., 288
Grunau, Christoph, 1001
Grunt, T., 898
Guillosson, Jean-Jacques, 507
Guitérrez, Julio, 524
Gupta, Sudhir, 145

Hait, William N., 21
Hara, Atsushi, 44
Hara, Shinichi, 441
Harant, H., 898
Haraoka, Seiji, 302
Harmey, J. H., 753
Hasegawa, Shizuo, 302
Hatano, Tsutomu, 329
Hayakawa, Mika, 133
Hayes, Larry C., 1031
Hazama, Masatoshi, 670
Heizmann, Claus W., 966
Hendrix, Chris, 67
Hengstenberg, Christian, 211
Herdewijn, Piet, 67
Hermonat, Paul L., 717
Hernández, Francisco, 409
Herrmann, Guido F., 14
Higashimoto, Yoshifumi, 960
Hijikata, Makoto, 1059
Hill, Steven M., 609
Hirai, Shunsaku, 338
Hiramatsu, Keiichi, 781
Hirowatari, Yuji, 1059
Ho, Jenny J. L., 866
Hori, Hiroshi, 483
Horita, Seiki, 483
Horng, Ming-Chian, 1017
Hotta, Kyoko, 852
Huang, Guan-Tarn, 1017
Huber, H., 898
Huhtaniemi, Ilpo, 858
Hurel, Steven J., 738

Ichinose, Masao, 400
Igarashi, Hiroshi, 231
Iglesias, Teresa, 995
Ignarro, Louis J., 1009
Ikeda, Makoto, 624
Imamura, Ikuo, 960
Inoue, Hiroo, 542
Inoue, Kaori, 624
Inoue, Kazuhide, 624
Inoue, Takatoshi, 766
Insel, Paul A., 246
Inturrisi, Charles E., 589
Inuzuka, Manabu, 797
Ishihama, Satoshi, 400
Ishii-Karakasa, Ikuko, 852
Ishiura, Shoichi, 654
Ishizaki, Akira, 165
Ishizaki, Takeshi, 133
Ito, Kanako, 624
Ito, Koji, 781
Ivanov, Svetoslav X., 14
Iwase, Hitoo, 852
Iwatsuki, Ken, 275

Jain, Mahendra Kumar, 746
James, Sharon Y., 948
Jenab, Shirzad, 589
Jenkinson, Christopher F., 1009
Jensen, Steen Lindkær, 660
Jeppsson, Jan-Olof, 267
Jin, Byun Young, 797
Jin, Lixia, 498
Jin, Yan, 260
Jing, Naijie, 1031
Johnson, B., 253
Johnson, Robert P., 159
Joshi, Prakash C., 417

Kaji, Satomi, 797
Kakei, Nobuyuki, 400
Kakiuchi, Nobuko, 1059
Kalous, Martin, 760
Kalvinsh, Ivars, 205
Kanayama, Shuji, 960
Kardami, Elissavet, 260
Karhapää, Leena, 726
Kasai, Michiki, 648
Kataoka, Takao, 324
Kawabe, Yojiro, 1066, 1076
Kawakami, Atsushi, 1076
Kawanami, Takako, 787
Kawasaki, Takashi, 648
Keller, R. Kennedy, 695
Kern, Rita M., 1009
Kharasch, Evan D., 498
Kikawa, Yoshiharu, 797
Kikutani, Takehiko, 781
Kim, Hyung-Rho, 1
Kim, Jong-Suk, 1
Kim, Kwang S., 345
Kim, Y. S., 866
Kim, Youngbum, 766
Kinnard, Richard L., 549
Kirikae, Fumiko, 678
Kirikae, Teruo, 678
Kita, Yoshiko, 441
Kitamura, Shinji, 960
Kiyohara, Tatsuya, 960

Klaassen, Corné H. W., 907
Klotz, Diane M., 609
Kobayashi, Takuro, 830
Koike, Takashi, 616
Koizumi, Shuichi, 624
Komada, Takuya, 837
Komiya, Yoshiaki, 338
Komoda, Yasumasa, 1059
Kondo, Shinya, 960
Kono, Akira, 787
Koski, Raymond, 441
Kragl, Udo, 14
Krippeit-Drews, Peter, 914
Kruijer, Wiebe, 74
Krupitza, G., 898
Kudlacek, Patrick E., 363
Kumagai, Hiromichi, 231
Kunkel, S. L., 51
Kurahashi, Hisashi, 44
Kuroda, Hirofumi, 310
Kurokawa, Kiyoshi, 400
Kusumoto, Shoichi, 678

Lai, Ming-Yang, 1017
Landberg, Eva, 267
Larsen, Christian Grønhøj, 660
Laviola, L., 138
Law, Norman M., 58
Lebart, Marie-Christine, 152
Le Breton, G., 889
Lee, Hsuan-Shu, 1017
Lee, Sheng-Chung, 1017
Le Goff, Liliane, 507
Lei, Yu, 356,
Leibach, Frederick H., 874
Leibovitch, S. A., 181
Leng, Nan, 392
Lenormand, J. L., 181
Leucci, S., 119
Li, B.-Y., 253
Li, Ran, 491
Li, Yun-You, 211
Liang, Rong, 874
Lien, W. P., 567
Liew, C. C., 567
Lin, Juey-Wen, 938
Lindley, I., 898
Linnoila, Markku, 530
Liu, Qing, 288
Lohse, Nicolai, 660
López-Alarcón, Luisa, 409
Lu, Shao-Fan, 974
Lugaresi, Elio, 880
Lund, Marianne, 660
Lundblad, Arne, 267
Lust, Michael R., 345

Ma, Yen-Ying, 874
Maeda, Masatomo, 616
Magae, Junji, 324
Maggi, Davide, 931
Mahieu, Muriel, 67
Maisch, Bernhard, 211
Martasek, Pavel, 288
Martínez-Caja, Concepción, 524
Martinuzzi, Andrea, 880
Maruta, Hideharu, 329
Mashimo, Hiroshi, 31
Masuda, Masao, 787
Masuda, Tatsuru, 310
Matsuda, Tsukasa, 275
Matsukawa, Shigeru, 133
Matsumoto, Kazuya, 805
Matsuoka, Naoki, 1076
Matsushima, Masashi, 400
Matsuura, Akira, 126
Matsuzawa, Yuji, 960
Mawatari, Kazuhiro, 483
Maxwell, J. Douglas, 948
Mayer, John, 441
McMillan, Kirk, 288
McPhie, Peter, 464
Méjean, Catherine, 152
Melhus, Håkan, 105
Melloni, E., 82
Mendoza, Carmen, 518
Mercurio, Mary Gail, 350
Merli, Angelo, 1040
Mészáros, László G., 452, 457
Mészáros, Valéria, 452
Meyer, Jacques, 686
Migita, Kiyoshi, 1066, 1076
Mikami, Hitoshi, 797
Miki, Kazumasa, 400
Miller, Frederick W., 556
Millner, Paul A., 7
Misra, Rajendra B., 417
Miyabo, Susumu, 133
Miyamoto, Eishichi, 338
Miyasaka, Kyoko, 787
Miyatake, Tadashi, 703
Miyazaki, Kentaro, 733
Mizokami, Akinari, 1076
Mizuno, Masashi, 537
Mizunuma, Hideo, 797
Mochizuki, Naoki, 246
Mohanraj, D., 253
Momoi, Mariko, 231
Momoi, Takashi, 231
Montagna, Pasquale, 880
Moriwaki, Hisataka, 38
Morshed, Sufi Reza Md., 356
Muceniece, Ruta, 205
Mugnai, Gabriele, 823
Mukasa, Takeshi, 231
Mukundan, Nancy E., 113
Muñoz, Alberto, 995
Murakami, Kazuo, 581
Muroya, Kenkoh, 231
Murray, Michael F., 954
Murthy, Pushpalatha P. N., 549
Muto, Yasutoshi, 38

Nagai, Kazuo, 324
Nagai, Masako, 483
Nagai, Yukifumi, 483
Nagaki, Masahito, 38
Nagata, Kiyoshi, 295
Nagataki, Shigenobu, 1066, 1076
Nagatsuka, Yasuko, 1045
Nair, Balachandran Unni, 434
Naka, Michiko, 837
Nakae, Kunie, 766
Nakae, Taiji, 356
Nakai, Akio, 797
Nakai, Tsuguhiko, 133
Nakajima, Rieko, 766
Nakamura, Kouji, 317
Nakamura, Ryo, 275
Nakamura, Shun-ichi, 542, 639
Nakamura, Yoshio, 317
Nakano, Masayasu, 678
Nakatani, Kaname, 837
Nakazawa, Ken, 624
Nałęcz, Maciej J., 98
Nakhai, Bita, 530
Narasimhan, Bhuvarahamurthy, 549
Narisawa, Kuniaki, 797
Nehlin, Jan-Olof, 165
Neuheiser, Frank, 966
Ng, Ka-yun, 987
Nicolson, Margery, 441
Nielsen, David A., 530
Ninomiya, Hiroki, 302
Nishi, Tsuyoshi, 616
Nishimatsu, Shin-ichiro, 581
Nishimura, Jonathan S., 288
Nishizuka, Yasutomi, 639
Noda, Akirhiro, 275
Noda, Takeshi, 126
Noguchi, Yoshiko, 302
Nomura, Akihiko, 302

Nomura, Yasuyuki, 574
Notoya, Kohei, 670

O'Brien, Martin E., 225
O'Brien, Thomas G., 90
Oda, Satoshi, 581
Ogita, Kouji, 639
O'Hanlon, Terrance P., 556
Ohnishi, Hiroo, 38
Ohsumi, Yoshinori, 126
Ohta, Hiroyuki, 310
Ohtoshi, Takayuki, 781
Ohura, Toshihiro, 797
Oka, Toshihiko, 616
Okazaki, Hitoshi, 781
Olivotto, Massimo, 823
Orii, Tadao, 830
Oshima, Tairo, 733
Ozawa, Takayuki, 133

Pacifico, F., 138
Packer, Lester, 537
Påhlsson, Peter, 267
Palacián, Enrique, 409
Palazzolo, Marjorie R., 921
Pan, Fu-Ming, 974
Pan, Jinmei, 711
Park, Byung-Hyun, 1
Park, Jin-Woo, 1
Passalacqua, M., 82
Pasumarthi, Kishore B. S., 260
Patrone, M., 82
Pazianas, Michael, 948
Pedersen, Steen Sindet, 660
Peng, Shao Qing, 1031
Pérez-Pérez, Julián, 524
Pernollet, M. G., 889
Pessino, A., 82
Peterson, Per A., 105
Petillot, Yves, 686
Piéroni, Laurence, 507
Pinder, Jennifer C., 478
Pliska-Matyshak, Gay, 549
Podolsky, Daniel K., 31
Polverini, P. J., 51
Pontremoli, S., 82
Porcellini, A., 138
Prasad, Puttur D., 874
Prusis, Peteris, 205
Pryor, William A., 1025
Puerta, Carmen, 409

Raben, Nina, 556
Raghow, Rajendra S., 921
Rajaram, Rama, 434
Ramakrishnan, S., 253
Ramasami, T., 434
Ramprasad, Mysore P., 491
Rannikko, Antti, 858
Rask, Lars, 105
Ratzkin, Barry, 441
Rauchová, Hana, 760
Ravel, Joanne M., 370
Reichert, Leo E., Jr., 392
Rho, Hye-Won, 1
Rietschel, Ernst Th., 678
Rinaldi, C., 119
Ringheim, Garth E., 711
Roberts , James L., 281
Rochford, Justin J., 738
Rogers, M. S., 753
Rohde, Mike, 441
Romano, L., 119
Rosenzweig, Steven A., 58
Rossi, GianLuigi, 1040
Rosson, Dan, 90
Rotilio, Giuseppe, 1040
Roustan, Claude, 152
Roy, Deodutta, 424
Ryder, Neil S., 774

Šaf, Patrik, 760
Saito, Fumiaki, 703
Saito, Shiro, 805
Sakamoto, Tohru, 302
Salerno, John C., 288
Salgo, Maria G., 1025
Salomone, Salvatore, 219
Saltman, Paul, 189
Sanchez, Adela, 246
Sasagawa, Noboru, 654
Sasaki, Satoshi, 670
Sassa, Shigeru, 350
Sato, Ayako, 844
Sato, Ken-ichi, 844
Sato, Makoto, 781
Sato, Takeshi, 275
Schievano, Giuliana, 880
Shankar, Vijai S., 948
Sharma, Hari A., 145
Sharma, Kumar, 378
Shaw, Peter J., 7
Sheu, Jin-Chuan, 1017
Shi, Wenyao, 378
Shibata, Toshinori, 317
Shidoji, Yoshihiro, 38
Shiff, Steven J., 350
Shigematsu, Yosuke, 797
Shigemori, Kazuo, 133
Shih, N. L., 567
Shima, Teruo, 837
Shimbara, Naoki, 600
Shimizu, Miyuki, 400
Shimizu, Teruo, 654
Shimokama, Tatsuro, 302
Shimooku, Kiyoshi, 542
Shimotohno, Kunitada, 1059
Shimozawa, Nobuyuki, 830
Shinnoh, Nobue, 830
Shinomura, Yasuhisa, 960
Shinozaki, Hirotsugu, 787
Shioi, Yuzo, 310
Shirakawa, Hitoshi, 1045
Shiyama, Takaaki, 678
Shoji, Shunsuke, 781
Shyu, K. G., 567
Siler Masters, Bettie Sue, 288
Slaughter, Clive A., 600
Smith, Zigrida L., 1052
Smoake, James A., 921
Snyder, Fred, 1052
Socci, Robin, 452
Soler, Agatangelo, 518
Solomon, Sol S., 921
Sorimachi, Hiroyuki, 654
Sparatore, B., 82
Spriggs, Louaine L., 609
Squadrito, Giuseppe L., 1025
Srinivasan, Alagarsamy, 954
Stone, Koni, 1025
Strieter, R. M., 51
Suda, Yasuo, 678
Sudo, Masakatsu, 797
Sugiyama, Akihiko, 38
Sun, Xiaoyan, 338
Suzuki, Koichi, 654
Suzuki, Masashige, 766
Suzuki, Yasuyuki, 830
Suzuki, Yoichi, 797
Suzuki, Yuichiro J., 537
Swarts, Herman G. P., 907
Swift, Michael, 982
Szewczyk, Adam, 98

Takamiya, Kenichiro, 310
Takashima, Hiroyuki, 1076
Takata, Yutaka, 787
Taketo, Akira, 797
Taketomi, Shigehisa, 670
Taketomi, Tamotsu, 44
Takeuchi, Masakazu, 295
Takizawa, Hajime, 781

Tamura, Tomohiro, 766
Tanaka, Keiji, 600
Tanaka, Manabu, 38
Tanaka, Toshio, 837
Tani, Akiyoshi, 703
Tanji, Yasunori, 1059
Tanuma, Sei-ichi, 329
Tashiro, Tomoko, 338
Tatematsu, Masae, 400
Terao, Toshio, 654
Tesarik, Jan, 518
Thestrup-Pedersen, Kristian, 660
Thöny, Beat, 966
Timmer, Richard T., 370
Togashi, Ken-ichi, 324
Tokin, Masahiro, 295
Tokumitsu, Yukiko, 574
Tokuyama, Kumpei, 766
Törnquist, Kid, 726
Tsai, Inn-Ho, 472
Tsukada, Toshiaki, 1066
Tsukada, Toshiaki, 1076
Tsukahara, Toshifumi, 231
Tsukuda, Ryoichi, 670
Tsurumi, Chizuko, 600
Turnbull, Douglass M., 738

Uchida, Yoshiyuki, 302
Uchiumi, Fumiaki, 329
Uehara, Takashi, 574
Uemura, Kei-ichi, 44
Ueno, Naoto, 581
Ueyama, Harumi, 960
Ulianich, L., 138
Urasawa, Kazushi, 246
Urry, Dan W., 1031
Usuki, Fusako, 654
Uthman, A., 898

Van Aerschot, Arthur, 67
Van Calenbergh, Serge, 67
Ventra, C., 138
Vergani, Lodovica, 880
Vestergård, Christian, 660
Voelkel, Norbert F., 133

Wada, Yoh, 126
Wandrey, Christian, 14
Wang, D. L., 567
Wang, Winnie W., 1009
Wanke, Enzo, 823
Watanabe, Teruo, 302
Watkins, Peter A. C., 7
Watson, Eric, 441
Weiss, Anthony S., 225
Wells, Anne M., 738
Weng, Shu-Fen, 938
White, Ian R., 7
Wientroub, S., 197
Wikberg, Jarl E. S., 205
Williams, Todd M., 987
Williamson, John R., 378
Wojtczak, Lech, 98
Woloschak, Michael, 281

Yahagi, Naohisa, 400
Yajima, Yoshitada, 852
Yamada, Takeshi, 830
Yamada, Yasuhiro, 38
Yamagata, Takanori, 231
Yamaguchi, Keizo, 639
Yamaguchi, Naohiro, 648
Yamamoto, Hideyuki, 338
Yamamoto, Yoshiki, 797
Yamamura, Yoshiki, 133
Yamane, Kunio, 317
Yamasaki, Hideki, 670
Yamazaki, Fuminori, 1045
Yanagisawa, Katsuhiko, 703
Yang, Jin-Ming, 21
Yang-Feng, Teresa L., 874
Yaoi, Takuro, 733
Yasukochi, Takashi, 678
Yasunaga, Yuichi, 960
Yeaman, Stephen J., 738
Yokogoshi, Yutaka, 805
Yoneyama, Hiroshi, 356
Yoneyama, Yoshimasa, 483
Yoshida, Michiteru, 1045
Yoshida, Takashi, 329
Yoshida, Yoshihiro, 830
Yoshimoto, Katsuhiko, 805
Yoshimura, Takeo, 830

Zaballos, Angel, 995
Zahradníková, Alexandra, 457
Zaidi, Mone, 948
Zamborelli, Tom, 441
Zhang, Chen-Yu, 805
Zhang, Fu-ping, 858
Ziyadeh, Fuad N., 378

Volume 211

Abe, Teruo, 997
Adelman, John P., 1036
Ahn, Soo Mi, 410
Akaike, Norio, 282
Akanuma, Yasuo, 1036
Albertin, Giovanna, 249
Alhenc-Gelas, François, 528
Andersson, Laura A., 389
Ando, Masayuki, 354
Ando, Yukio, 354
André, Catherine, 735
Andres, Douglas A., 590
Apfel, Rainer, 83
Arai, Takesi, 469
Araki, Keishi, 296
Arnold, N., 226
Arzimanoglou, Iordanis I., 804
Ashcroft, Frances M., 1036
Asso, Marcel, 198
Azuma, Chihiro, 137

Backer, Joseph M., 578
Bacon, Kevin B., 100
Bagetta, Giacinto, 130
Balish, Mitchell F., 331
Balligand, Jean-Luc, 375
Balzarini, Jan, 850
Banno, Yoshiko, 306, 364
Barkhem, T., 991
Bauvy, Chantal, 935
Beall, Clifford J., 325
Becker, Elmer L., 812
Beechey, R. Brian, 986
Bell, Graeme I., 211
Belletti, Silvana, 878
Beneduce, Francesca, 627
Benvenuti, S., 857
Berliocchi, Laura, 130
Berthou, F., 497
Bertrand, Patrick, 198
Betebenner, David A., 159
Biggerstaff, Maureen, 960
Birrell, G. Bruce, 318
Blondelle, Sylvie E., 7
Böhme, E., 234
Bollen, Alex, 885
Bonk, Ulrich, 175
Bonventre, Joseph V., 67
Boothroyd, Clare V., 1063
Brand, Joseph G., 312
Brandi, M. L., 857
Brandis, John W., 792
Braun, A., 226, 234
Brewer, John M., 607
Brönnegård, Mikael, 426, 991
Bruschi, M., 742
Bryans, M., 519
Bullerdiek, Jörn, 175
Burkey, Thomas H., 152
Bussolati, Ovidio, 878

Camarasa, Maria-José, 850
Cameron, Donald P., 1063
Campbell, Ian W., 780
Carreira, L. A., 607
Cassiman, Jean-Jacques, 115
Cesari, Maurizio, 249
Cha, Seok Ho, 454
Chan, Edith, 14
Chang, H., 241
Chao, Lorrine A., 792
Chassé, J. F., 826
Chaudhuri, Bhabatosh, 417
Chen, J. J., 241
Chiba, Masafumi, 219
Chiricolo, Mariella, 554
Chuen, Hui-Lan, 1006
Coates, Antony R. M., 14
Codogno, Patrice, 935
Coluccio, Lynne M., 331
Connors, Thomas J., 511
Corasaniti, M. Tiziana, 130
Corkins, Mark R., 707
Couvineau, Alain, 901, 935
Crabb, David W., 144
Crick, Dean C., 590
Csermely, Péter, 166
Cuneo, Paola, 614

Dall'Asta, Valeria, 878
Dall'Olio, Fabio, 554
Date, Yukari, 1053
De Clercq, Erik, 850
Deichert, Ulrich, 175
De Meirsman, Catherine, 115
De Neef, Philippe, 885
De Sepulveda, Paulo, 735
De Stefanis, Daniela, 935
Di Paolo, Emmanuel, 885
Dietz, John R., 67
Diglio, Clement A., 462
Dipple, Katrina M., 144
Divakar, Soundar, 978
Dolla, A., 742
Dominiczak, Anna F., 780
Donelson, John E., 49
Dreano, Y., 497
Drvota, V., 991
Drvota, Viktor, 426
Duan, Wei, 404
Dudich, I. V., 742

Edamatsu, Rei, 847
Egelrud, Torbjörn, 586
Elliger, Susan S., 792
Elmquist, William F., 719
Endou, Hitoshi, 454
Ericzon, Bo-Goran, 354
Essani, Naeem A., 74
Eto, Tanenao, 694

Falchetti, A., 857
Fan, Zheng, 211

Feigin, Alexander M., 312
Finazzi-Agrò, Alessandro, 130
Fiorelli, G., 857
Flier, Jeffrey S., 833
Florens, L., 742
Forood, Behrouz, 7
Fossati, Gianluca, 14
Franchin, Elisa, 249
Frediani, U., 857
Fujita, Tetsuro, 396
Funahashi, Tohru, 469

Gaudin, Pascale, 901
Gauss-Müller, Verena, 627
Gazzola, Gian C., 878
Gelkop, Sigal, 872
Gibson, Bruce G., 774
Giuliani, Paola, 14
Goasduff, T., 497
Gobbetti, Anna, 1047
Godleski, John J., 289
Goodson, Michael L., 943
Gori, F., 857
Gotoda, Takanari, 761
Gould, Gwyn W., 780
Graeber, Manuel B., 700
Grazi, Enrico, 614
Griffith, O. Hayes, 318
Grimmond, Sean M., 1063
Guigliarelli, Bruno, 198
Gururaja, T. L., 540
Guye-Coulin, Florence, 100

Häggblad, Johan, 426, 991
Hagura, Ryoko, 1036
Hahne, Guido, 432
Hamann, Andreas, 833
Hamazaki, Hideaki, 349
Hamby, Carl V., 578
Hammarström, Sten, 656
Hanazono, Yutaka, 677
Haniu, Mitsuru, 40
Hara, Manami, 211
Harada, Kenji, 761
Harigaya, Y., 1015
Harris, Ann, 274
Hashimoto, Kazumasa, 137
Hassan, A-M., 54
Hatta, Toshifumi, 1041
Hayward, Nicholas K., 1063
Hebert, Lee, 714
Hedberg, Karen K., 318
Hennig, Yvonne, 175
Henry, Jean-Pierre, 92
Hidaka, Hiroyoshi, 562
Higuchi, H., 438
Higuchi, Susumu, 28
Hilal, Said H., 607
Hirai, Hisamaru, 677, 1023
Hirai, S., 1015
Hirano, Hisanobu, 296
Hiraoka, Hisatoyo, 469
Hirata, Kazuto, 1031
Hiroishi, Goro, 619
Hirose, Takahisa, 83
Hoeijmakers, Jan H. J., 960
Hoffman, Patricia Lynn, 106
Hoffman, Richard, 600
Honn, Kenneth V., 462
Hori, Masatsugu, 370
Horikawa, Hiroshi P. M., 997
Horiuchi, Kazumi, 504
Houghten, Richard A., 7
Hudkins, Robert, 511
Hui, John O., 40
Huijbregts, Richard P. H., 417
Hwang, Onyou, 864

Ibaraki, Kyoko, 997
Ichiki, Yoshinari, 694
Igeta, Y., 1015
Iizuka, T., 1015
Iki, Seiko, 677
Imazawa, Takayoshi, 282
Inaba, Toshimori, 761
Inada, Mitsuo, 967
Inomata, Hajime, 619
Inoue, Michitoshi, 370
Inuo, Eriko K., 677
Isakov, Noah, 872
Ishibashi, Hideaki, 727
Ishibashi, Shun, 761
Isidoro, Ciro, 935
Ito, Ken-ichi, 476
Ito, Shin-ichi, 137
Ito, Shunsuke, 268
Ivashchuk-Kienbaum, Yu. A., 914
Iwamoto, Keiji, 1036

Jaeschke, Hartmut, 74
Janson, Annika, 426
Jaspard, Emmanuel, 528
Jetten, Anton M., 83
Jimi, Sei-ichiro, 476
Joller, Peter, 183
Jones, Eugenia M. C., 211
Jones, Jennifer B., 840
Joseph, Richard, 978
Juin, Philippe, 92
Jung, Kyu Yong, 454

Kadenbach, Bernhard, 914
Kadowaki, Hiroko, 1036
Kadowaki, Takashi, 1036
Kamada, Takenobu, 370
Kammerer, S., 226, 234
Kamoi, Hiroshi, 1031
Kamoun, P., 826
Kanai, M., 1015
Kanaide, Hideo, 619
Kanazawa, Hiroshi, 1031
Kangawa, Kenji, 686, 694, 1053
Karube, Shunji, 727
Karuppiah, N., 60
Kasuga, Masato, 950
Kato, Johji, 694
Kato, Masaki, 296
Kato, Nobuo, 909
Kawakita, Nobuyoshi, 33
Kawamura, Masako, 761
Kawanishi, Toru, 282
Kawarabayashi, T., 1015
Kawasaki, Toshisuke, 396
Kaye, Andrew H., 404
Keist, Ruth, 183
Keller, Robert, 183
Kellermayer, Miklós S. Z., 166
Kempf, Dale J., 159
Kikuchi, Tomoko, 268
Kim, C.-H., 438
Kim, Chi-Kyung, 382
Kim, Young-Chang, 382
Kim, Youngsoo, 382
Kimura, Tadashi, 137
Kishimoto, Tadamitsu, 1077
Kitada, Takuya, 33
Kitagawa, Seiichi, 677
Kitakaze, Masafumi, 370
Kitamura, Kazuo, 694
Knight, Ernest, Jr., 511
Knobloch, T. J., 519
Kobayashi, Sei, 619
Kobzik, Lester, 375
Kodo, Naohiko, 960
Kohno, Kimitoshi, 476
Koiwa, Hisashi, 909
Kokenyesi, Robert, 262
Kolattukudy, P. E., 325
Komamura, Kazuo, 370

Kosaka, Hiroaki, 370
Kösel, Siegfried, 700
Koshihara, Yasuko, 727
Kosugi, Shinji, 205
Koyama, Masayasu, 137
Kozutsumi, Yasunori, 396
Krizanova, Olga, 921
Kuboki, Yoshinori, 1091
Kuhn, Donald E., 325
Kuhné, Michelle R., 190
Kuo, C.-H., 438
Kuraoka, Isao, 960
Kurihara, Naotsugu, 1031
Kurokawa, Mineo, 1023
Kuroki, Tetsuo, 33
Kuwano, Michihiko, 476
Kuwasako, Kenji, 694

Laburthe, Marc, 901
Lacko, Andras G., 840
Lang, J. C., 519
Langton, Beatrice C., 792
Lau, Joseph T. Y., 554
Lavin, Martin F., 404
Lebioda, Lukasz, 607
Lee, Jae Dam, 864
Lee, Jeongrai, 382
Lee, John, 774
Lee, Ki-Sung, 382
Li, B.-S., 438
Lien, W. P., 241
Lienhard, Gustav E., 190
Liew, C. C., 241
Lim, Jai-Yun, 382
Lim, Ramon, 928
Lin, Shuqun, 159
Liu, Hsiao-Lai C., 792
Livingstone, Callum, 780
Lollini, Pierluigi, 554
London, J., 826
Longhi, Michael, 792
Lovelace, Christopher I. P., 804
Lucas, J. M., 519
Lucietto, Pierluigi, 14
Lücking, Christoph B., 700
Lutz, Karen L., 21

Maas, Nicole, 735
MacDonald, Richard G., 707
Madyastha, K. M., 540
Magae, Yumi, 1071
Magri, Ermes, 614
Makarov, A. A., 742
Malek, Kevin, 144
Mammoto, Akiko, 1077
Manning, Anthony M., 74
Mantzoros, Christos, 833
Maoret, Jean-José, 901
Marcus, Claude, 426
Maroney, Anna C., 511
Marsh, Kennan C., 159
Martens, Gerard J. M., 417
Mascagni, Paolo, 14
Masi, L., 857
Matozaki, Takashi, 950
Matsubara, Hiroaki, 967
Matsubara, Tatsuaki, 562
Matsuda, Toshiro, 960
Matsukura, Shigeru, 1053
Matsumoto, Takuyuki, 748
Matsumura, Kazunori, 268
Matsuo, Hisayuki, 686, 694, 1053
Matsuzawa, Yuji, 469
Matthijs, Gert, 115
Mbarki, Omar, 198
McClain, Donald A., 714
McConathy, Walter J., 754
McDonald, Edith, 159
McGrogan, Michael P., 792
McGuire, Gerald M., 74
Mehraein, Parviz, 700
Mendiola, Carmelo C., 67
Mendola, Charmaine E., 578
Menez, J. F., 497
Meng, Shi-Yuan, 40
Miki, N., 438
Miller, Donald W., 719
Mimaki, Takashi, 960
Mimura, Toshihide, 677
Min, Kyung Rak, 382
Min, Kyung-Hee, 382
Minamino, Naoto, 686, 1053
Minamino, Tetsuo, 370
Mino, Makoto, 960
Minoda, Seiji, 677
Mishina, Masayoshi, 997
Mitani, Kinuko, 1023
Miwa, Akiyoshi, 677
Miyake, Akira, 1077
Miyake, Yurika, 396
Mizoguchi, Akira, 950
Mizuno, Morimichi, 1091
Mizutani, Toshihiro, 364
Mones, Eugenia M. C., 211
Monna, Takeyuki, 33
Morace, Graziella, 627
Morelli, A. M., 857
Mori, Akitane, 847
Mori, H., 997, 1015
Mori, Toru, 205
Mori, Yasukiyo, 967
Mori, Yasumichi, 1036
Morita, Takao, 997
Müller, B., 234
Mülsch, Alexander, 183
Murakami, Shigeru, 547
Muramatsu, Taro, 28

Nagai, Akira, 960
Nakamura, Sachiko, 396
Nakamura, Tadashi, 469, 1015
Nakamura, Yoshikatsu, 364
Nakanishi, Hiroyuki, 296
Nakao, Kazuwa, 967
Nakashima, Hideki, 1041
Nakashima, Shigeru, 306, 364
Nakatsu, Yoshimichi, 960
Nakazato, Masamitsu, 354, 1053
Naora, Hiroto, 491
Naora, Honami, 491
Nara, Yasuo, 547
Navarra, Michele, 130
Nedergaard, Jan, 639
Neff, Nicola, 511
Ngwenya, D. S., 1083
Nishimura, Junji, 619
Nisticò, Guiseppe, 130
Nobunaga, Toshikatu, 137
Nobuya, Tanda, 123
Node, Koichi, 370
Nohno, Tsutomu, 123
Noji, Sumihare, 123
Norbeck, Daniel W., 159
Norman, Cecilia, 426
Novotny, Charles, 1071
Nozaki, Shuichi, 469
Nozawa, Yoshinori, 306, 364

Ogawa, Seishi, 1023
Ogier-Denis, Eric, 935
Ohene-Frempong, Kwaku, 504
Ohguchi, Kenji, 306
Ohsuga, Junichi, 761
Ohuchi, Hideyo, 123
Okamoto, H., 438
Okazaki, Katsuo, 562
Ono, Mayumi, 476
Onyike, Ahamefula E., 504
Otani, Shuzo, 1031
Owyang, Chung, 648

Packer, Lester, 847
Padbury, James F., 254
Palù, Giorgio, 249
Paly, E., 826

Panthier, Jean-Jacques, 735
Paris, D., 826
Park, Jeen-Woo, 410
Park, Jung H. Y., 707
Park, Woong-Yang, 447
Parkes, Debbie L., 792
Paul, V., 826
Paulauskis, Joseph D., 289
Pérez-Payá, Enrique, 7
Pelleschi, Marc, 92
Pessina, Achille C., 249
Peterson, Julian A., 389
Petushkov, Valentine N., 774
Pfahl, Magnus, 83
Phillippe, Mark, 1
Pisani, Guilio, 627
Plattner, Jacob J., 159
Pope, Thomas K., 665
Porter, Arther, 462
Potla, Lyka, 578
Priel, Esther, 872
Pritchard, P. Haydn, 840

Rabb, Hamid, 67
Rajagopalan, Malini, 714
Ramirez, German, 67
Reedquist, Kris A., 665
Regan, John W., 152
Reid, Michael B., 375
Remick, D. G., 671
Renaud, Colette, 462
Rich, Robert R., 812
Rigas, Basil, 804
Rittenhouse, Susan E., 484
Robberecht, Patrick, 885
Robins, Terrell, 159
Roess, Deborah A., 665
Rogalla, Piere, 175
Rohen, Corina, 175
Roscher, A. A., 226, 234
Rossi, Gian Paolo, 249
Rouyer-Fessard, Christiane, 901
Ruat, Martial, 570

Saba, Sabiha R., 67
Sabanov, Victor, 639
Sacchetto, Alfredo, 249
Sagné, Corinne, 92
Sahara, N., 1015
Saido, T. C., 1015
Saijo, Masafumi, 960
Saisu, Hideo, 997
Saji, Fumitaka, 137
Sakai, Hideki, 364
Sakai, Yasuyoshi, 909
Sakashita, Naomi, 354
Sakimura, Kenji, 997
Sakura, Hiroshi, 1036
Salaün, Pierrick, 735
Saldivar, Ayda, 159
Samejima, Yoshihiro, 137
Sano, Hiroyuki, 268
Sarge, Kevin D., 943
Sasaki, Takuya, 296
Sastry, Srinivas S., 106
Sato, Fumihiko, 909
Sawai, Keisuke, 137
Schollen, Els, 115
Schwartz, Arnold, 921
Schwartz, Jean-Charles, 570
Seki, Shuichi, 33
Seo, Jeon-Sun, 447
Shaio, Men-Fang, 1006
Sham, Hing L., 159
Sharma, A., 60
Shawar, Said M., 812
Shawver, Laura K., 792
Shennan, David B., 986
Shepherd, Peter R., 535
Shi, Michael Ming, 289
Shih, N. L., 241
Shimada, Masako, 761
Shimokawa, Kohtaro, 1036
Shimomura, Iichiro, 469
Shimomura, Osamu, 359
Shiomi, Kazutaka, 1053
Shiwaku, Kuninori, 49
Shoji, Hiroki, 686
Shoji, M., 1015
Shyu, K. G., 241
Siahaan, Teruna J., 21
Siddle, Kenneth, 535
Signs, Steven A., 819
Sijbers, Anneke, 960
Silbert, Jeremiah E., 262
Sinet, P. M., 826
Skytt, Åsa, 586
Slentz, Dorothy H., 707
Smith, Annabel N., 274
Smith, C. Wayne, 67
Sode, Koji, 268
Soos, Maria A., 535
Souil, Evelyne, 570
Spitzer, John J., 340
Spolarics, Zoltán, 340
Stafford, Gregory, 578
Stamler, Jonathan S., 375
Stephan, Christine, 417
Stewart, Mark J., 144
Stojakovic, Sanja, 462
Stringer, Bradley, 375
Strömqvist, Mats, 586
Suda, Hitoshi, 219
Suga, Moritaka, 354
Sugawa, Hideo, 205
Sugimoto, Masaya, 219
Sugimoto, Yoshikazu, 364
Sugiura, Yukio, 748
Sugo, Shin, 686
Suzuki, Toshiya, 950
Sylvén, Christer, 426, 991

Tada, Michihiko, 370
Taga, Tetsuya, 1077
Taira, E., 438
Takahashi, Masahiko, 469
Takahashi, Michihito, 282
Takai, Kazuyuki, 1041
Takai, Yoshimi, 296
Takaku, Fumimaro, 677
Takaku, Hiroshi, 1041
Takemura, Kaoru, 469
Takesue, Hisashi, 562
Tanaka, H., 438
Tanaka, Kiyoji, 960
Tanaka, Kozo, 1023
Tanaka, Tomoyuki, 1023
Tanaka, Yoshiya, 354
Tanda, Nobuya, 123
Tang, Dean G., 462
Tardivel-Lacombe, Joël, 570
Tashima, Kazuhiro, 354
Teeter, John H., 312
Teglund, Stephan, 656
Teintze, Martin, 804
Tepel, Martin, 432
Theiffry, Michel, 92
Tittawella, Ivor, 892
Togawa, Atsushi, 677
Tokunaga, Katsuto, 469
Tokuyama, Yoshiharu, 211
Traiffort, Elisabeth, 570
Trieu, Vuong N., 754
Trombetta, Giorgio, 614
Trumble, W. R., 54
Tsai, Larry B., 40
Tseng, Yi-Tang, 254
Tsukaguchi, Hiroyasu, 967
Tsunoda, Yasuhiro, 648

Überla, Klaus, 850
Uchino, Makoto, 354
Uemura, Arata, 562
Uemura, Chikao, 219
Uetsuki, T., 438

Uggeri, Jacopo, 878
Ullrich, Robert, 1071
Uneyama, Chikako, 282
Uneyama, Hisayuki, 282
Urabe, Akio, 677

Vallette, François-Marie, 92
Vanderhoof, Jon A., 707
Varadi, Gyula, 921
Varadi, Maria, 921
Vasavanonda, Sudthida, 159
Vidal-Puig, Antonio, 833
Vilardaga, Jean-Pierre, 885
Villarete, L. H., 671
Vishnuvardhan, Daesety, 978
Vizuete, Maria Luiza, 570

Waechter, Charles J., 590
Waelbroeck, Magali, 885
Walker, David G., 404
Wang, D. L., 241
Wang, Qin, 719
Wardle, Catherine J. C., 274
Waschek, James A., 254
Watanabe, Mika, 268
Watanabe, Toshio, 364
Watanabe, Yoshiro, 761
Weeger, Monica, 850
Weinberg, Richard B., 840
Wells, Timothy N. C., 100
Wesson, C., 54
Whiteley, C. G., 1083
Wideburg, Norman, 159
Wilkie, N. M., 519
Wolford, Johanna K., 819
Wood, Richard D., 960

Xiao, Qing, 144
Xie, Fan, 767
Xu, Zhi-jun, 804
Xuan, Jian-Ai, 792

Yagaloff, Keith A., 767
Yagi, Tatsuhiko, 198
Yagisawa, Masako, 677
Yamada, Nobuhiro, 761
Yamada, Yasuyuki, 909
Yamaguchi, Masaaki, 1077
Yamakawa, Akio, 727
Yamamoto, Koji, 761
Yamamoto, Naoki, 1041
Yamashita, Shizuya, 469
Yamashita, Taro, 354
Yamori, Yukio, 547
Yang, Hua, 719
Yang, Kuender D., 1006
Yano, Yoshihisa, 1031
Yasuda, Kazuki, 1036
Yasutake, Nozomu, 268
Yazaki, Yoshio, 761, 1023, 1036
Yokoyama, Shigeyuki, 1041
Yoon, Heejeong, 382
Yoshida, Hiromi, 268
Yoshikawa, K., 438
Yoshimasa, Takaaki, 967
Yoshimasa, Yasunao, 967
Yoshioka, Hidefumi, 123
Yuo, Akira, 677

Zaheer, Asgar, 928
Zaliani, Andrea, 14
Zerani, Massimo, 1047
Zhang, Jun, 484
Zhang, Mei-Luo, 205
Zhao, Chen, 159
Zhao, Yutong, 364
Zhao, Zhizhuang, 190
Zhou, Guang-qian, 656
Zidek, Walter, 432

Volume 212

Aasa, Roland, 77
Abe, Mitsuyuki, 104
Abeyama, Kazuhiro, 776
Abou-Samra, Abdul B., 1015
Abraham, E. C., 184
Adrian, Gwendolyn S., 925
Ahlberg, Margot Bengtsson, 433
Ahn, Jong Seog, 1061
Ahn, Soon Cheol, 1061
Ai, Yunjun, 687
Aida, Yoko, 110
Akagawa, Kimio, 97
Akifusa, Sumio, 255
Akiyama, Shin-ichi, 1040
Algranati, Israel D., 396
Allen, John M., 1145
Allen, Sandra K., 1145
Arimura, Shinya, 263
Ariyoshi, Noritaka, 455
Armour, K. J., 293
Aroor, Annayya R., 1007
Asahi, Momoyo, 887
Asahina, Masatoshi, 110
Asumendi, Aintzane, 235
Aswad, Dana W., 442
Athar, Mohammad, 557
Attar, Bashar M., 1001
Atten, Mary Jo, 1001

Baraona, Enrique, 875
Barhanin, Jacques, 657
Baricault, Laurent, 353
Barker, Stewart, 912
Barrette, William C., Jr., 868
Basu, Mitali, 687
Befani, O., 589
Bell, Graeme I., 894
Bendayan, M., 56
Bennett, Andrew J., 473
Bennett, T., 501
Benoit, Etienne, 820
Bergsma, Derk J., 687
Besson, Stéphane, 1088
Biaglow, John, 118
Bigay, Joëlle, 657
Billett, Michael A., 473
Bland, K. S., 524
Blasi, Juan, 945
Bochardt, D. B., 813
Bonavita, Francesca, 300
Bonini, James A., 933
Boxer, Steven G., 159
Brand, John M., 9
Brown, Alex J., 861
Brown, B. L., 293
Brown, Edward M., 861
Brown, Guy C., 404
Brunet, Sylvain, 1
Bucchioni, Luca, 413
Busman, Mark, 367

Caldarera, Claudio M., 300
Cammas, Florence M., 912
Cao, Yong-Jiang, 673
Capasso, A., 975
Carnuccio, R., 975
Carr, Brian I., 21
Carruba, Giuseppe, 624
Castagnetta, Luigi A. M., 624
Caughey, Winslow S., 1054
Chader, G. J., 190
Chakrabarti, Abhijit, 428
Chambers, T. J., 334
Chapman, Edwin R., 945
Chapman, Verne M., 632
Charles, Ian G., 466
Charleston, B., 840
Chauhan, Virander S., 919
Chen, Fayu, 960
Cheng, Guanghui, 461
Cherian, M., 184
Chow, Billy K.-C., 204
Christopher, Gayle K., 515
Clark, Adrian J. L., 912
Colca, Jerry, 933
Comito, Loredana, 624
Cook, Mark E., 719
Cooper, Chris E., 404
Corsini, Emanuela, 602
Cox, Laura A., 925
Coy, Mark, 784
Crane, F. L., 138

D'Acquisto, F., 975
D'Amico, Domenico, 624
Dainty, I. A., 648
Dang, Pham My-Chan, 664
Dantzer, François, 317
Daphna-Iken, Dorit, 617
Das, I., 229
Das, Indrajit, 375
de Belleroche, Jacqueline, 375
de Murcia, Gilbert, 317
de Murcia, Josiane Ménissier, 317
Decatur, Sean M., 159
Del Corso, Antonella, 413
Dibas, Adnan I., 449
Dillon, A. M. R., 595
Doan, Peter E., 77
Dobson, P. R. M., 293
Dolan, Joseph W., 854
Donelson, John E., 793
Doumae, Naoshi, 1040
Droy-Lefaix, Marie Therese, 360
Dubois, Thierry, 270
Duda, Teresa, 1046
Duprat, Fabrice, 657

Easom, Richard A., 449
Eguchi, I., 341
Eliasson, Maria, 433
Elliot, D. G., 648
Emson, Piers, 466

Engenolf, Stephanie, 1145
Escriche, Baltasar, 388
Evans, Herbert J., 1115

Fahrenholz, Falk, 673
Farruggio, Rosaria, 624
Fauque, Guy, 1088
Fee, James A., 77
Ferré, Juan, 388
Fertig, Noreen, 220
Figarella, Catheirne, 307
Fink, Michel, 657
Finson, Naomi, 388
Folkers, Karl, 172
Fong, Chin-Lin W., 879
Frank, Joy S., 968
Freire, Songeli Menezes, 396
Friedlander, Martin, 968
Friman, Sanna, 509
Froesch, E. R., 242
Fujii, Nobuharu, 326
Fujino, Masahiko, 421
Fujisawa, Hitoshi, 806
Fujita, Shigeru, 697
Fujiwara, Tomonori, 97
Fuller, K., 334
Funae, Yoshihiko, 455
Furukawa, Shoei, 712
Furukawa, Tatsuhiko, 1040
Furuya, Hiroko, 544

Gafni, Ari, 900
Gaillard, Jacques, 827
Galceran, Marthe, 353
Galli, Corrado L., 602
Gatlin, Joel E., 854
Gavino, Victor, 1
German, Michael S., 894
Gerosa, P., 589
Gibson, David T., 9
Gimpl, Gerald, 673
Giri, Uma, 557
González, Nélida S., 396
Goraczniak, Rafal M., 1046
Greenwood, D., 501
Gromadzińska, Ewa, 178
Guertin, France, 1
Gugliucci, A., 56
Guillemare, Eric, 657
Guizzetti, Marina, 602
Gulati, Anil, 953
Guo, Lei, 84
Gupta, Aparna, 919

Gütlich, Markus, 705

Hakim, Jacques, 664
Hamasaki, Ken, 544
Hamilton, Bruce P., 487
Hamlyn, John M., 487
Hanada, Nobuhiro, 255
Hanami, Takashi, 632
Hannum, Diane M., 868
Hanson, Phyllis I., 945
Haraguchi, Misako, 1040
Harazono, Akira, 279
Hatch, Kent A., 719
Hatta, Nobuaki, 697
Haug, Jeffrey S., 479
Hayashi, Kyozo, 712
Hayashizaki, Yoshihide, 632
Hazato, Atsuo, 279
Heath, M. F., 595
Heffner, Linda J., 48
Held, William A., 632
Henderson, D. J., 648
Hiai, Hiroshi, 1068
Hildebrandt, John D., 367
Hirabayashi, Yoshio, 640
Hiraoka, Masahiro, 104
Hiratsuka, Akira, 743
Hirota, Masami, 906
Hirsch, Steven R., 375
Hitomi, Yoshinori, 800
Hofmann, Cecilia, 933
Holian, Oksana, 1001
Hori, Masatsugu, 1133
Horiuchi, Takahiko, 697
Hosoi, Kazuo, 692
Hossain, Anwar, 144
Housley, G. D., 501
Hsu, Chung Y., 939
Huang, Baiqu, 727
Huang, Liren, 995
Hudson, Richard A., 41
Hugnot, Jean-Phillipe, 657
Hultquist, Donald E., 35
Humphries, Donald E., 1139
Hunter, Greg, 461
Hurst, James K., 868

Ichikawa, Atsushi, 279
Igarashi, S., 341
Ikawa, Shuntaro, 144
Inanobe, Atsushi, 1022
Inoue, Michitoshi, 1133
Inuzuka, Sawako, 712
Iqbal, Mohammad, 557
Ishida, Atsuhiko, 806
Ishikawa, Ryoki, 347
Islam, S., 524
Itami, Satoshi, 988
Ito, Hiroyuki, 1022
Ito, Susumu, 539
Itoh, Kohji, 564
Iuvone, T., 975

Jacquot, Jacky, 307
Jaenecke, Nicola, 151
Jahn, Reinhard, 945
Jan, Lily Y., 894
Jarmakani, Jay M., 960
Jayasuryan, N., 919
Jefferson, Leonard S., 1074
Ji, Li, 640
Jiang, Bing-Hua, 550
Joshi, Harish C., 220
Jung, Jae-Chang, 16

Kakegawa, Tadao, 249
Kakinuma, Atsushi, 800
Kamada, Takenobu, 1133
Kameshita, Isamu, 806
Kamioka, Hiroshi, 692
Kanaho, Yasunori, 1022
Kanaide, Hideo, 572
Kanazawa, Mitsunori, 743
Kanegae, Yumi, 712
Kang, Shin-Sung, 16
Kapas, Supriya, 912
Kapp, Judith A., 220
Kar, Siddhartha, 21
Karaki, Hideaki, 421
Karlinsky, Joel B., 1139
Karpefors, Martin, 77
Katada, Toshiaki, 1022
Kato, Nobuyuki, 906
Kato, Satsuki, 255
Kawaminami, Shunro, 539
Kawano, Kazunori, 776
Kawashima, Hiroyuki, 751
Kawata, Terushige, 692
Ke, Yong, 220
Keller, A., 242
Kennedy, Mary Claire, 925
Kennedy, Sarah H., 118
Kerns, Kimberly A., 632
Khan, Nusrat S., 375
Kikuchi, Hideaki, 144
Kim, Bo Yeon, 1061

Kim, Jaebong, 212
Kim, Soo-Dong, 16
Kimball, Scot R., 1074
King, Martin J., 580
Kini, R. Manjunatha, 1115
Kirby, Margaret L., 461
Kirchhoff, Jon R., 41
Kitakaze, Masafumi, 1133
Kitani, Takako, 806
Klein, Jörg M., 151
Kloppenburg, Peter, 609
Kobayashi, Sei, 572
Kobayashi, Yuzuru, 697
Koga, Nobuyuki, 455
Kohama, Kazuhiro, 347
Kohda, Chikara, 110
Kojima, Hisanori, 712
Kokoroishi, Takatoshi, 697
Komamura, Kazuo, 1133
Komuro, Issei, 544
Koni, Pandelakis A., 466
Kosaka, Hiroaki, 1133
Koseki, Takeyoshi, 255
Koyama, Tanetoshi, 681
Kumagai, Hidehiko, 1107
Kung, Hsiang-fu, 212
Kuo, Min-Liang, 767
Kurachi, Yoshihisa, 1022
Kurata, Sotaro, 988
Kureishi, Yasuko, 572
Kuroki, Yoko, 564
Kurozumi, Seizi, 279
Kushima, Yoichi, 97

Labhart, Paul, 1082
Lachowicz, Lilla, 178
Lange, Angela B., 531
Langer, Robert, 286
Laredo, James, 487
Layes, Elisabeth, 70
Lazdunski, Michel, 657
Lee, David W., 48
Lee, Hyun Sun, 1061
Lee, Kyoung, 9
Lee, Young-Sup, 16
Lepak, Nancy M., 1125
Lesage, Florian, 657
Levy, Emile, 1
Lewis, Robert, 847
Li, Shiyong, 793
Li, Qingqin, 220
Lieber, Charles S., 875
Lin, Zhixin, 609
Liu, Lizhi, 466
Liu, Philip K., 939
Lockwood, Knud, 172
Loewus, Frank A., 196
Longin-Sauvageon, Christiane, 820
Loughna, P. T., 840
Lown, J. William, 995
Lutz, Marc, 827

Mack, Christopher P., 35
Mackellar, W. C., 138
Madgwick, A. J., 840
Maier, Josef, 705
Majee, Sangita, 428
Mal, Tapas K., 919
Manevich, Yefim, 118
Manfait, Michel, 307
Margiloff, Linda, 63
Maring, Ellen, 196
Marini, Isabella, 413
Marinovich, Marina, 602
Mark, David F., 879
Markoff, Edith, 48
Martinez, Iñigo, 235
Maruyama, Ikuro, 776
Masaki, Tomoh, 90
Masten, Scott A., 27
Mattana, Joseph, 63
Mazuruk, K., 190
McManus, D. P., 1029
McNulty, Susan E., 165
Medsger, Thomas A., Jr., 220
Melnykovych, George, 479
Ménager, Monique, 307
Merten, Marc, 307
Meyer, Jacques, 827
Mheen, Tae Ick, 1061
Miceli, Dora, 624
Michaelis, M. L., 524
Miki, Takeyoshi, 84
Miki, Yoshiki, 692
Millot, Jean-Marc, 307
Mimura, Toshihide, 544
Minami, Taketsugu, 697
Minami, Yasuhiro, 887
Minamino, Tetsuo, 1133
Miranda, Everson Alves, 317
Mishra, S. R., 132
Miwa, Soichi, 90
Miwa, Tetsuya, 712
Miyadera, Kazutaka, 1040
Miyakoshi, Junji, 104
Miyazaki, Hitoshi, 326
Mizuno, Yosuke, 632
Mizushima, Tohru, 84
Mizutani, Tetsuya, 906
Moesgaard, Sven, 172
Mohrherr, Carl J., 151
Moncada, Salvador, 466
Mondovi, B., 589
Montesanti, Annalisa, 624
Morgan, M. J., 840
Morimoto, Takako, 97
Morino, Noritsugu, 544
Morishige, Ken-Ichirou, 1022
Moroni, Patricia, 820
Morooka, Akira, 110
Morrison, Aubrey R., 617
Moss, Stephen E., 270
Moura, Isabel, 1088
Mura, Umberto, 413
Murakami, Akira, 906
Murakami, Kazuo, 326
Muramatsu, Masami, 632
Murlas, Christopher G., 953
Muro, Miyuki, 255
Murray, Michael F., 126
Muscari, Claudio, 300

Nabhan, Chadi, 1015
Nadaoka, Yoko, 564
Nairn, Angus C., 609
Najmabadi, Feridoon, 953
Nakajima, Toshihiro, 776
Nakamura, Akio, 347
Nakano, Kazushi, 776
Nakano, Takeshi, 572
Nakata, Hiroko, 263
Naruse, Mitsuhide, 326
Navarro, F., 138
Navas, P., 138
Negishi, Manabu, 279
Nghiem, Michael, 126
Nicolau, Claude, 494
Nicoll, Debora A., 968
Niimi, Masashi, 110
Ninnemann, Helga, 705
Ninomiya, Haruaki, 90
Nishihara, Tatsuji, 255
Nishimura, Junji, 572
Nishina, Hiroshi, 1022
Nishino, Tokuzo, 681
Nishino, Yoshii, 110
Nishio, Eisuke, 263
Nishiyama, Takahito, 743
Node, Koichi, 1133

Nojima, Yoshihisa, 544
Nozawa, Katsura, 800

O'Farrell, Minnie, 317
Oda, Hiroaki, 800
Ogura, Kenichiro, 743
Ogura, Kyozo, 681
Oguri, Kazuta, 455
Oh, Hye-Kyung, 1061
Oh, Saien, 776
Ohe, Yoshihide, 249
Ohishi, Nobuko, 712
Ohnishi, Junji, 326
Ohsumi, Tomoya, 632
Ohtsu, Shuji, 104
Ohtsuka, Hisashi, 697
Oikarinen, Jouko, 509
Okamoto, Yasuo, 90
Okazaki, Yasushi, 632
Okubo, Toyoji, 249
Okuda, Haruhiro, 743
Okuizumi, Hisato, 632
Okuno, Sachiko, 806
Orchard, Ian, 531
Osawa, Toshihiko, 1068
Otto, Henning, 945
Owens, J., 334
Ozaki, Katsuya, 539

Packer, Lester, 360
Paranandi, Mallikharjun V., 442
Park, Patrick Y., 758
Park, Sun-Young, 16
Park, Tae-Kyu, 16
Paty, Philip B., 758
Pell, J. M., 840
Périanin, Axel, 664
Philipson, Kenneth D., 968
Pignatti, Carla, 300
Pliquett, Uwe F., 286
Polito, Lucia, 624
Polonsky, Kenneth S., 894
Pon, Richard T., 995
Porter, Warren P., 719
Pouzat, Christophe, 609
Puri, Basant K., 375

Qin, Suofu, 887

Raatikainen, Elina, 509
Radu, Dorel, 494
Rais, Samira, 664
Rao, K. Ranga, 151
Raz, Avraham, 727
Rębas, Elżbieta, 178
Reuss, Stefan, 70
Rho, Hyune Mo, 1061
Riehm, John P., 151
Ritter, Cynthia, 861
Rizzino, Angie, 847
Rodriguez, I. R., 190
Roh, Jung Hyeob, 1107
Romey, Georges, 657
Ronco, Pierre M., 353
Rosfjord, Edward, 847
Rossoni, Carmen, 300
Rothhut, Bernard, 270
Russo-Marie, François, 270
Ryan, A. F., 501

Sabat, S. C., 132
Sacksteder, Katherine A., 719
Sada, Kiyonao, 887
Sagami, Ikuko, 144
Sahin-Tóth, Miklós, 968
Saito, Izumu, 712
Saito, Kazumi, 196
Saito, Masayuki, 751
Sakuraba, Hitoshi, 564
Salminen, Antero, 939
Salter, Andrew M., 473
Sampath, Vijaya, 1054
Sánchez, Cecilia P., 396
Sanders, Donita, 77
Sanpei, K., 341
Saraiva, Lígia M., 1088
Sasa, Hidenori, 263
Sasaki, Nobuya, 632
Sasaki, Yo, 347
Scales, Victoria Mejia, 813
Schauerte, Joseph A., 900
Schey, Kevin L., 367
Schläpfer, I., 242
Schmid, Ch., 242
Schoen, T. J., 190
Schollmayer, Andreas, 70
Scholtz, Beáta, 847
Sébille, Stéphane, 307
Sekimizu, Kazuhisa, 84
Semenza, Gregg L., 550
Serrero, Ginette, 1125
Sharma, Rajendra K., 580
Sharma, Rameshwar K., 1046
Shibata, Kazuhiro, 632
Shimada, Seijiro, 326
Shimamoto, Norio, 421
Shimotohno, Kunitada, 906
Shinpuku, Tomoko, 84
Shioda, Masaki, 1098
Shiozaki, T. S., 589
Shirakata, Yuji, 697
Shiverick, Kathleen T., 27
Shlafer, Marshal, 35
Sidrauski, Carmela, 396
Sihra, Talvinder S., 609
Singh, Govind, 953
Singh, Lalit P., 1007
Singhal, Pravin C., 63
Skantz, Anna, 433
Slatopolsky, Eduardo, 861
Sleutels, Frank, 151
Slutter, Claire E., 77
Smedsrød, Bård, 235
Smith, G. M., 648
Smith, N. W. P., 293
Soejima, Yasuko, 776
Someya, Akira, 1098
Sooranna, S. R., 229, 375
Soula, Mahdhia, 270
Spessert, Rainer, 70
Sredni, Dvora, 212
Srinivasan, Alagarsamy, 126
Srivastava, Rai Ajit K., 381
Srivastava, Sunil K., 617
Stadt, Harriett, 461
Stambolian, Dwight, 687
Stanic, Ivana, 300
Stefanelli, Claudio, 300
Stoffel, Markus, 894
Sudjarwo, Sri Agus, 421
Sugimoto, Toru, 751
Sugimoto, Yukihiko, 279
Sugiyama, Fumihiro, 326
Sugiyama, Kazuo, 906
Sugiyama, Masahiro, 110
Sugumaran, Manickam, 834
Sumitani, Koji, 692
Sumizawa, Tomoyuki, 1040
Sundermann, Christine A., 515
Suto, Robert K., 196
Suzuki, Hideyuki, 1107
Suzuki, Shintaro, 249
Sveinbjørnsson, Baldur, 235

Tabashnik, Bruce, 388
Tabatabai, Louisa B., 981

Tada, Michihiko, 1133
Tagami, Kahori, 692
Tahara, Atsuo, 751
Taira, Masanori, 212
Tajima, Masaya, 681
Tajima, Shigeru, 110
Takagi, Takashi, 347
Takahara, Tokuei, 632
Takahashi, K., 524
Takahashi, Katsunobu, 1022
Takahashi, Naohiko, 1022
Takamori, Masaharu, 712
Takayasu, Susumu, 988
Takebe, Hiraku, 104
Takenaka, Yasuhiro, 1107
Takimoto, Eriko, 326
Takio, Koji, 1040
Takiyama, Y., 341
Takumi, Toru, 1022
Tanaka, H., 341
Tanaka, Masami, 326
Tanaka, Tsukasa, 564
Tanaka, Yukie, 887
Tarkka, Tatu, 509
Tatemoto, Kazuhiko, 249
Terai, Kunihiro, 692
Tetsuka, Toshifumi, 617
Thompson, Stewart N., 813
Tillekeratne, L. M. V., 41
Tokuyama, Yoshiharu, 894
Tomiyama, Koji, 263
Toscano, William A., Jr., 165
Tosi, Pierre François, 494
Toyokuni, Shinya, 1068
Trabb, Jeffrey B., 894
Treichel, Isabel W., 719
Trugnan, Germain, 353
Tsaar, Meei-Ling, 894
Tsubokawa, Misao, 887
Tsuji, S., 341
Tsukada, Toshihiko, 104
Tuchweber, Beatriz, 1
Turini, P., 589

Uchida, K oji, 1068
Ueda, Kohji, 697
Ueda, Masakazu, 632

Van Dop, Cornelis, 960
Vånngård, Tore, 77
Verroust, Pierre J., 353
Vidal-vanaclocha, Fernando, 235
Villalba, J. M., 138
Vollrath, Lutz, 70
Voltarelli, Margaret, 413
Voziyan, Paul A., 479

Wahba, Albert J., 1007
Waine, G. J., 1029
Wakimasu, Mitsuhiro, 421
Waldvogel, M., 242
Wang, Guang L., 550
Wang, Zhixiang, 531
Watabe, Tadashi, 743
Watanabe, Ichiro, 697
Watanabe, Minro, 144
Watanabe, Yasuhiro, 263
Watkins, Michael, 1139
Weaver, James C., 286
Webb, T. E., 648
Werner, Thomas, 705
White, David A., 473
Wilcox, Michael D., 367
Witter, Klaus, 705
Wojciechowicz, Donald C., 758
Xie, Lin Y., 1015
Xie, Yunjie, 727
Xiong, Yuting, 1015
Xu, Ren-He, 212
Xu, Weiming, 466

Yagami, Ken-ichi, 326
Yagi, Kunio, 712
Yamada, Mitsuhiko, 1022
Yamada, Yuji, 1040
Yamamoto, Kenji, 1107
Yamamoto, Tatsuo, 172
Yamamura, Hirohei, 887
Yamazaki, Tsutomu, 544
Yan, Liang-Jun, 360
Yang, Nae-Cherng, 767
Yang, W., 1029
Yang, Yanwu, 995
Yazaki, Yoshio, 544
Yokoyama, Hirokazu, 875
Yorio, Thomas, 449
Yoshimura, Hidetoshi, 455
Yu, Huakui, 1139
Yuan, Ruth W., 48
Yukawa, Kyohei, 326

Zanelli, Tiziano, 602
Zapf, J., 242
Zaphiropoulos, Peter G., 433
Zewert, Thomas E., 286
Zhan, Shuning, 212
Zhang, Gu, 640
Zhang, Zhoupeng, 41
Zhao, Xiao-Jian, 1054
Zhong, Min, 861
Ziegler, Irmgard, 705
Żylińska, Ludmiła, 178

Volume 213

Abbracchio, M. P., 908
Abe, Hiroyuki, 369
Abe, Teruo, 1107
Abts, Harry, 1026
Adinolfi, Bianca Stella, 525
Afele, John C., 376
Agadir, A., 112
Akasaka, Susumu, 74
Akiyama, Yuichi, 541
Allen, C., 569
Amemiya, Y., 490
An, Nyeon-Hyoung, 730
Andres, Anne-Catherine, 273
Angelini, Corrado, 342
Antz, C., 506
Arai, Toshiyuki, 600
Armbrust, Thomas, 752
Arneric, Stephen P., 657
Artuc, Metin, 699
Ashman, Keith, 169
Aso, Hisashi, 369
Attawia, M. A., 639
Autieri, Michael V., 827
Avril, N., 147

Bäcker, Angela, 289
Bähr, Monika, 533
Baier, Reinhard, 922
Baker, C. Hunter, 154
Balaram, P., 439
Barbieri, D., 908
Barg, Jacob, 15,
Bartzatt, Ron, 104
Bashkirov, Victor N., 302
Bates, T. E., 896
Bauché, Françoise, 218
Becker, Bruno, 796
Beckmann, Joe D., 104
Beley, Alain, 944
Bellin, Robert M., 796
Bellis, M., 147
Bene, László, 419
Bennardini, Federico, 820
Bernardi, Elisabeth, 901
Bernucci, Paola, 588
Bertrand, Nathalie, 944
Bessho, Rikimaru, 541
Biondo, L., 908
Blin, Nikolaus, 789
Bloemers, Henri P. J., 1122
Bolton, Judy, 469
Bonet-Kerrache, Armelle, 295
Bordin, Luciana, 249
Bovée, J. V. M. G., 1051
Brabant, G., 928
Brakch, Noureddine, 356
Brown, Morris J., 725
Buratti, Roberta, 1082
Burnstock, G., 896, 908
Byun, Sang-Hyun, 555

Cafaro, Valeria, 525
Calderon-Aranda, Emma S., 419
Calderwood, Stuart K., 1
Cambier, N., 112,
Cameselle, José Carlos, 1075
Canales, José, 1075
Cancela, José M., 944
Canuto, Rosa A., 853
Capon, Francesca, 342
Carron, J. A., 1017
Casali, Carlo, 588
Cattabeni, F., 908
Ceruti, S., 908
Chader, Gerald J., 181
Chan, Yuen-Ling, 1042
Chance, Britton, 432
Chandler, John S., 499
Chang, Rey-Chang, 475
Chang, Wen-Chang, 1132
Chapman, Brett, 663
Chen, Jack Chien, 475
Chen, Ming, 96
Cheng, Mei-Ling, 1132
Chern, Ming-Kai, 561
Chiara, Luberto, 881
Choi, Su Kyung, 389
Chomienne, C., 112
Choquet, Daniel, 901
Chowdhury, Subrata, 389
Christ, Michael, 123
Chu, Chia-Ming, 1068
Chu, Winifred, 1061
Claesson-Welsh, Lena, 32
Clari, Giulio, 249
Clark, J. B., 896
Clerc, Pascal, 845
Corey, E. J., 154
Cornelisse, C. J., 1051
Cornic, M., 112
Costas, María Jesús, 1075
Cotton, Joël, 901
Crespo, Piero, 266
Crilly, Karan S., 980
Czarnetzki, Beate M., 699

D'Alessio, Giuseppe, 525
Dallapiccola, Bruno, 342
Dalla Vecchia, Francesca, 249
Damante, Giuseppe, 781
D'Amati, Giulia, 588
Damjanovich, Sándor, 419
Danenberg, Haim D., 15
Daniel, Larry W., 950
DeBiase, Luciano, 588
Degos, L., 112
deGroot, Herbert, 196
Denisova, Natalia A., 869
Deschavanne, P., 147
Detjen, Katharina, 44
Dettin, Monica, 356
Devilee, P., 1051
Dianzani, Mario U., 853

Di Bello, Carlo, 356
Di Donato, Alberto, 525
DiMauro, Salvatore, 588
Donnelly-Roberts, Diana L., 657
Dooley, Steven, 789
Dowell, Barry, 888
Drakopoulou, Eugenia, 901
Dube, Dipak K., 225
Dubois, Franz, 81
Dufresne, Marlène, 845

Eckel, Jürgen, 533
Elisabetta, Piccioni, 881
Empfield, J. R., 404
Erat, Steven, 869
Erginel-Unaltuna, Nihan, 225
Escrieut, Chantal, 845
Esser, Peter, 1026

Fabbrizio, Eric, 295
Fabbro, Dora, 781
Faure, Cécile, 935
Fernández, Ascensión, 1075
Fernandez, Hugo L., 96
Ferstein, Giora, 827
Filipski, J., 147
Finkel, Mitchell S., 1002
Fisher, Abraham, 15
Flück, Martin, 273
Fontaine, Eric M., 138
Fontana, Adriano, 1026
Forrest, John N., Jr., 688
Fourmy, Daniel, 845
Franceschi, C., 908
Franconi, Flavia, 820
Fraser, W. D., 1017
Fujii, Nobutaka, 746
Fujimoto, Masafumi, 594
Fujinaga, Yukako, 737
Fujita, Naoya, 837
Fujita, Ryuji, 737
Fukai, Toshio, 594
Funakoshi, Akihiro, 958
Fung, P.-H., 175
Furusho, Kenshi, 541
Furuta, Toshiaki, 652

Gabitova, Leila B., 302
Gallagher, J. A., 1017
Garramone, Andrea, 853
Gasalla-Herraiz, Jose, 688
Gáspár, Rezső, Jr., 419
Gaub, M. P., 112
Gennarelli, Massimo, 342
Gouhier, Caroline, 935
Gourmel, B., 112
Govoni, Marzia, 282
Graham, David, 935
Grauer, Andreas, 922
Griffith, Lee S., 424
Griko, Yuri V., 239
Guillemois, Cyrille, 218
Gurrola, Georgina, 901
Gurst, Jerome E., 759
Gurwitz, David, 15
Gutkind, J. Silvio, 266

Ha, Suk Hoon, 1091
Haisa, Minoru, 1115
Han, Jiahuai, 715
Han, Myung-Kwan, 730
Handler, Joseph S., 975
Hara, Ayako, 967
Hara, Mariko, 594
Harada, Shin-ichi, 681
Haring, Rachel, 15
Hasegawa, Hiroyuki, 1010
Hashido, Kazuo, 555
Hayaishi, Osamu, 625
Hayashi, Yokichi, 317
He, Yaqin, 334
Heimann, Klaus, 1026
Heldman, Eliahu, 15
Henklein, P., 506
Hensel, Mario, 196
Herbert, K. M., 639
Hernández, Francisco, 232
Hidaka, Kyoko, 555
Higashino, Yoshiaki, 389
Hingorani, Aroon D., 725
Hirano, Makito, 645
Hirokawa, Katsuiku, 768
Hiromatsu, Kenji, 600
Hirose, Yuuichi, 52
Hogendoorn, P. C. W., 1051
Honda, Ayae, 575
Hoshino, Fuminori B., 369
Hsu, Cheng-Chin, 681
Huang, Chunfa, 950
Huber, Gerda, 66
Hugon, Gérald, 295
Huiatt, Ted W., 796
Hwang, Byung-Doo, 616

Ikuta, Kazuyoshi, 161
Imai, Kazuhiro, 837
Imai, Terukuni, 645
Imai, Yoshinori, 52
Immenschuh, Stephan, 397
Inestrosa, Nibaldo C., 96
Inoue, Kaoru, 737
Ioannides, Costas, 916
Ioannidis, Iosif, 196
Irizar, Amaia, 916
Isales, Carlos M., 688
Ishida, Hiroshi, 600
Ishida, Toshimasa, 583
Ishiguro, Mariko, 52
Ishiura, Shoichi, 52
Ishizuka, Toru, 1107
Itaya, Asako, 161
Ito, Hidefumi, 645
Itoh, Takahito, 975
Iwahashi, Hitoshi, 484
Iwamura, Michiko, 652

Jadot, Michel, 81
Jakobs, Bernadette S., 1035
Jan, Ming-Shiou, 1132
Jégou, Bernard, 218
Jérôme, M., 112
Jockusch, H., 513
Joseph, James A., 869
Jungermann, Kurt, 397

Kadono-Okuda, Keiko, 389
Kai, Nobuyuki, 130
Kainuma, Ken, 746
Kameoka, Masanori, 161
Kamiya, Tomoya, 161
Kanaya, Takumi, 1091
Kao, Shing-Fen, 1132
Kapanadze, Marina D., 239
Karp, Matti, 888
Karpati, G., 569
Karton, Yishai, 15
Kasahara, Tadashi, 1140
Kasai, Michiyuki, 768
Kassell, Neal F., 608
Kataoka, Akihiro, 541
Kato, Yusuke, 389
Katz, Norbert, 397
Kau, S. T., 404
Kawai, Jun, 967
Kawamura, Yukio, 746
Kawauchi, H., 490
Kay, Cyril M., 349
Kayano, Toshiaki, 376
Kazachkov, Yuriy, 986

Kelly, Jeremiah F., 869
Kelm, Malte, 447
Kennedy, Karen, 845
Keriel, Christiane, 138
Kietzmann, Thomas, 397
Kim, Hyun-jeon, 746
Kim, Kye-Young, 616
Kim, Kyoon-Eon, 616
Kim, Uh-Hyun, 730
Kim, Yong Sung, 258
Kimura, Yuki, 600
Kiss, Zoltan, 980
Kivinen, Anne, 861
Klip, Amira, 462
Kobayashi, Ken-ichi, 681
Kobayashi, Noritada, 600
Kobayashi, Shinichi, 550
Kobayashi, Yoshiro, 652
Kodama, Akira, 369
Kohmura, Naohiro, 130
Kohsaka, Sinichi, 52
Kojima, Kuniyuki, 161
Kono, Akira, 958
Kopantseva, Marina R., 302
Korochkin, Leonid I., 302
Kox, Wolfgang J., 196
Koyama, Yoshikazu, 362
Koyanagi, Hideki, 1140
Kramer, H. J., 289
Krampitz, G., 289
Krampitz, G., Jr., 289
Kubota, Masaru, 541
Kumai, Toshio, 550
Kumar, Sanjeev, 204
Kurashima, Chieri, 768
Kurkela, Riitta, 861
Kurland, Irwin, 663
Kuwata, Takeshi, 768
Kwak, Sang-Tae, 616
Kweon, Ki-Ryang, 616
Kwon, H. Moo, 975

Labella, Tullio, 282
Lambrou, George, 519
Lanahan, Anthony A., 325
Langer, Salomon Z., 935
Lantuejoul, Sylvie, 138
Lau, Frankie, 1061
Laurencin, C. T., 639
Lauterburg, Bernhard H., 815
Lee, Jiing-Dwan, 715
Lee, Myung-Sun, 616
Lee, Sang-Han, 837
Lee, Yong-Hwan, 663
Lefebvre, P., 112
Lei, Huan-Yao, 1132
Lemanski, Larry F., 225
Leonardi, Antonio, 781
Leverve, Xavier M., 138
Li, J. H., 404
Li, YongFang, 875
Liaw, Yun-Fan, 1068
Lilja, Hans, 888
Lim, Kyu, 616
Limas, Farnoosh, 295
Lin, Ming T., 1132
Lin, Yee-Shin, 1132
Lin, Ying Wei, 541
Liu, David R., 154
Liu, Zhi, 462
Lochmüller, H., 569
Loesch, A., 896
Logsdon, Craig D., 44
Lonigro, Renata, 781
Lopez, Raquel, 688
López-Alarcón, Luisa, 232
Lövgren, Janita, 888
Lucarelli, Marco, 342
Lundwall, Åke, 888

Ma, Yuan, 875
Maciag, T., 630
Maeda, Susumu, 389
Maggiora, Marina, 853
Malherbe, Pari, 66
Malorni, W., 908
Mani, Rajam S., 349
Manoharan, P. T., 439
Marciano, Daniele, 15
Maria, Bartoli Gianna, 881
Mason, R. Preston, 869
Massie, B., 569
Matsubara, Kenichi, 258
Matsuda, Seiichi P. T., 154
Matsumura, Hitoshi, 625
Matsumura, Masatoshi, 1091
Matsuura, Katsuyuki, 311
Matsuyama, Kohki, 317
Mazuruk, Krzyzstof, 181
McCloskey, Thomas W., 994
McGrane, Mary M., 706
Meeusen, Els, 169
Meizel, Stanley, 774
Menegazzi, Paola, 1082
Mengozzi, Giulio, 853
Menot, M. L., 112
Merlini, Luciano, 342
Meshulam, Haim, 15
Meyer, Christiane, 123
Meyer-Lehnert, H., 289
Mielke, Renate, 211
Mihara, Shin-ichi, 594
Mikulík, Karel, 454
Mischak, Harald, 266
Mishina, Masayoshi, 130
Misquith, Sandra, 81
Momiyama, Takahiro, 376
Momoi, Mariko, 1140
Moret, Vittorio, 249
Mori, Seijiro, 32
Moriishi, Kohji, 737
Morimitsu, Yosuke, 986
Morisaki, Takayuki, 555
Mornet, Dominique, 295
Moro, Isabella, 249
Mügge, C., 506
Mukai, Tsunehiro, 555
Muller-Eberhard, Ursula, 397
Muñoz-Garay, Carlos, 419
Muzio, Giuliana, 853

Nagahisa, Hiroshi, 1091
Nagai, Hisaki, 258
Nagai, Yoshitaka, 645
Nagata, Yuka, 1091
Nagatsu, Toshiharu, 1099
Nakae, Taiji, 88
Nakajima, Ikuyo, 369
Nakamura, Masahiro, 583
Nakamura, Miharu, 594
Nakamura, Takao, 575
Nakase, Yuzou, 432
Nakashima, Kunio, 389
Nakura, Hironori, 550
Nałęcz, Katarzyna, 383
Nałęcz, Maciej J., 383
Naomoto, Yoshio, 1115
Neri, Simona, 282
Nimura, Yuji, 600
Nirmala, P. B., 24
Nishi, Shinzo, 362
Nishikawa, Takahiro, 7
Nishimura, Hitoshi, 600
Nishimura, Shigeo, 376
Nishimura, Susumu, 575
Nomura, Taro, 594
Novelli, Giuseppe, 342
Novello, Francesco, 282
Nunes, Sandra L., 1
Nürnberg, Wolf, 699

O'Connell, Timothy D., 59
Odaka, Mitsuyo, 652
Odani, Shoji, 1107
Oddis, Carmine V., 1002
Ogata, Akihiko, 362
Oguma, Keiji, 737
Ohlstein, Eliot, 827
Ohnmacht, C. J., 404
Ohnuki, Toshio, 1091
Ohsawa, Ikuroh, 52
Ohsawa, Ken-sou, 681
Ohyama, Tohru, 737
Okada, Yoshio, 583
Okamoto, Shosuke, 583
Okuda, Akiro, 541
Okunomiya, Akiko, 583
Okutomi, Keiichi, 1091
Okuyama, Yoshiko, 32
Olvera, Joe, 1042
Ookura, Tetsuya, 746
Orita, Kunzo, 1115
Ota, Akira, 1099
Otaka, Akira, 746
Övermo, Charlotta, 888
Oyaizu, Naoki, 994
Ozawa, Takayuki, 204
Ozawa, Takayuki, 432
Ozutsumi, Kyouhei, 369

Pahwa, Savita, 994
Palacián, Enrique, 232
Palmatier, Robert, 104
Pandey, Haushila P., 625
Panin, Vladislav M., 302
Pannabecker, Thomas L., 499
Paola, Palozza, 881
Paradisi, Luciana, 853
Partiseti, Michel, 901
Pavlova, Galina V., 302
Pellizzari, Lucia, 781
Pession, Annalisa, 282
Petersen, Simone, 533
Petrof, B. J., 569
Pettersson, Kim, 888
Pieriorgio, Franceschelli, 881
Pietruszko, Regina, 561
Piironen, Timo, 888
Pilkis, Simon, 663
Pinkas-Kramarski, Ronit, 15
Pinna, Gavino Giovanni, 820
Pinto, Rosa María, 1075
Pintus, Gianfranco, 820
Pittel, Zipora, 15
Pizzuti, Antonio, 342
Pongliktmongkol, Mathurose, 258
Porvari, Katja, 861
Possani, Lourival D., 419, 901
Pötter, E., 928
Potter-Lee, L., 404
Preik-Steinhoff, Hagen, 447
Prescott, S., 569
Prestipino, Gianfranco, 1082
Pucillo, Carlo, 781
Puerta, Carmen, 232

Ram, Arjun, 625
Ramadori, Giuliano, 752
Ramlal, Toolsie, 462
Raue, Friedhelm, 922
Ribeiro, João Meireles, 1075
Rigoulet, Michel, 138
Rim, Jong S., 975
Robson, Richard M., 796
Rodriguez, Ignacio R., 181
Rodriguez-Commes, Jose, 688
Rose, John K., 410
Rösen, Peter, 447
Ross, Gilbert S., 96
Rössig, L., 928
Roth, George S., 869
Russell, K., 404

Sahashi, Ko, 432
Saisu, Hideo, 1107
Saito, Takeo, 376
Saito, Yasushi, 32
Sakai, Masaharu, 362
Sakai, Noboru, 608
Saks, Valdur A., 138
Sakurawi, Kensuke, 594
Sanbo, Makoto, 130
Sankarapandi, S., 439
Santorelli, Filippo M., 588
Sarashi, M., 490
Satoh, Kazuki, 7
Satoh, Shinsuke, 625
Satomoto, Kazutaka, 1115
Sawada, Hitoshi, 7, 311
Scarinci, Claudia, 356
Schadendorf, Dirk, 699
Schmitt, Jacky, 211
Schmitz, Brigitte, 424
Schoen, Timothy J., 181
Schöfl, C., 928
Schoofs, Alain R., 901
Schrewe, Heinrich, 211
Schuuring, E., 1051
Seidah, Nabil G., 356
Selifonov, Sergey A., 759
Sergeev, Pavel V., 302
Sernett, Suzanne W., 796
Sha, Yao Wu, 875
Shaw, Jei-Fu, 475
Shin, Dong-Ju, 706
Shing, Tony K. M., 175
Shioda, Masaki, 803
Shostak, Natalia G., 302
Shoubridge, Eric A., 189
Simpson, Robert U., 59
Sippel, Katrin, 123
Sisson, Joseph H., 104
Someya, Akira, 803
Sower, S. A., 490
Stéphan, Jean-Philippe, 218
Suda, Toshio, 1140
Sugiura, Hiroko, 317
Sugiyama, Masao, 389
Sugumaran, Manickam, 469
Sukumar, M., 439
Sullivan, James P., 657
Sumitani, Satoru, 462
Suzuki, Harukazu, 967
Suzuki, Hiroshi, 204
Suzuki, Satoshi, 204, 608
Swart, Guido W. M., 1122
Sylvester, James E., 282

Tabei, Yutaka, 376
Tabor, Edward, 986
Tadolini, Bruna, 820
Taga, Chiharu, 967
Taguchi, Hiroaki, 583
Tai, Vincent W.-F., 175
Takagi, Keiichi, 317
Takahashi, A., 490
Takahashi, Hiroshi, 768
Takahashi, Susumu Y., 1010
Takaiwa, Fumio, 376
Takamori, Yasushi, 369
Takano, Shoichi, 369
Takashima, Yuichiro, 1140
Takata, Yutaka, 958
Takayanagi, Kenji, 376
Take, Yukinori, 803
Takenaka, Katsunobu, 608
Takeshi, Kouichi, 737
Takiguchi, Soichi, 958
Takimoto, Koichi, 1010
Tamaru, Yoshiko, 645

Tanaka, Masami, 550
Tanaka, Noriaki, 1115
Tanaka, Yasuharu, 161
Tang, Jih-Luh, 673
Tanguay, Robert M., 484
Taniai, Kiyoko, 389
Taniguchi, Masayuki, 681
Tao, Aiyang, 706
Tell, Gianluca, 781
Thampan, Raghava Varman, 24
Than, Soe, 994
Thompson, Annick, 66
Tilson, M. David, 40
Tkalcevic, Josephine, 169
Todokoro, Kazuo, 1091
Tokura, Katsuya, 594
Tomono, Masahiro, 980
Tomoo, Koji, 583
Toyama, Keiko, 555
Trainor, D. A., 404
Treves, Susan, 1082
Trivedi, S., 404
Tseng, Min-Jen, 44
Tsuda, Yuko, 583
Tsuruo, Takashi, 837
Turi, Thomas G., 410
Turner, Kenneth O., 774

Ueno, Satoshi, 645
Ulevitch, Richard J., 715
Ulphani, Joseph, 104
Usami, Ikuya, 541
Utsuyama, Masanori, 768

van Breemen, Cornelius, 1061
van Groningen, Jan J. M., 1122
Vaysse, Nicole, 845
Veenstra, Jan A., 519
Vihko, Pirkko, 861
Villeponteau, Bryant, 630
Virelizier, Henri, 901
Vita, Claudio, 901
Volk, Thomas, 196
von zur Mühlen, A., 928

Wackett, Lawrence P., 759
Wada, Tamaki, 1091
Wakasugi, Naomi, 1140
Wakazono, Yoshihiro, 541
Walsh, C. A., 1017
Wanaka, Keiko, 583
Wanders, Ronald J. A., 1035
Wang, Xiaodong, 1061
Ward, Simone M., 225
Wasserman, Robert H., 499
Watabe, Shoji, 1010
Watanabe, Minoru, 550
Watanabe, Sachihiko, 967
Watanabe, Satoshi, 130
Wattiaux, Robert, 81
Wattiaux-De Coninck, Simone, 81
Wawrzeńczyk, Agnieszka, 383
Weber-Schürholz, S., 513
Wehling, Martin, 123
Weißhoff, H., 506
Weller, Michael, 1026
Welter, Cornelius, 789
Wengier, Ada, 15
Weterman, Marian A. J., 1122
Wieland, Peter, 815
Wieprecht, T., 506
Williams, John B., 325
Wing, Lih-Yuh C., 1132
Wischmeyer, E., 513
Wojcikiewicz, Richard J. H., 334
Wong, Y.-S., 175
Wool, Ira G., 1042
Wu, Kenneth K., 673
Wu, Yang, 484
Wundrack, Iris, 789
Wykle, Robert L., 950
Xu, Jinhua, 389
Xu, Xiao-Ming, 673

Yagi, Takeshi, 130
Yamada, Hiromu, 608
Yamagishi, Sho-ichi, 681
Yamaguchi, Takahiro, 369
Yamaguchi, Yuji, 1140
Yamakawa, Minoru, 389
Yamamoto, Hiroshi, 681
Yamamoto, Kazuo, 74
Yamamoto, Masanori, 389
Yamamoto, Yasuhiko, 681
Yamamoto, Yoshimi, 1010
Yamano, Yoshinori, 88
Yamashita, Tadashi, 362
Yasay, G. D., 404
Yasuda, Masahiro, 130
Yeh, Chau-Ting, 1068
Yodoi, Junji, 1140
Yokosawa, Hideyoshi, 7, 311
Yoneyama, Hiroshi, 88
Yoshimatsu, Kentaro, 1140
Yoshida, Satoshi, 1099
Yoshihara, Koichiro, 161
Yoshikai, Yasunobu, 600
Yoshikawa, Hirohide, 258
Yoshikawa, Kazuaki, 317
Yue, Tian-Li, 827
Yuwen, Hao, 986

Zembowicz, Artur, 673
Zhao, YuFen, 875
Zhulanova, Elena, 454
Ziegler, Reinhard, 922
Ziemiecki, Andrew, 273
Zimrin, Ann B., 630
Zink, Sigrid, 447
Zorzato, Francesco, 1082
Zürcher, Gisela, 273

Volume 214

Abe, Hiromi, 454
Abe, Shin-Ichi, 622
Abe, Yoriko, 730
Abreu, Christine, 331
Adachi, Hideki, 180
Adachi, Isamu, 1114
Aducci, Patrizia, 118
Aida, Kaoru, 524
Aimoto, Saburo, 410
Aizawa, Shinichi, 468
Akiguchi, Ichiro, 86
Akkerman, Jan-Willem N., 254
Al-Asadi, Rameez, 324
Alewijnse, Astrid E., 1138
Alterman, Michail A., 1089
Altevogt, Peter, 94
Amagasa, Teruo, 518
Amoureux, Marie-Claude, 639
An, Bing, 771
Anderson, Wayne B., 340, 888
Andersson, Tommy B., 1060
Andrew, P. J., 949
Antoni, Ferenc A., 1000
Aoki, Nobuo, 461
Arai, Hiroyuki, 180
Arai, Masahiro, 1225
Araki, Wataru, 490
Asaoka, Ai, 271
Ash, Roger, 1060
Auerswald, Ennes A., 389
Azadniv, M., 627
Azzariti, Amalia, 511

Bach, Fritz H., 212
Ballio, Alessandro, 118
Balsari, Andrea, 582
Barbieri, D., 941
Bárcena, Montserrat, 716
Baserga, Renato, 475
Bast, Aalt, 755
Baum, H. P., 1009
Belhadri, Abderrahmane, 597
Belkin, Alexey M., 279
Benatti, Umberto, 125
Benkowski, Lisa A., 1033
Beppu, Hidehiko, 163
Bhagavan, Nadhipuram V., 1121
Bianchi-Scarrà, Giovanna, 1015
Bilbe, Graeme, 1108
Blain, Francoise, 1232
Blaskovich, Michelle A., 295
Blauw, Joeri, 1138
Blumberg, Peter M., 888
Böddrich, Annett, 895
Bogenberger, Jacob, 424
Bol, Marianne, 552
Boschelli, Diane H., 6
Bowik, Carol C., 331
Bragg, Philip D., 230
Brayman, A. A., 627
Breiteneder, Heimo, 538
Briedis, Dalius J., 1232
Brinckerhoff, Constance E., 331
Brostjan, Christine, 212
Browning, Karen S., 1033
Brugidou, J., 685
Bryant, Stephen P., 614
Burgaud, Jean-Luc, 475
Burris, Thomas P., 576
Byrne, Paula C., 496

Camoni, Lorenzo, 118
Candy, J. M., 993
Canuto, Rosa A., 669
Carstensen, E. L., 627
Casadio, Rita, 663
Casonato, Alessandra, 102
Catalano, Carlos Enrique, 971
Chan, Yuen-Ling, 810
Chang, En-Yuh, 888
Chaurasia, Chandra S., 1089
Chaurasia, Shyam Sunder, 905
Chen, Bing-Fang, 910
Chen, Ding-Shinn, 910
Chen, Fei, 839, 985
Chiesi, Michele, 131
Chihara, Kazuo, 454
Chik, Constance L., 918
Chiou, Shyh-Horng, 1079
Choi, Hong Kyu, 271
Choi, Su Kyung, 271
Chowdhury, Subrata, 271
Colmenarejo, Gonzalo, 716
Consiglio, Eduardo, 819
Content, J., 36
Cooper, Edwin L., 503
Cooper, Jeffrey T., 212
Corey, Seth J., 295
Cossarizza, Andrea, 503, 941
Cox, C., 627
Csizmadia, Vilmos, 212
Curreli, Nicoletta, 559

Dale, R. E., 348
Dalla Via, Lisa, 102
D'Armiento, Franco, 819
Dawson, Michelle J., 152
Deana, Renzo, 102
Debnath, Nitish C., 271
Deckert, Jürgen, 614
De Flora, Antonio, 125
Della Bianca, Vittorina, 44
Demers, Laurence M., 839, 985
Denning, Mitchell F., 888
Derby, Marizel, 723
Devall, Larry J., 6
Dexter, T. M., 348
Dianzani, Mario Umberto, 354, 669
Dietz, Rainer, 75
Di Giorgio, Domenico, 118
Di Jeso, Bruno, 819
Donath, José, 254
Donini, Marta, 44

Dooley, Steven, 195
Doonan, Shawn, 511
Dorsch, Marion, 424
Dou, Q. Ping, 771
Drexler, Hans G., 1197
Dusi, Stefano, 44
Duval, Danièle, 1
Dvoryantsev, S. N., 608

Ebner, Christof, 538
Eliasson, Rolf, 28
Endo, Hitoshi, 730
Endo, Isao, 730
Ergazaki, M., 788
Esaki, Teiji, 847
Espiner, E. A., 1175

Fan, Pang-Dian, 424
Farach-Carson, Mary C., 676
Fariselli, Piero, 663
Feliciello, Antonio, 819
Feolde, Erick, 1
Ferguson, Erika, 6
Ferran, Christiane, 212
Ferreira, Gloria C., 875
Ferrier, Alma, 340
Finazzi-Agró, Alessandro, 559
Fiorentini, Paola, 1015
Fleischer, Sidney, 263
Fontecave, Marc, 28
Formisano, Silvestro, 819
Fossum, Renae D., 295
Franceschi, C., 503, 941
Francesconi, Mariangela, 102
Frank, J., 1009
Frederick, R., 1152
Frelin, Christian, 1
Fritz, Hans, 389
Fujii, Kumiko, 1095
Fujita, Keisuke, 163
Fujiwara, Keigi, 69
Fujiwara, Kenji, 1225
Fukamachi, Hiroshi, 861
Fukumura, Motonori, 869
Fukuyama, Hidenao, 86
Furihata, Chie, 861
Furuya, Yuriko, 856

Gallo, F., 941
Galutzov, B., 825
Ganeva, V., 825
Garramone, Andrea, 669
Garré, Cecilia, 1015
Gasalla-Herraiz, J., 373
Gay, Nicholas J., 1191
Gaydos, Lesley J., 839, 985
Gelein, R., 627
Giannattasio, Sergio, 511
Giovine, Marco, 125
Girolami, Antonio, 102
Giuffrida, Roberto, 1015
Glavas, Natalie A., 230
Goff, Stephen P., 424
Goto, Yu-ichi, 86
Green, Jonathan R., 1108
Griesser, Johann, 895
Guidotti, Guido, 879
Guo, Weiwen, 576
Gupta, Pratima, 905
Gutiérrez-Alonso, M. Carmen, 716

Ha, Chung-Eun, 1121
Haase, Hennelore, 75
Haenen, Guido R. M. M., 755
Hagiwara, Shinji, 51
Hahn, Ulrich, 646
Hajnsdorf, Eliane, 1254
Hamamoto, Toshiro, 730
Hamilton, Andrew D., 295
Handa, Hiroshi, 318
Hanselmann, R. G., 1009
Hanzlik, Robert P., 1089
Hara, Seiichi, 271
Harada, Kenji, 653
Harada, Noboru, 69
Harant, H., 949
Harmar, Anthony J., 1000
Hartt, Donald J., 918
Hashimoto, Yoshiaki, 51
Hashimoto-Gotoh, Tamotsu, 432
Hashizume, Tsuneo, 11
Hattori, Mitsuharu, 180
Hayashi, Kiyoshi, 568
Hayashi, Toshio, 847
Heinlein, Uwe A. O., 632
Hendrix, C., 36
Herdewijn, P., 36
Hibbs, Margaret S., 331
Hidaka, Hiroyoshi, 847
Higashida, Haruhiro, 482
Hiipakka, Richard A., 833
Hill, V., 200
Hirai, Yoshihiro, 869
Hirano, Hideyasu, 1157
Hirano, Takeshi, 1157
Hirosawa, Shinsaku, 461
Hirose, Miyoko, 440
Ho, Anthony K., 918
Hoaki, Toshihiro, 730
Hoffmann-Sommergruber, Karin, 538
Hollenberg, Cornelis P., 709
Hong, Seung Hwan, 709
Hoppe, Jürgen, 20
Horio, Fumihiko, 11
Horn, Denise, 895
Hornshaw, M. P., 993
Hou, Cynthia, 230
Hsieh, Chia-Ling, 910
Hudson, Alan P., 188
Huisman, T. H. J., 1184
Hülser, Eckehard, 20
Hunt, P. J., 1175
Hurley, Marja M., 331
Hwang, Lih-Hwa, 910
Hwang, Pei-Yi, 396

Ichida, Masaru, 730
Ichinose, Masao, 861
Igarashi, Kazuei, 410
Iguchi, Akihisa, 847
Iida, Mitsuru, 1260
Ikawa, Yoji, 468
Ikeda, Sachiya, 490
Ikeda, Saiko, 11
Ikejima, Kenichi, 440
Ikejima, Miyoko, 171
Ikeno, Masako, 145
Ikeuchi, Youji, 584
Imai, Takashi, 1211
Imhof, Beat A., 94
Inaba, Toshimori, 653
Inokuchi, Koiti, 171
Inoue, Keizo, 180
Isales, C. M., 373
Ishibashi, Shun, 653
Ishihama, Akira, 410
Ishii, Satoshi, 1219
Ishikawa, Tomohiko, 847
Ishikawa, Tsutomu, 145
Ishizaka, Masamichi, 403
Itoh, Hiroshi, 694

Jackson, Sandra, 247
Jang, Yeun Kyu, 709
Jeoung, Doo-Il, 361
Jin, Byung-Rae, 602
Jin, Jian-Ping, 1168
Jin, Yong Hwan, 709
Jones, Grace, 286

Jovanovic, Aleksandar, 781
Jung, V., 1009

Kadmon, Guni, 94
Kadono-Okuda, Keiko, 271
Kagawa, Yasuo, 730
Kageyama, Takashi, 861
Kaji, Hidesuke, 454
Kaji, Ryuji, 86
Kajimoto, Yoshitaka, 239
Kakei, Nobuyuki, 861
Kakinuma, Atsushi, 11
Kakizoe, Tadao, 60
Kalachnikova, Galina, 503
Kalbacher, Hubert, 20
Kamada, Takenobu, 239
Kamei, Sachiko, 1219
Kaneko, Shigeto, 518
Kang, Seok-Kwon, 602
Kangawa, Kenji, 1204
Kanzaki, Tetsuto, 1163
Kaplun, V. V., 608
Kar, Anand, 905
Karczewski, Peter, 75
Karin, Norman J., 676
Kasai, Hiroshi, 1157
Kase, Ryoichi, 1219
Katagiri, Chiaki, 622
Kato, Masahito, 1045
Kato, Mitsuo V., 468
Kato, Nobuko, 730
Kato, Yusuke, 271
Katoh, Masaru, 60
Katušić, Zvonimir, 803
Kaufmann, Dieter, 895
Kawamori, Ryuzo, 239
Kaziro, Yoshito, 694
Kearney, Kenya, 723
Kemp, Robert G., 765
Keshava, Channa, 6
Khan, M. Tariq, 957
Khosrof, Samer, 793
Khramtsov, Valery V., 1023, 1246
Kiaris, H., 788
Kim, Ho-San, 602
Kim, Jae Il, 305
Kim, Min Ji, 709
Kim, Sun Jin, 60
Kim, Young Kyoon, 60
Kimura, Jun, 86
Kirby, A. C., 200
Kirchrath, Lutz, 709
Kitamura, Tsuneo, 440
Klinge, C. M., 627
Koide, Kohei, 869
Koike, Takaaki, 163
Koishi, Sawako, 524
Kojima, Soichi, 1045
Kojima, Takashi, 310
Kraft, Dietrich, 538
Krause, Ernst-Georg, 75
Krone, Winfrid, 895
Kuboki, Yoshinori, 432
Kubota, Ken, 1191
Kubota, Minoru, 239
Kuchta, Robert D., 971
Kuh, Douglas C., 985
Kuhlmann, M., 1009
Kuhn, Douglas C., 839
Kulms, Dagmar, 646
Kumar, Manish, 744
Kumazawa, Noriyuki, 1040
Kunishita, Tatsuhide, 490
Kunkel, Gary R., 934
Kunzelmann, Ute, 20
Kurachi, Hirohisa, 1211
Kurokawa, Kiyoshi, 861
Kuzuya, Hiroshi, 163
Kuzuya, Masafumi, 847

Ladoux, Annie, 1
Laimer da Camara Machado, Margit, 538
Lakey, J. H., 993
Lanoil, Brian D., 1051
Lapetina, Eduardo G., 254
Laskay, G., 348
Le, Thinh, 576
Lee, Dae-Weon, 602
Lee, Yan-Hwa Wu, 447
Legrand, Ch., 685
Lehel, Csaba, 340, 888
Lemaire, Lydia, 632
Leonarduzzi, Gabriella, 669
Leurs, Rob, 110, 1138
Levens, Nigel, 131
Li, L., 367
Liao, Shutsung, 833
Liaw, Li-Ling, 447
Liepinsh, Edvards, 28
Lin, Chieh-Yu, 1146
Lindley, I. J. D., 949
Liston, Peter, 1232
Liu, Bo, 418
Liu, Hsiao-Hei, 910
Liu, Riting, 676
López, José R., 781
Lottspeich, Friedrich, 20
Lovato, E., 941
Lu, Ping, 1089
Lu, Shao-Fan, 1079

Maeda, Hiroshi, 482
Maeda, Toshihiro, 1211
Maggiora, Marina, 669
Magis, Wendy, 927
Mahieu, M., 36
Maier, Jeanette A. M., 582
Maiti, Prasanta Kumar, 905
Mandel, Morton, 1121
Manten-Horst, Eveliene, 137
Marcello, Kristina, 331
Marchetti, B., 941
Markel, A. L., 1023
Marlowe, Tara, 295
Marquart, Mary E., 963
Marra, Ersilia, 511
Marra, Mauro, 118
Martin, David I. K., 927
Martin-Moutot, Nicole, 305
Martucci, Giuseppe, 206
Maruta, Kazuhiro, 163
Maruyama, Kazuo, 1239
Maruyama, Tadashi, 730
Mashima, Keisuke, 856
Masotti, Lanfranco, 663
Masuda, Michitaka, 69
Matsuda, Yuzuru, 51
Matsukura, Shigeru, 1204
Matsuo, Hisayuki, 1204
Matsuoka, Taka-aki, 239
Matsushima, Masashi, 861
Mayne, Richard, 279
Mazhukin, D. G., 1023
McCabe, Edward R. B., 576
McDermott, J. R., 993
McEneny, J., 1073
McGeoch, Julie E. M., 879
McGeoch, Malcolm W., 879
McGuire, Terence F., 295
Meeder, Remco, 110
Mel'nikova, Yulia S., 1040
Merchant, Juanita L., 324
Méry, J., 685
Middleton, Bruce, 247
Miki, Kazumasa, 861
Miki, Tohru, 461
Milarski, Kim L., 737
Millan, Maria T., 212
Millar, C. A., 1073

Miller, M. W., 627
Misonou, Tomoko, 145
Mitaka, Toshihiro, 310
Miyake, Akira, 1211
Miyanoshita, Akihiro, 271
Miyazaki, Akihisa, 440
Miyazaki, Jun-ichi, 51
Miyazato, Mikiya, 1204
Mizuguchi, Toru, 310
Mochida, Satoshi, 1225
Mochizuki, Yohichi, 310
Molchanova, T. P., 1184
Momose, Fumitaka, 318
Montero, Francisco, 716
Monti, D., 941
Morale, M. C., 941
Morelli, Daniele, 582
Morisaki, Nobuhiro, 1163
Moriwaki, Hisataka, 1045
Mortensen, Kim Kusk, 1254
Moura, A. S., 798
Mulliez, Etienne, 28
Murakami, Takashi, 1260
Murtha, Patricia E., 1130
Musso, Marco, 1015
Muto, Yasutoshi, 1045
Mutschler, W., 1009
Muzio, Giuliana, 669

Nadalini, Katyuscia Alessia, 44
Nagahama, Yasuhiro, 86
Nagao, Minako, 518
Nagaraj, Ramanakoppa, 793
Nagasaki, Hiromi, 1239
Nagata, Kyosuke, 318
Nagayoshi, Mariko, 468
Nakabeppu, Yusaku, 1239
Nakajima, Eiitsu, 171
Nakajima, Hiroshi, 11
Nakamura, Michikazu, 86
Nakano, Satoshi, 86
Nakashima, Shigeru, 418
Nakayama, Toru, 1067
Nakazato, Masamitsu, 1204
Nemoto, Tomomi, 1102
Newton, Roger S., 6
Neyroz, Paolo, 663
Nicholls, M. G., 1175
Nishizaki, Tomoyuki, 584
Nomura, Takeo, 171
Nonomura, Yoshiaki, 51
Nöthen, Markus M., 614
Nozawa, Yoshinori, 418
Nürnberg, Peter, 895

Oberringer, M., 1009
Ogihara, Takuo, 482
Ogiwara, Takayuki, 918
Ohashi, Kazuteru, 461
Ohno, Akihiko, 1225
Ohshima, Yasumi, 403
Ohta, Toshiko, 730
Ohtake, Atsuko, 305
Oka, Masashi, 861
Oka, Yoshitomo, 1211
Okimura, Yasuhiko, 454
Okumiya, Toshika, 1219
Okuno, Masataka, 1045
Oláh, Zoltán, 340, 888
Ollagnier, Sandrine, 28
Olsen, I., 200
Olvera, Joe, 810
Onaya, Toshimasa, 524
Onoue, Hitoshi, 263
Ooms, J., 36
Orekhov, A. N., 608
Orellana, Guillermo, 716
Orimo, Hideo, 171
Osago, Harumi, 760
Ostermann, Ellen, 137
Osuga, Jun-ichi, 653
Otting, Gottfried, 28
Ozawa, Matsuko, 86

Pacifico, Francesco, 819
Pals, Steven T., 137
Pan, Fu-Ming, 1079
Pani, Paolo, 354
Pao, Chia C., 1146
Park, Hyun-Woo, 602
Park, JungSun, 934
Park, Sang Dai, 709
Parola, Maurizio, 669
Paterson, Janice M., 1000
Paul-Clark, M. J., 1152
Pauwels, Petrus J., 639
Pedersen, Jens Z., 559
Penco, Silvana, 1015
Penninks, André H., 552
Perletti, Gian Paolo, 354
Petersen, Charles E., 1121
Pfüller, Uwe, 396
Piccinini, Francesco, 354
Picking, Wendy L., 963
Picking, William D., 963
Pieters, Raymond H. H., 552
Pistoia, Vito, 1015
Poli, Giuseppe, 669
Polverini, Eugenia, 663
Pontara, Elena, 102
Porcu, Maria C., 559
Porter, S. R., 200
Propping, Peter, 614
Punin, Mikhail, 1138
Punt, Petra, 552

Qian, Yimin, 295
Quagliariello, Ernesto, 511
Quaglino, Daniela, 503

Rabié, A., 685
Racioppi, Luigi, 819
Rad, Massoud Ramezani, 709
Rahman, Mahboob U., 188
Ravel, Joanne M., 1033
Regnier, Philippe, 1254
Reichard, Peter, 28
Reiser, Georg, 20
Ren, Hongzu, 614
Rentsch, Juerg, 131
Rescigno, Antonio, 559
Resnicoff, Mariana, 475
Rhee, S., 373
Richards, A. M., 1175
Richener, Hanny, 1108
Rinaldi, Andrea C., 559
Rinaldi, Augusto, 559
Rivera, Juan, 888
Robino, Gaia, 669
Rossi, Filippo, 44
Roufogalis, Basil D., 957
Roxborough, H. E., 1073
Rusko, J., 367

Sabine, Bartel, 75
Sadar, Marianne D., 1060
Sady, Candace, 793
Sai, Yoshimichi, 482
Saito, Ichiro, 1163
Saito, Yasushi, 1163
Sakamaki, Tetsuo, 145
Sakata, Masahiro, 1211
Sakuraba, Hitoshi, 1219
Sakurai, Hiromu, 1095
Sakurai, Takashi, 51
Saltiel, Alan R., 737
Salvioli, Stefano, 503
Sampaio, Claudio A. M., 389
Sanders, Peter G., 496
Sandhu, Harjeet, 632
Sanjust, Enrico, 559
Sasaki, Hiroki, 60
Sasaki, Kazuki, 1114

Satake, Shosuke, 847
Sato, Hiromi, 468
Sato, Kazuki, 305
Sato, Kunio, 145
Sato, Nobuhiro, 440
Sawada, Takeshi, 737
Saxena, Uday, 6
Schachner, Melitta, 94
Schaefer, Jochen, 247
Schäfer, Günter, 646
Scheiner, Otto, 538
Schelling, Douglas, 286
Seagar, Michael J., 305
Sebti, Saïd M., 295
Seib, Thomas, 195
Seinen, Willem, 552
Sekiguchi, Mutsuo, 1239
Seong, Rho Hyun, 709
Sergeeva, Svetlana V., 1246
Sesca, Eliana, 354
Shiina, Ritsuko, 1163
Shima, Hiroshi, 518
Shima, Kenji, 1260
Shimada, Masako, 653
Shimada, Takashi, 171
Shimizu, Miyuki, 861
Shimizu, Takao, 418
Shimoyama, Makoto, 760
Shimpo, Kan, 163
Shindo, Kunihiko, 869
Shiokawa, Koichiro, 432, 861
Simantov, Rabi, 530
Simpson, Susan L., 1051
Sipehia, Rajender, 206
Sjöholm, Åke, 224
Slepneva, Irina A., 1246
Smetanina, N. S., 1184
Smit, Lia, 137
Smit, Martine J., 110, 1138
Smith, Susan M., 1000
Snell, Keith, 496
Sonenberg, Martin, 361
Song, Shuh-Chyung, 396
Spandau, Dan F., 744
Spandidos, D. A., 788
Sperling-Petersen, Hans Uffe, 1254
Spurr, Nigel K., 614
Stelter, Adele M., 803
Steube, Klaus G., 1197
Stiles, Gary L., 614
Stricker, Rolf, 20
Sturla, Laura, 125
Sugimura, Takashi, 60, 518
Sugiyama, Masao, 271
Sumitomo, Midori, 869
Sun, Jiazhi, 295
Sun, Shao-Cong, 839, 985
Susani, Markus, 538
Suzuki, Atsushi, 432
Suzuki, Masami, 163
Suzuki, Yoshiyuki, 1219
Szallasi, Zoltan, 888

Tabira, Takeshi, 490
Tadokoro, Chikae, 1211
Tai, Shigeru, 454
Takagi, Minoru, 518
Takahashi, Atsushi, 60
Takahashi, Keikichi, 490
Takahashi, Masami, 305
Takamatsu, Atsuko, 1102
Takamune, Kazufumi, 622
Takanaga, Hitomi, 482
Takano, Tomoko, 418
Takenaka, Toshihiro, 1219,
Takeura, Yuriko, 1067
Tamai, Ikumi, 482
Tamura, Hideyuki, 1095
Tamura, Ken, 1163
Tanaka, Aparecida S., 389
Tanaka, Makiko, 11
Tang, Baiqing, 361
Tani, Tokio, 403
Taniai, Kiyoko, 271
Tariq, M. A., 568
Tashiro, Fumi, 51
Tatematsu, Masae, 861
Tawata, Masato, 524
Taylor, John E., 81
Teissie, J., 825
Terada, Masaaki, 60
Ter Laak, Anton M., 110
Tertov, V. V., 608
Terzic, Andre, 781
Teshima, Kaori, 622
Tessitore, Luciana, 354
Tikhonov, A. Ya., 1023
Timerman, Anthony P., 263
Timmerman, Hendrik, 110, 1138
Titani, Koiti, 163
Tomlinson, A., 1152
Tonetti, Michela, 125
Trapani, Joseph A., 152
Troiano, L., 941
Tromp, Michèl N. J. L., 755
Tropea, F., 941
Tseng, Chih-Jen, 1146
Tsuchiya, Mikako, 760
Tsuchiya, Yoshimi, 1102
Tsuda, Hirohisa, 701
Tsuji, Akira, 482
Tsujimoto, Masafumi, 180
Tsujimura, Atsushi, 432
Tsukada, Teruyo, 468
Tsukada, Toshihiko, 1114
Turnbull, Douglass M., 247

Uchida, Go, 1102
Ueda, Takashi, 1067
Ueno, Naoto, 432
Ulianich, Luca, 819
Umayahara, Yutaka, 239
Utepberghenov, D. I., 1023

van Acker, Saskia A. B. E., 755
van Breemen, C., 367
van den Berg, Frank, 137
van den Nieuwenhof, Ingrid, 1138
van der Vijgh, Wim J. F., 755
van der Voort, Robbert, 137
van Dijken, Jan Marcel, 552
Vanek-Krebitz, Monika, 538
van Hille, Benoît, 1108
van Minnen, Jan, 1138
van Willigen, Gijsbert, 254
Várhelyi, T., 348
Vigne, Paul, 1
Vlasenko, L. P., 1023
Vogt, Andreas, 295
Volodarsky, L. B., 1023

Wada, Akira, 410
Wallukat, Gerd, 75
Wang, Chu-Chang, 910
Wang, Jennifer, 1168
Wang, Jin, 723
Wang, Kailing, 957
Watada, Hirotaka, 239
Watanabe, Atsuhi, 171
Watanabe, Hiromi, 1095
Watanabe, Ken, 318
Watanabe, Sumio, 440
Wathen, Steven P., 295
Węgrzyn, Alicja, 978
Węgrzyn, Grzegorz, 978
Weisinger, Gary, 530
Welter, C., 195, 1009
Wernette, Catherine M., 723
Wiederrecht, Gregory J., 263
Willenbrock, Roland, 75
Willis, D., 1152
Willoughby, D. A., 1152

Winkler, Hans, 212
Wolf, Helmut K., 614
Wölle, Joachim, 6
Wool, Ira G., 810
Wright, Richard M., 1051
Wu, Albert M., 396
Wu, Chi, 1239
Wu, June H., 396
Wurch, Thierry, 639

Xin, Hong-Bo, 263
Xu, Jinhua, 271

Yagyu, Hiroaki, 653
Yahagi, Naohisa, 861
Yamada, Kazuyoshi, 847
Yamada, Nobuhiro, 653
Yamaguchi, Hideki, 1204
Yamaguchi, Ken, 1114
Yamaguchi, Masaaki, 1211
Yamaguchi, Tokio, 11
Yamaguchi, Yoko, 1157
Yamakawa, Minoru, 271
Yamamoto, Masanori, 271
Yamasaki, Yoshimitsu, 239
Yamauchi, Junji, 694
Yandle, T. G., 1175
Yao, Ding-Shyan, 1146
Yasojima, Koji, 432
Yazaki, Yoshio, 653
Yi, Eugene C., 324
Yohda, Masafumi, 730
Yonezawa, Satoshi, 861
Yoshida, Takayuki, 701
Yoshikawa, Kenichi, 1040
Yoshimoto, Yasuhiro, 1211
Yoshimura, Shoko, 410
Young, Charles Y. F., 1130
Young, I. S., 1073
Yu, Chen, 771
Yu, Yong-Man, 602
Yuasa, Yasuhito, 1239
Yuspa, Stuart H., 888

Zhang, Jinyi, 1168
Zheng, Rong-Lan, 765
Zhidkova, Natalia I., 279
Zhu, Wen, 1130
Zinder, Oren, 530

Volume 215

Abdullah, Rizwana, 730
Abe, Kiyoshi, 154
Adler, Barbara, 921
Adler, Heiko, 921
Agrotis, Alex, 814
Aizawa, Shinichi, 438
Akabane, Atsuya, 524
Akanuma, Yasuo, 555
Åkerström, Göran, 903
Akimoto, Kazunori, 1037
Akiyama, Yoshinori, 452
Aldabe, Rafael, 928
Aledo, J. Carlos, 321
Alhomida, Abdullah S., 632
AlJafari, Abdulaziz A., 632
Alton, E. W. F. W., 674
Amano, I., 98
Amirthalingam, Kannapiran, 122
Ammendola, R., 329
Anai, Motonobu, 467
Ananthanarayanan, Vettai S., 474
Antonson, Per, 106
Aoki, Motokuni, 483
Aono, Kazunori, 945
Aoto, Mamoru, 1078
Ariga, Hiroyoshi, 538
Ashizawa, Koji, 706
Avakian, Edward, 613
Axén, Eva, 136
Azaryan, Anahit V., 937
Azzariti, Amalia, 800

Bach, Marion, 961
Backwell, F. R. Colette, 561
Baes, Myriam, 338
Balvers, Marga, 646
Bannai, Shiro, 154
Barden, Julian A., 264
Bearz, A., 1050
Bedioui, Fethi, 842
Belandia, Borja, 889
Bensch, Klaus W., 896
Bertini, Ivano, 855
Besselink, Harry, 659
Bessho, Kazuhisa, 205
Bevilacqua, M. A., 329
Bing, Guoying, 572
Björklund, Erik, 903
Bleeker-Wagemakers, Elisabeth M., 1001
Bobik, Alex, 814
Bøe, Stig-Ove, 987
Bokník, Peter, 1043
Bolhuis, Pieter A., 1001
Bollheimer, L. C., 30
Bönisch, Heinz, 1145
Bottardi, Stefania, 874
Bowler, Chris, 422
Brunet, Annie, 842
Brüss, Michael, 1145
Büchler, Markus W., 309
Burgstahler, Ralf, 737
Burnett, John C., 868
Buzard, G. S., 974

Capozzi, Francesco, 855
Carnevali, Francesca, 1088
Carrasco, Luis, 928
Castelein, Hilde, 338
Castronovo, Vincent, 713
Catalán, R. E., 219
Cawston, T. E., 377
Cayla, Xavier, 666
Cederbaum, Arthur I., 698
Chalkley, Roger, 272
Chan, Yuen-Ling, 682, 810
Chariot, Alain, 713
Chaudhuri, Bhabatosh, 781
Chen, Jing, 511
Chen, Pei-Feng, 1119
Chiarugi, Vincenzo, 641
Chini, Eduardo N., 868
Cho, Myung-Je, 744
Choe, Joonho, 160
Choi, Eunhee, 868
Chono, Eriko, 808
Chu, Chinhung, 15
Chuang, Samuel S., 394
Cimino, F., 329
Cinelli, Marina, 641
Colasanti, Marco, 793
Collazo, Victor, 613
Colombatti, A., 1050
Comegys, Thomas H., 142
Conti, Franco, 915
Cooperstein, S. J., 75
Costanzo, F., 329
Coulombe, Pierre A., 517
Cowan, Kenneth, 446
Cuadrado, M. Angeles, 889
Cunningham, Earlene Brown, 212
Curry, V., 377

D'Agostino, P., 329
Dai, Ren-Ming, 292
Dailey, Harry A., 186
D'Andrea, Paola, 129
Daniel, D. Sundarsingh, 241
Darakhshan, Froogh, 321
Das, Hriday K., 394
Das, Kaberi, 572
Davidson, D. J., 674
Declercq, Peter E., 338
Delgado, M. Dolores, 889
Desmet, Lieve, 338
Devynck, Jacques, 842
Devynck, Marie-Aude, 842
Dickey, Burton F., 241
Dikiy, Alexander, 855
Dolecek, Christiane, 250
Dooley, Steven, 910

Doonan, Shawn, 800
Dorin, J. R., 674
Dormer, R. L., 674
Dousa, Thomas P., 868
Duhaiman, Ali S., 632
Duivenvoorden, Wilhelmina C. M., 598
Duronio, Vincent, 8
Duszyk, Marek, 355

East, J. Malcolm, 1067
Ebner, Christof, 250
Ellis, A. J., 377
Ellsworth, Kenneth, 774
Endo, Koichi, 199
Engel, Matthias, 910
Era, Seiichi, 459
Eyer, Joël, 368

Farnet, Chris M., 987
Faniello, M. C., 329
Feduchi, Elena, 928
Feinstein, Sheldon I., 394
Fiorentino, Loredana, 1088
Fitzovich, Douglas, 613
Fjose, Anders, 122
Foetisch, Kay, 757
Formisano, S., 1050
Forssmann, Wolf-George, 896
Foth, Heidi, 179
French, Andrew S., 355
Friess, Helmut, 309
Fujii, Nobutako, 626
Fujimura, Kazuma, 205
Fujimura, Yoko, 808
Fujiwara, Kyoko, 154
Fukami, Yasuo, 1078
Fukatsu, Hiroshi, 41
Fukui, Yasuhisa, 1037
Fukumoto, Soji, 849
Funatomi, Hitoshi, 309

Gál, Dezső, 192
Galgani, François, 659
Gant, Tracey M., 517
Gargiulo, L., 219
Geijer, Thomas, 881
Gerencser, George A., 994
Geurts van Kessel, Ad, 1029
Giannattasio, Sergio, 800
Gonzalez, Priscila, 613
Gordon, Richard D., 172
Gorgoni, Barbara, 1088
Goris, Jozef, 666
Gorr, Sven-Ulrik, 82
Gou, Jean-Philippe, 368
Grace, M. B., 974
Grande, Joseph P., 868
Granner, Daryl K., 272, 1006
Griscavage, Jeanette M., 721
Grootegoed, J. Anton, 1029
Gross, Steven S., 148
Große, H. J., 30
Grubb, David R., 1130
Gwack, Yousang, 160
Gylfe, Erik, 903

Haase, Winfried, 961
Hagiwara, Hiromi, 1104
Hagura, Ryoko, 555
Hall, Robert K., 1006
Hamano, Yuji, 41
Han, Jang H., 160
Happe, Birgitta, 855
Harada, Yohsuke, 538
Harris, Georgianna, 774
Hartmann, T., 974
Hartung, Stefan, 646
Hashimoto, Kei, 706
Hattori, Yoshiyuki, 148
Haussler, Carol A., 1
Haussler, Mark R., 1
Hayakawa, Mika, 952
Hayashi, Shin-ichiro, 483
He, Xue-Ying, 15
Helland, Dag E., 987
Henzl, Michael T., 142
Hidaka, H., 861
Hidaka, Hiroyoshi, 566, 847
Higaki, Jitsuo, 483
Hirabayashi, Yoshio, 489
Hirai, Syu-ichi, 1037
Hirata, Aiko, 511
Hirata, Fusao, 511
Hirose, Shigehisa, 1104
Hiroshi, Kurisaki, 835
Hirsch-Ernst, Karen I., 179
Hiruma, Yoshiharu, 1104
Hoek, Jan B., 691
Hoffenberg, Simon, 241
Höllt, Volker, 591
Holsboer, Florian, 286
Homma, Takayuki, 452
Honda, Masaaki, 981
Hong, Jau-Shyong, 572
Hook, Vivian Y. H., 937
Hooks, John J., 386
Horn, Gabi, 591
Horst, Andreas, 1043
Hossain, Anwar, 405
Hsieh, Chia-Ling, 910
Hsieh, Jui-Cheng, 1
Hudson, Pearlie, 572
Hughes, Glen, 1067
Humm, G., 377
Hundal, Harinder S., 321

Ichihara, Keiichi, 849
Ignarro, Louis J., 721
Iguchi-Ariga, Sanae M. M., 538
Iizuka, Tadahiko, 205
Ikawa, Shuntaro, 405
Ikeda, Kyoji, 199
Ikeda, Yasuo, 431
Ikeuchi, Youji, 1022, 1071
Ilic, Dusko, 438
Imamura, Makoto, 227
Imanishi, Noriaki, 547
Imoto, Masakatsu, 828
Ingels, Françoise, 666
Ingram, Vernon M., 1056
Inoue, Atsuto, 1104
Inoue, Ken, 835
Inoue, S., 861
Inoue, Yuichi, 280
Ishibashi, Sadahiko, 808
Ishinaga, Yuji, 981
Ito, Koreaki, 452
Itoh, Kiyoko, 89
Ivell, Richard, 646
Iwadate, Kimiharu, 945
Iwamoto, Keishi, 555
Iwase, Hirotaro, 945

Jaroszewicz, Leokadia, 1096
Jaunet, Stéphanie, 659
Jertschin, Peter, 250
Ji, Li, 489
Johnson, Diane, 23
Jungi, Thomas W., 921
Jurutka, Peter W., 1

Kadowaki, Hiroko, 555
Kadowaki, Takashi, 555
Kahl, Georg F., 179
Kanaide, Hideo, 619
Kanazawa, Satoshi, 438

Kangawa, Kenji, 531, 1204
Katakura, Yoshinori, 280
Katayose, Dai, 446
Kato, Ichiro, 524
Kato, Nobuyuki, 744
Katsumata, Kazumi, 952
Kawamoto, Seiji, 280
Kawamura, Nobuko, 547
Kawanishi, Chiaki, 835
Kempkes, Bettina, 737
Keung, Wing-Ming, 1137
Kida, Iwao, 483
Kihara, Akio, 452
Kikkawa, Fumitaka, 566
Kikuchi, Hideaki, 405
Kim, Dong Wook, 160
Kimura, Seiji, 835
Kimura, Y., 98
Kinoshita, Makoto, 199
Kitamura, Yukisato, 849
Kitani, K., 67
Kizaki, Masahiro, 431
Klemm, Shelley A., 172
Knapp, Jörg, 1043
Knoll, Brian J., 241
Kobayashi, Hiroyuki, 431
Kobayashi, Sei, 619
Kobrin, Michael S., 309
Kodati, V. Ramana, 730
Koeman, Jan, 659
Komai, Koichiro, 167
Kondo, Sachiko, 89
Konecki, David S., 757
Kong, Ling-Yuan, 572
Konishi, Yasuzo, 205
Korc, Murray, 309
Korecz, László, 192
Kosaka, Kenji, 835, 1037
Kosaka, Kinori, 555
Kotake, Yashige, 114
Kowalczyk, Krystyna, 1096
Kraft, Dietrich, 250
Kraus, Jürgen, 591
Kriska, Tamás, 192
Kubodera, Noboru, 199
Kukiełka, Ewa, 698
Kumano, Mariko, 41
Kumazawa, Joichi, 619
Kuramochi, Takehiko, 981
Kurokawa, Tomonori, 808
Kusumoto, Kenji, 205
Kutty, Geetha, 386
Kutty, R. Krishnan, 386
Kuwata, Kazuo, 459

Lantoine, Frédérique, 842
Larsen, Michelle A., 814
Lauener, Ron, 8
Lauro, Giuliana M., 793
Lawen, Alfons, 1130
Lean, E., 377
Lee, Anthony G., 1067
León, Javier, 889
Leonardi, A., 1050
Lerga, Ana, 889
Leterrier, Jean-François, 368
Levy, Gerald N., 346
Li, Chou-Chi H., 292
Lichter-Konecki, Uta, 757
Lin, Hsi-Hui, 57
Linck, Bettina, 1043
Lipp, Martin, 737
Liras, A., 219
Liu, Dan, 355
Liu, Ying, 346
Longo, Dan L., 292
Lorens, James B., 122
Luchinat, Claudio, 855

Maeda, Atsuyoshi, 981
Maeda, K., 98
Maeda, Osamu, 566
Magnelli, Lucia, 641
Magnuson, Mark A., 272
Maier, Peter, 598
Man, Nguyen thi, 361
Mansoor, Abdul M., 981
Mao, Hua, 1014
Marchioni, Marcella, 1088
Marheineke, Kathrin, 961
Marra, Ersilia, 800
Martín-Perez, Jorge, 889
Martínez, A. M., 219
Mass, Howard, 613
Massoud, Renato, 822
Masuda, Tatsuru, 422
Matsuda, Kazuhiko, 167
Matsumoto, Kunio, 483
Matsumoto, Y., 98
Matsuo, Hisayuki, 531, 1204
Matsushita, Hiromichi, 431
Mayer, Peter, 591
McLean, Mark A., 316
McLuskey, Anke, 1029
McMillian, Michael, 572
McPherson, M. A., 674
Medof, M. Edward, 497
Mehra, Rajesh K., 730
Merafina, Riccardo S., 800
Merlevede, Wilfried, 666
Mills, C. Lloyd, 674
Minamino, Naoto, 531
Misugi, Emi, 547
Mitsui, Youji, 981
Miwa, Ichitomo, 467
Miwa, M., 98
Miyajima, Takashi, 114
Mizuma, Haruo, 227
Mizuno, Keiko, 1037
Mizutani, A., 861
Mohanraj, D., 750
Mollace, Vincenzo, 793, 822
Monden, Tsutomu, 768
Moran, Oscar, 915
Moreau, Louis, 713
Mori, Shigehisa, 431
Moriarty, Clare C., 172
Moriguchi, Atsushi, 483
Morishita, Ryuichi, 483
Morita, H., 98
Moriya, Shigeharu, 1037
Morooka, Shigeaki, 547
Morris, G. E., 361
Müller, Frank Ulrich, 1043
Murai, Akio, 768
Murakami, Hiroki, 280
Murphy, John J., 23

Nagano, Nozomi, 828
Nagao, Masataka, 945
Nagineni, Chandrasekharam N., 386
Nakajima, Terumi, 828
Nakamura, Hideshi, 768
Nakamura, Toshikazu, 483
Nakamura, Yoshio, 483
Nakane, K., 98
Nakane, Shinji, 89
Nakanishi, Fuminobu, 167
Nakayama, Masato, 422
Nanba, Eiji, 849
Nemes, István, 192
Neylon, Craig B., 814
Nikolova, Lydia, 241
Ning, Zhi-Qiang, 23
Nishimura, Junji, 619
Nishimura, Keiichiro, 167

Nishimura, Susumu, 41
Nishioka, Naoya, 1037
Nishiyama, Kazutoshi, 835
Nishizaki, Tomoyuki, 1022, 1071
Nisticó, Giuseppe, 793, 822
Nomizu, Motoyoshi, 626
Nonomura, Y., 67
Norton, John D., 23
Noumura, Tetsuo, 438
Novoa, Isabel, 928

Obata, Naoko Hasegawa, 566
Ogata, Etsuro, 199
Ogawa, Yutaka, 205
Ogihara, Toshio, 483
Ogiwara, Takayuki, 918
Ohno, Shigeo, 1037
Ohta, Hiroyuki, 422
Oka, Syuichi, 48
Oka, Yoshitomo, 467, 1211
Okamoto, Hiroshi, 524
Okazaki, Katsuo, 566
Okusu, Akiko, 626
Okuyama, Akira, 41
Olson, T., 750
Olsson, Mats J., 903
Oostra, Roelof-Jan, 1001
Ortiz, Jose M., 889
Ortiz-Leon, M., 968
Osaka, Hitoshi, 835
Otabe, Shuichi, 555
Otaka, Akira, 626
Ozawa, Takayuki, 952

Padbury, James F., 606
Paladini, Rudolph D., 517
Pan, Julie Y., 241
Patscheke, Heinrich, 896
Peterhans, Ernst, 921
Pfeifer, Andrea M. A., 598
Piquet, Dominique, 598
Pirazzi, Beatriz, 613
Porteus, D. J., 674
Pörzgen, Peter, 1145
Postlind, Hans, 136
Prasad, A. R. K., 186
Prasad, Chandan, 227
Pryor, William A., 1111
Pucillo, C., 1050
Purushotham, Karnam R., 994

Quagliariello, Ernesto, 800
Quaresima, B., 329

Rabbani, Nayyar, 632
Raghunandan, Ramadevi, 1056
Raida, Manfred, 896
Ramakrishnan, S., 750
Rastad, Jonas, 903
Reeder, Mina C., 1
Reiländer, Helmut, 961
Reisher, Samuel R., 394
Respasky, William T., 511
Richard, Carlos, 889
Richards, Steve M., 814
Richardson, Kimberley A., 172
Ridefelt, Peter, 903
Rodinó, Paola, 793, 822
Rotiroti, Domenicantonio, 793, 822
Ruf, Andreas, 896
Ruoss, S. J., 974
Rust, Werner, 646

Sætre, Bjørn O., 122
Sagami, Ikuko, 405
Saida, Kaname, 981
Saito, Kazuki, 828
Saito, Yasushi, 555, 1163
Sakamoto, Tohru, 511
Sakurai, Hiromu, 1095
Salaneck, Erik, 122
Salari, Hassan, 8
Salgo, Maria G., 1111
Santoro, Claudio, 874
Satake, Seiichi, 467
Sato, Ayako, 1078
Sato, Hideyo, 154
Sato, Ken-ichi, 1078
Sato, Masahiro, 412
Sato, Naoki, 422
Sauer, A., 30
Sawin, Shannon Mullis, 572
Schäfer, Reinhold, 598
Scheiner, Otto, 250
Schepky, Andreas G., 896
Schiller, Martin R., 937
Schlotter, Magdalena, 757
Schmitz, Wilhelm, 1043
Schmitz-Salue, Christoph, 179
Schulz, Horst, 15
Schulz-Knappe, Peter, 896
Schwartz-Albiez, R., 30
Schweizer, Annette, 561
Seguchi, Hiroshi, 619
Seib, Thomas, 910
Seifert, Markus, 910

Selznick, Sanford H., 1
Senarita, Masamitsu, 142
Senterre, Geoffroy, 713
Seth, Prem, 446
Sharma, Ram P., 1067
Shen, Yaping, 8
Sheng, Shuqun, 504
Shibasaki, Osamu, 142
Shimizu, Takao, 945
Shimoda, Shin-Ichi, 148
Shimokawa, Kotaro, 555
Shimotohno, Kunitada, 744
Shinoda, Akira, 89
Shinozaki, Yuichi, 280
Shinzato, T., 98
Shio, Katsushi, 167
Shioi, Yuzo, 422
Shirahata, Sanetaka, 280
Shoji, Hiroki, 531
Shoukry, Khaled, 15
Shuldiner, Alan, 555
Siddiqi, Imran, 309
Sillard, Rannar, 896
Silver, Kristi, 555
Simmons, C., 361
Simon, Tatiana, 591
Sligar, Stephen G., 316
Sobel, Mark E., 713
Sodroski, Joseph, 987
Sogami, Masaru, 459
Sperr, Wolfgang R., 250
Sprecher, Howard, 15
Squadrito, Giuseppe L., 1111
Ständker, Ludger, 896
Starling, Anthony P., 1067
Stephan, Christine, 781
Steube, Klaus G., 737, 1197
Stevens, Ilse, 666
Stowasser, Michael, 172
Sugie, Makiko, 48
Sugita, K., 861
Sugita, R., 861
Sugiura, Takayuki, 89
Sugiyama, Satoru, 952
Sukagawa, Akihiro, 89
Susani, Markus, 250
Suzuki, Hiroyuki, 167
Suzuki, Katsuyuki, 682
Suzuki, Kyoko, 835

Tachibana, Hirofumi, 280
Tada, Norihiro, 412

Takabatake, Toshikazu, 981
Takahashi, Chizuko, 538
Takahashi, Junya, 235
Takahashi, Kaori, 808
Takahashi, Kenzo, 517
Takahashi, Kimie, 945
Takai, I., 98
Takamiya, Ken-ichiro, 422
Takasawa, Shin, 524
Takatori, Takehiko, 945
Takayanagi, Junji, 1037
Take, Yukinori, 41
Takenaka, Yoko, 154
Tamamura, Hirokazu, 626
Tamura, Hideyuki, 1095
Tan, Hai-Meng, 578
Tanabe, Tsutomu, 302
Tanaka, Hideoki, 48
Tanaka, Masashi, 952
Tanaka, Torahiko, 744
Tang, Ming-Jer, 57
Tanigawa, Takahiko, 849
Tasaki, I., 654
Tebbey, Paul W., 1006
Telkov, Miroslav, 881
Tell, G., 1050
Teramoto, Tamio, 199
Teraoka, Hirobumi, 41
Terenius, Lars, 881
Thalmann, Isolde, 142
Thalmann, Ruediger, 142
Themmen, Axel P. N., 1029
Tiano, M. T., 329
Tiemann, William E., 227
Timmis, Kenneth N., 855
Ting, Robert, 578
Tojo, Shinichiro J., 547
Tolazzi, G., 1050
Tomoda, Yutaka, 566
Toriyama, Masaru, 828
Toyoda, Yukiyasu, 467
Trapp, Thorsten, 286
Tsai, Ah-Lim, 1119
Tseng, Sophia Y., 82
Tseng, Yi T., 606
Tsuzuki, Yasuhiro, 706
Tunny, Terry J., 172

Ueki, Shunsuke, 459
Ueno, Eri, 849
Uesugi, Haruo, 835
Unno, Michiaki, 524
Upadhye, Suneel, 474

Vahlensieck, Ute, 1043
Valent, Peter, 250
Valenta, Rudolf, 250
van Beers, Tessa, 1029
Van den Bogert, Coby, 1001
Van Galen, Mieke J. M., 1001
van Halbeek, Herman, 504
Van Hoof, Christine, 666
Vazquez-Duhalt, R., 968
Velasco, L., 968
Victorov, Alexander V., 691
Vincent, Françoise, 659
Visser, Jenny A., 1029
Vittur, Franco, 129

Waku, Keizo, 89
Walston, Jeremy, 555
Walter, Andrea, 1043
Wang, Young-Kao, 57
Ward, D., 377
Waschek, James A., 606
Watanabe, Minro, 405
Watari, Hiroshi, 459
Watkins, Dudley T., 75
Weber, Wendell W., 346
Weeks, Benjamin S., 626
Weghuis, Daniël Olde, 1029
Welter, Cornelius, 910
Wersto, Robert, 446
Wessling-Resnick, Marianne, 241
Weston, Christi A., 626
Whitfield, G. Kerr, 1
Wiggert, Barbara, 386
Wikvall, Kjell, 136
Wilk, Sherwin, 721
Williams, Christine P., 272
Wilson, Belinda, 572
Wilson, Dana, 561
Wishart, Graham, 706
Wolvetang, Ernst J., 1130
Wong, Lid B., 1014
Wong, Sek-Man, 578
Wool, Ira G., 682, 810
Wu, Chi, 1239
Wu, Kenneth K., 1119
Wu, Mian, 578

Xanthopoulos, Kleanthis G., 106

Yamada, Kazuo, 483
Yamada, Nobuhiro, 555
Yamada, Yoshihiro, 945
Yamada, Yoshiteru, 835
Yamagata, Hiroshi, 422
Yamaguchi, Akira, 1104
Yamaguchi, Mineko, 154
Yamamoto, Naoki, 626
Yamamoto, Tadashi, 438
Yamanaka, Masami, 199
Yamashita, Atsushi, 89
Yang, Jianji, 15
Yassin, Maged, 302
Yasuda, Kazuki, 555
Yazaki, Yoshio, 555
Yo, Yoshikage, 483
Yoneda, Makoto, 952
Yonekura, Hideto, 524
Yoshihisa, Tohru, 452
Yoshikai, Y., 98
Yoshimoto, Takashi, 524
Yoshinaga, Hideo, 555
Yu, Jianliang, 497

Zhang, Gu, 489
Zhang, X., 67
Zhuang, Hongming, 394
Ziemann, Christina, 179
Zimmer, Klaus-Peter, 757
Zimprich, Alexander, 591
Zong, Shuqin, 302
Zs.-Nagy, I., 67

Volume 216

Abdel-Razzak, Ziad, 793
Acs, Peter, 103
Adam, Waldemar, 693
Adler, Zvi, 501
Ahmad, M., 390
Akashi, Makoto, 429
Akiyama, Yoshimitsu, 452
Allon, Michael, 141
Allred, John B., 993
Aoki, Tsutomu, 568
Aono, Kazunori, 483
Araki, Kumiko, 723
Araya, Zufan, 868
Arima, Shiho, 291
Arioka, Hitoshi, 258
Aruffo, Alejandro, 1018
Avedissian, Lena S., 62
Aviram, Michael, 501
Awasthi, Satish K., 375
Azcurra, J. M., 348
Azuma, Ichiro, 367

Baba, Tsuneyoshi, 723
Babcock, K. K., 390
Baffet, Georges, 947
Bajorath, Jürgen, 1018
Balaram, P., 375
Bannai, Shiro, 970
Bar-EL, Yaron, 501
Baraona, Enrique, 216
Battistoni, Andrea, 841
Battula, Venkat, 892
Behl, Christian, 473
Beil, W., 636
Bellesia, Enrica, 708
Benatti, Francesca, 708
Bendinelli, Paola, 54
Berger, Johannes, 447
Berndt, Norbert, 162
Bernelli-Zazzera, Aldo, 54
Bernheimer, Hanno, 447
Bhat, Ganapathy K., 560
Bhat, K. Mahalingeshwara, 778
Biagi, P. L., 11
Bibor-Hardy, V., 279
Blumberg, Peter M., 103
Boldyrev, Alexander A., 1048
Bond, Judith S., 630
Bordoni, A., 11
Braun, Andreas, 447
Breathnach, Richard, 110
Brossmer, Reinhard, 821
Brundage, Ellen, 630
Bugno, Marcin, 999
Burke, Terrence R., Jr., 976

Campos, Gilberto, 898
Cantini, Marcello, 49
Carnero, Amancio, 748
Carr, Brian I., 514
Carraro, Ugo, 49
Carrì, Maria Tesesa, 841
Catani, Claudia, 49
Cawston, Tim E., 329
Chang, C. H. L., 20
Chang, Chun-Chang, 1088
Chang, T. -M., 20
Chao, C. C., 922
Charalambous, B. M., 495
Charnecki, Jonathan, 1024
Chaudhuri, Bhabatosh, 1
Chen, Fuhua, 190
Chen, Li, 976
Chen, X., 390
Chen, Yung-Chin, 1088
Cheng, Ching-Li, 183
Chester, M. Alan, 642
Chevion, Mordechai, 702
Chey, W. Y., 20
Chiappetta, Gennaro, 762
Chiou, S.-H., 223, 881
Choi, Bohm, 1034
Choon Yoo, Yung, 367
Chow, L.-P., 223
Chuang, L. F., 922
Chuang, R. Y., 922
Chuang, T. K., 922
Chun, Jang-Soo, 1034
Ciriolo, M. R., 313
Coen, Jeremy J., 1
Colucci-D'Amato, G. Luca, 762
Coluccio, Lynne M., 90
Coppola, S., 313
Corcos, Laurent, 793, 947
Córdoba, F., 1054
Córdoba, M. C., 1054
Costanzo, Paola, 69
Courtney, Bernard C., 1101
Coy, D. H., 20
Crabtree, Judy S., 78
Curry, Valerie A., 329

d'Alessio, Amelia, 762
Dallapiccola, Bruno, 489
Dansby, Linda, 141
Day, Eric, 170
De Castro, Edouard, 133
de Franciscis, Vittorio, 762
De Martino, Angelo, 841
De Repentigny, Y., 279
Dean, D. H., 306
Demura, Hiroshi, 535, 1060
den Hertog, Jeroen, 976
Deretic, V., 874
Desideri, Alessandro, 841
Desiderio, Maria Alfonsina, 708
Devall, Larry J., 906
Dewald, Georg, 630
Dickerson, Charlene D., 755
DiMauro, Salvatore, 835
Doi, Yoshinori, 729
Domann, Frederick, 610
Dooley, Thomas P., 1101

Dröse, Stefan, 589
Durante R., Paula, 898
Durham, Don R., 1095

Eberhardt, Wolfgang, 438
Ebina, Yousuke, 321
El-Sherif, Nabil, 892
Epe, Bernd, 693
Erickson, Roger H., 249
Eriksson, Staffan, 42
Ewing, David, 549

Faé, Ingrid, 447
Fainaru, M., 854
Ferguson, Erika, 906
Fischer, Gottfried, 447
Fiumelli, Hubert, 133
Florin-Christensen, J., 348
Florin-Christensen, M., 348
Fong, Hon Wa, 78
Fournier, B., 662
Franceschi, Claudio, 708
Friedman, William F., 190
Fu, Peter P., 1110
Fujihara, Mitsuhiro, 367
Fujita, Katsuhide, 1041
Fujita, T., 1072
Fukumaru, Katsuya, 154
Fukumoto, Hisao, 258
Fürész, József, 414
Fürst, Peter, 1
Furusaka, Akihiro, 284
Fushiki, Toru, 355
Futami, Junichiro, 406

Gabbianelli, Roberta, 841
Galandiuk, Susan, 808
Ganapathy, Vadivel, 560
Garcia, Roy E., IV, 1101
Gautam, N., 126
Gazarian, Irina G., 1013
Gebler, John C., 119
Genco, Robert J., 785
Gennarelli, Massimo, 489
Ghibelli, L., 313
Gidh-Jain, Madhavi, 892
Gimble, Jeffrey M., 78
Goldstein, Jason, 999
Gomez, Daniel E., 177
Gómez, Luis A., 84
Gómez, Maria E., 898
González-Astiazarán, Adalberto, 835
González-Halphen, Diego, 835
González-Reyes, J. A., 1054
Goshima, Kiyota, 1006
Grassilli, Emanuela, 708
Groß, Hans-Jürgen, 821
Guillouzo, André, 793
Gum, James R., Jr., 249

Hachiya, Misao, 429
Hadcock, John R., 913
Haga, Tatsuya, 526
Hagiwara, Hiromi, 535
Hakomori, Sen-itiroh, 739
Hall, Martin, 939
Hall, T. J., 662
Han, Sang Seop, 198
Hanaoka, Fumio, 715
Hanazono, Yutaka, 338
Hao, Ying, 755
Hara, Shuntaro, 862
Hara, Takayuki, 801
Häring, Martin, 693
Hashimoto, Kozo, 723
Hata, Katsusuke, 367
Hatch, G., 148
Hattori, Nobutaka, 771
Hayashi, Hideki, 321
Hayashi, Yokichi, 848
Hayek, Tony, 501
Hazeki, Osamu, 655
Herrler, Georg, 821
Hibler, N. S., 874
Higashi, Hideaki, 520
Hirai, Hisamaru, 338
Hirose, Shigehisa, 535
Hiwasa, Takaki, 828
Holló, Zsolt, 602
Holmblad, Torbjörn, 1079
Holsboer, Florian, 473
Honzawa, Shinobu, 655
Horrobin, D. F., 11
Hosoda, Kiminori, 355
Hrelia, S., 11
Huang, Boyu, 892
Huang, K.-F., 223
Huddleston, S., 495
Huijbregts, Richard P. H., 1
Hung, C.-C., 223
Hunke, Sabine, 589

Ide, Keiko, 467
Igarashi, Kazuei, 985
Igarashi, Yasuyuki, 739
Ikai, Atsushi, 399
Ikeda, T., 1072
Inada, Mitsuo, 359
Inokoshi, Junji, 291
Inoue, Hiroyasu, 862
Inoue, Jun-ichiro, 568
Inui, Tatsuya, 574
Ishibashi, Sadahiko, 203
Ishida, Tomoyuki, 258
Ishii, Kazuo, 321
Ishii, Tetsuro, 970
Ishikawa, Tetsuya, 26
Iwadate, Kimiharu, 483
Iwahashi, Hitoshi, 1041
Iwase, Hirotaro, 483
Izzo, Paola, 69

Jähne, J., 636
Jain, Praveer, 892
Jeong, Tae Cheon, 198
Jeoung, Doo-Il, 964
Jiang, Bing-Hua, 669
Jiang, Weiping, 630
Jiménez, Benilde, 748
Jimenez, J. A. Lopez, 11
Johansson, Mats W., 1079
Johnson, P. S., 390
Johnson, Peter, 1048
Joly, E. C., 279

Kabat, Elvin A., 814
Kadlubar, Fred F., 1110
Kadowaki, Takashi, 284
Kajiwara, Kagemasa, 382
Kakinuma, Yoshimi, 985
Kalyanaraman, S., 126
Kalyanaraman, V., 126
Kamata, Tohru, 110
Kameyama, Kimihiko, 526
Kanazawa, Ichiro, 467
Kaneda, Yasufumi, 862
Kang, Shin-Sung, 1034
Kano, Kazutaka, 848
Kar, Siddhartha, 514
Katada, Toshiaki, 655
Katagiri, Masako, 291
Kato, Goro, 619
Kaur, Parminder, 1067
Kawada, Teruo, 355
Kawai, Chuichi, 729
Kawamura, Satoru, 133
Kawane, Tetsuya, 970
Kazanietz, Marcelo G., 103
Keidar, Shlomo, 501

Kenney, Mary, 1048
Kertzman, Victor, 501
Ketterer, Brian, 793
Kido, Hiroshi, 321
Kierdaszuk, Borys, 42
Kijima, Kazuhisa, 359
Kikkawa, Ushio, 526
Killam, K. F., Jr, 922
Kim, Edward Y., 1024
Kim, Hyesook, 1024
Kim, Hyun Ju, 198
Kim, Julie C., 177
Kim, Young S., 249
Kimura, Terutoshi, 574
Kinoshita, Ei-ichi, 723
Kishi, Takeo, 1006
Kitagawa, Masatoshi, 520
Klitzner, Thomas S., 190
Kodama, Osamu, 1041
Koeffler, H. Phillip, 429
Koh, Theodore J., 34
Kojima, Soichi, 574
Komatsu, Yasuhiko, 1041
Kominami, Eiki, 828
Komiya, Tohru, 801
Kondo, Kazuhiro, 209
Kong, Shou-Ming, 162
Konishi, Hiroaki, 526
Kordula, Tomasz, 999
Kosaka, Megumi, 406
Kothary, R., 279
Krawiec, Krzysztof, 42
Kubota, Naoki, 1006
Kukimoto, Iwao, 655
Kumar, K. N., 390
Kumimoto, Hiroshi, 273
Kung, H-f, 922
Kung, Hsiang-fu, 110
Kunz, Dieter, 438
Kuo, Kou-Wha, 1088
Kurashige, Takanobu, 723
Kurashima, Reiri, 771
Kurihara, Kenzo, 242
Kuroda, Shun'ichi, 526
Kurokawa, Hirokazu, 258
Kurosu, Hiroshi, 655

LaChappell, Robin, 554
Lafavia, E., 313
Lakatos, Susan, 414
Langdon, Wallace Y., 338
Langouet, Sophie, 793
Lanoil, Brian D., 458, 676
Latanision, Sara M., 170
Lau, D. C. W., 148
Lee, Ernest Y. C., 162
Lee, Jin-Yong, 785
Lee, Mi Kyong, 306
Lee, Rehwa H., 190
Lee, Sang Seop, 198
Lee, Shui-Mei, 183
Lee, Young-Sup, 1034
Leibach, Frederick H., 560
Lenz, Stefan E., 133
Leonard, Edward J., 110
Lerner, Ethan A., 234
Li, Bao-Qun, 110
Li, Jian-Jian, 610
Liang, Run-Chu, 183
Libera, Luciano Dalla, 49
Lichtenberg, D., 854
Lieber, Charles S., 216
Lin, Shan-Yang, 183
Lind, Maria I., 1079
Lindstrom, Michelle M., 249
Loewen, Jerome, 931
Lopina, Olga D., 1048
Löwel, Marianne, 595
Loyer, Pascal, 793
Lu, Shao-Fan, 881
Lu, Shi-Long, 452
Lucarelli, Marco, 489
Lupo, Angelo, 69

Ma, Jichun, 801
Macarthur, Heather, 686
Maeda, Shuichiro, 619
Maekawa, Takafumi, 715
Mahesh, Virendra B., 560
Mak, Suk-Chan, 835
Manns, M. P., 636,
Manzo, Giovanni, 762
Maor, Irit, 501
Maresca, V., 313
Maroni, Paola, 54
Martin, Michael, 540
Martinez-Salazar, J. M., 874
Maruyama, Katsuya, 359
Maruyama, Takaharu, 985
Massimino, Maria Lina, 49
Masuzaki, Hiroaki, 355
Matsubara, Hiroaki, 359
Matsushima, O., 1072
Matsuoka, Ichiro, 242
Matsuzaki, Hidenori, 526
Matsuzaki, Keiichi, 291
Mattammal, Michael B., 686
McKean, David, 249
Medugno, Lina, 69
Megidish, Tamar, 739
Meier, Beate, 841
Meinardi, E., 348
Michaelis, E. K., 390
Miki, Nobuhiro, 1060
Milo, Simcha, 501
Minakata, H., 1072
Mineo, Alba, 762
Minoshima, Shinsei, 771
Mitani, Kinuko, 338
Mitani, Yasumasa, 321
Mitchell, Rebecca E., 329
Mitsuda, Shinobu, 399
Mitsui, Youji, 729
Miura, Mamoru, 258
Miyagawa, Kiyoshi, 338
Miyahara, Kaoru, 723, 729
Mizuno, Yoshikuni, 771
Möller, Marianne, 693
Molzer, Brunhilde, 447
Mori, Tetsuya, 242
Mori, Yasukiyo, 359
Morishita, Ryuichi, 862
Moro, Osamu, 234
Mücher, Gabi, 630
Müller, Marianna, 602
Munch-Petersen, Birgitte, 42
Muraki, Takamura, 535
Muramatsu, Hisako, 574
Muramatsu, Takashi, 574
Murasawa, Satoshi, 359
Murata, Yoji, 1060
Myers, Steven R., 808

Nagao, Masataka, 483
Nagasaki, Hiromi, 452
Nair, Shalini K., 1101
Nakada, Masahisa, 655
Nakagawa, Tomohiro, 399
Nakajima, Makoto, 483
Nakamura, Toshikazu, 298
Nakamura, Yohko, 209
Nakao, Kazuwa, 355
Nakazato, Hiroshi, 399
Naruse, Kiyoko, 535
Naruse, Mitsuhide, 535
Navarro, S. Zamora, 11
Navas, P., 1054
Nef, Patrick, 133
Nef, Serge, 133

Neumann, Detlef, 540
Newton, Roger S., 906
Ni, Yi-Chang, 1110
Nicholls, Peter, 931
Nishimaki, Hideharu, 284
Nishimura, Susumu, 520
Nishio, Kazuto, 258
Nishiyama, Masaki, 284
Nitsch, Dorothea, 438
Niwa, Yasuharu, 321
Nohno, Tsutomu, 26
Noji, Sumihare, 26
Nomoto, K., 1072
Nomoto, Satoshi, 723
Novelli, Giuseppe, 489
Nozaki, Takako, 985
Nukina, Nobuyuki, 467
Nyugen, H., 662

O'Hare, Mary C., 329
Oberley, Larry W., 610
Odai, Hideharu, 338
Ogasawara, Yoji, 284
Ogawa, Seishi, 338
Ogawa, Yoshihiro, 355
Ogihara, Mari, 715
Ogihara, Toshio, 862
Ogoshi, Shohei, 729
Ogura, Keiji, 298
Ohnishi, Saburo, 723, 729
Ohnishi, Tetsuo, 321
Ohsumi, Yoshinori, 985
Ohuchi, Hideyo, 26
Oiknine, Judith, 501
Okamoto, Koji, 273
Okamoto, Tadashi, 1006
Okamura, Naoki, 203
Okumura-Noji, Kuniko, 582
Olsson, Martin L., 642
Omata, Masao, 298
Ōmura, Satoshi, 291
Ono, Masami, 1060
Ono, Yoshitaka, 526
Osaki, Emiko, 1060
Osawa, Shoji, 755
Osawa, Yoshiaki, 429
Osborn, Laurelee, 170
Oshima, Mieko, 848
Ota, Shinichi, 298
Otaka, Akira, 976
Otsuka, Masami, 568
Oumi, T., 1072
Owen, A. Jane, 778

Ozaki, Toshinori, 209
Ozawa, Takayuki, 771

Pállinger, Éva, 414
Pan, F.-M., 223, 881
Paratcha, G., 348
Perry, Barry, 778
Pfeilschifter, Josef, 438
Piccoletti, Roberta, 54
Pinchuk, I., 854
Pizzuti, Antonio, 489
Polizio, Francesca, 841
Poola, Indra, 62
Poulter, C. Dale, 119
Prasad, Puttur D., 560
Putt, David, 1024

Raghothama, S., 375
Raleigh, Xiomara, 898
Ramamoorthy, Jayanthi D., 560
Ramamoorthy, Sammanda, 560
Rapizzi, Elena, 49
Rattan, Suresh I. S., 1067
Reilly, Karen E., 993
Resch, Klaus, 540
Ri, Toshiretsu, 1060
Ridaura-Sanz, Cecilia, 835
Rieber, Manuel, 84, 422
Rieber, Mary Strasberg, 84, 422
Rink, Timothy J., 554
Rischák, Katalin, 414
Rößler, Ute, 595
Robinson, Claudius E., 78
Rodriguez, Brenda R., 78
Roe, Bruce A., 78
Roh, Jung Koo, 198
Roller, Peter P., 976
Ronsin, Christophe, 110
Roscher, Adelbert, 447
Rosevear, Paul R., 648
Rossi, C. A., 11
Rössig, L., 636
Rossini, Katia, 49
Rotilio, G., 313, 841
Runnegar, Maria, 162
Rupp, Brigitte, 595
Russell, J. C., 148
Ryder, Elena, 898

Saeki, Satoshi, 203
Saha-Möller, Chantu R., 693
Saijo, Nagahiro, 258
Saitoh, Kiyoshi, 452

Sakai, Masahiro, 242
Sakakibara, Shumpei, 574
Sakamoto, Terumi, 467
Sakiyama, Shigeru, 209
Sakurai, Hiromu, 154
Salomoni, Paolo, 708
Salvatore, Francesco, 69
Santelli, Giovanni, 762
Santorelli, Filippo M., 835
Sarkadi, Balázs, 602
Sasaki, Ko, 338
Sata, Makoto, 258
Satake, Honoo, 568
Sato, Katsuaki, 367
Sato, Taiji, 242
Sawada, Takashi, 154
Saxena, Sunil, 141
Saxena, Uday, 906
Schafer, Z., 854
Schardl, Christopher L., 119
Schaueblin, M., 662
Schiffer, Susan G., 170
Schildhaus, Hans-Ulrich, 630
Schleger, Yvonne, 693
Schneider, Erwin, 589
Schnitzer, E., 854
Schöfl, C., 636
Schubert, David, 702
Schurr, M. J., 874
Schweitzer, Katalin, 414
Segawa, Kaoru, 520
Sekiguchi, Sadayoshi, 367
Semenza, Gregg L., 669
Seno, Masaharu, 406
Seno, Satimaru, 406
Serrano, A., 1054
Sévigny, G., 279
Seyama, Yousuke, 848
Sharma, Suraj P., 1067
Sharpe, Martyn A., 931
Sheffield, Peter J., 778
Sheng, W. S., 922
Shi, Wen, 755
Shibasaki, Masakatsu, 655
Shillabeer, G., 148
Shimizu, Nobuyoshi, 771
Shimizu-Nishikawa, Keiko, 382
Shimonaka, Motoyuki, 957
Shionoya, Kiseko, 535
Shizuta, Yutaka, 723, 729
Shugar, David, 42
Simpson, Susan L., 458, 676
Sjöberg, Helena, 868

Smith, Pamela, 554
Smyth, Mark S., 976
Söderhäll, Kenneth, 939, 1079
Sojar, Hakimuddin T., 785
Sonenberg, Martin, 964
Song, Shuh-Chyung, 814
Sonn, Jong-Kyung, 1034
Spencker, Torsten, 540
Spivak, Jerry L., 62
Stopper, Helga, 693
Strasser, Andreas, 540
Strnad, Joann, 913
Sugaya, Eiichi, 382
Sugiura, Yukio, 568
Sumner, Ian G., 778
Suzuki, Gen, 429
Suzuki, Hiroshi, 771
Suzuki, Kimie, 568
Suzuki, Tatsuo, 582
Suzuki, Tsuneo, 367
Suzuki-Takahashi, Ikuko, 520
Szabó, Katalin, 602
Szallasi, Zoltan, 103
Szollár, Lajos, 414

Tada, Hiroko, 406
Taguchi, Takahiko, 715
Tajima, Masahiro, 234
Takahashi, Megumi, 483
Takahashi, Morio, 298
Takahashi, Takayuki, 1006
Takahashi, Tsuneo A., 367
Takahata, Kazue, 1006
Takatori, Takehiko, 483
Takeshima, Mikako, 801
Taketani, Shigeru, 970
Takio, Koji, 739
Tamemoto, Hiroyuki, 284
Tamitsu, Kaori, 1060
Tanabe, Akiyo, 535
Tanabe, Tadashi, 862
Tanaka, Haruo, 291
Tanaka, Masami, 535
Tanaka, Masashi, 771
Tanaka, Motonari, 526
Tanaka, Teruji, 284
Tanaka, Tomoyuki, 338
Tang, Baiqing, 964
Tanno, Munehiko, 715
Taya, Yoichi, 520
Thorgeirsson, Unnur P., 177
Thörnqvist, Per-Ove, 1079

Thuresson, Britt, 642
Tien, Ming, 1013
Titani, Koiti, 739
Tizard, Richard, 170
Tobe, Kazuyuki, 284
Toda, Katsumi, 723, 729
Tone, Yoshinori, 862
Tono-Oka, Shuichi, 367
Trapp, Thorsten, 473
Travis, James, 999
Tremblay, E., 279
Tsai, Huei-Fung, 119
Tsomides, Theodore J., 234
Tsugita, A., 223

Uchida, Kazuyo, 467
Uchida, Takafumi, 265
Ueno, Hiroo, 338
Ui, Michio, 655
Ukena, K., 1072

Van Dop, Cornelis, 190
van Heusden, Miranda C., 939
Váradi, András, 602
Vàzquez-Acevedo, Miriam, 835
Vecchio, Giancarlo, 762
Villalba, J. M., 1054
Vine, William, 554
von zur Mühlen, A., 636
Vydelingum, S., 148

Wada, Yoh, 985
Wagner, S., 636
Walker, Gaby, 438
Wang, Guang L., 669
Wang, Hong, 119
Wang, Lihong, 321
Wang, Ming-Hai, 110
Wang, Timothy C., 34
Wang, Yimin, 771
Wariishi, Seiichiro, 729
Warwicker, James, 778
Watanabe, Ken, 957
Watanabe, Shin-Ichi, 265
Weber, Jennifer E., 1095
Weiss, Ellen R., 755
Welker, Ervin, 602
Werenskiold, Anne Katrin, 595
Westfall, Thomas C., 686
Wetzel, Glenn T., 190
White, Thayer, 739
Whitwam, Ross E., 1013

Widmann, Martina, 473
Wikvall, Kjell, 868
Williams, Roger, 90
Wölle, Joachim, 906
Wong, Fulton, 755
Wrigglesworth, John M., 931
Wright, Richard M., 458, 676
Wrightson, William R., 808
Wu, Albert M., 814
Wu, June H., 814
Wu, Li, 976
Wu, Xiying, 78

Yallop, C. A., 495
Yamada, Hidekazu, 957
Yamada, Hidenori, 406
Yamada, Masao, 1060
Yamaguchi, Masafumi, 203
Yamaguchi, Yu, 957
Yamamoto, Tadashi, 568
Yamane, Hana, 203
Yamasaki, Motoo, 957
Yamauchi, Toshimasa, 284
Yang, Kyu-Hwan, 198
Yang, Li-Xia, 723
Yasugi, Etsuko, 848
Yazaki, Yoshio, 338
Yokoyama, Chieko, 862
Yokoyama, Hirokazu, 216
Yokoyama, Yoshiko, 848
Yoshida, Hiderou, 273
Yoshiji, Hitoshi, 177
Yoshimoto, Masaaki, 723
Yoshimoto, Takanobu, 535
Yoshino, Hiroyo, 771
Yoshioka, Hidefumi, 26
Young, Andrew A., 554
Young, B. A., 306
Yousem, Samuel A., 514
Yu, H., 874
Yu, L., 922
Yuasa, Yasuhito, 452
Yui, Yoshiki, 729
Yun, Chul-Ho, 198

Zelano, Giovanni, 489
Zerres, Klaus, 630
Zhang, Lifang, 162
Zhang, Lirong, 755
Zhang, Zhong-Yin, 976
Zhou, Lei, 648

Volume 217

Abe, Reishi, 1216
Adessi, Gérard L., 1105
Agell, Neus, 566, 839
Agli, Brigitte, 123
Agrafiotis, Dimitris, 488
Aida, Yoko, 522
Aizawa, Shinichi, 1001
Ajubi, N. E., 640
Albang, Richard, 1045
Albers, John J., 705
Alimsardjono, Haryanto, 1157
Alterman, Michail A., 886
Amons, Reinout, 452
Amore, Gabriele, 1032
Anagli, J., 1200
Anders, E. Margot, 1128
Andreesen, Reinhard, 661
André, Bruno, 150
Andrews, Kim M., 916
Anraku, Yasuhiro, 428
Ansari, Naseem H., 741
Aoki, Tsugutoshi, 16
Aoyama, Toshifumi, 987
Argilés, Josep M., 839
Arseniev, A. S., 1200
Asano, Koji, 1169
Ascenzi, Paolo, 437
Autelitano, Dominic J., 211
Awata, Nobuhisa, 649
Ayling, June E., 958
Azzi, Angelo, 459

Baban, Dilair, 721
Bachs, Oriol, 554, 566
Badminton, M. N., 950
Bailey, Steven W., 958
Baker, Michael E., 859
Balliano, Gianni, 437
Barsoum, James, 761
Barzon, E., 144
Beck, Laurent, 1105
Behne, Dietrich, 162
Belagyi, J., 592
Bellini, Alberto, 817
Benedetti, Sara, 195
Bereta, Joanna, 363
Bereta, Michal, 363
Berrou, Jeannig, 445
Bessho, T., 264
Bhatnagar, Aruni, 741
Bianchi, Giuseppe, 1099
Bigliardi-Qi, Mei, 171
Bindoli, A., 144
Birchler, Neil, 257
Bitar, Khalil N., 203
Bolognesi, Martino, 437
Bonzon, Marc, 509
Boscoboinik, Daniel, 459
Bösiger, Jürg, 1255
Bosser, Ramon, 554
Bouck, Noël, 326
Brayman, Kenneth L., 916
Bréhier, Arlette, 546
Brem, Gottfried, 1045
Brennand, John C., 52
Brenner, B., 876
Brindley, Paul J., 1
Burger, E. H., 640
Bürgisser, Daniel M., 257

Cadet, J. L., 96
Cady, E. B., 1193
Campbell, A. K., 950
Cao, Yu-Zhang, 908
Caprathe, Bradley, 488
Carafoli, E., 1200
Carr, Sharon, 52
Cascino, Domenico, 1032
Castro-Muñozledo, Federico, 28
Cha, Mee-Kyung, 900
Chaddock, John A., 68
Chambers, T. J., 264
Chandra, Animesh, 741
Chang, Wen-Chang, 940
Chao, Julie, 113
Chao, Lee, 113
Chao, Yuh-Fen, 684
Chen, E. C. M., 755
Chen, Hao-Chia, 131
Chen, Hui, 326
Chen, Show-Li, 712
Chen, Xin, 445
Chen, Yin-Peng, 113
Chhajlani, Vijay, 349
Chilvers, E. R., 892
Chiou, Shyh-Horng, 940
Chou, Ya-Hui, 313
Chow, J. W. M., 264
Chung, Chin Ha, 41
Ciclitira, Paul J., 10
Clark, Adrian J. L., 832
Clark, Elizabeth Talley, 784
Clough, Karen A., 1
Coggeshall, K. M., 876
Collins, Tucker, 784
Cooper, C. E., 1193
Cousin, J. M., 892
Covini, Nevie, 154
Croquet, Frédéric, 546
Cuezva, J. M., 1094
Cusi, Daniele, 1099

Daimon, Makoto, 89
Dalton, John P., 1
Davis, J. P., 845
Davis, Robert E., 488
Davy, Jean, 546

Day, Sharon R., 1
Deb, Sumitra, 825
Deb, Swati P., 825
de Jong, Wilfried W., 452
Demura, Hiroshi, 1087
Denda, Kimitoshi, 428
Detera-Wadleigh, Sevilla, 1015
Dickerson, Melvin R., 488
Djinovic-Carugo, Kristina, 437
Dong, Ding, 1026
Dransfield, I., 892
Driscoll, William J., 1078
Ducher, Laurent, 546
Dwight, Trisha, 385

Earl, Helena M., 721
Edwards, A. D., 1193
Eggstein, Stefan, 138
Ehrenberg, Anders, 1151
Ellis, H. Julia, 10
Emerson, Suzanne U., 1120
Emi, Mitsuru, 378
Eppenberger, Urs, 1271
Erfle, Volker, 1045
Eskew, Mary Lou, 908
Ezekowitz, R. Alan B., 1128

Fabra, Angels, 721
Farhood, Hassan, 761
Farthmann, Eduard Heinrich, 138
Faura, Magdalena, 554
Féger, Jeanne, 546
Feige, Jean-Jacques, 326
Fergus, James H., 488
Ferguson, Stephen B., 728
Ferraccioli, Raffaella, 437
Ferraro, Maria Grazia, 1032
Finocchiaro, Gaetano, 195
Fisher, Steven A., 696
Florentin, Dominique, 1231
Foley, Louise H., 728
Fong, Tsorng-Harn, 81
Francois, Jean-Christophe, 186
Frank, Sabine, 138
Friedrich, F., 575
Fujii, Shoji, 1157
Fujio, Yasushi, 649
Fujita, Naoya, 1185
Fukumori, Yoshihiro, 428
Funai, Hiroko, 649
Furuishi, Kazuchika, 632
Furukawa, Yusuke, 733

Gaillard-Sanchez, I., 501
Ganesvaran, Pangayachelvi, 675
García-Martínez, Cèlia, 839
Gaskin, Elizabeth L., 385
Gauss-Müller, Verena, 1120
Geary, T. G., 845
Georgakopoulos, Eleftherios, 1263
Georgopapadakou, Nafsika H., 728
Gewertz, Bruce L., 784
Gil, Sophie, 546
Giudice, Giovanni, 1032
Giudicelli, Yves, 123
Glabe, Charles, 869
Glick, Mary Catherine, 777
Gogvadze, Vladimir, 584
Gollub, Edith G., 1006
Gomez, Guillermo, 495
Gosling, M., 1163
Goswami, Satindra, 1006
Gou, Jean-Philippe, 529
Gräslund, Astrid, 1151
Greeley, George H., Jr., 495
Greppin, Hubert, 509
Griffin, C. P., 96
Grote, J., 575
Guieysse, Anne-Laure, 186
Gulbins, E., 876
Günzburg, Walter H., 1045
Guzman, Karen, 412

Ha, Doo Bong, 41
Haas, Martin, 333, 825
Hall, Clifford C., 728
Hallahan, Dennis, 784
Hallett, M. B., 1062
Halton, D. W., 845
Hamada, Shigeyuki, 74
Hammel, Christian, 162
Han, Jin-Kwan, 931
Hansen, Harald S., 747
Harada, Minoru, 271
Harrison, Boyd L., 245
Harry, Brenda S., 245
Hartley, Carol A., 1128
Hartwig, John H., 466
Haseloff, J., 21
Hashimoto, Koji, 599
Hashimoto, Takashi, 987
Haslett, C., 892
Hattori, Kiyomi, 1001
Haugan, Ida R., 802
Hayashi, Jun-Ichi, 668

Heberden, C., 501
Heidenreich, Kim A., 304
Heizmann, Claus W., 257
Helene, Claude, 186
Helland, Dag E., 802
Hellman, Ulf, 257
Hemmi, Hiromichi, 16
Hepburn, Timothy W., 488
Herrera, Pedro-Luis, 1279
Herzer, Sibylle, 1271
Heynen, Terri, 1015
Higashi, Takayuki, 278
Higashida, Haruhiro, 370
Hildenbrandt, George, 908
Hino, Masayuki, 475
Hirsch, Thomas, 138
Hisaki, Kazuhiro, 993
Hiscox, S., 1062
Hiwada, Kunio, 238
Hoffmann, G., 575
Horiuchi, Kazumi, 924
Horiuchi, Seikoh, 278
Hosoi, Takayuki, 378
Hosoya, Yukio, 1238
Hsu, Ao-Lin, 940
Huang, Freesia L., 131
Huang, Leaf, 761
Huarte, Joachim, 1279
Hughes, A. D., 1039
Hunziker, Peter, 257
Hüther, Fritz-Joachim, 34

Igarashi, Hisanaga, 1053
Igarashi, Masahiko, 89
Ikebe, Mitsuo, 696
Ikeda, Kazuyoshi, 278
Ikeuchi, Youji, 811
Imajoh-Ohmi, Shinobu, 1070
Imanishi, Noriaki, 1208
Inaba, Shin-ichi, 370
Inagaki, Hirofumi, 271
Inanobe, Atsushi, 1238
Inaoka, T., 264
Ingber, Donald E., 466
Inohara, Hidenori, 292
Inoue, Ikuo, 407
Inoue, Kimiko, 668
Inoue, Satoshi, 378
Iontcheva, Iveta, 1112
Isacchi, Antonella, 154
Ishidoh, Kazumi, 624
Ito, Hiroyuki, 1238

Ito, Minoru, 1238
Itoh, Susumu, 1001
Izquierdo, J. M., 1094
Izumi, Yoshikazu, 1231

Jaen, Juan C., 488
James, P., 1200
Jensen, Gitte S., 1145
Jeong, Hye Gwang, 966
Jiang, W. G., 1062
Jinnouchi, Yoshiteru, 278
Jochemsen, A. G., 769
Jochova-Rupes, Jana, 419
Juárez-Aguilar, Enrique, 28
Jungnickel, Berit, 68

Kadenbach, Bernhard, 34
Kagan, Valerian E., 886
Kagawa, Yasuo, 668
Kakizoe, Tadao, 1169
Kalcklösch, Margrit, 162
Kamataki, Tetsuya, 1001
Kambayashi, Yasuhiro, 654
Kanaki, Harumi, 224
Kaneda, Yasufumi, 599
Kang, Man-Sik, 41
Kang, Mohinder S., 245
Kangawa, Kenji, 993
Kapas, Supriya, 832
Katahira, Tomoyoshi, 407
Katayama, Shigehiro, 407
Kato, Takashi, 230
Kato, Takeo, 89
Katsuki, Motoya, 1001
Kawaguchi, Tomoko, 1070
Kawamura, Nobuko, 1208
Kawanami, Toru, 89
Kawase, Chikako, 16
Kawashima, Hidenori, 1137
Kawashima, Seiichi, 539, 649
Kelly, Janice M., 675
Kendall, J. M., 950
Kenner, Kathleen A., 304
Kerr, David J., 721
Ketchum, Robert J., 916
Khandelwal, Ramji L., 250
Kieffer, J. David, 466
Kikuchi, Hidehiko, 1070
Kikuchi, Yoshifumi, 1216
Kim, Il-Han, 900
Kimura, Kenji, 1216
Kitagawa, Seiichi, 733
Kleimberg, John, 817
Klein-Nulend, J., 640
Koch, Michel H. J., 1151
Kodama, Yasuko, 972
Kohara, Katsuhiko, 238
Koike, Haruhiko, 1208
Koizumi, Masaru, 1216
Kojima, Kohichi, 271
Kojima, Masayasu, 993
Kokubo, T., 264
Kolb, Andreas F., 1045
Komatsu, Norio, 230
Kominami, Eiki, 624
Komoda, Tsugikazu, 407
Kondo, Hisataka, 1223
Kondo, Ikuko, 238
Kondo, Naomi, 987
Kono, Yasuhisa, 972
Koshimizu, Taka-aki, 354
Krause, Stefan W., 661
Kreutz, Marina, 661
Kruger, Helen, 52
Kuchibhotla, Jaya, 784
Kueng, Willy, 1271
Kuo, Shu-Wen, 712
Kupper, Thomas S., 466
Kuprin, Sergei, 1151
Kurachi, Yoshihisa, 1238
Kusari, Jyotirmoy, 304
Kuster, Thomas, 257
Kuwae, Toyoyasu, 407
Kuwano, Akira, 238
Kyriakopoulos, Antonios, 162

Lacasa, Danièle, 123
Laffranchi, Renato, 584
Lagarrigue, S., 501
Lang, F., 876
Latruffe, Norbert, 459
Laurie, Gordon W., 10
Lauritzen, Lotte, 747
Lawson, M. F., 892
Leak, L. V., 96
Lean, J. M., 264
Lee, Melissa H., 1177
Lee, Sung-Kuk, 931
Legendre, Jean-Yves, 179
Legrand, Alain, 106
Le Grevès, Pierre, 349
Leonardo, Lydia, 1
Leterrier, Jean-François, 529
Li, Hua, 131
Li, Long-Yuan, 712
Li, Shu-Fang, 712
Lin, Juey-Wen, 684
Lippoli, Guido, 154
Liu, Bo, 721
Llovera, Marta, 839
López-Girona, Antònia, 566
López-Soriano, Francisco J., 839
Lord, J. Michael, 68
Lőrinczy, D., 592
Löster, K., 341
Lou, Willard, 419
Lu, Shao-Fan, 940
Luu, Nga X., 1078

Machida, Toyohei, 1169
Mackay, A., 264
Maeda, Miki, 1053
Magistrelli, Giovanni, 154
Maguchi, Motofumi, 238
Malaisse, W. J., 561
Malaisse-Lagae, F., 561
Malthiery, Yves, 59
Mancini, Carlo, 817
Mansel, R. E., 1062
Marin, O., 144
Marini, Maurizio, 817
Marks, James S., 488
Marks, N. J., 845
Marom, Zvi, 1006
Marquet, Andrée, 1231
Marsh, Debbie J., 385
Martel, P., 501
Martin, Brian M., 1078
Maruyama, Kei, 539
Masaki, Tomoh, 354
Mashima, Tetsuo, 1185
Maslennikov, I. V., 1200
Mastro, Andrea M., 908
Mathieson, P. W., 515
Matsuo, Hisayuki, 993
Matsuo, Masafumi, 1157
Matsuoka, Toshiyuki, 811
Matsuura, Sachiko, 271
Matthews, E. K., 21
Mattoli, Sabrina, 817
Maule, A. G., 845
Mazer, Bruce, 1145
McLean, John S., 52
McMenamin, Mary, 1263
Mehmet, H., 1193
Méjean, Annick, 1231

Miescher, Guido C., 171
Miki, Nobuhiro, 1087
Milla, Paola, 437
Minami, Masayasu, 271
Misumi, Shogo, 632
Mitani, Kohnosuke, 393
Miura, Retsu, 482
Miura, Yasusada, 230
Miyamoto, Daisei, 852
Miyazaki, Hiroshi, 230
Miyazaki, Jun-ichi, 393
Mizushima, Shoji, 217
Mogi, Makio, 271
Mogi, Tatsushi, 428
Monsigny, Michel, 106
Mori, Luca, 817
Mori, Seijiro, 224
Morii, Hirotoshi, 475
Moriizumi, Shigeki, 1216
Morisaki, Nobuhiro, 224
Morishita, Yoshikazu, 852
Morooka, Shigeaki, 1208
Mosca, Monica, 154
Moseiko, Nikola A., 796
Mosher, Deane F., 326
Mueller, Heinz, 1271
Mularoni, Angélique, 1105
Murata, Yoji, 1087
Mutz, N., 575

Nagata, Atsuo, 407
Nagata, Hidetaka, 654
Nagata, Koh-ichi, 1223
Naito, Mikihiko, 1185
Nakagawa, Ichiro, 74
Nakahara, Hajime, 1208
Nakai, Yutaka, 522
Nakajima, Takanori, 407
Nakamura, Hiroaki, 407
Nakamura, Mitsuru, 733
Nakamura, T., 1062
Nakayama, Kazuo, 1001
Nakazono, Hiroki, 16
Napiwotzki, Jörg, 34
Neild, G. H., 515
Nettesheim, Paul, 412
Neumivakin, Leonid V., 796
Nguyen, Genevieve, 445
Nichols, Anthony, 1279
Nicollier, Monique, 1105
Nihalani, Deepak, 1245
Niimi, Masashi, 522
Nijweide, P. J., 640
Nilsen, Bente M., 802
Nishi, Tatsunari, 852
Nishida, Wataru, 238
Nishina, Yasuzo, 482
Nishiyama, Ken-ichi, 217
Nishizaki, Tomoyuki, 811
Nishizawa, Yoshiki, 475
Noguchi, Kohji, 1185
Novikov, Kirill N., 886
Nozawa, Yoshinori, 1223
Nyberg, Fred, 349

Ochieng, Josiah, 402
Ochiya, Takahiro, 1169
O'Connor, Michael D., 675
Offner, Gwynneth D., 1112
Ogawa, Michio, 278
Ohene-Frempong, Kwaku, 924
Ohishi, Yukihiko, 1169
Ohsaki, Emiko, 1087
Okada, Koji, 230
Oliveira, D. B. G., 515
Olsen, Litta, 802
Ōmura, Satoshi, 1070
Ono, Kageyoshi, 354
Ono, Masami, 1087
Oppenheim, Frank G., 1112
Orci, Lelio, 1279
Orii, Kenji E., 987
Orii, Koji, 987
Orii, Tadao, 987
Orimo, Hajime, 378
Orita, Satoshi, 1053
Osterhout, Melissa L., 924
Ostronoff, L. K., 1094
Ouchi, Yasuyoshi, 378

Paine, Philip L., 419
Pan, Fu-Ming, 940
Parker, Janice C., 916
Pellerin, Sylvie, 326
Penrice, J., 1193
Peterajová, Elena, 286
Phillips, Laurie, 1208
Pienta, Kenneth J., 292
Piruzian, Eleonora S., 796
Plopper, George, 466
Ploux, Olivier, 1231
Po, John L., 1145
Pogany, Gabor, 10
Pokharel, Rohit Kumar, 1157
Poyner, D. R., 1163
Praseuth, Danièle, 186
Pugazhenthi, Subbiah, 250
Puntis, M. C. A., 1062
Purcell, Robert H., 1120

Qasim, F. J., 515

Randell, Scott H., 412
Rao, P. Venkata, 250
Raz, Avraham, 292
Reading, Patrick C., 1128
Rebrin, Igor, 958
Reddy, C. Channa, 908
Reddy, Padala V., 908
Rehli, Michael, 661
Reina, Maria Cristina, 1099
Renau-Piqueras, Jaime, 554
Reutter, W., 341
Reynier, Pascal, 59
Reynolds, E. O. R., 1193
Ri, Toshiretsu, 1087
Richardson, K., 96
Richter, Christoph, 584
Rieger, Theophil, 34
Rigobello, M. P., 144
Ritov, Vladimir B., 886
Roberts, Lynne M., 68
Robinson, Bruce G., 385
Rogers, Joseph, 869
Röll, Beate, 452
Rondeau, Eric, 445
Rossi, A. G., 892
Rouleux-Bonnin, Florence, 106

Sadir, Rabia, 1105
Sahni, Girish, 1245
Sai, Yoshimichi, 370
Saido, Takaomi C., 539
Saishoji, Tetsushi, 278
Saito, Yasushi, 224
Saito, Yumiko, 539
Sakagami, Hiroyuki, 1223
Sakagishi, Yoshikatsu, 407
Sakaguchi, Gaku, 1053
Sakai, Katsunaga, 393
Sakai, Takao, 733
Sakamoto, Aiji, 354
Sakamoto, Hiromi, 1169
Sakoe, Kumi, 733
Sala-Newby, G. B., 950
Salmons, Brian, 1045

Sano, Hiroyuki, 278
Sano, Michio, 378
Sartori, Patrizia, 437
Sasaki, Hideo, 89
Sasaki, Hiroki, 1169
Sasaki, Katsutoshi, 852
Sasaki, Takuya, 979
Sato, Atsuhisa, 211
Sato, Naoyuki, 649
Satoh, Akihiko, 1216
Savito, Francesca, 1279
Sawa, Yoshihiro, 972
Scardina, Giuseppe, 1032
Scherens, Bart, 150
Schlattner, Uwe, 509
Schlottmann, K., 876
Schnitzler, Margaret, 385
Schobersberger, W., 575
Schoumacher, Fabrice, 1271
Schultheiß, Tina, 1120
Schuppan, D., 341
Schwarzfischer, Lucia, 661
Sconzo, Gabriella, 1032
Semeins, C. M., 640
Seol, Jae Hong, 41
Serbina, Natalya, 761
Setoyama, Chiaki, 482
Ševčík, Juraj, 286
Seymour, Leonard W., 721
Shachbasian, Rusana V., 796
Shaw, C., 845
Shaw, Gerry, 608
Shiba, Ryoichi, 1157
Shibata, Hitoshi, 972
Shibata, Nobuhiko, 649
Shiga, Kiyoshi, 482
Shimatake, Hiroyuki, 16
Shimizu, Norikazu, 16
Shimoji, Miyuki, 1001
Shimosegawa, Tooru, 1216
Shiraki, Masataka, 378
Shisa, Hayase, 668
Shivakumar, Chittari, 825
Shoaibi, Mahmood, 721
Shoji, Shozo, 632
Siegenthaler, Georges, 257
Singh, Lalit P., 616
Singhrao, S. K., 1062
Skouteris, George G., 1263
Smith, J. W., 1163
Smith, Mark, 1015
Smyth, Mark J., 675
Sobol, A. G., 1200
Sokhansanj, Ashrafaddin, 796
Soldati, Laura, 1099
Solovjev, Vladimir P., 796
Souri, Masayochi, 987
Spaventa, Renato, 1099
Specht, Bernd-Ulrich v., 138
Spiegel, Katharyn, 488
Spinas, Giatgen A., 584
Squier, M. V., 1193
Sraer, Jean-Daniel, 445
Srivastava, Sanjay, 741
Srivastava, Satish K., 741
Steck, Andreas J., 171
Steegenga, Wilma T., 769
Stemerick, David M., 245
Stoykova, Lidia I., 777
Strauss, Bryan E., 333, 825
Strobel, Henry W., 1137
Strott, Charles A., 1078
Sugimura, Takashi, 1169
Sugiyama, Shinji, 1070
Sunkara, Prasad S., 245
Supersaxo, Andreas, 179
Suzuki, Kazuo, 271
Suzuki, Takashi, 852
Suzuki, Yasuo, 852

Tagawa, Shinichi, 475
Takagi, Tetsuo, 654
Takahashi, Ichiro, 74
Takahashi, Kazuo, 979
Takahashi, Keiichi, 407
Takai, Daisaku, 668
Takai, Yoshimi, 979, 1053
Takanaga, Hitomi, 370
Takashima, Sachiko, 852
Takekoshi, Susumu, 654
Tamai, Ikumi, 370
Tamaoki, Haruhiko, 482
Tamitsu, Kaori, 1087
Tanaka, Keiji, 1070
Tanaka, Keiji, 224
Tatsumi, Noriyuki, 475
Teepe, Annette G., 761
Tenan, Mirna, 195
Terada, Masaaki, 1169
Terleth, Carrol, 769
Terry, B. R., 21
Thelen, Marcus, 1255
Thia, Kevin T. Y., 675
Thiru, S., 515
Thompson, D. P., 845
Thoresen, M., 1193
Thörnwall, Madeleine, 349
Tilba, Vladimir A., 796
Tiu, Wilfred U., 1
Tokuda, Hajime, 217
Tolsma, Sara S., 326
Tominaga, Makoto, 89
Townsend, Courtney M., Jr., 495
Toyota, Takayoshi, 1216
Trapani, Joseph A., 675
Troxler, Robert F., 1112
Tsai, Tzung-Chieh, 712
Tsao, Yeou-Ping, 712
Tse Sum Bui, Bernadette, 1231
Tsigelny, Igor, 859
Tsuji, Akira, 370
Tsujimoto, Gozoh, 354
Tsunoda, Atsuko, 733
Tsuruo, Takashi, 1185
Tsuruta, Mitsutoshi, 632
Tu, An-Yue, 705

Udupi, Vidyavathi, 495
Ueda, Akane, 972
Uguccioni, Mariagrazia, 1255
Uno, Koki, 1157

van Boekel, Martinus A. M., 452
Vancurova, Ivana, 419
van der Eb, Alex J., 769
Van Dorf, Martin, 488
Vanhoutte, C., 561
van Laar, Theo, 769
VanVolkenberg, Maria A., 916
Varečka, Lùdovít, 286
Vassalli, Jean-Dominique, 1279
Verhaert, P., 845
Vezzoli, Giuseppe, 1099
Viner, Rosa I., 886
Volpert, Olga V., 326
Vorherr, T., 1200

Wada, Akira, 649
Wagner, Edgar, 509
Wahba, Albert J., 616
Waksman, Howard, 1006
Walker, Graham C., 1177
Wang, Cindy, 113
Wang, Deng-Shun, 608
Wang, Li, 292
Wang, Seu-Mei, 81

Warfield, Paula, 402
Watanabe, Keiichi, 654
Wataya-Kaneda, Mari, 599
Watkins, John D., 728
Webster, Scott, 869
Weiss, Susan, 1015
Weng, Shu-Fen, 684
Wieland, Donald M., 488
Wijetunge, S., 1039
Wohlwend, Annelise, 1279
Wolfbauer, Gertrud, 705
Woo, Kee Min, 41
Woolfson, R. G., 515
Worland, Steve, 802
Wyatt, J. S., 1193
Xing, Guoqiang, 1015
Xu, Lihua, 74

Yamada, Hirotaka, 203
Yamada, Masao, 1087
Yamada, Minami, 230
Yamada-Honda, Fumiko, 649
Yamamoto, Hiroshi, 370
Yamamoto, Yorihiro, 654
Yamanaka, Tateo, 428
Yamane, Takahisa, 475
Yamatani, Keiichi, 89
Yokoi, Tsuyoshi, 1001
Yoshida, Teruhiko, 1169
Yoshikawa, Kunihiko, 599
Yoshikawa, Takeo, 1015
Yu, Kuei-Ying, 684
Yue, X., 1193
Yun, Chul-Ho, 966
Yung, Benjamin Yat Ming, 313

Zeilinger, K., 341
Zerbi, Simona, 1099
Zhang, Fan, 1112
Zhang, Jundong, 1177
Zhang, Lei, 1015
Zhang, Lixin, 1015
Zhang, Qi, 755
Zhang, Tao, 495
Zile, Maija H., 1026
Zwolshen, John H., 245

CUMULATIVE SUBJECT INDEX*
FOR VOLUMES 206–217

A

A23187, *see* Calcimycin
Abortion
  spontaneous, association with instability at H-*ras* minisatellite (human), **214,** 788
Absorption spectra
  polarized, in analysis of breaking of active site dimetal cluster in Cu,Co-superoxide dismutase upon copper reduction, **210,** 1040
2′-Acetamido-2′-deoxyribonucleosides
  hammerhead ribozymes containing, catalytic activity and stability, **210,** 67
Acetaminophen
  hepatotoxicity, effects of CYP2E1 AND CYP1A2 activity (mouse), **203,** 532; *erratum,* **206,** 437
Acetohydroxy acid synthase
  channeling behavior and activity models at physiological substrate levels (*Escherichia coli* K-12), **207,** 48
Acetonitrile
  effect on spleen myristoyl CoA:protein *N*-myristoyltransferase (bovine), **208,** 617
N-Acetyl-9-acetamido-9-deoxy-neuraminic acid
  with resistance to receptor-destroying enzyme, use by influenza C virus as receptor determinant for infection of MDCK cells, **216,** 821
N-Acetylalanine
  identification as N-terminal residue of human erythrocyte glucose 6-phosphate dehydrogenase, **207,** 331
Acetylation
  histone H2A.H2B dimers, effects on transcription, **210,** 409
Acetylcholine
  induced responses in native aortic endothelial cells, potentiation by bradykinin (rabbit), **213,** 1061
Acetylcholine receptor
  muscarinic, activation
    in nerve growth factor promotion of amyloid precursor protein secretion, **213,** 15
    subsequent depolarization of ciliated cell membrane, effect on ciliary beat frequency (sheep), **215,** 1014
  nicotinic, ganglionic-like neuronal, functional modulation by L-type calcium channel antagonists (human), **213,** 657
Acetylcholinesterase
  alkylated pyridinium salts as inhibitors, analysis: protein–ligand interactions (*Electrophorus electricus*), **211,** 1083
Acetyl-CoA *C*-acyltransferase
  activity of mitochondrial trifunctional β-oxidation protein β-subunit, effect of α-subunit on activity (human), **209,** 47
N-Acetylcysteine
  effect on balloon angioplasty-induced injury in rabbit carotid artery, **215,** 613
Acetylesterase
  sialic acid analog with resistance to, use by influenza C virus as receptor determinant for infection of MDCK cells, **216,** 821
N-Acetylglucosamine
  O-linked, upregulation in Alzheimer brain, **213,** 424
N-Acetylglucosamine-α-1-phosphate transferase
  identification in *Dictyostelium discoideum:* phosphoglycosylation initiator, **208,** 384
N-Acetylglucosaminidase inhibitor
  isolation from vitelline coat of ascidian egg, and identification as candidate sperm receptor (*Halocynthia roretzi*), **213,** 311
Acid hydrolysis
  in characterization of self-induced endogenous elicitor, **215,** 768
Acid phosphatase
  positional correlations in solid surface fungal cultivation: fractal interpretation of biochemical differentiation, **208,** 1159
Acifluorfen
  resistance in MEL cells, generation (mouse), **215,** 186
Acinar cells
  milk-producing, mammary tissue, D-glucose uptake, mechanisms (rat), **211,** 986
  pancreatic
    desensitization by carbamylcholine, caerulein, and phorbolester, effects on inositol phosphate production (rat), **206,** 870
    G_q protein G_β subunit, identification as regulatory site of functional GTP-binding protein coupled to high-affinity cholecystokinin receptor and phospholipase A_2 pathway (rat), **211,** 648
    membrane association of protein kinase Cα in, effect of integrin-linked tyrosine phosphorylation (rat), **208,** 978
Acrolein
  inactivation of DNA polymerase α-primase, **214,** 971
Acrosome reaction
  in sperm, cytosolic chloride efflux during, mediation by progesterone (human), **213,** 774
ACTH, *see* Adrenocorticotropin
Actin
  ATP/ADP binding domains, conservation in nucleosome complexed with histone H1 and HMG-17, **212,** 509
  binding to
    dystrophin, effect of dystrophin phosphorylation (rabbit), **206,** 57

---

*Boldface numbers indicate volume; lightface numbers indicate pagination.

0006-291X/95 $12.00
Copyright © 1995 by Academic Press, Inc.
All rights of reproduction in any form reserved.

Actin (*continued*)
    membrane lipids under *in vivo*-like conditions, evaluation, **208**, 1154
  C-terminal, role in interactions with calponin (rabbit), **206**, 127
  –dystrophin interaction
    inhibition by phosphoinositide diphosphate (rabbit), **210**, 152
    role in membrane resistance (rabbit), **213**, 295
  filaments, *see* F-Actin
  G, caldesmon-induced polymerization, effect of caltropin (rabbit), **213**, 349
  gene expression in melanoma cells and melanocytes, effect of bromodeoxyuridine-induced cell adhesion and L-tyrosine induction of terminal differentiation (mouse), **216**, 84
  identification as substrate of interleukin-1β-converting enzyme and ICE-like protease, **217**, 1185
β-Actin
  mRNA expression patterns in HL-60, U937, and WISH cell lines during apoptosis (human), **211**, 491
  mRNA levels in cultured hepatocytes, regulation by extracellular matrix (rat), **210**, 38
  –*Tec* transgenic mouse, 55-kDa proteins in, increase of tyrosine phosphorylation, **206**, 287
F-Actin
  direct binding to cytoplasmic domain of α2 integrin chain *in vitro* (human), **217**, 466
  dissociation from hsp90 and heavy meromyosin in presence of hsp90, induction by ATP (human), **211**, 166
  gelsolin domain 2 binding along axis of, associated interface, definition by native and synthetic peptide binding properties (rabbit), **209**, 426
  native, and phalloidin-F-actin, hydrated, osmotic properties, **211**, 614
  RNA, *cis*-splicing, polyadenylation, and 5′ *trans*-splicing, temporal order (*Onchocerca volvulus*), **211**, 49
Actin-binding protein
  ATP-dependent, purification from *Physarum polycephalum*, **212**, 347
Actinomycin D, *see* Dactinomycin
Activation factors
  cytosolic, p47-phox, hyperphosphorylation, effect on ability to activate NADPH oxidase in neutrophils (guinea pig), **216**, 203
Activator protein-1
  activity in vascular smooth muscle cells and cardiomyocytes, effect of adrenomedullin (rat), **217**, 211
Active transport
  sucrose by cscB permease (*Escherichia coli* K-12), **208**, 1116
Activin
  β_C chain, cloning and sequencing (human liver), **206**, 608
  β subunit βD, molecular cloning and functional analysis: dorsal mesoderm-inducing activity (*Xenopus laevis*), **210**, 581
  induction of *Xenopus* homologue of *sonic hedgehog* during mesoderm formation in *Xenopus* explants, **207**, 1
  interaction with follistatin, role of heparin-binding site (human), **208**, 1
Activin receptor
  type I, genomic organization (mouse), **213**, 211
Activin receptor-like kinase-1
  homolog, cloning and characterization (mouse), **216**, 78
Acyclovir
  and gancyclovir, selective recognition by herpes simplex virus type I thymidine kinases, role of amino acid positions 251, 321, and 348, site-directed mutagenesis analysis, **209**, 966
Acyl-CoA dehydrogenase
  very-long-chain, mitochondrial, genomic organization and mutation analysis (human), **217**, 987
Acyl-CoA oxidase
  isoforms, expression and substrate specificities (rat), **217**, 482
Àddressin cell adhesion molecule-1
  mucosal, mRNA characterization (mouse), **216**, 170
Adeno-associated virus
  Rep78 mutant, dissociation of conventional DNA binding and endonuclease activities, **210**, 717
  rep78 protein, full-length, cloning, expression, and purification as fusion protein with maltose-binding protein in *Escherichia coli*, **208**, 714
Adenomatous polyposis coli protein
  mRNA, assay in tissue (human), **217**, 385
  phosphorylation, regulatory effects in cells (human), **208**, 103
  radioimmunoassay with antibodies to middle and carboxyl region (human), **206**, 909
Adenosine
  release by renal MDCK cells, modulation by glucose and chemical hypoxia *in vitro* (dog), **208**, 970
Adenosine deaminase
  cDNA mutagenesis *in vitro* to pentostatin-resistant form (human), **209**, 407
  purification and properties (human thyroid), **215**, 1096
Adenosine receptor
  A_1, encoding gene, systematic screening for DNA sequence variation and linkage mapping on chromosome 1q31–32.1 with silent polymorphism in coding region (human), **214**, 614
  A_1 and A_2, detection in fibroblasts and interaction (human), **208**, 871; *erratum*, **209**, 775
Adenosylhomocysteinase
  expression in *Rhodobacter capsulatus ahcY* mutant, effects on pigment formation and photosynthetic growth (rat liver), **207**, 265
S-Adenosylhomocysteine hydrolase, *see* Adenosylhomocysteinase
S-Adenosylhomocysteine hydrolase inhibitors
  aristeromycin, induction of erythroid differentiation in K562 erythroleukemia cells, **207**, 69
Adenoviruses
  Cre recombinase gene expression, regulation by CAG promoter, **217**, 393
  delivered reporter gene, expression in skeletal muscles of adult dystrophic mouse, effect of immunosuppression by FK506, **213**, 569
  E1A gene, glial precursor cell line ERD.1.1 immortalized with, apoptosis in restrictive growth conditions, **207**, 630
  p53 gene expression, effects on cell cycle arrest and apoptosis in aortic vascular smooth muscle cells (human), **215**, 446
  vector expressing brain-derived neurotrophic factor, construction and characterization, **212**, 712

- Adenylate cyclase
  - activity in Yoshida AH-130 ascites hepatoma, effect of fatty acid enrichment (rat), **213,** 853
  - control by calcineurin, **214,** 1000
  - integration of multiple G protein signals for modulation of calcium currents in neonatal rabbit heart, **216,** 190
  - isoforms, differential expression in endothelial cells and tissue homogenates (rat), **208,** 323
  - and phospholipase C, differential mediation of prostaglandin E_2 modulation of testicular androgen synthesis *in vitro* (*Triturus carnifex*), **211,** 1047
  - synthesis in MG-63 osteosarcoma and Swiss 3T3 cells, induction by interleukin-1β (human, mouse), **212,** 293
- Adenylate kinase
  - binding to RNA (tobacco), **217,** 509
- Adenylyl cyclase, *see* Adenylate cyclase
- Adhesion
  - cellular, *see* Cell adhesion
  - platelets to collagen, inhibitor from Argasid tick *Ornithodoros moubata,* characterization, **208,** 532
- Adipocytes
  - 3T3-F442A and 3T3-F442A/C4, differential effects of 20-kDa and 22-kDa human growth hormone isoforms, assay (mouse), **217,** 28
  - 3T3-L1 fibroblast differentiation to
    - associated expression of insulin-activated amino acid transporter gene (mouse), **208,** 1008
    - inhibition by phosphatidylinositol 3-kinase inhibitor wortmannin (mouse), **212,** 263
    - insulin-stimulated GLUT4 translocation in, role of phosphoinositide 3-kinase (mouse), **209,** 343
    - related insulin-stimulated signal transduction system, inhibitory effect of wortmannin (mouse), **210,** 574
    - transferrin receptor recycling, role of phosphoinositide 3-kinase (mouse), **211,** 535
  - brown, depolarization after α_1-adrenergic stimulation, role of plasma membrane chloride channels (mouse), **211,** 639
  - differentiation, in preadipocyte clonal line from intramuscular adipose tissue: GLUT-4 protein nonexpression (bovine), **213,** 369
  - expression and inflammatory regulation of haptoglobin gene (mouse), **209,** 250
  - glycogen synthase and mitogen-activated protein kinase, activation by insulin, effects of wortmannin: role of phosphatidylinositol 3-kinase (rat), **209,** 1082
  - Milan hypertensive rat, glucose transporter isoforms, analysis, **211,** 780
  - *obese* expression
    - regulation by dexamethasone in isolated cells (rat), **214,** 1260
    - upregulation in response to fat accumulation in ventromedial hypothalamus-lesioned rat, **211,** 469
  - precursors in primary culture, cellular receptors on, epidermal growth factor binding to, inhibition by prostaglandin $F_{2\alpha}$ (rat), **212,** 1125
  - transfected, GLUT-4 promoter activity, fatty genotype-induced increase: delineation of two fa-responsive regions and glucose effect (rat), **209,** 1053
  - white, androgens in, enhancement of expression of α2-adrenoreceptor protein and mRNA (hamster), **206,** 112
- Adipogenesis
  - role of protein kinase C ζ (rat preadipocyte), **217,** 123
- Adipose tissue
  - expression of CCAAT/enhancer-binding protein in genetically obese Zucker rat, **207,** 761
  - increased hormone-sensitive lipase activity, association with overexpression of human lipoprotein lipase (mouse), **211,** 761
  - intramuscular, derived preadipocyte clonal line, adipocyte differentiation: GLUT-4 protein nonexpression (bovine), **213,** 369
  - *obese* gene expression in lean and obese littermates, comparison (rat), **209,** 944
  - from rat fed high-fat diet, augmented expression of *obese* gene, **216,** 355
- ADP (adenosine 5′-diphosphate)
  - and ATP, binding domains of actin, conservation in nucleosome complexed with histone H1 and HMG17, **212,** 509
  - extracellular, effects on cytosolic free calcium via activation of P_{2u}-receptors in single human gastric mucous cells, **216,** 636
  - hepatocyte outer mitochondrial membrane permeability for, role of cytoplasmic cellular structures (rat), **213,** 138
  - Mg^{2+}-, protective effects on sarcoplasmic reticulum Ca^{2+},Mg^{2+}-ATPase inactivation by *N*-cyclohexyl-N′-(4-dimethylamino-α-naphthyl)carbodiimide, **207,** 293
  - regulated respiration in permeabilized cardiac and hepatic cells, kinetics, correlation with degree of rupture of outer mitochondrial membrane (rat), **208,** 919; *erratum,* **211,** 1099
- ADP-ribose
  - free, dependent processes, link to nitric oxide in inhibition of ADPribose pyrophosphatase-I (rat), **213,** 1075
  - response of cardiac calcium release channel to, analysis (dog), **210,** 457
- ADP-ribose pyrophosphatase
  - type I, inhibition by nitric oxide-generating systems, mechanism (rat), **213,** 1075
- ADP-ribosylation
  - DNA-binding protein *in vitro* (*Sulfolobus solfataricus*), **208,** 55
- ADP-ribosyltransferase
  - arginine-specific, glycosylphosphatidylinositol-anchored, identification in spleen (chicken), **214,** 760
- Adrenal cells
  - steroidogenic, lipid droplet capsule, structure and function analysis with monoclonal antibody (rat), **217,** 81
- Adrenal gland
  - guanylyl cyclase-coupled natriuretic peptide receptor-A1 isoform mRNA localization (rat), **209,** 930
  - medulla, proadrenomedullin N-terminal 20 peptide/adrenomedullin ratio, comparison with pheochromocytoma tissue (human), **211,** 694
  - microsomes, cytochrome P4592D, molecular cloning and sequence analysis (guinea pig), **209,** 1149
- β-Adrenergic agonists
  - induced arrhythmias in cardiac myocytes, prevention and termination by free polyunsaturated fatty acids (neonatal rat), **208,** 629
- α-Adrenergic receptor
  - α_1
    - associated depolarization of brown adipocyte plasma membrane, role of chloride channels (mouse), **211,** 639

- α-Adrenergic receptor (*continued*)
    - role in nitric oxide release during ischemia of canine heart, **212,** 1133
    - subtypes, assay in tissues by RT-PCR (human), **213,** 935
    - α1A and α1B, effects on activation of Ca^{2+} influx in PC C13 cells via tyrosine kinase/phosphotyrosine phosphatase pathway after noradrenaline-induced emptying of IP3-sensitive Ca^{2+} stores (rat thyroid), **209,** 630; *erratum,* **210,** 1083
    - α_2, expression in white adipocytes, enhancement by direct effect of androgens (hamster), **206,** 112
- β-Adrenergic receptor
    - β_1
        - gene 5′ flanking region, functional analysis (sheep), **215,** 606
        - gene transcription initiation, localization to TATAless region (sheep), **211,** 254
    - β_3, gene mutation associated with obesity and hyperinsulinemia in Japanese subjects, **215,** 555
    - function, and intracellular calcium regulation, analysis in cultured AT-1 cardiomyocytes (mouse), **207,** 13
    - stimulation, reduction in positive inotropic effects, relationship with local/systemic humoral factors in transition from left ventricular hypertrophy to failure (rat), **206,** 814
- Adrenocortical cells
    - endogenous ouabain secretion, role of zona glomerulosa and zona fasciculata (bovine), **212,** 487
- Adrenocorticosteroids, *see also specific hormones*
    - augmentation of adrenomedullin production in vascular smooth muscle cells (rat), **211,** 686
- Adrenocorticotropic hormone receptor
    - gene cloning, characterization, and expression (mouse), **212,** 912
- Adrenocorticotropin
    - secretion from small cell lung cancer COR-L103 cells, inhibition by calcimycin (human), **207,** 238
- Adrenodoxin
    - binding to chaperonin GroEL (bovine), **210,** 1001
- Adrenoleukodystrophy
    - X-linked, association with HLA DRB1 alleles, **216,** 447
- Adrenoleukodystrophy protein
    - cDNA, normal, transfection into ALD fibroblasts, effect on peroxisomal β-oxidation (human), **210,** 830
- Adrenomedullin
    - autocrine regulation of renal arterial tone (pig), **215,** 619
    - effects on
        - c-*fos* expression and activator protein-1 activity in rat vascular smooth muscle cells and cardiomyocytes, **217,** 211
        - secretion of cytokine-induced neutrophil chemoattractant from alveolar macrophages (rat), **211,** 1031
    - induced decrease in cytosolic Ca^{2+} concentration and Ca^{2+} sensitivity in coronary arterial smooth muscle (pig), **212,** 572
    - plasma concentration and gene transcription, effect of endotoxin (rat), **215,** 531
    - production in vascular smooth muscle cells
        - augmentation by adrenocorticosteroids, thyroid hormones, and retinoic acid (rat), **211,** 686
        - effects of cytokines, growth factors, and lipopolysaccharide (rat), **207,** 25
    - ratio of proadrenomedullin N-terminal 20 peptide to, in normal adrenal medulla and pheochromocytoma tissue (human), **211,** 694
    - suppression of mitogenesis in mesangial cells via cAMP pathway (rat), **215,** 868
- Adriamycin, *see* Doxorubicin
- Advanced glycosylation end products
    - receptor-mediated toxicity to pericytes (bovine retina), **213,** 681
- Aequorin
    - luminescence, triggering by binding of two Ca^{2+} ions, **211,** 359
    - probing of intracellular Ca^{2+}, effects of buffer system and magnesium concentration, **214,** 373
- Affinity chromatography
    - nickel, yeast-expressed recombinant vascular endothelial growth factor, **215,** 750
- Affinity purification
    - ryanodine receptor/calcium release channel from fast twitch skeletal muscle using association with FKBP12, **214,** 263
- Age
    - dependent changes of NO synthase in brain (rat), **215,** 822
    - related impairment in striatal muscarinic cholinergic signal transduction, association with reduced membrane bilayer width measured by small angle X-ray diffraction (rat), **213,** 869
- Agglutinin
    - *Maackia amurensis,* discrimination between normal and chronic leukemic human lymphocytes, **209,** 921
- Aggrecanase
    - related cleavage site in brevican, identification and cDNA cloning (rat), **216,** 957
- Aggregation
    - β-amyloid peptide
        - effect on binding to protein and lipid components of cortical homogenates (rat), **207,** 209
        - nucleation phase, effect of multivalent binding of complement protein C10 to Aβ, **217,** 869
        - promotion by amyloid P component (human), **211,** 349
    - cytochrome P450 isozymes, effect of solubilizing agents (rabbit), **217,** 886
    - dependent sorting of exocrine-regulated secretory proteins (rat), **215,** 82
    - platelet, role in lysophosphatidic acid activation of phosphoinositide 3-kinase and phospholipase C (human), **211,** 484
    - proteins during refolding, effect of cyclodextrins, **211,** 60
- Aging
    - associated changes in
        - 8-hydroxyguanine repair activity in cultured fibroblasts (human), **214,** 1157
        - mitochondrial translation and respiratory function in mouse brain, **217,** 668
    - brain *in vitro,* associated spontaneous alterations in synapsin I covalent structure (bovine), **212,** 442
    - effects on 4-hydroxy-2-nonenal metabolism in hepatocytes (rat), **207,** 477
    - and lifespan and development, effect of kinetin (fruitfly), **216,** 1067
    - related correlation between β-amyloid precursor protein and β-amyloid peptide levels in cerebrospinal fluid (human), **210,** 345
    - related progressive hyperphosphorylation effects on neurofila-

ment heavy subunits (rat), **215,** 368
  senescence-accelerated mouse model, life span, effect of N-*tert*-α-phenyl-butylnitrone, **211,** 847
  skeletal muscle, accumulation of deletions in mitochondrial DNA during, long PCR analysis (human), **217,** 59

Agkicetin
  with glycoprotein Ib antagonist properties, functional and sequence characterization (*Agkistrodon acutus* venom), **210,** 472

AH protein
  cell cycle-dependent: C-terminal domain sufficient for nuclear localization (human), **212,** 220

Ah receptor, *see* Aryl hydrocarbon receptor

D-Ala^2-*N*-methyl-Phe^4-Gly^5-ol-enkephalin
  inhibition of nitric-oxide synthase induction in J774 macrophages, **212,** 975

Alanine
  polymer, formation of stable β-sheet structures, **211,** 7

Albumin
  glycated, effects in renal glomerular mesangial cells, mediation by ligand receptor system (mouse), **207,** 521
  mRNA levels in cultured hepatocytes, regulation by extracellular matrix (rat), **210,** 38
  secretion in cultured hepatocytes, effect of ratio change of branched-chain to aromatic amino acids (rat), **214,** 1045

Alcaligenes eutrophus
  secondary alcohol dehydrogenase derived from, purification and properties, **211,** 540

Alcohol
  patients with high consumption, serum transferrin isoforms from, carbohydrate composition, **210,** 267

Alcohol dehydrogenase
  encoding gene *ADH7,* upstream structure and organ distribution of expression (human), **216,** 216

Alcohol dehydrogenase [NAD(P)$^+$]
  Alcaligenes eutrophus-derived, purification and properties, **211,** 540

Alcoholism
  association with dopamine transporter gene DAT1 polymorphism (human), **211,** 28

Aldehyde dehydrogenase, *see* Aldehyde oxidase

Aldehyde dehydrogenase (NAD$^+$)
  E3 isozyme, identification as betaine-aldehyde dehydrogenase (human), **213,** 561

Aldehyde oxidase
  ALDH5 gene expression and characterization (human), **211,** 144

Aldehyde reductase
  glutathione-modified, detection in oxidatively stressed lens (bovine), **207,** 775
  4-hydroxynonenal and glutathione conjugate as substrates (bovine lens), **217,** 741
  lens, thermal denaturation, α-crystallin chaperone-like activity against, effect of divalent metal ions (bovine), **212,** 413
  related lens protein, identity with *Lepidodactylus lugubris* ρB-crystallin, **217,** 452

Aldehydes
  cytotoxic, release from oxidized low-density lipoproteins, direct evidence from 4-hydroxy-2-nonenal-trapping ELISA, **212,** 1068

Aldo-keto reductases
  ρ-crystallin identified as, cDNA cloning and sequencing (frog), **214,** 1079

Aldolase A
  distal promoter, silencer modulating transcription, characterization (human), **216,** 69

Aldolase B
  recombinant, characterization and purification by metal chelate chromatography (human), **206,** 902

Aldose reductase, *see* Aldehyde reductase

Aldosterone
  angiotensin II- and potassium-mediated secretion, inhibition by KN-62: implication of Ca^{2+}/calmodulin-dependent protein kinase II role in secretion, **209,** 916
  induced conformational changes in mineralocorticoid receptor, analysis by protease mapping (human), **215,** 286
  signaling in vascular smooth muscle cells, role of phospholipase C, diacylglycerol, and protein kinase Cα, **213,** 123

Aldosterone synthase
  gene encoding, coding region fused to 11β-hydroxylase gene regulatory elements, PCR detection in familial hyperaldosteronism type I (human), **207,** 565

Alginate-poly-L-lysine alginate
  βTC3 insulinoma cells entrapped in, oxygen consumption rates (mouse), **210,** 113

AlgU protein
  biochemical characterization and posttranslational modification (*Pseudomonas aeruginosa*), **216,** 874

Aliphatic acids
  amides and esters, hydrolysis by penicillin acylase from *Kluyvera citrophila,* **206,** 629

Alkaline phosphatase
  activity in osteoblasts and preosteoblasts, differential effects of parathyroid hormone and calcitriol combined with growth factors, **210,** 197
  vacuolar, expression as inactive precursor form in cytosol, in monitoring of autophagy in *Saccharomyces cerevisiae,* **210,** 126

Alkaline shock protein
  isolation and gene cloning in methicillin-resistant *Staphylococcus aureus,* **207,** 978

4-Alkoxy-2-azetidinone
  cross-linkage across β-lactamase active site (*Bacillus cereus*), **206,** 577

Alkylated pyridinium salts
  as inhibitors of acetylcholinesterase from *Electrophorus electricus:* protein–ligand interactions, **211,** 1083

O^6-Alkylguanine DNA alkyltransferase
  activity levels in normal, benign, and malignant female breast (human), **208,** 688

1-Alkyl-2-lyso-*sn*-glycero-3-phosphocholine
  generation via CoA-dependent transacylase (rat), **210,** 1052

Alleles
  thrombin receptor, polymorphism in, characterization (Chinese hamster), **215,** 974

Allergens
  Mal d 1, cDNA, cloning, sequencing, and immunological relationship to Bet v 1 allergen from birch (apple), **214,** 538
  response of bronchial epithelial cells of atopic patient with asthma, **217,** 817

Alloxan
  induced pancreatic β cell damage, protective effects of glucose (rat), **210,** 1
4-Allylcatechol
  tyrosinase-catalyzed oxidation, quinone–quinone methide tautomerism during, **213,** 469
4-Allyl-2,6-dimethoxyphenol
  derived *p*-quinone methide, inhibition of mitochondrial respiration (rat), **209,** 6
Allyl-isothiocyanate
  reversible conjugation with glutathione, catalysis by human glutathione transferases, **206,** 748
α-factor receptor
  G protein-coupled, chimeric, agonist switch in, antagonism by desTrp1,Ala3 α-factor (*Saccharomyces cerevisiae, S. kluyveri*), **207,** 559
Alternative splicing
  effect on cell-surface expressed CD44 binding to hyaluronate, **214,** 137
  inositol trisphosphate receptor type I gene in cerebral arteries (human), **214,** 803
Aluminum
  Al(III) ions, and D-Asp substitutions, stabilization of Alzheimer β-protein secondary structure (human), **206,** 718
  and other metals, induced conformational heterogeneity of transferrins, spectroscopic studies (human), **206,** 161
Alzheimer's disease
  affected brain, accumulation of modified amyloid β protein ending at position 42 or 40 with different solubility, **211,** 1015
  β-amyloid peptide
    aggregation, promotion by amyloid P component (human), **211,** 349
    secondary structure, stabilization by aluminum(III) ions and D-Asp substitutions (human), **206,** 718
  β-amyloid precursor protein, secreted, and amyloid β-protein, secretion kinetics, comparison (human), **214,** 490
  amyloid precursor protein N-terminal fragment, secretion by human glioblastoma cells, effects of arachidonate metabolites, **209,** 841
  brain, upregulation of O-linked *N*-acetylglucosamine, **213,** 424
  neurofibrillary tangles and senile plaques in, interaction with apolipoprotein E (human), **208,** 657
Amine oxidase (copper-containing)
  copper-binding ligands, analysis by site-directed mutagenesis, elemental analysis, and topa quinone formation (*Escherichia coli* K12), **212,** 1107
  hydroxyquinone with activity of, preparation and properties: 2-hydroxy-5-methyl-1,4-benzoquinone, **208,** 825
  intestinal, inhibition by metronidazole (human, rabbit, rat), **212,** 589
  quinonoid cofactor, biosynthesis, modeling with autoxidation of 4-methylcatechol, **214,** 559
Amine oxidase (flavin-containing)
  secondary structure by Fourier-transform infrared spectroscopy (bovine, human), **208,** 773
Amino acid composition
  annexin VI (human bile), **209,** 1039
  plasma membrane fatty acid-binding protein (human placenta), **209,** 1011
Amino acids
  anionic, transport suppression in Ha-*ras* oncogene-expressing NIH 3T3 cells, impairment of intracellular glutamate, **211,** 878
  basic, cluster in p56^{lck}, and myristoylation, role in membrane binding of p56^{lck} (HeLa cells), **207,** 868
  branched-chain and aromatic, ratio change, effect on secretion of albumin in cultured hepatocytes (rat), **214,** 1045
  carboxy-terminal, role in measles virus hemagglutinin biological function, **214,** 1232
  GPLY sequence, role in endocytic function of insulin receptor B isoform in CHO cells, **209,** 730
  single residue, linked signaling shifts in transduction activities of atrial and type C natriuretic factor receptor guanylate cyclase, **212,** 1046
  third transmembrane domain of AT$_{1A}$ angiotensin II receptor, role in differential recognition of peptide and nonpeptide ligands, **209,** 153
  unnatural, mutagenesis by, in study of Thr-252 role in cytochrome P450$_{cam}$, **208,** 96
Amino acid sequence
  190-kDa insulin receptor substrate-1-like protein (COS cell), **216,** 321
  activin β$_C$ chain (human liver), **206,** 608
  activin receptor-like kinase-1 homolog (mouse), **216,** 78
  adenylyl cyclase, **214,** 1000
  agkicetin (*Agkistrodon acutus* venom), **210,** 472
  AH protein (human), **212,** 220
  allergen Mal d 1 (apple), **214,** 538
  amino-terminal, major non-collagenous proteins (chicken bone), **208,** 863
  anti-Müllerian hormone type II receptor (human), **215,** 1029
  apolipoprotein B mRNA editing protein (mouse), **214,** 653
  aspartic acid-rich, role in silver staining of nucleolar proteins, **207,** 485
  basic and acidic calponins (human), **217,** 238
  BMK1 MAP kinase (human), **213,** 715
  bradykinin B$_2$ receptor (human), **211,** 226
  brevican core protein (rat), **216,** 957
  calcitonin gene-related peptide receptor type 1 (dog), **217,** 832
  cardiac C-protein isoform (*Ambystoma mexicanum*), **213,** 225; *erratum,* **215,** 791
  cardiotoxin and cobratoxins, comparison (Tawain cobra), **206,** 22
  Ca^{2+}-sensing receptor (human), **214,** 524
  catechol 2,3-dioxygenase
    Alcaligenes sp. KF711, **208,** 943
    Pseudomonas putida KF715, **211,** 382
  cathepsin K (human), **206,** 89
  cathepsin L (*Schistosoma japonicum*), **217,** 1
  CCAAT/enhancer binding protein α (human), **215,** 106
  cerebral glycinecyclohexylpiperidine-binding protein, **216,** 390
  chaperone cross-reacting protein cross-reacting with bacterial hsp60 proteins, 40-kDa (human), **208,** 697
  chloride conductance regulatory protein pI$_{Cln}$ (human ocular ciliary epithelium), **208,** 89
  colon carcinoma-associated onco-fetal/laminin-binding colla-

gen-derived peptides (human), **207,** 852
crtW gene products of *Agrobacterium aurantiacum* and *Alcaligenes* PC-1, **209,** 867
α-crystallin (frog), **210,** 974
αβ-crystallin (frog), **216,** 881
ρ-crystallin: aldo-keto reductase family member (frog), **214,** 1079
Cu(II)/topa quinone amine oxidases (*Escherichia coli* K12), **212,** 1107
cytochrome P450 forms (porcine ovary), **212,** 433
cytochrome P4502D expressed in adrenal microsomes (guinea pig), **209,** 1149
cytochrome P4502D subfamily-related P450 (rat brain), **209,** 535
differentiation enhancing factor, murine erythroleukemia cell, homology with rat brain amphoterin, **210,** 82
DNA-binding proteins A2 and B, **208,** 153
Doc2 protein (human brain), **206,** 439
elongation factor 1β′ (rice seed), **209,** 1026
endothelin-converting enzyme in endothelin-2-producing renal adenocarcinoma cells (human), **208,** 721
fibrinogenolytic protease (*Trimeresurus mucrosquamatus*), **216,** 223
FMRFamide-related peptide from triclad turbellarian, primary structure (*Dugesia tigrina*), **209,** 689
folate transporter (human placenta), **206,** 681
gaegurins (Korean frog skin), **205,** 948; *erratum,* **209,** 775
GHRG-1 gene product (chicken), **206,** 153
glucose 6-phosphate dehydrogenase (human erythrocyte), **207,** 331
γ-glutamylcysteine synthetase light subunit (human liver), **206,** 584
glyceraldehyde-3-phosphate dehydrogenase tryptic peptides (*Phelsuma serraticauda*), **209,** 796
glycoprotein hormone receptors, comparison (human, rat), **210,** 392
G protein-activated potassium channels GIRK1, GIRK2, and GIRK3 (murine brain), **208,** 1166
G protein-coupled receptor UHR-1 (rat hypothalamus), **209,** 606
G protein-gated muscarinic K^+ channel GIRK1 (mouse), **212,** 1022
hba2 multidrug resistance transporter conferring resistance to brefeldin A (*Schizosaccharomyces pombe*), **213,** 410
heat shock factor 1 α and β isoforms (mouse), **211,** 943
histamine H_2 receptor (guinea pig), **211,** 570
histidyl-tRNA synthetase bidirectional transcript cDNA predicted sequence (human), **210,** 556
HOXA1 transcripts (human), **215,** 713
HS1 protein (mouse), **208,** 1137
human neutrophil peptide precursors, **211,** 1053
intestinal trefoil factor (mouse, rat), **210,** 31
K_{ATP}-2 channel in male Zucker diabetic fatty rat, **212,** 894
keratin 16 type I (human), **215,** 517
LamB glycoporin (*Vibrio parahaemolyticus, Yersinia enterocolitica*), **208,** 927
light meromyosin (carp fast skeletal muscle), **208,** 118
macrophage inflammatory protein-1α (rat), **211,** 289
magnesium chelatase subunit *chlI* protein (soybean), **215,** 422
mannose-binding lectin (*Aloe arborescens Miller var. natalensis Berger*), **214,** 163
MEF2B gene homologue (murine embryonal carcinoma cells), **213,** 555
melanocortin receptors, **210,** 205
metalloendopeptidase h-MP78 (human), **213,** 66
Mg^{2+}-dependent protein phosphatase β isoform MPPβ4 (rat), **207,** 708
MHC class I and II peptide binding cleft and *Mycobacterium tuberculosis* chaperonin 10, homology, **211,** 14
MHC class II *DRB* allele (bovine), **209,** 981
MRK1p putative protein kinase similar to mammalian glycogen synthase kinase-3 and *Drosophila* Zeste-White3/Shaggy (*Saccharomyces cerevisiae*), **208,** 728
neuroendocrine protein 7B2 (human), **216,** 1
neuronal calcium sensor family (rat), **216,** 133
nitric-oxide synthase (rat brain), **210,** 288
non-muscle myosin alkali light chain (rat), **209,** 527
κ-opioid receptors in lymphocytes (human, monkey), **209,** 1003
P_{2Y} purinoceptor
  bovine, **212,** 648
  mouse and rat, **211,** 211
p40 regulatory subunit of 26S proteasome (human), **210,** 600
peptidylglycine α-amidating monooxygenase (human pancreas), **205,** 282; *erratum,* **206,** 805
peroxinectin (crayfish blood), **216,** 1079
pez protein-tyrosine phosphatase with ezrin-like domains, **209,** 959
pregnancy-specific glycoprotein variants (human), **211,** 656
preprofibrinogen Aα (human), **215,** 896
proopiocortin cDNA (lamprey), **213,** 490
proopiomelanotropin cDNA (lamprey), **213,** 490
proteasome subunits resolved by two-dimensional gels (human), **205,** 1785; *erratum,* **207,** 1059
protein-tyrosine kinase *iyk* (mouse), **209,** 582; *erratum,* **211,** 100
prtR-encoded 132-kDa protein (*Porphyromonas gingivalis* W50), **207,** 424
Rab 26 protein (rat pancreas), **207,** 950
RAC-protein kinase γ (rat), **216,** 526
replication protein A-dependent DNA helicase B (*Saccharomyces cerervisiae*), **206,** 850
RFamide peptide from midgut (*Periplaneta americana*), **213,** 519
rhodanese (mouse), **216,** 1101
ribosomal proteins L4 and L41 (rat), **214,** 810
RPL15 protein (*Thermoplasma acidophilum*), **209,** 684
RVLG protein, **207,** 405
S100A7, by tandem mass spectrometry (human), **217,** 257
salicylate hydrolase gene intergenic region (*Pseudomonas putida* KF715), **211,** 382
secretin receptor (human), **212,** 204
sensory epithelium neuropeptide-like receptor (bovine, rat), **209,** 752
serine/threonine protein kinase enhancing spermine uptake in *Saccharomyces cerevisiae,* **216,** 985
S/G_2 nuclear antigen with WD-40 motifs (human), **207,** 1029
syk protein tyrosine kinase (mouse), **213,** 273
synaphin 19a component (bovine), **213,** 1107
syntaxin 3 forms (murine brain), **211,** 997

- Amino acid sequence (*continued*)
  - tissue-type II transglutaminase (rat), **209,** 527
  - UDP-glucose dehydrogenase (*Xanthomonas campestris*), **207,** 223
  - uridine phosphorylase (human), **216,** 265
  - vasoactive intestinal peptide-2 receptor (human), **209,** 385
  - xanthine dehydrogenase (human liver), **199,** 998; *erratum,* **215,** 429
  - *YBR235w* gene product (*Saccharomyces cerevisiae*), **217,** 150
  - *YL*-1 (human, mouse), **208,** 999
  - ZP1 glycoprotein protein component (pig), **207,** 790; *erratum,* **214,** 754
- Amino acid transporter
  - insulin-activated, gene expression during differentiation of 3T3-L1 preadipocytes to adipocytes (mouse), **208,** 1008
  - mRNA, regional expression and dietary regulation (rat), **216,** 249
- Aminoacylation
  - activity of isoleucyl-tRNA synthetase, effect of carboxy-terminal zinc finger mutation (*Escherichia coli*), **216,** 648
- 3-Aminobenzamide
  - protection of cells from UV-B-induced apoptosis via effects on cytoskeleton and substrate adhesion (human, mouse), **207,** 715
- *p*-Aminobenzoic acid
  - rapid reaction with singlet molecular oxygen in aqueous solution, **212,** 1145
- 2-Aminobutyric acid
  - and 2-deoxyglucose, uptake in EGFR T17 fibroblasts, and intracellular Ca^{2+} release, oleic acid effects, **207,** 105
- γ-Aminobutyric acid
  - effect on carnitine metabolism in neural cells (rat), **213,** 383
- 2-Aminofluorene
  - activation by prostaglandin endoperoxidase H synthase-2 (human, sheep), **215,** 346
- Aminoguanidine
  - effect on tissue injury in mercuric chloride-induced autoimmunity (rat), **217,** 515
- 5-Aminolevulinate synthase
  - mRNA, iron-responsive element in, binding by ferrochelatase, **214,** 875
- *trans*-4-Aminomethylcyclohexanecarbonyl-L-phenylalanine-4-carboxymethylanilide
  - as noncovalent trypsin inhibitor, design based on X-ray crystal structure, **213,** 583
- Aminopeptidase N, *see* Membrane alanyl aminopeptidase
- Aminopurine
  - effect on hypoxia-inducible factor 1 expression, **216,** 669
- Amino-terminal Cu(II)-, Ni(II)-binding motif
  - neuromedin C binding via, implications for central nervous system and cancer growth, **209,** 877
- Amiodarone
  - downregulation of thyroid hormone receptor subtype mRNA levels during catecholamine stress *in vitro* in murine AT-1 cardiomyocytes, **211,** 991
- AML1 protein
  - expression in myeloid cell lines: AML1b and AML1c increase during retinoic acid-induced differentiation in U937 cells (human), **211,** 1023
- Amnion
  - human, guinea pig epithelium cultured on, induction of cell differentiation and polarity, **210,** 302
- Amniotic fluid
  - glycosylated human prolactin, detection by immunoblotting, effect of prolactin antisera crossreactivity with IgG, **212,** 48
- Amphoterin
  - developing rat brain, and differentiation enhancing factor of murine erythroleukemia cells, homology of molecular structure, **210,** 82
- Amylin
  - antagonist AC187, effect on lactate production from rat hindlimb, **216,** 554
  - effects on osteoblast proliferation and bone mass (adult mouse), **207,** 133
- Amyloid
  - β/A4 protein, secretion and intracellular retention in transfected COS cells (human), **207,** 971
  - β peptide
    - aggregation
      - effect on binding to protein and lipid components of cortical homogenates (rat), **207,** 209
      - promotion by amyloid P component (human), **211,** 349
    - Alzheimer's disease-associated, secondary structure, stabilization by aluminum(III) ions and D-Asp substitutions (human), **206,** 718
    - and β-amyloid precursor protein, levels in cerebrospinal fluid, age-related correlation (human), **210,** 345
    - multivalent binding to complement protein C1Q, effect on nucleation phase of Aβ aggregation, **217,** 869
    - platelets as primary source in blood (human), **213,** 96
  - β-precursor protein
    - N-linked oligosaccharide, regulatory role in βAPP processing (rat), **210,** 703
    - secreted, and β-amyloid protein, secretion kinetics, comparison (human), **214,** 490
    - substrate peptide, cerebral metalloendopeptidase with ability to cleave, cloning and expression (human), **213,** 66
  - precursor protein
    - alternative splicing in PC19 cells, effects of *c-jun* transformation (mouse), **206,** 821
    - in Alzheimer brain, O-linked *N*-acetylglucosamine modification: upregulation in detergent-insoluble cytoskeletal fraction, **213,** 424
    - interleukin-1β-induced enhanced processing in PC12 cells, reduction by indomethacin and nordihydroguaiaretic acid, **208,** 542
    - N-terminal fragment, secretion by human glioblastoma cells, effects of arachidonate metabolites, **209,** 841
    - secreted forms, APP695 and APP770, expression, purification, and neurotrophic activity (*Pichia pastoris*), **213,** 52
    - secretion, promotion by nerve growth factor via muscarinic receptor activation, **213,** 15
  - β protein
    - modified, ending at position 42 or 40, with different solubility, accumulation in Alzheimer's disease brain, **211,** 1015
    - neurotoxic effects on cultured cholinergic neurons, **215,** 572
    - and secreted β-amyloid precursor protein, secretion kinetics, comparison (human), **214,** 490

toxicity, role of iron, **216,** 702
Amyloid P component
  promotion of β-amyloid peptide aggregation (human), **211,** 349
Anandamide
  effects on radiolabeled cannabinoid receptor ligand binding to synaptosomal membranes, **215,** 89
Anchor residues
  modifications, effect on stability of HLA-A11/peptide complexes, **206,** 8
Androgens, *see also specific androgens*
  differential regulation of prostatic acid phosphatase transcripts (rat), **213,** 861
  and estrogens
    inhibition of 20-kDa major protein expression in exorbital lacrimal gland (hamster), **208,** 412
    ovarian production in adult female rat, effects of submaxillariectomy, **213,** 550
  induced follicular epithelial cell growth, mediation via insulin-like growth factor I from dermal papilla cells (human), **212,** 988
  synthesis in newt testis *in vitro,* modulation by prostaglandin E_2, differential mediation by adenylate cyclase and phospholipase C (*Triturus carnifex*), **211,** 1047
  up-regulation of E-cadherin expression in hormone-responsive LNCaP prostate cancer cells (human), **212,** 624; *erratum,* **214,** 1269
Androstenedione
  ovarian production in adult female rat, effects of submaxillariectomy, **213,** 550
Anergy
  systemic, induction for oral tolerance by mucosal T cells (mouse), **206,** 414
Aneurysm
  abdominal aorta, autoantigen in, homology to 36-kDa microfibril-associated bovine aortic glycoprotein (human), **213,** 40
  ventricular, atrial myosin light chain 1 levels, enzyme immunoassay (human), **207,** 75
Angiogenesis
  inhibition by thrombospondin-2 (mouse), **217,** 326
  interleukin-8- and basic fibroblast growth factor-induced, inhibition by interferon γ-inducible protein 10 *in vitro* and *in vivo* (bovine, rat), **210,** 51
  in vitro models
    effects of angiogenin on vascular endothelial cells (bovine), **211,** 476
    elevated basic fibroblast growth factor levels during early hours, detection with ELISA (bovine), **205,** 1423; *erratum,* **210,** 638
    role of transcription and translation in endothelial cell differentiation under different culture conditions (human), **213,** 630
  promoting effect of 12(S)-hydroxyeicosatetraenoic acid: mitogenic effect on microvascular endothelial cells *in vitro* (mouse), **211,** 462
Angioplasty
  balloon, induced injury in rabbit carotid artery, effect of *N*-acetylcysteine, **215,** 613
  subsequent restenosis in porcine coronary model, effect of retroviral suicide vector, **207,** 89
Angiotensin II
  mediated aldosterone secretion, inhibition by KN-62: implication of Ca^{2+}/calmodulin-dependent protein kinase II role in secretion, **209,** 916
Angiotensin I-converting enzyme, *see* Peptidyl-dipeptidase A
Angiotensinogen
  gene expression in cardiomyocytes *in vitro,* induction by cyclical mechanical stretch (rat), **211,** 241
Angiotensin II receptor
  AT_1, C^{1166} gene variant, molecular assay (human), **213,** 725
  AT_{1A}
    encoding gene, glucocorticoid response element, characterization (rat), **209,** 832
    third transmembrane domain amino acids, role in differential recognition of peptide and nonpeptide ligands, **209,** 153
  content in hypertrophied hearts, alterations (mouse), **212,** 326
  type 2
    content during differentiation and apoptosis of ovarian cultured granulosa cells (rat), **207,** 593
    gene transcription, repression by growth factors and glucocorticoids (PC12 cell), **216,** 359
    sequence and genomic organization (human), **209,** 554
Animal cap
  conversion into neural tissue, induction by dominant negative bone morphogenetic protein 4 receptor (*Xenopus laevis*), **212,** 212
Anion exchangers
  Na^+-independent, functioning at acid pH in neuroblastoma cells (mouse), **207,** 375
Annexins
  type II_2-$p11_2$
    and S-100 protein, concerted regulation of glial fibrillary acidic protein intermediate filament assembly *in vitro* (bovine), **208,** 910
    stimulation of glial fibrillary acidic protein assembly in calcium- and pH-dependent manner (bovine), **208,** 901
  type VI
    interaction with 56-kDa protein kinase in T cells (human), **212,** 270
    secretion in bile (human), **209,** 1039
Antibiotics
  DNA-binding antitumor, mithramycin, binding to spectrin, **212,** 428
  enediyne antitumor, C1027 chromophore
    induction of apoptosis in HL-60 cells (human), **208,** 238
    RNA cleavage: high selectivity to anticodon arm, **208,** 168
  extrusion, associated genes in *Pseudomonas aeruginosa,* expression, **210,** 356
Antibodies
  to adenomatous polyposis coli protein middle and carboxyl regions for immunodetection in colon tissue (human), **206,** 909
  anti-E-cadherin, recognition of E-cadherin peptide sequence (rat), **211,** 21
  anti-carbohydrate, L2/HNK-1 family, recognition of human recombinant myelin-associated glycoprotein, **217,** 171

Antibodies (*continued*)
  anti-IgM, dependent MAP kinase activation in B cells, role of microfilament assembly (human), **209,** 1102
  anti-syntaxan, inhibition of calcium-dependent catecholamine secretion in permeabilized chromaffin cells (mouse), **206,** 1
  CD95, mediation of apoptosis of human retinal pigment epithelial cells, **213,** 1026
  to human α1β1 integrin, inhibition of HeLa cell adhesion to laminin and type I, IV, and V collagens, **209,** 205
  inhibitory, form-specific, against rat cytochrome P450 2B1, production using synthetic peptide antigen against putative substrate binding site, **216,** 1024
  monoclonal, *see* Monoclonal antibodies
  to peptides, in analysis of species heterogeneity of 42-kDa high-affinity cerebral inositol 1,3,4,5-tetrakisphosphate receptor, **214,** 20
  to prostaglandin E$_2$, cross-reaction with PGF$_2$-isoprostanes formed during copper-induced low-density lipoprotein oxidation, **206,** 455
  to *Schistosoma japonicum* paramyosin, induction by nucleic acid vaccination, **212,** 1029
  L-selectin, FMC46, mediation of increase in intracellular Ca^{2+} in peripheral blood mononuclear cells and Daudi lymphoma cells (human), **217,** 1145
Antifreeze protein
  genes, differential regulation in liver and nonliver tissues (*Pleuronectus americanus*), **206,** 387
Antigens, *see also* Autoantigens
  associated reactivity of p53 in cultured keratinocytes, effect of phosphorylation (human), **214,** 744
  CD2, mutant and wild type, with large deletions in transmembrane domain, lateral diffusion (human), **208,** 1131
  CD3
    complex with T cell receptor αβ, signaling in immature thymocytes, stimulation by thymus atrophy-inducing compound di-*n*-butyltin dichloride (rat), **214,** 552
    –T-cell receptor, apoptosis mediated by, and Fas-ligand induction, in Jurkat cells, role of p56^{lck} (human), **213,** 994
  CD4
    cell surface, binding to synthetic [Tyr^{5,12},Lys^{7}]-polyphemusin II peptide, **215,** 626
    recombinant, endocytosis in Sf9 cells after phorbol ester treatment, **207,** 411
  CD11b, activation, mediation of monocyte adhesion to endothelial cells by oxidatively modified low-density lipoprotein (human), **206,** 621
  CD13, *see* Membrane alanyl aminopeptidase
  CD19, gene expression in B cells, dioxin-mediated alteration: mechanism suggested by Ah receptor recognition of BSAP DNA binding sites (human), **212,** 27
  CD38, gene expression in pancreatic islets of GK rat, **214,** 239
  CD45, role in dexamethasone- and heat shock-induced apoptosis of thymocytes (rat), **214,** 941
  CD69, identification as Ca^{2+}-dependent carbohydrate-binding protein (human lymphocytes), **208,** 68
  CD95, antibody, mediation of apoptosis of human retinal pigment epithelial cells, **213,** 1026
  cdk4, effect of melanoma terminal differentiation (mouse), **216,** 422
  HLA-DRB1, alleles, association with X-linked adrenoleukodystrophy, **216,** 447
  HPC-1/syntaxin-1A, role in transmitter release from PC12h cells (rat), **212,** 97
  incorporated nonspecifically by pinocytosis and specifically by surface IgM of B cells, presentation, effects of thiol-protease inhibitors, **210,** 324
  invasion plasmid, IpaD, structural analysis (*Shigella flexneri*), **214,** 963
  lymphocyte function-associated, LFA-3 ΔD2, identification (human), **214,** 200
  MHC class I
    HLA-A11 complex with peptide, stability, effect of anchor residue modifications, **206,** 8
    mRNA, expression in hepatoma cells *in vitro,* regulation by bile acids (human), **208,** 935
  MHC class I and II, peptide binding cleft, and *Mycobacterium tuberculosis* chaperonin 10, sequence and structural homologies, **211,** 14
  MHC class II
    DMA and *DMB* genes, nucleotide sequence and molecular evolution (bovine), **217,** 522
    DQ subregion, *A2* gene in, molecular evolution and nucleotide sequence (bovine), **212,** 110
    DRB gene encoding, NR1 allele identification (bovine), **209,** 981
    inducible lung adenocarcinoma cells, association with impaired tumor phenotypes (human), **215,** 280
  prostate-specific, recombinant, and glandular kallikrein-2, production and immunological cross-reactivity (human), **213,** 888
  receptor-linked, delivery system: role of autologous α2-macroglobulin in development of peptide vaccine, **216,** 399
  synthetic peptide, against putative substrate binding site, in production of form-specific inhibitory antibody against rat cytochrome P450 2B1, **216,** 1024
Anti-Müllerian hormone type II receptor
  encoding gene, structure and chromosomal localization (human), **215,** 1029
Antioxidant protein
  thiol-dependent, HRPRP, identification as Tpx-type peroxidase (human erythrocytes), **217,** 900
Antioxidants
  activity against hydroxyl radicals, **208,** 161
  physiological, bilirubin as, in synergistic interaction with ascorbic acid in endotoxin-treated rat, **214,** 11
  response element, identification in 5′-flanking region of γ-glutamylcysteine synthetase heavy subunit gene (human), **209,** 227
  thiol-specific, related activity of MSP23 protein, inhibition by hemin (rat), **216,** 970
Antipain
  and leupeptin, effects on presentation of antigens incorporated nonspecifically by pinocytosis and specifically by surface IgM of B cells, **210,** 324
Antiserum
  prolactin, crossreactivity with IgG light chains, effect on immunoblot detection of glycosylated human prolactin in biological fluids, **212,** 48

$_1$-Antitrypsin
proteolytic inactivation by matrilysin: comparison with other matrix metalloproteinases (human), **204,** 613; *erratum,* **206,** 438
ntitumor activity
recombinant bovine seminal ribonuclease, requirement of removal of N-terminal methionine, **213,** 525
ntitumor agents
induced apoptosis in U937 cells, prevention by aspartate-based inhibitor of interleukin-1β-converting enzyme, **209,** 907
pine cone extract, interaction with influenza virus proteins, inhibition of viral replication, **214,** 318
ntiviral activity
anti-HIV, dexamethasone and indomethacin, potentiation by bitter melon antiviral agent MAP30 (human MT-4 T cells), **208,** 779
ntiviral agents
AZT, 3TC, and HIV-1-specific non-nucleoside reverse transcriptase inhibitors, sensitivity/resistance profile of SIV containing RT gene of HIV-1, **211,** 850
MAP30, from bitter melon *Momordica charantia,* potentiation of anti-HIV activity of dexamethasone and indomethacin, **208,** 779
MAR-10, from *Hyssop officinalis,* HIV-1 replication-inhibiting *in vitro,* isolation, **210,** 145
orta
abdominal, aneurysmal disease, autoantigen in, homology to 36-kDa microfibril-associated bovine aortic glycoprotein (human), **213,** 40
effect of nonselective endothelin receptor antagonist [Thr^{18},γ-MeLeu^{19}]-ET-1 (rat), **212,** 421
endothelial nitric oxide release, stimulation by oxidized low-density lipoprotein (rabbit), **207,** 231
expression of cytochrome P450 families 2, 3, and 4 (rabbit), **213,** 916
native endothelial cells, acetylcholine-induced responses, potentiation by bradykinin (rabbit), **213,** 1061
pigenin
reversion of v-H-*ras*-transformed NIH 3T3 cells via inhibition of MAP kinase and downstream oncogenes, **212,** 767
poaequorin
recombinant, subcellular compartments, stability differences, **217,** 950
podystrophins
Dp140 and Dp71, splicing isoforms in developing brain, PCR studies (human), **215,** 361
poferritin L
encoding gene, promoter region, negative and positive elements (human), **215,** 329
polipoprotein
apoA, encoding gene
5′-flanking region, detection of polymorphisms (human), **209,** 372
characterization (human), **209,** 365
apoAI, conjugated with 2,4-dinitrophenol, as ligand in detection of high-density lipoprotein-binding proteins, **216,** 801
apoB
bound lipids, as markers for evaluation of low-density lipoprotein oxidation *in vivo* (human), **214,** 608
mRNA, editing protein gene, cloning and structural analysis (mouse), **214,** 653
apoB-100
encoding gene, first nontranslated exon, *cis*-acting elements in, identification (human), **215,** 394
mRNA, estrogen-induced increase in murine inbred strains, role of decreased RNA editing protein mRNA, **212,** 381
apoC-III precursor, –β-galactosidase hybrid, distinguishing between phospholipids of very-low-density and low-density lipoproteins by, **211,** 754
apoE
deficient atherosclerotic transgenic mouse, lesioned low-density lipoprotein, oxidation and aggregation, **216,** 501
mediated transfection with plasmid DNA, in transformation of endothelial cells (human), **214,** 206
role in Alzheimer's disease pathogenesis: interaction with neurofibrillary tangles and senile plaques (human), **208,** 657
apoE4, differentiation from E2 and E3 with monoclonal antibody to ApoE4, **216,** 467
Apoptosis
ALT-20 pituitary cells, cell cycle-dependent induction by somatostatin analog SMS 201-995 (mouse), **209,** 400
aortic vascular smooth muscle cells, effect of p53 gene expression by adenovirus vector (human), **215,** 446
astroglial cells, induction by adenosine in cerebral primary cultures (rat), **213,** 908
B cells, lipopolysaccharide-stimulated, induction by lovastatin (mouse), **211,** 665
cerebral hypoxia–ischemia-induced, inhibition by moderate post-insult hypothermia (pig), **217,** 1193
farnesol-induced, role of protein kinase C-dependent signal transduction (human), **212,** 479
fibroblasts, oxygen stress-induced, role of mitochondrial genome (human), **209,** 723
glial precursor cell line ERD.1.1 immortalized with adenovirus E1A gene, induction by restrictive growth conditions, **207,** 630
hepatoma HuH-7 cells, induction by acyclic retinoid (human), **207,** 382
HL-60 cells
associated β-actin mRNA expression patterns (human), **211,** 491
DNA damage during, activation of cyclin E-dependent kinase, **214,** 771
induction by
didemnin B (human), **215,** 1130
enediyne antitumor antibiotic C1027 (human), **208,** 238
lithium (human), **209,** 768
Jurkat cells, T-cell receptor/CD3-mediated, role of p56^{lck} (human), **213,** 994
lymphocytes, induction by chromium(III) (human), **210,** 434
macrophages
dose-dependent induction by exogenous nitric oxide (mouse), **209,** 519
lipopolysaccharide-induced, preparation with interferon-α (bovine), **215,** 921
during *Salmonella* infection, prevention by endogenous interleukin-10 (mouse), **213,** 600

Apoptosis (*continued*)
- malignant T-lymphoma cells, effect of cysteine from lymph node stromal cells (mouse), **213,** 837
- model: involution of mammary glands in whole organ cultures (mouse), **207,** 860
- neutrophil, inhibition by agents elevating cAMP (human), **217,** 892
- nonoxidative loss of glutathione via GSH extrusion (U937 cell), **216,** 313
- osteoclasts, detection and characterization *in vitro* (rabbit), **207,** 753
- ovarian granulosa cells *in vitro,* associated changes in angiotensin II receptor type 2 content (rat), **207,** 593
- peripheral blood T cells from uremic patients, susceptibility, relationship with Fas expression, **215,** 98
- prostate adenocarcinoma cells, induction by calpain inhibitors (human), **214,** 1130
- Ramos B cells, early gene signaling-dependent and -independent induction, inhibition by Bcl-2 overexpression (human), **215,** 23
- rat glioma C6 cells, induction by dolichyl phosphate, **216,** 848
- retinal pigment epithelial cells, mediation by CD95 antibody (human), **213,** 1026
- thymocytes
  - dexamethasone- and heat shock-induced, role of CD45 (rat), **214,** 941
  - after heat shock treatment and gamma irradiation, effect on ornithine decarboxylase mRNA and enzymatic activity (rat), **216,** 708
  - induction by peroxynitrite (rat), **215,** 1111
  - staphylococcal enterotoxin B-induced, associated changes in protein kinase C subspecies (mouse), **213,** 1132
- thyroid cells, ki-ras transformed and normal differentiated, effect of serum withdrawal, **214,** 819
- ts-p53/K562 cells, protective effects of phorbol esters (human), **215,** 641
- U937 cells
  - antitumor agent-induced, prevention by aspartate-based inhibitor of interleukin-1β-converting enzyme (human), **209,** 907
  - associated β-actin mRNA expression patterns (human), **211,** 491
  - induction by
    - caged compounds of L-leucyl-L-leucine methyl ester in (human), **213,** 652
    - lactacystin (human), **217,** 1070
  - VP-16-induced, role of interleukin-1β-converting enzyme and ICE-like protease (human), **217,** 1185
- umbilical vein endothelial cells, induction by transforming growth factor-β1, with down-regulated expression of bcl-2 (human), **210,** 1076
- UV-B-induced, protective effect of 3-aminobenzamide via action on cytoskeleton and substrate adhesion (human, mouse), **207,** 715
- WEHI 231 cells, induction by specific inhibitors of vacuolar-type H$^+$-ATPase (mouse), **212,** 255
- WISH cells, associated β-actin mRNA expression patterns (human), **211,** 491

Apotyrosinase
- chaperone function, role of MelC1 protein histidine residue 102 and 117 (*Streptomyces*), **214,** 447

Aqueous humor
- effects of ultraviolet-B light (albino mouse), **210,** 417

1-β-D-Arabinofuranosylcytosine, *see* Cytarabine

D-Arabinose
- conversion to D-erythroascorbic acid and oxalic acid in *Sclero tinia sclerotiorum,* **212,** 196

Arachidonic acid
- metabolites, effects on secretion of N-terminal fragment o Alzheimer's disease amyloid precursor protein by huma glioblastoma cells, **209,** 841

2-Arachidonoylglycerol
- effects on radiolabeled cannabinoid receptor ligand binding t synaptosomal membranes, **215,** 89

Arginase
- in bone marrow-derived macrophages, induction by nitric oxid synthesis suppressors (mouse), **206,** 667
- and nitric-oxide synthase, co-induction in lipopolysaccharide-activated macrophages (mouse), **210,** 1009

Arginine
- Arg-104 of kinase domain of 6-phosphofructo-2-kinase, effec on stability of transition state: evolutionary reengineerin of phosphofructokinase active site, **213,** 663
- residue in seventh transmembrane domain of prostaglandin E receptor EP3D, interaction with agonist carboxylic acid role in selective coupling of EP3D to multiple G proteins **212,** 279
- substitution for tryptophan in C-terminal noncollagenou domain of collagen X, identification as mutation in Schmi metaphyseal chondrodysplasia, **217,** 1157

L-Arginine
- binding site, of neuronal nitric-oxide synthase, localization **210,** 288
- –nitric oxide pathway
  - as major source of plasma nitrite during fasting (human) **209,** 590; *erratum,* **211,** 705
  - in placenta, relationship to polyamines (human), **212,** 229
- specific transport system in platelets, identification (human) **206,** 878
- transport in arginine-deprived endothelial cells (bovine), **213, 44**

Arginine vasopressin
- activation of Ca^{2+}-sensitive potassium channels in L6 skeleta myocytes, role of extracellular Ca^{2+}, **217,** 1163
- binding by vasopressin type 2 receptor, impairment by AVPR gene mutations R143P and ΔV278 in patients wit nephrogenic diabetes insipidus, **211,** 967
- TPA response element-dependent gene expression activated by role of phosphatidylinositol 3-kinase (rat), **215,** 1037

Argininosuccinate lyase
- mRNA, tissue expression, effect of lipopolysaccharide treatmen *in vivo* (rat), **215,** 148

Argininosuccinate synthetase
- mRNA, tissue expression, effect of lipopolysaccharide treatmen *in vivo* (rat), **215,** 148

Aristeromycin
- induction of erythroid differentiation in K562 erythroleukemi cells, **207,** 69

Aromatic hydrocarbon receptor nuclear translocator
  associated 120-kDa protein, identification in Hepa-1 and HepG2 cells (human), **212,** 144
Aromatic hydrocarbons
  polycyclic, biocatalytic oxidation by hemoglobin and hydrogen peroxide, **215,** 968
Arrhythmias
  β-adrenergic agonist-induced, in cardiac myocytes, prevention and termination by free polyunsaturated fatty acids (neonatal rat), **208,** 629
Arteries
  carotid
    balloon angioplasty-induced injury, effect of *N*-acetylcysteine (rabbit), **215,** 613
    neointima formation in, effect of antisense oligonucleotides to nuclear factor κB p65 subunit (rat), **213,** 827
  cerebral
    inositol triphosphate receptor type I gene, alternative splicing (human), **214,** 803
    smooth muscle cells, K^+ channel and intracellular Ca^{2+} release, dual effects of ATP (bovine), **215,** 1071
  coronary
    contraction, associated protein kinase C-mediated phosphorylation of calponin (pig), **208,** 397
    restenosis after angioplasty, effect of retroviral suicide vector (pig), **207,** 89
    smooth muscle cytosolic Ca^{2+} concentration and Ca^{2+} sensitivity, effects of adrenomedullin (pig), **212,** 572
  differential expression of vascular natriuretic peptide receptor subtypes (rat), **216,** 535
  fat deposits, role of peritoneal macrophages: comparison of intracellular cholesterol metabolism in spontaneously hypertensive stroke-prone and normotensive rat, **211,** 547
Arthritis
  antigen-induced, experimental, suppression in transgenic mouse producing human α-fetoprotein, **213,** 362
Arthropathy
  lesions, human T-cell leukemia virus type I-induced, oligoclonal proliferation of virus-infected lymphocytes in, analysis, **208,** 1040
Arylesterase
  Vibrio mimicus, thioesterase and chymotrypsin-like activity, **213,** 475
Aryl hydrocarbon receptor
  basic helix–loop–helix domain, cellular protein p45 interacting with, identification (mouse), **215,** 405
  ligand-independent activation by benzimidazoles (rabbit hepatocytes), **209,** 474
  mRNA levels, differentiation-related upregulation in keratinocytes, suppression by retinoic acid (human), **209,** 706
  recognition of BSAP DNA binding sites: mechanism for dioxin-mediated alteration of CD19 gene expression in B cells (human), **212,** 27
  role in cytochrome P4501A1 induction under conditions of hydrodynamic shear in microcarrier-attached hepatoma cells (human, mouse), **208,** 144
Aryl sulfotransferase
  activities and localization in nasal polyp epithelium (human), **213,** 104
  hepatic recombinant, thermolabile, characterization with minoxidil as substrate (human), **210,** 363
  hippocampal isoform, molecular cloning (human), **207,** 701
  thermolabile, encoding gene, molecular cloning and structural characterization (human), **208,** 786
Ascorbic acid
  synergistic *in vivo* action with bilirubin as physiological antioxidant in endotoxin-treated rat, **214,** 11
Asialoglycoprotein receptor
  RHL-1 and RHL-2, differential mRNA expression in brain areas, kidney, spleen, and thyroid (rat), **210,** 138
Aspartate
  D175, discrimination between NADH–NADPH binding sites in D-lactate dehydrogenase (*Lactobacillus delbrueckii bulgaricus*), **208,** 895
  residue in transmembrane domain 3 necessary for somatostatin binding to somatostatin receptor SSTR2 (rat), **216,** 913
Aspartate aminotransferase, *see* Aspartate transaminase
Aspartate transaminase
  mitochondrial
    mutant forms, conformations, probing using protease sensitivity (rat), **215,** 800
    newly synthesized, mutations, effects on uptake into mitochondria, **214,** 511
Aspartic acid
  nucleolar protein sequences rich in, role in silver staining of protein, **207,** 485
  at position 68 in N-terminal extracellular domain of VIP receptor, role in binding of VIP (human), **206,** 246
  substitution of Gly113 in Asp51→Ser mutant of melibiose carrier, restoration of carrier activity (*Escherichia coli*), **209,** 242
D-Aspartic acid
  substitutions, and aluminum(III) ions, stabilization of Alzheimer β-protein secondary structure (human), **206,** 718
Aspartic proteinase
  chromaffin granule, processing of recombinant proopiomelanocortin, **215,** 937
Aspirin
  inhibition of inducible nitric oxide-synthase gene expression (rat), **208,** 1053
Asthma
  atopic patient with, derived bronchial epithelial cells, response to allergens, **217,** 817
  5,15-dihydroxyeicosatetraenoic acid and lipoxin generation by neutrophils after A23187 stimulation *in vitro* as biomarker (human), **207,** 273
  eosinophils from affected patients, leukotriene C4 release, *in vivo* effect of prednisolone, **214,** 869
Astrocytes
  adenosine-induced apoptosis in cerebral primary cultures (rat), **213,** 908
  cultured, *N*-methyl-D-aspartate-dependent release of prostaglandin E_2, role of nitric oxide (human), **215,** 793
  expression of c-Met mRNA in fetal and adult brain (rat), **210,** 231
  intracellular phosphorylation of glia maturation factor, effect of phorbol ester (rat), **211,** 928

Ataxia
  –telangiectasia locus, single base polymorphism linked to, detection by mismatch PCR, **210,** 982
ATCUN motif, *see* Amino-terminal Cu(II)-; Ni(II)-binding motif
Atherosclerosis
  affected apolipoprotein E-deficient transgenic mouse, lesioned low-density lipoprotein, oxidation and aggregation, **216,** 501
Atherosclerotic lesions
  expression of insulin-like growth factor receptor mRNA (rabbit), **209,** 182
Atopy
  asthma patient with, derived bronchial epithelial cells, response to allergens, **217,** 817
ATP (adenosine 5′-triphosphate)
  activated chloride permeability in biliary epithelial cells, role of calmodulin-dependent protein kinase II (human), **208,** 457
  activation of P_{2Y} purinoceptors, effects on renal $[Ca^{2+}]_i$ mobilization and gluconeogenesis (rat), **211,** 454
  and ADP, binding domains of actin, conservation in nucleosome complexed with histone H1 and HMG17, **212,** 509
  allosteric regulation by eukaryotic initiation factor eIF-2B, **212,** 1074
  bimodal switch, regulation of ligand binding and signal transduction activities of atrial natriuretic factor-dependent guanylate cyclase, **209,** 286
  dependent actin-binding protein, purification from *Physarum polycephalum,* **212,** 347
  dual effects on K^+ channel and intracellular Ca^{2+} release in smooth muscle cells of cerebral arteries (bovine), **215,** 1071
  effects on
    cyclic ADP-ribose-induced calcium release (sea urchin), **206,** 786
    K^+ channel and cytosolic Ca^{2+} release, role of P_{2Y} purinoceptor linked to PTX-insensitive G protein in cerebral artery endothelial cells (bovine), **215,** 1022
  evoked responses in pheochromocytoma cells, inhibition by haloperidol (rat), **210,** 624
  extracellular
    effects on
      cytosolic free calcium via activation of P_{2u}-receptors in single human gastric mucous cells, **216,** 636
      NO synthase and tumor necrosis factor α mRNA levels in lipopolysaccharide-treated RAW 264.7 macrophages (mouse), **214,** 125
    increase of cytosolic free calcium by activation of P_{2u}-receptor in thyrocytes (human), **213,** 928
  hydrolysis, role in
    assembly of ClpA/ClpP complex in *Escherichia coli,* **217,** 41
    chloride pump activity (*Aplysia californica*), **215,** 994
  induction of dissociation of F-actin from hsp90 and from heavy meromyosin in presence of hsp90 (human), **211,** 166
  in *in vitro* assay of nuclear factor κB inhibitor IκBα inactivation, **215,** 292
  and thrombin, comparative effects on megakaryocyte (rat), **211,** 282
ATPase
  Ca^{2+}-
    inhibition by phospholamban hydrophilic domain: importance of assay method, **215,** 1067
    intestinal plasma membrane, vitamin D-dependent transcriptional regulation (chicken), **213,** 499
    from slow and fast skeletal muscle myofibrils, pH dependence: role of troponin (chicken), **207,** 585
  Ca^{2+},Mg^{2+}-
    activity *in vivo* in cortical and cerebellar synaptosomes, neuroactive steroid effects (rat), **212,** 178
    and Ca^{2+} influx in erythrocytes, relationship in patient with idiopathic hypercalciuria, **217,** 1099
    sarcoplasmic reticulum, inactivation by *N*-cyclohexyl-N′-(4-dimethylamino-α-naphthyl)carbodiimide, protective effects of Mg^{2+}-ADP, **207,** 293
  drug-stimulated activity of deletion mutant of human multidrug-resistance protein, **216,** 602
  F_1-
    mitochondrial, tryptophan phosphorescence study (bovine heart), **207,** 369
    oxidative inactivation by HOCl, associated subunit sites, determination (*Escherichia coli*), **212,** 868
  H^+-
    plasma membrane, effect of *Pseudomonas* pv. *syringae* phytotoxins, **214,** 118
    vacuolar-type
      specific inhibitors, induction of apoptosis in WEHI 231 cells (mouse), **212,** 255
      subunit A VA68 isoform, expression in osteoclasts (human), **214,** 1108
  H^+,K^+-, expression in Sf9 cells, stimulation by ethanol, **210,** 907
  K^+-, distribution in distal colon (rabbit), **207,** 1003
  Mg,Na,K-, effect of dietary fish oil (human erythrocyte), **213,** 881
  Na^+,K^+-
    α_1 and α_2 isoforms expressed in baculovirus-infected insect cells, oxidant sensitivities (rat), **207,** 155
    enzyme kinetics, effects of vanadium-diascorbates identified as endogenous ouabain-like factors (human urine), **213,** 289
    expression in cultured proximal tubule cells, effect of butyrate and transforming growth factor β (rabbit), **215,** 57
    subunit isoforms, characterization (duck salt gland), **216,** 1048
  of reconstituted bacterial ATP-binding cassette transporter for maltose, inhibition by vanadate and bafilomycin A_1, **216,** 589
ATP-binding cassette transporter
  reconstituted, for maltose, ATPase activity, inhibition by vanadate and bafilomycin A_1 (*Salmonella typhimurium*), **216,** 589
ATP-dependent protease Ti
  ClpA/ClpP complex, role of ATP hydrolysis in assembly (*Escherichia coli*), **217,** 41
ATPαS
  ^{35}S-labeled, binding to bovine cytochrome-c oxidase, analysis, **217,** 34
ATPγS
  extracellular, effects on cytosolic free calcium via activation of P_{2u}-receptors in single human gastric mucous cells, **216,** 636

Atrial natriuretic peptide
  binding by atrial natriuretic factor-dependent guanylate cyclase, regulation by ATP bimodal switch, **209,** 286
  local and systemic levels, relationship with reduction in β-adrenoceptor positive inotropic effects in transition from left ventricular hypertrophy to failure (rat), **206,** 814
Autoantigens
  in aneurysmal disease of abdominal aorta, homology to 36-kDa microfibril-associated bovine aortic glycoprotein (human), **213,** 40
  interferon-inducible, IFI 16, localization to nucleolus and identification of DNA-binding domain, **214,** 152
Autocamtide-2-related inhibitory peptide
  identification as specific and potent inhibitor of calmodulin-dependent protein kinase II, **212,** 806
Autocatalytic inactivation
  lysosomal cathepsins, association with inhibition of protein breakdown by insulin-like growth factor 1 in myotubes (mouse), **208,** 353
Autocrine motility factor receptor
  upstream region controlling transcription, identification (human), **212,** 727
Autographa californica nuclear polyhedrosis virus
  recombinant, infected High Five insect cells, expression of human serum α_2-2 Heremans-Schmid glycoprotein: natural inhibitor of insulin receptor tyrosine kinase, **208,** 879
Autoimmunity
  in celiac disease, calreticulin as target structure (human), **209,** 597
  mercuric chloride-induced, tissue injury in, role of nitric oxide (rat), **217,** 515
Autolysis
  primary site in subtilisin Asp-49 mutant protein, change, subsequent improvement in thermal stability, **207,** 20
Autophagy
  determination by measurement of phosphatase activity (*Saccharomyces cerevisiae*), **210,** 126
Autophosphorylation
  Ca^{2+}/calmodulin-dependent protein kinase lacking, characterization and semi-purification from rabbit heart, **211,** 562
  $P130^{gag\text{-}fps}$ *in vivo,* regulation by leucine zipper-like domain (3Y1 rat embryonic fibroblasts), **211,** 447
  protein kinase Cδ with GTP, **206,** 614
  Sky receptor tyrosine kinase in COS cells, **209,** 656
Autopoiesis
  in oleic acid/oleate vesicles with enzymatic RNA replication, **207,** 250
Autoxidation
  4-methylcatechol, as model for analysis of biosynthesis of copper amine oxidase quinonoid cofactor, **214,** 559
Avicelase
  inhibition by palladium (*Aspergillus niger*), **209,** 1046
Azide
  inhibition of enzymes associated with electrophilic metabolites, **212,** 834
8-Azido-ATP
  ^{32}P-labeled at γ position, binding to bovine cytochrome-c oxidase, analysis, **217,** 34
3″-Azido-3′-deoxythymidine, *see* Zidovudine
p-Azidoiodoacetanilide
  with greater cysteine specificity, synthesis, **217,** 1177
Azole antifungal compounds
  associated with formation of 14α-methylergosta-8,24(28)-dien-3β,6α-diol, mode of action and resistance to, **207,** 910
AZT, *see* Zidovudine

B

B23 protein
  –nucleophosmin, localization and oligomerization states, cell cycle phase-dependent changes (HeLa cells), **217,** 313
Bacillus cereus
  β-lactamase active site, cross-linkage of 4-alkoxy-2-azetidinone across, **206,** 577
Bacillus stearothermophilus
  farnesyl diphosphate synthase, catalaytic mechanism, role of Phe-220 and Gln-221, **212,** 681
Bacillus subtilis
  endoglucanase in family D, catalysis of stereoselective hydrolysis of *p*-nitrophenyl β-D-cellotrioside, **212,** 539
  fusidic acid resistance, conferral by depletion of small cytoplasmic RNA, **210,** 317
Bacillus thuringiensis
  CryIA crystal proteins, binding in resistant strains of *Plutella xylostella,* immunohistochemical detection, **212,** 388
  NT0423 strain, atypical crystal proteins, expression and synergistic effects, **214,** 602
Bacteria, *see also specific bacteria*
  gram-negative, coordinate up- and down-modulation of inducible nitric-oxide synthase, nitric oxide production, and tumoricidal activity in mononuclear phagocytes (rat), **211,** 183
  gram-negative and gram-positive, transformation by plasmid vector with *Acetobacter pasteurianus* replicon pAC1, **206,** 942
Bacteriophage M13
  coat protein, α-helical dimer, stabilization by engineered bridge in transmembrane, **206,** 230
Baculoviruses
  Bombyx mori nuclear polyhedrosis virus, mediated production of human growth hormone in silkworm larvae, **213,** 389
  infected insect cells
    high-level production and localization of bovine rod cGMP-gated cation channel subunit 1, **215,** 961
    interleukin-1 receptor-related T1 receptor high-level expression, **216,** 595
  –*Spodoptera frugiperda* cell system, expression of
    endothelial nitric-oxide synthase, heme requirement, **208,** 10
    heterodimer of *Xenopus laevis* bone morphogenetic protein subunits, **209,** 859
    monocyte chemoattractant protein-1 species with intact N-terminus, **206,** 955
    nitric-oxide synthase isoforms (human), **206,** 511
Bafilomycin A_1
  inhibition of
    apoptosis in WEHI 231 cells (mouse), **212,** 255
    ATPase activity of reconstituted bacterial ATP-binding cassette transporter for maltose, **216,** 589

Basement membrane
  human amnion as source, guinea pig epithelium cultured on, cell differentiation induction and polarity, **210,** 302
Basic fibroblast growth factor
  elevated levels during early hours of *in vitro* angiogenesis, detection with ELISA (bovine), **205,** 1423; *erratum,* **210,** 638
  induced angiogenesis, inhibition by interferon γ-inducible protein 10 *in vitro* and *in vivo* (bovine, rat), **210,** 51
  transcriptional regulation of collagenase gene (MC3T3-E1 cells), **214,** 331
Basic helix–loop–helix domain
  aromatic hydrocarbon receptor, cellular protein p45 interacting with, identification (mouse), **215,** 405
B cell antigen receptor
  IgM, antigens specifically incorporated by, and antigens nonspecifically incorporated by pinocytosis, presentation, effects of thiol-protease inhibitors, **210,** 324
B cell lineage-specific activator protein
  DNA binding sites, recognition by Ah receptor: mechanism for dioxin-mediated alteration of CD19 gene expression in B cells (human), **212,** 27
B cells
  anti-IgM-dependent MAP kinase and $p90^{rsk}$ activation, role of microfilament assembly (human), **209,** 1102
  CD19 gene expression, dioxin-mediated alteration: mechanism suggested by Ah receptor recognition of BSAP DNA binding sites (human), **212,** 27
  early lineage, proliferation, control by p53 via p21-(WAF1/CIP1)-independent pathway (mouse), **206,** 948
  and helper T cells, epitopes in HPV type 16 E2 protein recognizing, association with cytotoxic T cell epitopes (human), **209,** 541
  interleukin-4-induced and spontaneous growth, effect of interleukin-8: role of protein kinase C (human), **207,** 1044
  lipopolysaccharide-stimulated, lovastatin effects: inhibition of proliferation/differentiation and induction of apoptosis (mouse), **211,** 665
  MAP kinase activation and intracellular calcium increase, platelet-activating factor-induced, mediation by independent pathways (human), **209,** 1111
  peripheral, NAD concentration, decrease with HIV infection (human), **212,** 126
  Ramos, early gene signaling-dependent and -independent induction of apoptosis in, inhibition by Bcl-2 overexpression (human), **215,** 23
Bcl-2
  –bcl-x-s interactions, regions responsible for, mapping (human), **208,** 950
  down-regulated expression during transforming growth factor-β1-induced apoptotic cell death in cultured umbilical vein endothelial cells (human), **210,** 1076
  overexpression, inhibition of early gene signaling-dependent and -independent induction of apoptosis in Ramos B cells (human), **215,** 23
  related protein, combinatorial interaction: mapping of regions responsible for bcl-2/bcl-x-s interactions (human), **208,** 950
Bcl-6
  gene promoter region, characterization (human), **214,** 461
Bcl-x-s
  –bcl-2 interactions, regions responsible for, mapping (human), **208,** 950
BE40644
  and adult T cell leukemia-derived factor/thioredoxin, role in release of major basic protein from human eosinophils, **213,** 1140
Benzimidazoles
  and benzotriazoles, halogenated, selective inhibition of casein kinases CK1 and CK2 from yeast and mammalian sources, **208,** 418
  ligand-independent activation of aryl hydrocarbon receptor (rabbit hepatocytes), **209,** 474
Benzo[*a*]pyrene hydroxylase
  activation by CYP1A1, inhibition by dietary ellagic acid without alteration of CYP1A1 protein and mRNA levels, **201,** 1477; *erratum,* **207,** 1058
Benzotriazoles
  and benzimidazoles, halogenated, selective inhibition of casein kinases CK1 and CK2 from yeast and mammalian sources, **208,** 418
Benzoyl peroxide
  promotion of radiation-induced malignant transformation in C3H10T1/2 cells *in vitro* (mouse), **212,** 118
Benzyl isothiocyanate
  reversible conjugation with glutathione, catalysis by human glutathione transferases, **206,** 748
Benzyloxycarbonyl-Asp-$CH_2OC(O)$-2,6,-dichlorobenzene
  inhibiting interleukin-1β-converting enzyme, prevention of antitumor agent-induced apoptosis in U937 cells, **209,** 907
β cells
  alloxan cytotoxicity, protective effects of glucose (rat), **210,** 1
  electrical activity, effect of NO synthase (mouse), **210,** 914
  identification of phosphatidylinositol 3,4,5-trisphosphate (rat), **208,** 190
  intact, electrical activity and ion currents, effects of glucagon-like peptide-1 (mouse), **207,** 33
  interferon regulatory factor 1 mRNA induction and interleukin 1β-induced NO synthase expression, inhibition by nicotinamide (rat), **215,** 524
  MIN6, insulin secretion, inhibitory role of phosphatidylinositol 3-kinase, **214,** 51
  replication, histaminergic regulation (rat), **214,** 224
  βTC3, effects of insulin secretagogue gramicidin D, role of extracellular Ca^{2+} influx (mouse), **212,** 449
Betaine-aldehyde dehydrogenase
  identification of human aldehyde dehydrogenase E3 isozyme as same enzyme, **213,** 561
BHAP U90152
  and other HIV-1-specific non-nucleoside reverse transcriptase inhibitors, sensitivity/resistance profile of SIV containing HIV-1 RT gene, **211,** 850
Bile
  annexin VI secretion (human), **209,** 1039
Bile acids
  regulation of MHC I mRNA expression in hepatoma cells *in vitro* (human), **208,** 935

Bilirubin
  oxidation in endotoxin-treated rat, and synergistic *in vivo* action as physiological antioxidant with ascorbic acid, **214,** 11
Binding assays
  anti-V3 domain monoclonal antibodies to HIV-1-infected CEM cells, inhibitory effects of sulfated polysaccharides, **209,** 850
  Cu(II) and Ni(II) binding of neuromedin C via ATCUN motif, implications for central nervous system and cancer growth, **209,** 877
  interfacial binding of recombinant human lecithin–cholesterol acyltransferase, effect of surface pressure, **211,** 840
  XPA and ERCC1 DNA repair protein specific interaction in, and enhancement of XPA binding to damaged DNA by ERCC1 interaction, **211,** 960
Binding energy
  serine protease–protein inhibitor complexes, relationship to hydrophobic accessible surface areas, **206,** 497
Biochanin A
  as inhibitor of *P. testosteronii* β-hydroxysteroid dehydrogenase, **215,** 1137
Biosensors
  nitrite reductase electrode, electrochemical studies toward, **209,** 1018
Biotin
  transformation from dethiobiotin by highly purified biotin synthase in presence of photoreduced deazaflavin, **217,** 1231
Biotin synthase
  highly purified, transformation of dethiobiotin into biotin in presence of photoreduced deazaflavin (*Bacillus sphaericus*), **217,** 1231
Biradicals
  as ESR probes of conformations in model β-turn peptides, **213,** 439
1,1′-Bis(4-anilino-5-naphthalenesulfonic acid)
  in analysis of kinetics of acid-induced conformational change in influenza virus hemagglutinin, **206,** 355
N,N′-Bis(2-hydroxyperoxy-2-methoxyethyl)-1,4,5,8-naphthalene-tetra-carboxylic-diimide
  induction of protein oxidation in low-density lipoproteins, **206,** 138
Bisindolylmaleimide
  inhibition of TPA-induced increase in transepithelial paracellular permeability ($\mathrm{LLC\text{-}PK_1}$ cells), **209,** 669
Bisphenol A
  in vitro conversion to DNA-binding metabolite, **210,** 424
Bis(picolinato)oxovanadium(IV)
  insulin-mimetic activity after oral administration, **214,** 1095
Blastocidin S
  resistance gene, restriction enzyme-mediated integration, in isolation of cytokinesis mutants (*Dictyostelium discoideum*), **205,** 1808; *erratum,* **208,** 1181
Bleomycin
  functional model, cobalt complex, interaction with d(CGCA-ATTGCG)$_2$, 2D NMR analysis, **212,** 995
Blood, *see also* Plasma; Serum
  amyloid β-peptide, platelets as primary source (human), **213,** 96
  detection of hepatocellular carcinoma-associated gene transcription (human), **207,** 813
  hemoglobin M Boston and M Saskatoon oxidation states in, EPR studies (human), **210,** 483
Blood–brain barrier
  cell culture model: peptidyl-dipeptidase A-catalyzed metabolism of delta sleep-inducing peptide in cerebral microvessel endothelial cells (bovine), **210,** 987
Blood groups
  ABO locus
    A^{el} allele-specific nucleotide insertion at, detection using sequence-specific PCR (human), **216,** 642
    genomic cloning (human), **206,** 318; *erratum,* **211,** 347
Blood pressure
  central control, role of NO (rat), **206,** 77
BM180 protein
  immunological and partial sequence identity with wheat α-gliadin (mouse), **217,** 10
BODIPY, *see* Dipyrrometheneboron difluoride
Bombesin receptor antagonists
  nonpeptide, Kuwanon G and H, antagonistic profile (*Morus bombycis*), **213,** 594
Bone
  cathepsin K expression (human), **206,** 89
  ectopic
    formation by recombinant human bone morphogenetic protein-2, evaluation of atelopeptide type I collagen composites as carrier (rat), **208,** 316
    inducing activity of bone morphogenetic protein-4/7 heterodimer (*Xenopus*), **210,** 670
  mass, and osteoblast proliferation, amylin effects (adult mouse), **207,** 133
  non-collagenous proteins, characterization: identification of 60-kDa non-collagenous phosphoprotein (chicken), **208,** 863
  osteoclastic resorption
    effects of bone-specific estrogen-like compounds *in vitro* (rat), **216,** 662
    role of reactive oxygen intermediates, **207,** 280
  resorption and osteoclast-like cell differentiation, effects of recombinant human osteogenic protein-1 *in vitro* (rat), **209,** 433
Bone marrow
  induction by purified bone morphogenetic protein and recombinant human BMP-2, comparison (rat), **215,** 205
  macrophages
    activation, direct measurement with transgenic mouse expressing c-fos/lacZ fusion gene, **211,** 767
    induction of arginase by nitric oxide synthesis suppressors (mouse), **206,** 667
  mononuclear phagocytes, inducible nitric-oxide synthase, nitric oxide production, and tumoricidal activity, coordinate up- and down-modulation by lipopolysaccharide and gram-negative bacteria (rat), **211,** 183
  osteoclastogenesis and bone resorption, effects of recombinant human osteogenic protein-1 *in vitro* (rat), **209,** 433
  and plasma and peripheral blood neutrophils, 6- and 8-kDa precursors of human neutrophil peptides, isolation and sequence analysis, **211,** 1053
Bone marrow cells
  MSH3 gene expression, loss in hematological malignancies (human), **214,** 171

Bone marrow cells (*continued*)
  osteogenic differentiation induced by collagen matrix, effect of transforming growth factor β (bovine), **211,** 1091
Bone morphogenetic protein
  4/7 heterodimer, ectopic bone-inducing activity (*Xenopus laevis*), **210,** 670
  BMP-2
    and BMP, induction of bone marrow, comparison (human), **215,** 205
    recombinant human, ectopic osteoinduction in rat by, evaluation of atelopeptide type I collagen composites as carrier, **208,** 316
  and parathyroid hormone and calcitriol, differential responses in osteoblastic cell lines, **210,** 197
  and recombinant human BMP-2, induction of bone marrow, comparison (rat), **215,** 205
  subunit heterodimers, expression by baculovirus expression system (*Xenopus laevis*), **209,** 859
Bone morphogenetic protein receptor
  BMP-4, dominant negative, induction of neuralization in ectoderm (*Xenopus laevis*), **212,** 212
  type 2/4, genomic organization and chromosomal location (mouse), **206,** 310
  type II, truncated, induction of secondary axial structures in *Xenopus* embryos, **216,** 26
Bradykinin
  identification as natural inhibitor of CD13/aminopeptidase N, **208,** 664
  induction of tyrosine phosphorylation of EGF receptor and focal adhesion proteins in human keratinocytes, **210,** 774
  potentiation of acetylcholine-induced responses in native endothelial cells from rabbit aorta, **213,** 1061
Bradykinin B$_2$ receptor
  gene encoding, identification of polymorphic sites (human), **211,** 234
  gene organization, full length cDNA, and identification of regulatory region (human), **211,** 226
Brain, *see also specific regions*
  age-dependent changes of NO synthase (rat), **215,** 822
  aging *in vitro,* associated spontaneous alterations in synapsin I covalent structure (bovine), **212,** 442
  Alzheimer
    accumulation of modified amyloid β protein ending at position 42 or 40 with different solubility, **211,** 1015
    upregulation of O-linked *N*-acetylglucosamine, **213,** 424
  characterization, PIG-A promoter region and analysis of constitutive PIG-A gene expression (mouse), **215,** 497
  c-Met and hepatocyte growth factor mRNA expression in fetus and adult and activation of neuronal Ras (rat), **210,** 231
  developing
    apodystrophin and dystrophin splicing isoforms, PCR studies (human), **215,** 361
    associated 30-kDa heparin-binding protein, and differentiation enhancing factor of murine erythroleukemia cells, homology of molecular structure (rat), **210,** 82
  discrete areas, differential expression of myotonin protein kinase gene (human), **216,** 489
  distinct distributions of G-protein-activated potassium channel GIRK1, GIRK2, and GIRK3 mRNAs (mouse), **208,** 1166
  distribution of P-glycoprotein inhibitor rhodamine-123: ***in vivo*** microdialysis study in freely moving rat, **211,** 719
  expression of *BRE* gene after DNA damage and retinoic acid treatment (human), **206,** 764
  G protein γ_2 subunit, covalent structure, determination by mass spectrometry (bovine), **212,** 367
  and heart and testis, expression of heat shock factor 1 α and β isoforms (mouse), **211,** 943
  heme oxygenase activity, modulation by nitric oxide inhibitors and donors (rat), **214,** 1152
  high-affinity 42-kDa inositol 1,3,4,5-tetrakisphosphate receptor, species heterogeneity, analysis with peptide-specific antibodies (bovine, human, rat, sheep), **214,** 20
  ischemic, transcription factor binding activities, alteration (rat), **212,** 939
  and lymphocytes, in Huntington's disease, identification of abnormal gene product (human), **209,** 1119
  membrane fractions, binding to maxadilan (sand fly), **216,** 234
  microvessel endothelial cells, delta sleep-inducing peptide in, peptidyl-dipeptidase A-catalyzed metabolism: cell culture model of blood–brain barrier (bovine), **210,** 987
  Milan hypertensive rat, glucose transporter isoforms, analysis, **211,** 780
  mitochondria, nitric-oxide synthase, immunocytochemical localization (rat), **213,** 896
  mitochondrial translation and respiratory function in, age-associated changes (mouse), **217,** 668
  N-myristoyltransferases, differential activation by cytosolic activator NAF$_{45}$ (bovine), **212,** 580
  nerve terminals, interaction with nitric oxide, EPR analysis (rat), **212,** 404
  non-astrocytic tumors, occurrence of MTSI gene homozygous deletions (human), **211,** 404
  6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase isoenzyme catalytic core, cloning and expression (bovine), **209,** 1140
  postsynaptic density fraction, Fyn protein, *N*-methyl-D-aspartate receptor subunits ε1 and ε2 as substrates (rat), **216,** 582
  potassium channels Kv1.1, mammalian cell-expressed, temperature dependence (rat), **215,** 915
  primary cultures, astroglial cells in, adenosine-induced apoptosis (rat), **213,** 908
  regional expression of asialoglycoprotein receptor mRNA (rat), **210,** 138
  schizophrenic, abnormalities, platelet calcium mobilization and nitric-oxide synthase activity as reflection of, **212,** 375
  SH-PTP2 protein-tyrosine phosphatase localization and subcellular distribution (rat), **211,** 950
  soluble and membrane fractions, G25K-specific methylesterase activity (rabbit), **208,** 174
  synaptosomal membranes, binding to radiolabeled cannabinoid receptor ligand, effects of anandamide and 2-arachidonoylglycerol (rat), **215,** 89
  synaptosomes, high affinity choline uptake, role of cAMP in regulation (rat), **213,** 944
Brain-derived neurotrophic factor
  adenoviral vector expressing, construction and characterization (mouse), **212,** 712

Brain natriuretic peptide
- precursor ProBNP, amino-terminal portion, circulation in plasma (human), **214,** 1175

Breast cancer
- O^6-alkylguanine DNA alkyltransferase activity levels, comparison with normal and benign tissue (human), **208,** 688
- vitamin Q$_{10}$ therapy and regression of metastases, progress, **212,** 172

Brefeldin A
- resistance, multidrug resistance transporter conferring, characterization (*Schizosaccharomyces pombe*), **213,** 410

Brevican
- aggrecanase-related cleavage site in, identification and cDNA cloning (rat), **216,** 957

Bromelain
- cleaved influenza virus hemagglutinin, acid-induced conformational change, kinetic analysis with 1,1′-bis(4-anilino-5-naphthalenesulfonic acid), **206,** 355

8-Bromo-cyclic AMP
- regulation of soluble interleukin-6 receptor secretion by decidua, analysis (mouse), **211,** 1077
- treatment of N1E115 neuroblastoma cells, identification of rapidly dephosphorylating 95-kDa protein as elongation factor 2 during, **217,** 131

Bromodeoxyuridine
- induced cell adhesion, effect on decrease in actin gene expression in melanoma cells and melanocytes, **216,** 84

Bryostatin-1
- induction of release of TNFα from MONO-MAC-6 cells (human), **214,** 1197

BSAP, *see* B cell lineage-specific activator protein

Buffers
- systems, effects on Ca^{2+}-sensitive probing of intracellular calcium, **214,** 373

α-Bungarotoxin
- cDNA sequence analysis and expression (*Bungarus multicinctus*), **216,** 1088

Butyrate
- effect on Na,K-ATPase expression in cultured proximal tubule cells, **215,** 57

C

Ca^{2+}/calmodulin-dependent protein kinase
- lacking autophosphorylation activity, characterization and semipurification from rabbit heart, **211,** 562
- phosphorylation of synaptosomal membrane proteins *in vivo,* modulation by estradiol and pregnenolone sulfate (rat brain), **207,** 606

Ca^{2+}/calmodulin-dependent protein kinase I
- protein activator, purification and characterization (rat), **215,** 861

Ca^{2+}/calmodulin-dependent protein kinase Ia
- activation, role of direct phosphorylation by activator (rat brain), **210,** 631

Ca^{2+}/calmodulin-dependent protein kinase II
- role in angiotensin II- and potassium-mediated aldosterone secretion: inhibitory effects of KN-62, **209,** 916

Ca^{2+}/calmodulin-dependent protein kinase IV
- activated by CaM-kinase IV kinase, phosphorylation of CREB, **207,** 1038

Ca^{2+}/calmodulin-dependent protein kinase IV kinase
- Ca^{2+}/calmodulin-dependent protein kinase IV activated by, phosphorylation of CREB, **207,** 1038

Cactus protein
- effect of calcium (*Drosophila melanogaster*), **214,** 1191

Cadherins
- E
  - enhanced expression in cells expression epidermal growth factor receptor (mouse), **206,** 518
  - expression in hormone-responsive LNCaP prostate cancer cells, up-regulation by sex steroids (human), **212,** 624; *erratum,* **214,** 1269
  - peptide sequence, recognition by anti-E-cadherin antibody (rat), **211,** 21
- N, calcium-dependent proteolysis in heart, induction by elevated calcium level, analysis by detergent-treated model (dog), **217,** 649

Cadmium
- mediated heme oxygenase-1 and metallothionein IIA gene activation in HeLa cells, differential control, **207,** 160

Caerulein
- desensitization of pancreatic acinar cells, effects on inositol phosphate production (rat), **206,** 870

Caeruloplasmin, *see* Ferroxidase

Caffeine
- effect on thyrotropin-releasing hormone binding in GH4C1 pituitary cells, **210,** 726

Caged compounds
- L-leucyl-L-leucine methyl ester, with *trans-o*-hydroxycinnamoyl and *o*-nitrobenzyl groups, synthesis and cytotoxic activity, **213,** 652

Calcimycin
- induced apoptosis, effects on β-actin expression patterns in HL-60, U937, and WISH cell lines (human), **211,** 491
- induced secretion of type II 14-kDa phospholipase A$_2$ from neutrophils (human), **208,** 650
- inhibition of ACTH secretion from small cell lung cancer COR-L103 cells (human), **207,** 238
- resistant AR-7 cells, selection and partial characterization (human), **213,** 541
- stimulation of neutrophils *in vitro,* subsequent 5,15-dihydroxyeicosatetraenoic acid and lipoxin generation as asthma biomarker (human), **207,** 273

Calcineurin
- control of adenylyl cyclase, **214,** 1000
- role in regulation of glutamate release (rat cerebral cortex), **212,** 609

Calcineurin A
- binding to autoinhibitory domain, disruption *in vivo* by cyclosporin and FK506, role of immunophilins, **215,** 781

Calcitonin gene-related peptide receptor
- type 1, identity with orphan receptor RDC-1, **217,** 832

Calcitonin receptor
- related orphan receptor structure, identification by molecular cloning (human), **206,** 341

Calcitonin receptor (*continued*)
  type 1 and type 3, generation by alternative splicing and expression in human tumor cell lines and renal tissue, **209,** 744
Calcitriol
  control of C-cell carcinoma proliferation, role of c-myc, **213,** 922
  and growth factors, differential responses in osteoblastic cell lines, **210,** 197
  regulation of mycocardial growth and *c-myc* levels in rat heart, **213,** 59
Calcium
  acetylcholine-induced increase in native aortic endothelial cells, potentiation by bradykinin (rabbit), **213,** 1061
  ADP-ribose-induced release, effects of ATP and magnesium ions (sea urchin), **206,** 786
  calpain dissociation into subunits in presence of, **208,** 376
  and cAMP, second messenger role in morphological changes in megakaryocyte, comparison (rat), **211,** 282
  capacitative influx into platelets, resistance to nitric oxide (human), **212,** 90
  currents in neonatal rabbit heart, modulation by adenylyl cyclase integration of multiple G protein signals, **216,** 190
  cytosolic
    increase in platelets, induction by von Willebrand factor type IIB (human), **214,** 102
    levels in coronary arterial smooth muscle, and Ca^{2+} sensitivity, effects of adrenomedullin (pig), **212,** 572
    relationship to nitric oxide production in platelets, direct measurement, **215,** 842
    role in basal expression of tyrosine hydroxylase gene (rat), **206,** 659
  cytosolic free
    concentration in cultured enterocytes, effect of Ni^{2+} (human), **210,** 948; *erratum,* **214,** 1268
    extracellular ATP- and UTP-induced increase by activation of P$_{2u}$-receptor in thyrocytes (human), **213,** 928
    LPS-induced increase in neutrophils and endothelial cells, prevention by Kunitz-type trypsin inhibitor (human), **207,** 324
    mechanoreceptor-linked response in cultured smooth muscle cells, sensitizing effect of lysophosphatidic acid (guinea pig), **208,** 19
    in single human gastric mucous cells, extracellular nucleotide effects via activation of P$_{2u}$-receptors, **216,** 636
  cytosolic release, ATP effects, role of P$_{2Y}$ purinoceptor linked to PTX-insensitive G protein in cerebral artery endothelial cells (bovine), **215,** 1022
  dependent activation
    human erythrocyte membrane sodium permeability, by fluoride, **217,** 286
    skeletal muscle Ca^{2+} release channel, by calmodulin (rabbit), **213,** 1082
  dependent carbohydrate-binding protein, lymphocytic CD69 antigen identification as (human), **208,** 68
  depletion in endoplasmic reticulum, relation to glucose- and deoxyglucose-inhibited phosphatidylserine synthesis in Ehrlich ascites tumor cells (mouse), **207,** 300
  divalent ions, effect on α-crystallin chaperone-like activity against thermal denaturation of lens aldose reductase (bovine), **212,** 413
  effect on cactus protein and dorsal transcription factor (*Drosophila melanogaster*), **214,** 1191
  elevated cardiac levels, induction of calcium-dependent proteolysis of N-cadherin, analysis by detergent-treated model (dog), **217,** 649
  entry in neutrophils, stimulation by soluble cellular factor (human), **206,** 348; *erratum,* **208,** 1182
  extracellular
    induced release of Ca^{2+} from intracellular stores (chicken osteocytes), **212,** 692
    influx, role in action of insulin secretagogue gramicidin D (mouse), **212,** 449
    role in arginine vasopressin activation of Ca^{2+}-sensitive potassium channels in L6 skeletal myocytes, **217,** 1163
  G$_i$ protein-mediated influx in CHO cells, role in phospholipase A$_2$ activation by human endothelial receptor, **217,** 52
  gradients, and PIP$_2$ hydrolysis and IP$_3$ receptor availability, effects on progesterone-stimulated *Xenopus* oocyte maturation, **217,** 931
  induced oscillations in parathyroid cells (human), **215,** 903
  influx
    effect on dopamine β-hydroxylase gene expression in bovine chromaffin cells, **211,** 864
    in erythrocytes, and Ca^{2+},Mg^{2+}-ATPase, relationship in patient with idiopathic hypercalciuria, **217,** 1099
    PC C13 cells, α1B-adrenergic receptor-activated after noradrenaline-induced emptying of IP3-sensitive Ca^{2+} stores, role of protein-tyrosine kinase-phosphotyrosine phosphatase pathway, **209,** 630; *erratum,* **210,** 1083
    in vascular smooth muscle cells, glucocorticoid-induced, role of endothelin-1 autocrine production (rat), **208,** 82
  InsP$_3$-dependent signaling, sensitization via structural modification of voltage-dependent Ca^{2+} channel, role of Ca^{2+} channel β subunit (*Xenopus laevis*), **208,** 440
  intercellular concentration, and membrane potential, in islets of Langerhans during glucose challenge (mouse), **214,** 798
  intracellular
    cultured arterial smooth muscle cell membranes, effects of H$_2$O$_2$, **209,** 139
    depletion, induction of trans-plasma membrane chloride influx in lymphocytes via tyrosine-kinase-dependent mechanism (human), **211,** 432
    epidermal growth factor-induced release, and 2-deoxyglucose and 2-aminobutyric acid uptake, in EGFR T17 fibroblasts, effects of oleic acid, **207,** 105
    and gluconeogenesis, renal, effects of ATP activation of P$_{2Y}$ purinoceptors (rat), **211,** 454
    increase, and MAP kinase activation, induction by platelet-activating factor in B cells, mediation by independent pathways (human), **209,** 1111
    increase in peripheral blood mononuclear cells and Daudi lymphoma cells, mediation by L-selectin antibody FMC46 (human), **217,** 1145
    and ionic currents, ATP-evoked responses in PC12 cells, inhibition by haloperidol, **210,** 624
    measurement with Ca^{2+}-sensitive probes, effects of buffer system and magnesium concentration (human), **214,** 373
    and protein kinase C, role in high D-glucose-induced cell

cycle progression in vascular smooth muscle cells (rat), **211,** 619

- intracellular free, tracheal gland cells, dynamic changes induced by neutrophil elastase (human), **212,** 307
- intracellular overload, and hepatocyte killing, after iron-induced lipid peroxidation, prevention by Na$^+$/Ca^{2+} exchanger (rat), **208,** 813
- intracellular regulation, and β-adrenergic receptor function, analysis in cultured cardiomyocytes (mouse), **207,** 13
- intracellular release, and K$^+$ channel, in smooth muscle cells of cerebral arteries, dual effects of ATP (bovine), **215,** 1071
- ion binding, aequorin luminescence triggering by, **211,** 359
- mobilization
  - mitogen-induced, in murine mesangial cell line, inhibition by transforming growth factor β1, association with growth arrest, **210,** 378
  - in neuroblastoma cells, downregulation by pentoxifylline, role in PTX modulation of TNF-α-mediated differentiation (human), **211,** 1006
  - phospholipase C-independent, in AR42J pancreas cells, mediation by somatostatin receptor (rat), **214,** 81
  - in platelets, and nitric-oxide synthase activity, as reflection of abnormalities in schizophrenic brain, **212,** 375
- oscillations in pancreatic islet cells secreting glucagon and somatostatin (mouse), **208,** 644
- quantal release in permeabilized A7r5 cells, role of intrinsic activation of inositol trisphosphate receptor (rat), **209,** 451
- release from
  - intracellular stores in MC3T3-E1 preosteoblasts, effects of sphingosine derivatives (mouse), **214,** 676
  - mitochondria, induction, in nitric oxide stimulation of insulin secretion (INS-1 cells), **217,** 584
- responsiveness in cultured parathyroid cells, effect of decreased calcium receptor expression (bovine), **212,** 861
- signaling
  - in endothelial cells, induction by stable leukocyte-derived factor (human), **206,** 146
  - initiated by complement receptor type 1 crosslinking, mediation by phagocyte Fcγ receptors *in cis* (human), **209,** 1032
- –sodium exchanger, *see* Sodium–calcium exchanger
- spatial and temporal signaling in articular chondrocytes (pig), **215,** 129
- spontaneous waves in absence of contraction in cardiomyocytes (guinea pig), **214,** 781
- storage in endoplasmic reticulum, calreticulin as major protein for, identification (pea), **211,** 54
- uptake and content of platelet internal stores, reduction by endothelin-3 (human), **210,** 889

Calcium-binding protein
- histidine-rich, and triadin, identification as substrates of 60-kDa calmodulin-dependent protein kinase in junctional terminal cisternae of fast muscle sarcoplasmic reticulum (rabbit), **209,** 457

Calcium channel blockers
- L-type channel, functional modulation of ganglionic-like neuronal nicotinic acetylcholine receptors (human), **213,** 657
- N-type, ω-conotoxin MVIIA and GVIA, role of Tyr^{13} (chicken), **206,** 449

Calcium channels
- α_{1A} type, expressed in GH3 cells, modulation by G protein (rat), **215,** 302; *erratum,* **216,** 736
- cardiac Ca^{2+} release channels, heterogeneity as assessed by response to ADP-ribose (dog), **210,** 457
- cloned neuronal, modulation through membrane-delimited pathway, **208,** 485
- plasma membrane, and protein-tyrosine kinase, in spermatozoa, independent targeting by progesterone (human), **210,** 518
- P/Q-type, binding to ω-conotoxin MVIIC, role of Tyr^{13}, **214,** 305
- voltage-dependent
  - L-type, fetal gene expression pattern, reemergence in noninfarcted myocardium during left ventricular remodeling (rat), **216,** 892
  - skeletal muscle, α_1 and β subunit cDNA coexpression in murine Ltk$^-$ cells, association with increased α_1 protein in cell membrane, **211,** 921
  - structural modification, sensitization of InsP$_3$-dependent Ca^{2+} signaling via, role of calcium channel β subunit (*Xenopus* oocytes), **208,** 440
- voltage-operated currents in vascular smooth muscle cells, effect of pp60$^{c\text{-}src}$ protein (rabbit), **217,** 1039

Calcium currents
- in intact pancreatic β cells, modulation by glucagon-like peptide-1 (mouse), **207,** 33

Calcium pump, *see* ATPase, Ca^{2+}-

Calcium receptor
- decreased expression in parathyroid cells, effect on calcium responsiveness (bovine), **212,** 861

Calcium release channels, *see* Ryanodine receptor

Calcium-sensing receptor
- cDNA, molecular cloning (human kidney), **214,** 524

Calcium sensors
- neuronal family, regulation of rhodopsin phosphorylation (rat), **216,** 133

Calcyclin
- gene promoter, functional analysis in panel of melanoma cell lines (human), **213,** 1122

Caldesmon
- C-terminal region, interaction with caltropin (chicken smooth muscle), **209,** 12
- G-actin polymerization induced by, effect of caltropin (chicken), **213,** 349

Calmodulin
- association with estrogen receptor, effect on estradiol and DNA binding, **208,** 748
- binding, effect of phosphorylation of rat hepatic myosin I by protein kinase C, **216,** 90
- binding properties of estrogen receptor binding cyclophilin expressed in *Escherichia coli,* **209,** 117
- Ca^{2+}-dependent activation of rabbit skeletal muscle Ca^{2+} release channel, **213,** 1082
- encoding gene, insulin-stimulated expression in rat H-411E cells, inhibition by antisense oligonucleotides, **210,** 921
- functional interaction with glucocorticoid receptor, **208,** 48

Calmodulin (*continued*)
  inhibition by PACAP38 (bovine brain), **208,** 280
  role in induction of DNA polymerases α and δ in normal rat kidney cells activated to proliferate, **217,** 566
Calmodulin-dependent protein kinase
  60-kDa, in junctional terminal cisternae of fast twitch muscle sarcoplasmic reticulum, identification of triadin and histidine-rich Ca^{2+}-binding protein as substrates (rabbit), **209,** 457
Calmodulin-dependent protein kinase II
  role in ATP-activated chloride permeability in biliary epithelial cells (human), **208,** 457
  specific and potent inhibitor, identification (rat), **212,** 806
Calpain
  dissociation into subunits in presence of calcium ions (rabbit skeletal muscle), **208,** 376
  m- and -μ isoforms, reversible inactivation by nitric oxide (human, rat), **207,** 1009
Calpain inhibitors
  induced apoptosis in prostate adenocarcinoma cells (human), **214,** 1130
Calponin
  basic and acidic, molecular cloning and gene mapping (human), **217,** 238
  interactions with C-terminal part of actin (chicken), **206,** 127
  phosphorylation, mediation by protein kinase C in association with coronary artery contraction (pig), **208,** 397
Calreticulin
  identification as major calcium storage protein in endoplasmic reticulum (pea), **211,** 54
  as potential autoantigen in celiac disease (human), **209,** 597
Calsequestrin
  cardiac, binding to Zn^{2+} (rat), **209,** 310
Caltropin
  effect on caldesmon-induced polymerization of G-actin (chicken), **213,** 349
  interaction with smooth muscle caldesmon C-terminal region (chicken), **209,** 12
Calyculin A
  inhibition of neuronal differentiation of Neuro 2a cells, **216,** 291
Camptothecin
  induced apoptosis in U937 cells, prevention by aspartate-based inhibitor of interleukin-1β-converting enzyme, **209,** 907
Candida boidinii
  and tobacco cells, transgenic, synthesis and secretion of tobacco neutral PR-5 protein, **211,** 909
Cannabinoid receptor
  ligand, [^{3}H]CP55940, binding to synaptosomal membranes, effects of anandamide and 2-arachidonoylglycerol (rat), **215,** 89
Canthaxanthin
  biosynthesis, by conversion of methylene to keto groups in hydrocarbon β-carotene, ketolase for, encoding by single gene (*Agrobacterium aurantiacum, Alcaligenes* PC-1), **209,** 867
N-Carbamyl D-amino acids
  preparation with D-hydantoinase, **216,** 1095
Carbamylation
  inhibition of ferroxidase activity of caeruloplasmin (human), **214,** 1073
Carbamylcholine
  desensitization of pancreatic acinar cells, effects on inositol phosphate production (rat), **206,** 870
Carbohydrate-binding protein
  calcium-dependent, lymphocytic CD69 antigen identification as (human), **208,** 68
Carbohydrate composition
  serum transferrin isoforms from patients with high alcohol consumption, **210,** 267
Carbohydrate deficient glycoprotein syndrome
  derived fibroblasts, enzymes in mannose 6-phosphate synthesis from glucose, analysis (human), **208,** 517
Carbohydrates
  N-linked, β1-6 branching, association with *K-ras* mutation in carcinoma cell lines (human), **212,** 758
Carbon
  ^{13}C, distribution in trehalose, relationship to pentose cycling during glucogenesis from ^{13}C-labeled substrates (*Manduca sexta*), **212,** 813
  ^{13}C/^{12}C ratios, blood proteins, changes, in early detection of catabolic state (chicken), **212,** 719
Carbonic anhydrase
  refolding, aggregation during, effect of cyclodextrins, **211,** 60
Carbon monoxide
  stretch frequency in carbonmonoxymyoglobin, determination, role of electrostatic interactions (human), **212,** 159
Carbonmonoxymyoglobin
  carbon monoxide stretch frequency in, determination, role of electrostatic interactions (human), **212,** 159
Carboxylic acid
  prostaglandin E receptor EP3D agonist TEI-3356, interaction with arginine residue of seventh transmembrane domain of EP3D, role in selective coupling to multiple G proteins, **212,** 279
Carboxyl methylation
  role in GTPγS-induced pepsinogen secretion in gastric chief cells, **206,** 843
Carboxypeptidase Y
  mutant pro-sequences, misfolding induced by, discrimination by unfolded protein response element (yeast), **209,** 31
Carcinoembryonic antigen
  induction by rat liver ectoATPase cDNA lacking capacity to induce mercurial-insensitive ectoATPase in human hepatoma Li-7A cells treated by EGF and cholera toxin, **207,** 529
Cardiac hypertrophy
  effect on angiotensin II receptor content (mouse), **212,** 326
  left ventricular, transition to congestive heart failure, associated neurohumoral factors in Dahl salt-sensitive rat, **206,** 814
  salt-dependent, and preproendothelin-1 mRNA expression, inhibition by lacidipine in stroke-prone spontaneously hypertensive rat, **210,** 219
  and transition to heart failure, genes upregulated during, identification (rat), **209,** 527
Cardiomyocytes
  AT-1, β-adrenergic receptor function and associated calcium

  regulation *in vitro* (mouse), **207,** 13
  β-adrenergic agonist-induced arrhythmias, prevention and termination by free polyunsaturated fatty acids (neonatal rat), **208,** 629
  c-*fos* expression and activator protein-1 activity, effect of adrenomedullin (rat), **217,** 211
  cultured, essential fatty acid metabolism in, effect of n-3 and n-6 supplementation (rat), **216,** 11
  cyclical mechanical stretch in cultured cells, regulation of cardiac myosin heavy chain genes (human), **210,** 567
  effect of antisense oligonucleotides to cardiac Na^+/Ca^{2+} exchanger (rat), **212,** 524
  expression of angiotensinogen gene *in vivo,* induction by cyclical mechanical stretch (rat), **211,** 241
  intact, cGMP-mediated phospholamban phosphorylation (rat), **214,** 75
  mitochondrial activity, effect of cytokine-stimulated nitric oxide production (rat), **213,** 1002
  spontaneous Ca^{2+} waves without contraction (guinea pig), **214,** 781
  thyrotropin receptor identification (mouse), **211,** 426
  ventricular, Glut4 gene expression, insulin-dependent regulation (rat), **213,** 533
Cardiomyopathy
  dilated, basal level multiple mtDNA deletions in affected patients, identification by whole mitochondrial genome amplification, **210,** 211
  maternally inherited, mtDNA point mutation in, description (human), **213,** 588
  mitochondrial, severe, genotype and phenotype analysis in recipient of heart transplantation (human), **207,** 613
Cardiotoxin III
  detection of molten globule-like state (Taiwan cobra), **207,** 536
Cardiotoxins
  and cobratoxin, sequence comparison and computer modelling (Tawain cobra), **206,** 22
Cardiovascular disease
  associated C^{1166} variant of angiotensin II type 1 receptor, molecular assay (human), **213,** 725
Carnitine
  metabolism in neural cells, effect of γ-aminobutyric acid (rat), **213,** 383
  role in shuttling propionyl-CoA from peroxisomes to mitochondria (human), **213,** 1035
β-Carotene
  conversion of methylene to keto groups in, by single gene, in canthaxanthin biosynthesis in *E. coli* transformants (*Agrobacterium aurantiacum, Alcaligenes*), **209,** 867
Cartilage
  articular, metalloprotease enzymes in, modulation by NO (bovine, human), **206,** 15
  nasal, in culture, collagen fragment release from, effect of interleukin 1 and oncostatin M (bovine), **215,** 377
Casein kinase
  with elevated activity in human cytomegalovirus-transformed cells, identification, **207,** 740
  substrate recognition, residues implicated in, mapping, **206,** 171
Casein kinase-1
  and CK2, halogenated, from yeast and mammalian sources, selective inhibition by benzimidazoles and benzotriazoles, **208,** 418
Casein kinase-2
  and CK1, halogenated, from yeast and mammalian sources, selective inhibition by benzimidazoles and benzotriazoles, **208,** 418
Castanospermine
  derivative MDL 28,574, antiviral activity and metabolism in cells infected with HSV-2 (human, monkey), **208,** 267
Castle's intrinsic factor
  and transcobalamin I and II, genomic structure comparison (human), **208,** 756
CAT, *see* Chloramphenicol acetyltransferase
Catabolic state
  early detection via change in $^{13}C/^{12}C$ ratios of blood proteins (chicken), **212,** 719
Catabolism
  skeletal muscle, enhancement by interleukin-6-induced lysosomal cathepsin activity (mouse), **207,** 168
Catalase
  overexpression, effect on tumor necrosis factor- and phorbol 12-myristate 13-acetate-induced NF-κB activation in COS-1 cells, **210,** 537
Cataracts
  diabetic, lens capsule secondary structures in, effect of diabetic duration (human), **216,** 183
Catecholamines
  calcium-dependent secretion from permeabilized chromaffin cells, inhibition by anti-syntaxin antibodies (mouse), **206,** 1
  induced stress *in vitro,* thyroid hormone receptor subtype mRNA levels during, downregulation by amidiarone in murine AT-1 cardiomyocytes, **211,** 991
Catechol 2,3-dioxygenase
  gene cloning and sequencing (*Alcaligenes* sp. KF711), **208,** 943
  and salicylate 1-monooxygenase, genes encoding, cloning from *Pseudomonas putida* KF715 chromosomal DNA and sequencing of intergenic sequences, **211,** 382
Catechol oxidase
  associated with electrophilic metabolites, inhibition by azide, **212,** 834
  mushroom, catalyzed oxidation of 4-allylcatechol, quinone–quinone methide tautomerism during, evidence, **213,** 469
β-Catenin
  and plakoglobin, association with c-*erb*B-2 gene product (human), **208,** 1067
Cathepsin B
  and cathepsin L and Ras protein, physical association in conditioned medium of v-Ha-*ras*-transformed NIH 3T3 cells, **216,** 828
  lysosomal
    activation by interleukin-6, effect on skeletal muscle catabolism (mouse), **207,** 168
    autocatalytic inactivation, association with inhibition of protein breakdown by insulin-like growth factor-1 in myotubes (mouse), **208,** 353
Cathepsin D
  glycosylphosphatidylinositol-anchored, localization and processing (CHO cells), **211,** 935

Cathepsin K
  cDNA, molecular cloning (human), **206,** 89
Cathepsin L
  and cathepsin B and Ras protein, physical association in conditioned medium of v-Ha-*ras*-transformed NIH 3T3 cells, **216,** 828
  characterization and cloning (*Schistosoma japonicum*), **217,** 1
  lysosomal
    activation by interleukin-6, effect on skeletal muscle catabolism (mouse), **207,** 168
    autocatalytic inactivation, association with inhibition of protein breakdown by insulin-like growth factor-1 in myotubes (mouse), **208,** 353
Cation channels
  cGMP-gated, subunit 1, high-level production and localization in baculovirus-infected insect cells and *Saccharomyces cerevisiae* (bovine rod), **215,** 961
Caveolae
  in mouse neuroblastoma N2A cells, association with cellular isoform of prion protein PrP^C, **210,** 753
CCAAT/enhancer-binding protein
  expression in adipose tissue of genetically obese Zucker rat, **207,** 761
CCAAT/enhancer-binding protein α
  encoding gene, molecular cloning, sequence, and expression patterns (human), **215,** 106
CCK receptor, *see* Cholecystokinin receptor
*Cdc*2-related protein kinase
  cDNA cloning from endothelial cells (human), **208,** 562
Celiac disease
  calreticulin, identification as potential autoantigen (human), **209,** 597
Cell adhesion
  bromodeoxyuridine-induced, effect on decrease in actin gene expression in melanoma cells and melanocytes (mouse), **216,** 84
  leukocytes to endothelium, effects of contrast agents (human), **212,** 776
  macrophages, augmentation by oxidation of mesangial matrix with mixed-function oxidase system: role of macrophage scavenger receptors (rat), **212,** 63
  mediated signaling to DNA synthesis, on BRL cells, regulation by tyrosine phosphorylation/dephosphorylation (rat), **214,** 856
  melanoma cells to laminin, modulation by galectin-1 (human), **209,** 760
  and migration, osteoblast-like cells in three-dimensional porous polymer matrices (rat), **213,** 639
  neutrophils to human umbilical vein endothelial cells via E-selectin, induction by lipoteichoic acid, **217,** 1208
  to substrates, effects of 3-aminobenzamide, in protection of cells from UV-B-induced apoptosis (human, mouse), **207,** 715
Cell adhesion molecules
  C-CAM, encoding by rat liver ectoATPase cDNA, **207,** 529
  endothelial, aortic, tumor necrosis factor-induced gene expression, inhibition by alkoxybenzo[b]thiophene-2-carboxamide (human), **214,** 6
  ICAM-1
    antibodies to, protection of kidney against severe ischemic reperfusion injury (rat), **211,** 67
    expression in hepatocytes after dissociation of cell-to-cell contact (rat), **214,** 1225
    and selectins, mRNA, differential induction in hepatic cells during endotoxemia (rat), **211,** 74
  ICAM-1 and VCAM-1, expression in vascular endothelial cells, effects of shear stress (human), **206,** 988
  L1 and CD24, and α6 integrin, adhesive hierarchy in neuroblastoma N2A cells (mouse), **214,** 94
  VCAM-1, expression
    cytokine-induced, in glomerular mesangial cells, mediation by nuclear factor κB (rat), **206,** 462
    in endothelial cells, inhibition by type IV collagen (human), **214,** 1163
    on primary cultured hepatocytes, induction by tumor necrosis factor α, interleukin 1β (mouse), **209,** 335
Cell adhesion protein
  peroxinectin, purification and characterization (crayfish blood), **216,** 1079
Cell cultures
  fibroblast, density, effects on activity, abundance, and phosphorylation of Na^+/H^+ exchanger isoform 1 (human), **209,** 191
  βTC3 insulinoma cells, oxygen consumption rates, effect of entrapment in alginate (mouse), **210,** 113
Cell cycle
  arrest in aortic smooth muscle cells, effect of p53 gene expression by adenovirus vector (human), **215,** 446
  associated transient sequences in hepatic replicating DNA after *N*-methyl-*N*-nitrosourea administration (rat), **208,** 506
  dependent 350-kDa nuclear protein: C-terminal domain sufficient for nuclear localization (human), **212,** 220
  dependent modulation of EGF receptor-mediated signaling in human A431 epidermoid carcinoma cells, **208,** 253
  G_1, vascular smooth muscle cells, stimulation to S and M phases by high D-glucose (rat), **211,** 619
  G_1 phase checkpoint, p53-dependent, GM1492 human diploid dermal fibroblasts defective in, **217,** 769
  G_1/G_2, synchronized pituitary cells, apoptosis, induction by somatostatin analog SMS 201-995 (mouse), **209,** 400
  G_1 and G_2/M, arrest at, induction by low-level oxidative stress in CHO cells, **210,** 189
  and mating response, effect of lithium (*Saccharomyces cerevisiae*), **206,** 401
  phase-dependent changes of nucleophosmin/B23 localization and oligomerization states (HeLa cells), **217,** 313
  progression, effect of antisense HMG2 RNA, **210,** 1045
Cell death
  in glucocorticoid-treated thymocytes, effect of oxygen tension (rat), **212,** 300
  oxidative stress-induced, in neurons *in vitro,* protection by 17β-estradiol (murine HT22 cells), **216,** 473
  programmed, *see* Apoptosis
Cell differentiation, *see* Differentiation
Cell division
  embryonic cleavage cycle, oscillation of inositol polyphosphates (*Xenopus laevis* embryo), **206,** 775
  inhibitor SulA, interaction with FtsZ via GTP hydrolysis (*Escherichia coli*), **209,** 198

- Cell growth
  - arrest, modulation of transmembrane protein-tyrosine phosphatase mRNA expression in 3T3 fibroblasts (mouse), **209,** 614
  - B cells, interleukin-4-induced and spontaneous, effect of interleukin-8: role of protein kinase C (human), **207,** 1044
  - C6-glial cells, rate, modulation by transfection with human 5-HT_{1D} receptor genes (rat), **214,** 639
  - fibroblast, suppression by necdin (mouse), **213,** 317
  - follicular epithelial cells, androgen-induced, mediation via insulin-like growth factor I from dermal papilla cells (human), **212,** 988
  - mesangial cell line, arrest by transforming growth factor β1, association with inhibition of mitogen-induced Ca^{2+} mobilization (murine kidney), **210,** 378
  - murine 3T3 fibroblasts, regulation of protein-tyrosine-phosphatase PTP35 expression during, **217,** 154
  - osteoblasts, role of auto-/paracrine IGF I and IGF II (rat), **212,** 242
  - *Saccharomyces cerevisiae,* regulation of DNA binding activity in heme-dependent region of upstream activation sequence 6, **216,** 458
  - simian virus 40 T antigen-immortalized keratinocytes, temperature-induced restriction, effect of human papillomavirus 11 E5a, **217,** 712
  - small hepatocytes isolated from adult rat liver, **214,** 310
  - and transformation, mutant insulin-like growth factor I receptors as dominant negatives for, **214,** 475
  - vascular smooth muscle cells, inhibition by prostacyclin synthase overexpression (human), **216,** 862
- Cell lines
  - 32Dmpl, myeloid precursor, protein tyrosine phosphorylation in, induction by thrombopoietin and interleukin 3, comparison (mouse), **214,** 424
  - AS52 (Chinese hamster ovary), genotoxicity, induction by furocoumarin hydroperoxides upon UVA irradiation, **216,** 693
  - AtT-20, proglucagon processing, role of prohormone convertases PC1 and PC2, **207,** 646
  - Ba/F3, growth-promoting signals, transduction by high-affinity chimeric human GM–CSF receptor carrying β subunit cytoplasmic domain, **208,** 368
  - BH21, human cytomegalovirus-transformed, casein kinase with elevated activity in, identification, **207,** 740
  - C2C12 (myogenic), dystrophin mRNA, effect of exposure to dibutyrl cAMP (mouse), **210,** 654
  - CHO (Chinese hamster ovary), *see* CHO cells
  - cytoplasmic hybrid, analysis of mtDNA mutations associated with Leber's hereditary optic neuropathy (human), **210,** 880
  - ES, double gene-converted, mutant mouse production by selection with puromycin and neomycin, **213,** 130
  - hematopoietic, cultured, intracellular K^+ homeostasis, regulatory role of interleukin-3 (mouse), **214,** 348
  - Hep3B, altered redox states, effect on expression and DNA-binding activity of hypoxia-inducible factor 1, **212,** 550
  - High-Five
    - baculovirus-mediated expression human serum α_2-2 Heremans-Schmid glycoprotein: natural inhibitor of insulin receptor tyrosine kinase, **208,** 879
    - interleukin-1 receptor-related T1 receptor high-level expression, **216,** 595
  - L6, cultured, glycogen synthase kinase-3, effect of insulin (rat), **210,** 738
  - LMTK, connective tissue, α_4 gene expression, role of regulatory element in 5′ untranslated region (mouse), **211,** 115
  - MC3T3-E1, osteoblastic, transcriptional regulation of collagenase gene by bFGF (mouse), **214,** 331
  - MONO-MAC-6, release of tumor necrosis factor α, induction by bryostatin-1 (human), **214,** 1197
  - Neuro 2a, neuronal differentiation, induction by lactacystin and inhibition by calyculin A and okadaic acid, **216,** 291
  - NR6, and derived cell lines, expressing epidermal growth factor receptor, enhanced expression of E-cadherin (mouse), **206,** 518
  - OB (osteoblast-like), insulin-like growth factor-1 transcript levels, effects of transforming growth factor β and forskolin (human), **207,** 963
  - pancreatic, AR42J, phospholipase C-independent Ca^{2+} mobilization, mediation by somatostatin receptor (rat), **214,** 81
  - Sf9 (*Spodoptera frugiperda)*
    - baculovirus-infected
      - expression of heterodimer of *Xenopus laevis* bone morphogenetic protein subunits, **209,** 859
      - expression of monocyte chemoattractant protein-1 with intact N-terminus, **206,** 955
      - functional expression of nitric-oxide synthase isoforms (human), **206,** 511
      - high-level production and localization of bovine rod cGMP-gated cation channel subunit 1, **215,** 961
      - interleukin-1 receptor-related T1 receptor high-level expression, **216,** 595
      - Na^+/K^+-ATPase α_1 and α_2 isoforms expressed in, oxidant sensitivities, **207,** 155
      - recombinant CD4 endocytosis after phorbol ester treatment, **207,** 411
    - H^+,K^+-ATPase expression, stimulation by ethanol, **210,** 907
  - Sf21 (*Spodoptera frugiperda*), baculovirus-infected
    - interleukin-1 receptor-related T1 receptor high-level expression, **216,** 595
    - production of endothelial nitric-oxide synthase, heme requirement, **208,** 10
  - SPGM-1 pre-B cell, lineage switch to macrophage-like cells after incubation with phorbol ester and calcium ionophore (mouse), **216,** 540
  - STC-1, neuroendocrine, secretion of cholecystokinin, effect of galanin (mouse), **216,** 20
  - WISH, hydrogen peroxide-exposed, nuclear translocation of hsp70 and DNA damage during, time-course correlation (human), **206,** 548
- Cell migration
  - and adherence, osteoblast-like cells in three-dimensional porous polymer matrices (rat), **213,** 639
- Cellobiohydrolase I
  - inhibition by palladium (*Trichoderma reesei*), **209,** 1046
- Cellobiohydrolase II
  - inhibitory effects of palladium (*Aspergillus niger*), **209,** 1046

Cell proliferation
- B cells
  - early lineage, control by p53 via p21(WAF1/CIP1)-independent pathway (mouse), **206,** 948
  - lipopolysaccharide-stimulated, inhibition by lovastatin (mouse), **211,** 665
- breast cancer cell lines MCF-7 and T47D, inhibition kievitone, comparison with genistein (human), **211,** 600
- C-cell carcinoma cells, control by 1,25-dihydroxyvitamin D_3, role of c-myc, **213,** 922
- cytotoxic T cells, suppression by ISP-1/myriocin via modulation of sphingolipid metabolism, identification of serine palmitoyltransferase as primary target (mouse), **211,** 396
- endothelial, after vascular injury, induction by vascular endothelial growth factor (rat), **207,** 348
- epithelial cells
  - gastric mucosal, effect of long-term omeprazole treatment (rat), **214,** 861
  - normal airway, stimulation by endothelin-1 (pig), **212,** 953
- fibroblasts
  - 3T3-F442A, induction by transforming growth factor β (mouse), **216,** 964
  - cultured wound, effects of platelet-derived growth factor isoforms AA, AB, and BB (human), **209,** 393
  - role of preproenkephalin A gene, antisense vector analysis, **214,** 530
- hepatocytes, periportal and pericentral, differential responses to hepatocyte growth factor (rat), **207,** 578
- leukemic cells with t(8;21), inhibitory effects of ribozymes against AML1/MTG8 fusion transcript (human), **215,** 431
- lymphocytes, chromium(III)-induced abnormalities: evidence of apoptosis (human), **210,** 434
- and mediator release, mast cell, nitric oxide effects and role of cyclic nucleotides (rat), **210,** 507
- normal rat kidney cells activated to, induction of DNA polymerases α and δ in, role of calmodulin, **217,** 566
- oligoclonal, HTLV-I-infected lymphocytes in virus-induced arthropathy lesions, **208,** 1040
- osteoblasts, and bone mass, amylin effects (adult mouse), **207,** 133
- ovarian carcinoma, inhibition by liposome–plasmid complexes (human), **207,** 492
- uterine stromal cells, effect of docosahexaenoic acid (rat), **207,** 1015
- vascular smooth muscle cells, effect of antisense oligonucleotides to nuclear factor κB p65 subunit (human), **213,** 827

Cell sorting
- aggregation- and concentration-dependent, exocrine-regulated secretory proteins (rat), **215,** 82

Cell surface
- lactosaminyl glycans, enzymatic analysis by flow cytometry (human erythrocyte), **215,** 30

Cell surface receptor
- CD44, binding to hyaluronate, dependence on splicing and cell type, **214,** 137

Cell swelling
- sodium-mediated, association with irreversible damage in isolated hepatocytes exposed to hypoxia or mitochondrial toxins (rat), **206,** 180

Cellular receptor
- on adipocyte precursors in primary culture, epidermal growth factor binding to, inhibition by prostaglandin $F_{2\alpha}$ (rat), **212,** 1125

Cellulase
- inhibition by palladium (*Trichoderma reesei*), **209,** 1046

Centchroman
- effects on osteoclastic bone resorption *in vitro,* **216,** 662

Central nervous system
- implications of Cu(II) and Ni(II) binding by neuromedin C via ATCUN motif, **209,** 877

Centrin
- detection in *Giardia*, **214,** 597

Ceramide
- induced internucleosomal DNA fragmentation in U937 cells, inhibition by herbimycin A (human), **212,** 640
- signaling pathway, role in tumor necrosis factor α effect on tyrosine phosphorylation of 23-kDa nuclear protein in U937 cells (human), **215,** 489

C-erB-2 protein
- cancers overexpressing, construction of chimeric antibody with therapeutic potential for, **211,** 792

C-erbB-2 protein
- association with β-catenin and plakoglobin (human), **208,** 1067

Cerebellar cells
- ST15A, platelet-derived growth factor β receptor promoter activity (rat), **210,** 165

Cerebral cortex
- DNA fragmentation, production by HIV-1 gp120 (rat), **211,** 130
- homogenates, protein and lipid components, β amyloid peptide binding, effect of aggregation state (rat), **207,** 209
- isolated cells, carnitine metabolism, effect of γ-aminobutyric acid (rat), **213,** 383
- synaptosomal glutamate release, regulatory role of calcineurin (rat), **212,** 609

Cerebrospinal fluid
- β-amyloid precursor protein and β-amyloid peptide levels, age-related correlation (human), **210,** 345
- anesthetized rat, circadian variations in prostaglandins D_2, E_2, and $F_{2\alpha}$, **213,** 625

Ceruloplasmin, *see* Ferroxidase

CFTR, *see* Cystic fibrosis transmembrane conductance regulator

Channeling behavior
- acetohydroxy acid synthase at physiological substrate levels, model (*Escherichia coli* K-12), **207,** 48

Chaperone cross-reacting protein
- 40-kDa, crossreacting with prokaryotic hsp60/chaperonins, identification (human), **208,** 697

Chaperones
- activity in α-crystallin, and photodegradation of tryptophan residues, correlation (rabbit), **212,** 900
- α-crystallin-like activity, against thermal denaturation of lens aldose reductase: effect of divalent metal ions (bovine lens), **212,** 413
- function, for apotyrosine, role of MelC1 protein histidine residues 102 and 117 (*Streptomyces*), **214,** 447

  human neuroendocrine protein 7B2, role in *in vitro* folding of human insulin-like growth factor I secreted by yeast, **211,** 417
  related function of α-crystallins, effects of
    diabetes (rat), **212,** 184
    oxidation, mixed disulfide formation, and glycation (bovine, human), **208,** 675
Chaperonin 10
  and MHC class I and II peptide binding cleft, sequence and structural homologies (*Mycobacterium tuberculosis*), **211,** 14
Chaperonins, *see also* Cochaperonins
  cytosolic, subunit TRiC-P5, expression at two-cell stage in embryo (mouse), **216,** 279
  DnaK/DnaJ, supplementation, effect on periplasmic production of human granulocyte colony-stimulating factor in *Escherichia coli,* **210,** 524
  GroEL, binding by bovine adrenodoxin, **210,** 1001
  –hsp60 proteins, bacterial, 40-kDa human protein cross-reacting with, identification, **208,** 697
Chemoattractant receptor
  complement C5a, inhibition of cAMP accumulation through G_i and G_z proteins (human), **208,** 223
Chemokine receptor
  BLR2/EBI1, expression, transactivation by Epstein–Barr virus nuclear antigen 2 (human), **215,** 737
Chemokines
  multiple CC, high affinity binding of cytomegalovirus US28 protein (human), **211,** 325
Chemotaxis
  endothelial cells, and angiogenesis, *in vitro* inhibition by interferon γ-inducible protein 10 (bovine), **210,** 51
  mast cells in presence of RANTES (human), **209,** 316
  neutrophils, potent attractant activity of peptides from aminoterminus of mouse mitochondrially encoded NADH dehydrogenase subunit 1 (rabbit), **211,** 812
  phosphatidylinositol 3-kinase-dependent and -independent, human neutrophil leukocytes, **217,** 1255
  T cells, induction by peptides from RANTES amino terminus (human), **211,** 100
Chenodeoxycholic acid, *see* Chenodiol
Chenodiol
  induction of low-density lipoprotein receptor in HepG2 cells, molecular mechanism (human), **208,** 405
  regulation of MHC I mRNA expression in hepatoma cells *in vitro* (human), **208,** 935
Chief cells
  gastric, GTPγS-induced pepsinogen secretion, role of carboxyl methylation and low-molecular-weight GTP-binding protein translocation (guinea pig), **206,** 843
Chimeras
  PQQ glucose dehydrogenase, for elucidation of region responsible for EDTA tolerance (*Acinetobacter calcoaceticus, Escherichia coli*), **211,** 268
Chimeric receptor
  with insulin receptor juxtamembrane region linked to LDL receptor extracellular domain, endocytosis, **211,** 714
Chloral hydrate
  metabolism by murine heptic microsomes, formation of malondialdehyde-modified 2′-deoxyguanosinyl adduct by, **216,** 1110
Chloramphenicol acetyltransferase
  –human (3.3 kb) haptoglobin transgene, modulation by inflammation in lungs of transgenic mouse, **208,** 309
Chloride
  ATP-activated permeability in biliary epithelial cells, role of calmodulin-dependent protein kinase II (human), **208,** 457
  cytosolic, efflux, mediation by progesterone durine sperm acrosome reaction (human), **213,** 774
  trans-plasma membrane influx in lymphocytes, induction by depletion of $[\mathrm{Ca}^{2+}]_i$ stores via tyrosine-kinase-dependent mechanism (human), **211,** 432
Chloride channels
  brown adipocyte plasma membranes, role in mediation of α_1-adrenergic depolarization (mouse), **211,** 639
  and potassium channels, sarcolemmal, in normal and myotonic muscle, analysis in lipid-supplemented vesicles (mouse), **213,** 513
  in tracheal epithelial cells, effect of pH changes (bovine), **215,** 355
Chloride conductance regulatory protein
  $\mathrm{pI}_{\mathrm{Cln}}$, ocular ciliary epithelial, cloning (human), **208,** 89
Chloride pump
  intracellular regulation of transport activity (*Aplysia californica*), **215,** 994
2-Chloroadenosine
  induction of astroglial cell apoptosis in rat cerebral primary cultures, **213,** 908
Chlorodicarbanonaborates
  inhibition of mitochondrial L-glycerol-3-phosphate dehydrogenase, **210,** 760
Chlorogenic acid
  effect on *Escherichia coli* killing by hypochlorous acid, **217,** 972
CHO cells
  angiotensin I-converting enzyme-transfected, in analysis of catalytic properties of active sites on cell surface, **211,** 528
  cell cycle-specific arrest, induction by low-level oxidative stress, **210,** 189
  CHO-B11, gene-specific DNA repair, effects of AZT and 2′,3′-dideoxycytidine, **208,** 198
  CHO K1
    expression of P450 2E1 with short half-life (rabbit), **206,** 601
    recombinant domain I of mouse perlecan expressed in, formation of chondroitin/dermatan sulfate and heparan sulfate, **211,** 262
  electropermeabilized, long-lived macropinocytosis in, **208,** 26
  E-selectin expressed on, binding by polylactosaminolipids in normal leukocytes and myelocytic leukemia HL60 cells: myeloglycan, **209,** 777
  glycosylphosphatidylinositol-anchored cathepsin D, localization and processing, **211,** 935
  growth inhibitory effects on, mediation by high- and low-affinity alimentary cholecystokinin receptor states, **213,** 44
  human epidermal growth factor receptor-expressing, EGF-induced activation of 70-kDa S6 kinase, **209,** 131
  human interleukin-4 receptor expressed in, characterization, and role of N-linked oligosaccharides in structure and function, **206,** 694
  insulin–insulin receptor complex internalization, effect of Ser for Cys mutation in extracellular portion of insulin receptor β subunit, **210,** 931

CHO cells (*continued*)
  insulin receptor B isoform endocytic function, role of GPLY amino acid sequence, **209,** 730
  low-level oxidative stress in, sites and mechanisms, **206,** 421
  MAP-kinase activation, role of protein kinase C isoforms, **210,** 639
  multidrug-resistant, verapamil-resistant mutants, selection and characterization, **209,** 497
  overexpressing dominant negative 85-kDa subunit of phosphoinositide 3-kinase, insulin-induced p70 S6 kinase activation, **208,** 735
  platelet-activating factor receptor-expressing, PAF-stimulated phospholipase D activation, role of protein kinase Cα, **214,** 418
  proteolytic release of angiotensin-converting enzyme expressed in, effect of phorbol ester, **206,** 541
  very-low-density lipoprotein receptor overexpression, effects on lipid accumulation and foam cell formation, **206,** 835
Cholecystokinin
  cholecystokinin A receptor N-terminal region essential for high affinity interaction with, identification (human), **213,** 845
  cyclic analog pentapeptide cyclo(Asp–Trp–Met–Asp–Phe), conformational analysis, **213,** 506
  secretion in STC-1 cells, effect of galanin (mouse), **216,** 20
Cholecystokinin receptor
  A type
    gene expression, associated congenital defect, animal model, **210,** 787
    gene structure (rat), **213,** 958
    N-terminal region essential for high affinity interaction with agonist CCK, identification (human), **213,** 845
  alimentary, high- and low-affinity states, mediation of specific growth inhibitory effects on CHO cells, **213,** 44
  B type
    antagonist omeprazole, effects on pepsinogen-producing cells during long-term treatment (rat), **210,** 400; retraction, **212,** 718
    gene expression, associated congenital defect, animal model, **210,** 787
  CCK-B–gastrin receptor, truncated isoform, generation by alternative usage of exon 1b (human), **208,** 230
  high-affinity, functional GTP-binding proteins coupled to, regulatory site, identification on G_q protein G_β subunit in pancreatic acini (rat), **211,** 648
Cholera toxin
  stimulation of carcinoembryonic antigen gene expression in human hepatoma Li-7A cells, **207,** 529
Cholestasis
  chronic conditions, effect on hepatocellular metabolism of 4-hydroxy-2,3-nonenal (rat), **214,** 669
Cholesterol
  accumulation in endothelial cells after malondialdehyde modification of high-density lipoprotein (rat liver), **212,** 1
  biosynthesis, and protein isoprenylation, in mammalian cells, role of farnesol (monkey, rat), **211,** 590; *erratum,* **213,** 1148
  effect of sensitivity of lipid bilayers to melittin, **211,** 312
  intracellular metabolism in peritoneal macrophages from spontaneously hypertensive stroke-prone and normotensive rat, **211,** 547
  and related intermediates, from [^{3}H]farnesol metabolism *in vivo* (rat eye), **210,** 695
Cholesterol 7α-hydroxylase
  and sterol 27-hydroxylase, hepatic expression, differential effects of cholic acid and cholestyramine (rabbit), **216,** 868
Cholesterol oxidase
  stereospecific catalysis of isomerization via one active site base (*Brevibacterium sterolicum*), **206,** 688
Cholestyramine
  and cholic acid, differential effects on cholesterol 7α-hydroxylase and sterol 27-hydroxylase hepatic expression, **216,** 868
Cholic acid
  and cholestyramine, differential effects on cholesterol 7α-hydroxylase and sterol 27-hydroxylase hepatic expression, **216,** 868
  regulation of MHC I mRNA expression in hepatoma cells *in vitro* (human), **208,** 935
  sensitivity of *dnaA* mutant phenotypes (*Escherichia coli*), **212,** 84
Choline
  high affinity uptake by cerebral synaptosome, role of cAMP in regulation (rat), **213,** 944
Choline phosphate
  and ethanolamine, synergistic potentiating effects on insulin-induced DNA synthesis in NIH 3T3 fibroblasts (mouse), **213,** 980
Chondrocytes
  articular
    αB-crystallin constitutive expression (bovine), **208,** 742
    spatial and temporal Ca^{2+} signaling (pig), **215,** 129
Chondrodysplasia
  Schmid metaphyseal, collagen X in, C-terminal noncollagenous domain, mutation substituting tryptophan with arginine, **217,** 1157
Chondrogenesis
  limb bud cells *in vitro,* promotion by fullerene C60 (rat), **206,** 885
  limb bud mesenchymal cells
    in vitro, concurrent cAMP-induced phosphorylation of 40-kDa nuclear protein (chicken), **212,** 16
    protein kinase C isozymes required for, expression (chicken), **216,** 1034
Chondroitin sulfate
  –dermatan sulfate, and heparan sulfate, formation on recombinant domain I of mouse perlecan expressed in CHO K1 cells, **211,** 262
Chromaffin cells
  dopamine β-hydroxylase gene expression, effect of Ca^{2+} influx (bovine), **211,** 864
  permeabilized, calcium-dependent catecholamine secretion from, inhibition by anti-syntaxin antibodies (mouse), **206,** 1
Chromaffin granules
  aspartic proteinase, processing of recombinant proopiomelanocortin, **215,** 937
Chromatin
  active, associated tyrosine kinase, phosphorylation of tyrosine residues of RNA polymerase II and other nuclear proteins (hamster), **209,** 356

Chromatography, *see also specific techniques*
  in definition of thyroid transcription factor-1 homeodomain DNA binding specificity, **213,** 781
  metal chelate, in purification of recombinant human aldolase B, **206,** 902
Chromium
  Cr(III), induced abnormalities in human lymphocyte proliferation: evidence of apoptosis, **210,** 434
  Cr(V) formation from Cr(VI) in living plants, low-frequency electron paramagnetic resonance study, **206,** 829
Chromophores
  C1027, as enediyne antitumor antibiotic
    induction of apoptosis in HL-60 cells (human), **208,** 238
    RNA cleavage: high selectivity to anticodon arm, **208,** 168
Chromosomal protein
  HMG2, antisense RNA, effect on cell cycle progression, **210,** 1045
Chromosomes
  1
    q21 region, *YL*-1 cDNA, isolation and cloning of mouse homologue encoding nuclear protein with DNA-binding ability (human), **208,** 999
    q31–32.1 region, linkage mapping of adenosine A_1 receptor DNA with silent polymorphism in coding region (human), **214,** 614
  1, 5, 7, and 13, loss of heterozygosity, detection in hepatoma by systematic genome-wide scanning with RLGS genetic map (mouse), **212,** 632
  5
    assignment of histamine H_2 receptor (human), **211,** 570
    spinal muscular atrophy region on, multiple transcribed sequences from, identification, **206,** 294
  6, melanoma metastasis inhibition after introduction into cells, mechanism (human), **208,** 476
  6p21, fine mapping of meprin gene *MEP1A* (human), **216,** 630
  11q13, from multiple symmetric lipomatosis and multiple endocrine neoplasia type-1-associated lipomas, RFLP analysis, **207,** 363
  12q12–q13, localization of anti-Müllerian hormone type II receptor gene (human), **215,** 1029
  14q32 region, bradykinin B_2 receptor gene localization (human), **211,** 226
  21q22.3, assignment of folate transporter gene by somatic cell hybrid analysis and *in situ* hybridization (human), **210,** 874
  bone morphogenetic protein-2/4 type I receptor genes, location and genomic organization (mouse), **206,** 310
  telomere repeat fragments, size, effect on uterine leiomyoma growth potential (human), **211,** 175
  telomere shortening, detection in liver affected with chronic cirrhosis and hepatitis (human), **211,** 33
Chylomicrons
  –prothrombin complexes, induced platelet activation, role of platelet factor Xa (rat), **208,** 765
Chymotrypsin
  and thioesterase, related activity, detection in *Vibrio mimicus* arylesterase, **213,** 475
Cilia
  membrane, depolarization, effect on ciliary beat frequency (sheep), **215,** 1014
Circadian variations
  prostaglandins D_2, E_2, and $F_{2\alpha}$ in cerebrospinal fluid of anesthetized rat, **213,** 625
Circular dichroism
  ferric cytochrome P450 enzymes, hydrogen-bonding effects, **211,** 389
Cirrhosis
  chronic, detection of telomere shortening in affected liver (human), **211,** 33
cis-acting elements
  in apolipoprotein B-100 gene first nontranslated exon, identification (human), **215,** 394
  modulating transcription of distal aldolase A promoter, characterization (human), **216,** 69
Cisplatin
  resistance, effect of γ-glutamylcysteine synthetase gene overexpression (SBC-3 cell), **216,** 258
cis-regulatory elements
  in promoter region of renal kallikrein gene, comparison in normotensive and hypertensive rats, **217,** 113
C-jun protein
  hepatic epithelial cells overexpressing, transformation, correlation with insulin-like growth factor-induced c-jun phosphorylation (rat), **217,** 501
Cleavage
  DNA
    to large kilobase pair fragments in necrosis, **207,** 40
    by N-phosphoryl histidine, **213,** 875
  nucleotide-selective, duplex DNA by nitric oxide, **211,** 748
  p220 by poliovirus $2A^{pro}$ expression in mammalian cells, effect on vaccinia virus, **215,** 928
  proteolytic, activity of HCV serine proteinase, bacterial expression and analysis with recombinant and synthetic substrate, **210,** 1059
  ribozyme-mediated, full-length interleukin 6 mRNA, *in vitro* effect of NCp7 (human), **214,** 36
Cleavage sites
  aggrecanase-related, in brevican, identification and cDNA cloning (rat), **216,** 957
  detection in fibrinogen Aα after *in vivo* degradation (human), **215,** 896
  in HIV gp160, structural analysis and characterization by human furin and PC1, **213,** 356
Cloning
  solid-phase subtractive technique, in isolation of candidate genes for macular degeneration (monkey), **213,** 181
Clorine transport
  Na^+-independent anion exchanger-mediated, effects of acid pH in neuroblastoma cells (mouse), **207,** 375
Clostridium botulinum
  strain AB, neurotoxin type A and B, genetic structure, **213,** 737
Clotting
  role of major hemolymph lipoproteins (crayfish), **216,** 939
C-Met
  and hepatocyte growth factor, mRNA expression in fetal and adult brain (rat), **210,** 231
  mRNA, expression in vascular tissues (rat), **215,** 483

- C-Myc
  - associated genes, coexpression pattern in small cell lung cancer cell line with high steady state c-Myc transcription, **213,** 789
- C-Myc (*continued*)
  - role in 1,25-dihydroxyvitamin D_3 control of C-cell carcinoma proliferation, **213,** 922
- Cobalt
  - complex of bleomycin functional model, interaction with d$(CGCAATTGCG)_2$, 2D NMR analysis, **212,** 995
  - and Mn^{2+}, dependent form of protein phosphatase 2A, identification (bovine heart), **208,** 274
- Cobratoxins
  - and cardiotoxin, sequence comparison and computer modelling (Tawain cobra), **206,** 22
- Cocaine
  - ethanol esterification to, catalysis by fatty acid ethyl ester synthase (human tissues), **208,** 549
- Cochaperonins
  - identification as histone-binding proteins (rat), **206,** 260
- Cochlea
  - identification of P2xR1 purinoceptor subunit short form produced by alternative splicing (rat), **212,** 501
- Codeine
  - endogenous, plasma levels, effects of fasting (rat), **207,** 312
- Codons
  - terminating, reticulocytes from α-thalassemia patients with, detection of second elongated α2-globin mRNA, **214,** 1184
- Coelenterolysin
  - self/nonself selectivity, molecular basis (*Phymactis clematis*), **216,** 348
- Coelomocytes
  - mitochondrial mass and membrane potential, flow cytometric studies in single intact cells (earthworm), **214,** 503
- Coenzyme Q_{10}
  - protective effect on cultured skeletal muscle cell injury by continuous electric field stimulation, **216,** 1006
  - therapy for breast cancer, and associated regression of metastases, progress, **212,** 172
- Collagenase
  - in articular cartilage, modulation by NO (bovine, human), **206,** 15
  - encoding gene, transcriptional regulation by bFGF (MC3T3-E1 cells), **214,** 331
  - fibroblast, peptide substrates, interaction with divalent cations (human), **215,** 474
  - stabilization by site-directed mutagenesis (human), **216,** 329
- Collagen matrix
  - induced osteogenic differentiation of bone marrow cells, effect of transforming growth factor β (bovine), **211,** 1091
- Collagens
  - apical, with fibronectin, and Matrigel and fibrin, effects on human endothelial cell differentiation, comparison, **213,** 630
  - atelopeptide type I, composites, evaluation as carrier for ectopic osteoinduction in rat by recombinant human bone morphogenetic protein-2 (porcine skin), **208,** 316
  - binding site, identification of dipeptidyl-peptidase IV cysteine-rich region as, **217,** 341
  - corneal, lysyl oxidase-mediated crosslinking in diabetes, and related biochemical changes, **214,** 793
  - fragments, release from nasal cartilage in culture, effect of interleukin 1 and oncostatin M (bovine), **215,** 377
  - gene expression in cultured wound fibroblasts, effects of platelet-derived growth factor isoforms AA, AB, and BB (human), **209,** 393
  - onco-fetal/laminin-binding, from colon carcinoma, sequence analysis (human), **207,** 852
  - platelet adhesion to, inhibitor from Argasid tick *Ornithodoros moubata,* characterization, **208,** 532
  - pro-α-1, gene upregulation during cardiac hypertrophy and transition to heart failure (rat), **209,** 527
  - remodeling in experimental pulmonary hypertension, role of endothelin-1 (rat), **215,** 981
  - synthesis by cultured mesangial cells, nitric oxide effects (rat), **207,** 120
  - type I, IV, and V, HeLa cell adhesion to, inhibition by antibody to human α1β1 integrin antibody, **209,** 205
  - type IV, inhibition of vascular cell adhesion molecule-1 expression in endothelial cells (human), **214,** 1163
  - type VI, Kunitz-type module, expression, purification, and characterization (chicken), **215,** 1050
  - type x, C-terminal noncollagenous domain, in Schmid metaphyseal chondrodysplasia, mutation substituting tryptophan with arginine, **217,** 1157
- Colon
  - distal, K^+-ATPase distribution (rabbit), **207,** 1003
  - and rectum, cytochrome P450 mRNA expression (human), **210,** 350
  - and small intestine, immunohistochemical localization of guanylin (rat), **209,** 803
- Colony-stimulating factor, *see* Granulocyte colony-stimulating factor; Granulocyte–macrophage colony-stimulating factor
- Colony-stimulating factor 1 receptor
  - ligand-induced polyubiquitination, **213,** 32
- Compactin
  - stimulation of protein kinase C in vascular smooth muscle cells, **217,** 459
- Complement
  - C10, multivalent binding to amyloid β-peptide, effect on nucleation phase of Aβ aggregation, **217,** 869
  - dependent lysis of influenza virus-infected cells, mediation by serum mannose-binding lectin, **217,** 1128
- Complementary DNA
  - 21-kDa protein, nucleotide and primary sequence homology to elongation factor 1β′ (rice endosperm), **209,** 1026
  - 190-kDa insulin receptor substrate-1-like protein, cloning (COS cell), **216,** 321
  - activin β_C chain, cloning and sequencing (human liver), **206,** 608
  - activin βD, cloning and functional analysis (*Xenopus laevis*), **210,** 581
  - adenosine deaminase, mutagenesis *in vitro* to pentostatin-resistant form (human), **209,** 407
  - adrenoleukodystrophy protein, transfection into ALD fibroblast, effect on peroxisomal β-oxidation (human), **210,** 830
  - aggrecanase-like cleavage site, cloning and identification in brevican (rat), **216,** 957
  - basic and acidic calponins, molecular cloning and gene mapping (human), **217,** 238

bradykinin B_2 receptor, genomic organization, sequence, and identification of regulatory region (human), **211,** 226
brain-specific G protein gamma subunit, characterization (mouse), **216,** 126
α-bungarotoxin, sequence analysis and expression (*Bungarus multicinctus*), **216,** 1088
cardiac C-protein isoform, cloning, sequencing, and expression (*Ambystoma mexicanum*), **213,** 225; *erratum,* **215,** 791
Ca^{2+}-sensing receptor, molecular cloning (human kidney), **214,** 524
CCK-B/gastrin receptor, truncated isoform, generation by alternative usage of exon 1b (human), **208,** 230
cdc2-related protein kinase, full length sequence, cloning from endothelial cells (human), **208,** 562
cerebral glycine-, glutamate-, and thienylcyclohexylpiperidine-binding protein, cloning, **216,** 390
cerebral insulin receptor, sequence analysis (human), **217,** 304
chloride conductance regulatory protein pI_{Cln}, cloning (human ocular ciliary epithelium), **208,** 89
α-crystallin, sequence analysis (frog), **210,** 974
αβ-crystallin, sequence homology and evolutionary comparison with heat shock proteins (frog), **216,** 881
ρ-crystallin, cloning and sequencing: aldo-keto reductase family member (frog), **214,** 1079
cystathionine β-synthase, isolation, sequencing, and tissue expression (human), **211,** 826
cytochrome P450
  2D subfamily-associated, cloning and sequencing (rat brain), **209,** 535
  2E1, evidence of two forms based on polyadenylation signals (human), **209,** 717
  4f subfamily, cloning (rat brain), **217,** 1137
cytosolic platelet-activating factor acetylhydrolase γ-subunit, cloning (human), **214,** 180
ectoATPase, detection of induction of carcinoembryonic antigen but not mercurial-insensitive ectoATPase in human hepatoma Li-7A cells treated by EGF and cholera toxin (rat liver), **207,** 529
endothelin-converting enzyme
  cloning and functional expression (human), **207,** 807
  in endothelin-2-producing renal adenocarcinoma cells, cloning and sequencing (human), **208,** 721
fibrinogenolytic protease, characterization (*Trimeresurus mucrosquamatus*), **216,** 223
folate transporter, molecular cloning (human placenta), **206,** 681
β-galactoside α2,6-sialyltransferase, colon cancer cell transfection with, in establishment of cell lines permanently expressing α2,6-sialylated sugar chains (rat), **211,** 554
γ-glutamylcysteine synthetase light subunit, cloning and sequencing (human liver), **206,** 584
G-protein-activated potassium channel GIRK1, molecular cloning and sequencing (murine brain), **208,** 1166
hepatic library, molecular cloning of human lanosterol synthase gene, **213,** 154
HS1 protein, molecular cloning and characterization (mouse), **208,** 1137
insulin-like growth factor binding protein-2, antisense construct, effect on growth after transfection into intestinal epithelial cells, **211,** 707
keratin 16 type I, cloning and bacterial expression (human), **215,** 517
lebocin, cloning and nucleotide sequence (*Bombyx mori*), **214,** 271
lysosome-associated membrane protein-2B, nucleotide sequence (human), **215,** 757
macrophage inflammatory protein-1α in alveolar macrophages, isolation and sequencing (rat), **211,** 289
Mal d 1, cloning, sequencing, and immunological relationship to Bet v 1 allergen from birch (apple), **214,** 538
molt-inhibiting hormone, putative, cloning and sequence analysis (*Callinectes sapidus*), **209,** 1126
monocarboxylate transporter, intestinal, cloning and functional characterization (rat), **217,** 370
nitric-oxide synthase isoforms, functional expression in baculovirus-infected insect cells (human), **206,** 511
Nrf 2 gene coding for p45 NF-E2-related transcription factor, cloning (mouse), **209,** 40
obese gene
  cloning and expression (rat), **209,** 944
  nucleotide sequence (rat), **211,** 469
oligomycin sensitivity conferring protein, functional expression in *Saccharomyces cerevisiae,* **207,** 943
μ-opioid receptor from peritoneal macrophages, cloning and sequencing (rat), **209,** 563
P_{2Y} purinoceptors, isolation and characterization (mouse, rat), **211,** 211
p40 regulatory subunit of 26S proteasome, cloning (human hepatoblastoma cells), **210,** 600
peroxinectin, characterization (crayfish blood), **216,** 1079
pez, encoding protein tyrosine phosphatase- and ezrin-like domains, isolation and characterization (human), **209,** 959
6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase cDNA, brain-specific, cloning and expression (bovine), **209,** 1140
phospholipase C-δ1, role of putative EF-hand motif, analysis by deletion and site-directed mutagenesis, **211,** 364
platelet phenolsulfotransferases, cloning, sequencing, and expression in V79 cells (human), **208,** 855
polymorphic tandem repeats in dopamine D4 receptors, prevalence in primate species, **207,** 467
pregnancy-specific glycoprotein splice variants, characterization (human), **211,** 656
profilin, high-level expression in *Escherichia coli* (birch pollen), **215,** 250
protein phosphatase 2A catalytic subunit isoforms, molecular cloning and expression (*Xenopus laevis*), **215,** 666
pterin-4α-carbinolamine dehydratase, nucleotide sequence (human), **210,** 966
Rab 26, molecular cloning (rat pancreas), **207,** 950
RAC-protein kinase γ, cloning and characterization (rat), **216,** 526
rhodanese, cloning, sequencing, and recombinant protein expression (mouse), **216,** 1101
ribosomal proteins S21, L39, L7, and L18a, characterization (rat), **213,** 1042
secretin receptor, cloning and functional characterization (human), **212,** 204
SEZ-6 protein, cloning and characterization, **216,** 382

Complementary DNA (*continued*)
- S/G_2 nuclear antigen with WD-40 motifs, isolation and sequencing (human), **207,** 1029
- skeletal muscle voltage-dependent calcium channel α_1 and β subunits, coexpression in murine Ltk$^-$ cells, association with increased α_1 protein in cell membrane, **211,** 921
- steroidogenic acute regulatory protein, molecular cloning and *in vivo* expression (bovine), **215,** 646
- *syk* protein tyrosine kinase, and transcripts and protein, molecular characterization (mouse), **213,** 273
- synaphin, cloning, and tissue and subcellular distribution (bovine), **213,** 1107
- testis-specific, luteinizing hormone β-subunit, isolation and characterization (rat), **210,** 858
- truncated thrombopoietin variants, characterization (mouse), **213,** 1091
- uridine phosphorylase, cloning and expression (human), **216,** 265
- vasoactive intestinal peptide-2 receptor, cloning and functional characterization (human), **209,** 385
- vasopressin receptor V1B, cloning and characterization (rat), **212,** 751
- xanthine dehydrogenase, cloning and tissue expression (human liver), **199,** 998; *erratum,* **215,** 429
- *YL*-1, isolation on chromosome 1q21, and cloning of mouse homologue encoding nuclear protein with DNA-binding ability (human), **208,** 999
- zona pellucida glycoprotein ZP1, cloning and genomic organization (pig), **207,** 790; *erratum,* **214,** 754

Complement receptor
- C5a, chemoattractant, inhibition of cAMP accumulation through G_i and G_z proteins (human), **208,** 223
- CR1, crosslinking, calcium signaling initiated by, mediation by phagocyte Fcγ receptor *in cis* (human), **209,** 1032

Complex I
- mitochondrial respiratory chain
  - 24-kDa iron-sulfur subunit nuclear gene NDUFV2, structural organization and chromosomal localization (human), **216,** 771
  - deficiency, role of Leber hereditary optic neuropathy-associated mtDNA mutation ND6*14,484C (human), **215,** 1001

Compound A
- sevoflurane-derived, nephrotoxicity, role of glutathione and cysteine conjugate formation and renal cysteine conjugate β-lyase (rat), **210,** 498

Concanamycin A
- inhibition of apoptosis in WEHI 231 cells (mouse), **212,** 255

Concentration
- dependent sorting of exocrine-regulated secretory proteins (rat), **215,** 82

Conformation, *see also* Molecular structure
- cyclic cholecystokinin analog pentapeptide cyclo(Asp–Trp–Met–Asp–Phe), **213,** 506
- deltorphin analogues, **207,** 99
- DNA-directed RNA polymerase C-terminus tandem repeat sequence, **206,** 981
- gramicidin A all Trp→Phe replacement in model membranes, HPLC analysis, **209,** 466
- model β-turn peptides, biradicals as ESR probes for, **213,** 439
- neuromedin C, effect of membranes, **214,** 663
- 2-phospho-D-glycerate, correlation with proposed mechanism of enolase action, **211,** 607

ω-Conotoxin
- MVIIA and GVIA, N-type calcium channel blocking function, role of Tyr^{13} (chicken), **206,** 449
- MVIIC
  - binding to P/Q-type Ca^{2+} channel, role of Tyr^{13}, **214,** 305
  - solution structure, NMR study, **207,** 695

Consensus primers
- reverse-transcription PCR with, in homology cloning of GTP cyclohydrolase I from unrelated eukaryotes, **212,** 705

Conservation
- actin ATP/ADP binding domains in nucleosome complexed with histone H1 and HMG-17, **212,** 509

Contraction
- coronary artery, associated protein kinase C-mediated phosphorylation of calponin (pig), **208,** 397
- phasic myometrial, agonist-stimulated, effects of 2,5-di(*tert*-butyl)-1,4-hydroquinone (rat), **207,** 891
- smooth muscle, phospholipase A_2-activating protein-induced, mediation by protein kinase C/MAP kinase cascade (rabbit), **217,** 203

Contrast agents
- nonionic, thrombotic effects on human endothelium, **212,** 776

Copper
- binding to N-terminal tandem repeat regions of mammalian and avian prion protein
  - mass spectroscopic analysis, **207,** 621
  - structural studies with synthetic peptides, **214,** 993
- Cu(II)
  - blockade of nuclear factor NFκB activation via inhibition of signal-induced phosphorylation of inhibitory protein IκBα, **216,** 568
  - complexes with CuN_4 configurations, L-band EPR spectra, **216,** 154
- ^{63}Cu and ^{65}Cu, cytochrome ba_3 Cu_A fragment prepared with, EPR properties (*Thermus thermophilus*), **212,** 77
- incorporation into ceruloplasmin in Golgi apparatus of LEC hepatocytes (rat), **209,** 349; *erratum,* **211,** 348
- induced lipid oxidation in unfractionated plasma: pre-oxidation lag as measure of oxidation resistance (human), **216,** 854
- mediated low-density lipoprotein oxidation
  - PGF_2-isoprostanes formed during, cross-reaction with prostaglandin E_2 antibodies, **206,** 455
  - protective effect of ginkgo biloba extract EGb 761 (human), **212,** 360
- reduction, subsequent breaking of active site dimetal cluster in Cu,Co-superoxide dismutase, polarized absorption spectral analysis, **210,** 1040

Copper amine oxidase, *see* Amine oxidase (copper-containing)

Corticotropin
- and melanocortin, encoding on distinct genes in lamprey, **213,** 490

Corticotropin-releasing factor
- induced biogenic amine release from molluscan hemocytes, effects of preincubation with cytokines (*Planobarius corneus, Viviparus ater*), **207,** 288

Corticotropin-releasing factor receptor
  type II, alternatively spliced, stably expressed in LLCPK-1 cells, coupling to G proteins (pig), **212,** 1015
Cortisol
  induced conformational changes in mineralocorticoid receptor, analysis by protease mapping (human), **215,** 286
Coumarin
  –BODIPY couple resonance energy transfer couple, characterization and application to analysis of protein–lipid interactions, **207,** 508
C-protein
  cardiac isoform, cloning, sequencing, and expression (*Ambystoma mexicanum*), **213,** 225; *erratum,* **215,** 791
Crabtree effect
  relation to glucose- and deoxyglucose-inhibited phosphatidylserine synthesis in Ehrlich ascites tumor cells (mouse), **207,** 300
C-Raf-1 protein
  aminoterminus, peptide from, inhibition of c-Raf-1/Ras binding, **206,** 46
C-reactive protein
  effect on phosphatidylcholine hydrolysis (rat), **208,** 1046
Cre recombinase
  gene expression in adenovirus vector, regulation by CAG promoter, **217,** 393
Crithidia fasciculata
  mitochondrial ribosomal RNA, close *in vivo* association with protein, **211,** 892
Crosslinking
  lysyl oxidase-mediated, corneal collagen in diabetes, related biochemical changes, **214,** 793
CryIA toxins
  domain III exchanges, effect on binding to different gypsy moth midgut receptors (*Bacillus thuringiensis*), **216,** 306
Crystallin
  enzyme, *see* Enzyme crystallin
α-Crystallin
  αB subunit, constitutive expression in cultured bovine articular chondrocytes, **208,** 742
  cDNA, sequence analysis and deduced primary structure (frog), **210,** 974
  chaperone function, effect of diabetes (rat), **212,** 184
  molecular chaperone property, effects of oxidation, mixed disulfide formation, and glycation (bovine, human), **208,** 675
  photodegradation of tryptophan residues and attenuation of molecular chaperone activity in, correlation (rabbit), **212,** 900
  related molecular chaperone activity, against thermal denaturation of lens aldose reductase: effect of divalent metal ions (bovine lens), **212,** 413
αβ-Crystallin
  cDNA, sequence homology and evolutionary comparison with heat shock proteins (frog), **216,** 881
β-Crystallin
  major basic, sequence analysis: relatedness between β- and γ-crystallins (*Rana catesbeiana*), **217,** 940
γ-Crystallin
  and β-crystallin, relatedness: sequencing of major basic β-crystallin from amphibian lens, **217,** 940
ρ-Crystallin
  cDNA cloning and sequencing: aldo-keto reductase family member (frog), **214,** 1079
ρB-Crystallin
  identity with aldose reductase-like lens protein (*Lepidodactylus lugubris*), **217,** 452
ζ-Crystallin
  purification and characterization (camel lens), **215,** 632
Crystallization
  macromolecules, polymeric precipitants for, identification, **207,** 819
Crystal protein
  encoding genes, expression and synergistic effect (*Bacillus thuringiensis*), **214,** 602
CscB permease
  active transport of sucrose (*Escherichia coli* K-12), **208,** 1116
C-Src
  phosphorylation of epidermal growth factor receptor on Tyr845 (mouse), **215,** 1078
  site-specific association with epidermal growth factor receptor in A431 cells (human), **210,** 844
Culture media
  Matrigel, fibronectin with apical collagen, and fibrin, effects on human endothelial cell differentiation, comparison, **213,** 630
Curcumin
  inhibition of nitric-oxide synthase in LPS- and interferon-γ-activated macrophages (mouse), **206,** 533
CXXC motif
  active site peptide with, multiple antigen peptide resin, as mimic of protein disulfide-isomerase, **213,** 746
Cyanobacteria, *see specific types*
3-Cyano-5-(4-pyridyl)-6-hydrazonomethyl-2-pyridone
  identification as selective inhibitor of DNA-dependent protein kinase, **215,** 41
Cyclic ADP-ribose
  formation in heart muscle, kinetics (rat), **210,** 452
  induced calcium release, effects of ATP and magnesium ions (sea urchin), **206,** 786
Cyclic AMP
  accumulation involving G_i and G_z proteins, inhibition by chemoattractant complement C5a receptor (human), **208,** 223
  agents elevating, inhibition of human neutrophil apoptosis, **217,** 892
  altered levels in retina from transgenic mouse expressing rhodopsin mutant, **216,** 755
  and calcium, second messenger role in morphological changes in megakaryocyte, comparison (rat), **211,** 282
  effect on endothelin-stimulated tyrosine phosphorylation in platelets (rabbit), **215,** 219
  elevating agents, role in activation of $p72^{syk}$ in *N*-formyl-methionyl-leucyl-phenylalanine receptor signaling (pig), **212,** 887
  induction of 40-kDa nuclear protein phosphorylation during *in vitro* chondrogenesis of limb bud mesenchymal cells (chicken), **212,** 16
  mediated promoter activity of vasoactive intestinal polypeptide gene in PC12 cells, effect of staurosporine (rat), **214,** 1114

Cyclic AMP (*continued*)
  pathway, role in adrenomedullin suppression of mitogenesis in mesangial cells (rat), **215,** 868
  role in
    immune responses (mouse), **206,** 703
    pentoxifylline induction of neuroblastoma cell differentiation, analysis (human), **211,** 1006
    regulation of high affinity choline uptake by cerebral synaptosome (rat), **213,** 944
Cyclic AMP-dependent protein kinase, *see* Protein kinase A
Cyclic AMP phosphodiesterase
  types III and IV, role in modulation of insulin secretion in pancreatic islets (human, rat), **217,** 916
Cyclic AMP-response element-binding protein
  mRNA, effect of *in vivo* isoproterenol treatment (rat heart), **215,** 1043
  phosphorylation by Ca^{2+}/calmodulin-dependent protein kinase IV activated by CaM-kinase IV kinase, **207,** 1038
Cyclic AMP response elements
  and glucocorticoid response elements, interaction, role in proenkephalin gene expression (rat), **210,** 589
Cyclic GMP
  effects on
    endothelin-stimulated tyrosine phosphorylation in platelets (rabbit), **215,** 219
    growth hormone release in anterior pituitary cells (rat), **214,** 918
  formation by cytokine- and hemin-treated cerebral capillary endothelial cells, role of NO synthase and heme oxygenase (rat), **214,** 1
  gated cation channel subunit 1, high-level production and localization in baculovirus-infected insect cells and *Saccharomyces cerevisiae* (bovine rod), **215,** 961
  mediation of phospholamban phosphorylation in intact cardiomyocytes (rat), **214,** 75
  and nitric oxide, role in central blood pressure control (rat), **206,** 77
  production in
    pinealocytes, effect of tyrosine kinase inhibitors (rat), **207,** 994
    T84 cells, effect of rat guanylin molecules (human), **214,** 1204
  role in *S*-nitroso-cysteine regulation of i$_s$K protein expression in oocytes (*Xenopus laevis*), **207,** 195
Cyclic-nucleotide-gated channels
  retinal, modulation by nicotine (rabbit), **214,** 879
Cyclic nucleotides
  regulation of osteoblast-like cell differentiation and nodule mineralization (rat), **215,** 1104
  role in immunomodulatory effects of nitric oxide on mast cells (mouse), **210,** 507
Cyclic strain
  stimulation of dephosphorylation of 20-kDa regulatiory myosin light chain in vascular smooth muscle cells (bovine aorta), **205,** 79; *erratum,* **207,** 1058
Cyclin A
  –cyclin-dependent kinase 2, and CDK2–cyclin E, substrate specificity differences *in vitro* (Sf9 cells), **216,** 520
  and D1, and p34^{cdc2}, expression, regulation during terminal differentiation of C2C12 myocytes (mouse), **206,** 82
  effect of melanoma terminal differentiation (mouse), **216,** 422
  suppression by combined treatment with tumor necrosis factor-α and interferon-α (human), **213,** 1115
Cyclin B
  cdc2, and glycogen synthase kinase 3, phosphorylation of inhibitor-2 of protein phosphatase-1, comparison (rabbit), **207,** 732
Cyclin D1
  effect of melanoma terminal differentiation (mouse), **216,** 422
  expression in 3T3-F442A fibroblasts, induction by transforming growth factor β (mouse), **216,** 964
  regulation patterns in murine liver regeneration model and in regenerating human liver tissue, **209,** 648
Cyclin E
  –cyclin-dependent kinase 2, and CDK2–cyclin A, substrate specificity differences *in vitro* (Sf9 cells), **216,** 520
Cyclin-dependent kinase 2
  –cyclin A and cdk2–cyclin E, substrate specificity differences *in vitro* (Sf9 cells), **216,** 520
  -cyclin E, activation by DNA damage signals during apoptosis (HL-60 cells), **214,** 771
  suppression by combined treatment with tumor necrosis factor-α and interferon-α (human), **213,** 1115
Cyclodextrins
  effect on protein refolding and aggregation, **211,** 60
Cycloheximide
  induced apoptosis, effects on β-actin expression patterns in HL-60, U937, and WISH cell lines (human), **211,** 491
N-Cyclohexyl-N′-(4-dimethylamino-α-naphthyl)carbodiimide
  inactivation of sarcoplasmic reticulum Ca^{2+},Mg^{2+}-ATPase, protective effects of Mg^{2+}-ADP, **207,** 293
Cyclooxygenase, *see* Prostaglandin-endoperoxide synthase
Cyclooxygenase II
  silica-induced production in macrophages, role of NF-κB activation, **214,** 985
Cyclophellitol
  (1*R*,6*S*)- and (1*R*,2*S*,6*S*)-diastereoisomers, kinetic studies, **213,** 175
Cyclosporin A
  effect on rhodamine-123 distribution to brain: *in vivo* microdialysis study in freely moving rat, **211,** 719
  mediated calcineurin inhibition, role of immunophilins, **215,** 781
  suppression of interleukin 1β-induced NO synthase expression in rat renal mesangial cells, **216,** 438
Cyproterone acetate
  exposure effect on nuclear matrix condensation and c-*fos* and c-*myc* expression in cultured rat hepatocytes, **215,** 598
Cystathionine β-synthase
  gene encoding, genomic organization (human), **211,** 826
Cystatin
  functional display and expression with phagemid system (chicken), **214,** 389
Cysteine
  crosslinker *p*-azidoiodoacetanilide with greater specificity for, synthesis, **217,** 1177
  iron ligand, mutated rubredoxin with substituted serine, characterization (*Clostridium pasteurianum*), **212,** 827

  from lymph node stromal cells, effect on apoptosis of malignant T-lymphoma cells (mouse), **213,** 837
  residue 99, endothelial NO synthase III, role in tetrahydrobiopterin-dependent NOS-III stability and activity (human), **215,** 1119
  residues in VIP 1 receptor extracellular domains, mutational analysis: identification of mutants defective in VIP binding (human), **211,** 901
  rich region, dipeptidyl-peptidase IV, identification as collagen-binding site (human), **217,** 341
  role in function of GLUT1 glucose transporter, mutagenesis study (*Xenopus laevis*), **208,** 590
  –sevoflurane Compound A conjugates, formation, role in Compound A nephrotoxicity (rat), **210,** 498
  substitution with Ser in extracellular portion of insulin receptor β subunit, effects on insulin-insulin receptor complex internalization in CHO cells, **210,** 931
Cysteine conjugate β-lyase
  renal, role in nephrotoxicity of sevoflurane Compound A (rat), **210,** 498
Cysteine proteinase
  cathepsin K, expression in bone (human), **206,** 89
Cysteine proteinase inhibitor
  effect on nitric oxide production by activated macrophages, mechanism, **215,** 721
Cystic fibrosis
  affected mouse, submandibular glands, glycoprotein secretion, β-adrenergic stimulation, effect of IBMX, **215,** 674
Cystic fibrosis transmembrane conductance regulator
  expression in endometrial epithelial cells, down-regulation by progesterone, RT-PCR analysis (guinea pig), **217,** 1105
  gene encoding, DNase-I hypersensitive sites in 120kB 5′ to, characterization, **211,** 274
Cystic fibrosistransmembrane conductance regulator
  recombinant R domain, potential phosphorylation sites, mutations, effects on domain conformation, **206,** 207
Cystine
  transport activity in peritoneal macrophages, effect of exposure to oxidized low-density lipoproteins (mouse), **215,** 154
Cytarabine
  induced apoptosis in U937 cells, prevention by aspartate-based inhibitor of interleukin-1β-converting enzyme, **209,** 907
  resistance in H9 cells, induction by SIV (human), **206,** 486
Cytochrome aa_3
  subunit I, in characterization of chimeric heme–copper respiratory oxidases (*Halobacterium salinarium*), **217,** 428
Cytochrome b_5
  gene isolation and characterization (human), **209,** 894
  interaction with cytochrome c, thermodynamic characterization (rat liver), **215,** 316
Cytochrome b_{558}
  gp91-*phox* subunit, expression by peripheral eosinophils, mechanism (human), **209,** 146
Cytochrome ba_3
  subunit II, Cu_A fragment prepared with ^{63}Cu and ^{65}Cu, EPR properties (*Thermus thermophilus*), **212,** 77
Cytochrome bo
  subunit I, in characterization of chimeric heme–copper respiratory oxidases (*Escherichia coli*), **217,** 428
Cytochrome c
  c′, c_{553}, and $c_{553(548)}$, purification and characterization (*Pseudomonas nautica* strain 617), **212,** 1088
  hydrogen peroxide-generating system with, production of leukotoxin and isomer, **216,** 483
  interaction with cytochrome b_5, thermodynamic characterization (equine heart), **215,** 316
  thermostability, effects of histidine/methionine replacements (*Desulfovibrio vulgaris*), **211,** 742
Cytochrome-c oxidase
  binding to nucleotides, analysis (bovine, *Paracoccus denitrificans*), **217,** 34
  binuclear Cu_A center, EPR properties (*Thermus thermophilus*), **212,** 77
  catalysis of reduction of nitric oxide to nitrous oxide (bovine), **212,** 1054
  effect of small pH gradients: implications for H^+ entry into binuclear center (bovine), **216,** 931
  reconstituted, membrane potential generation in liposomes with, effect of ionic strength (bovine heart), **211,** 914
  subunit VI gene COX6
    growth phase induction, mediation by pH and cAMP-dependent protein kinase (*Saccharomyces cerevisiae*), **214,** 1051
    oxygen regulation (*Saccharomyces cerevisiae*), **216,** 676
Cytochrome P450
  1A1
    dependent benzo[*a*]pyrene hydroxylase activity, reduction by dietary ellagic acid without alteration of levels of CYP1A1 protein or mRNA (rat liver), **201,** 1477; *erratum,* **207,** 1058
    gene expression in HEPA-1C1C7 cells, TCDD induced, suppression by methoxsalen (mouse), **208,** 1124
    induction in
      hepatocytes, effect of picrotoxin (rainbow trout), **214,** 1060
      microcarrier-attached hepatoma cells under hydrodynamic shear conditions, role of Ah receptor (human, mouse), **208,** 144
    mRNA expression in keratinocytes, TCDD-induced, modulation by retinoic acid (human), **209,** 706
  1A2
    acetaminophen effects, relationship to toxicity (mouse), **203,** 532; *erratum,* **206,** 437
    aggregation state and catalytic activity, effect of solubilizing agents (rabbit), **217,** 886
  1A2 and 2E1, hepatic expression, effects of combined ethanol and 3-methylcholanthrene treatment (rat), **211,** 497
  2B, effects of musk xylene (murine liver), **206,** 975
  2B1
    form-specific inhibitory antibody against, production using synthetic peptide antigen against putative substrate binding site (rat), **216,** 1024
    induction by β-ionone (rat liver), **216,** 198
  2B4, aggregation state and catalytic activity, effect of solubilizing agents (rabbit), **217,** 886
  2B6, metabolism of PCB congener 2,4,5,2′,4′,5′-hexachlorobiphenyl (human), **212,** 455

Cytochrome P450 (*continued*)
  2D
    expressed in adrenal microsomes, molecular cloning and sequence analysis (guinea pig), **209,** 1149
    subfamily-associated, cloning and sequence analysis (rat brain), **209,** 535
  2E1
    acetaminophen effects, relationship to toxicity (mouse), **203,** 532; *erratum,* **206,** 437
    expressed in CHO-K1 cells, short half-life (rabbit), **206,** 601
    induction by pyrazole, effect on hydroxyl radical production by pericentral and periportal microsomes (rat), **215,** 698
    two cDNAs, evidence based on polyadenylation signals (human), **209,** 717
  3A7, transgenic p53-knockout mouse, establishment of immortal hepatocytes from, **217,** 1001
  4f subfamily, cDNA cloning (rat brain), **217,** 1137
  27, mRNA renal and hepatic expression, effects of 1α,25-dihydroxyvitamin D_3 (rat), **215,** 136
  families 2, 3, and 4, aortic, expression and inducibility (rabbit), **213,** 916
  gene expression in ovary (pig), **212,** 433
  hepatic, induction by myristicin (rat), **217,** 966
  mRNAs, expression in colon and rectum (human), **210,** 350
Cytochrome $P450_{BM\text{-}3}$
  ferric, circular dichroism spectra, hydrogen-bonding effects, **211,** 389
Cytochrome $P450_{cam}$
  ferric, circular dichroism spectra, hydrogen-bonding effects, **211,** 389
  role of Thr-252: study with unnatural amino acid mutagenesis, **208,** 96
Cytochrome $P450_{terp}$
  ferric, circular dichroism spectra, hydrogen-bonding effects, **211,** 389
Cytokine-dependent kinase
  cdk2, expression in 3T3-F442A fibroblasts, induction by transforming growth factor β (mouse), **216,** 964
Cytokine-induced neutrophil chemoattractant
  secretion from alveolar macrophages, effect of adrenomedullin (rat), **211,** 1031
Cytokines, *see also specific cytokines*
  gene expression in HIV-1 *tat*-transfected T- and B-cell lines (human), **208,** 704
  and growth factors and lipopolysaccharide, effects on adrenomedullin production in cultured vascular smooth muscle cells (rat), **207,** 25
  induction of
    HIV-1 expression in latently HIV-1-infected ACH2 cells, **207,** 903
    vascular cell adhesion molecule-1 in glomerular mesangial cells, mediation by nuclear factor κB (rat), **206,** 462
  and lipopolysaccharide, induction of nitric oxide production in Sertoli cells, **213,** 218
  mediated differential modulation of endocytosis in hepatic endothelial cells (rat), **212,** 235
  proinflammatory, effects on cyclooxygenase-2 mRNA expression in macrophages (human), **208,** 582
  role in E-selectin gene induction by ionizing radiation, **217,** 784
  stimulated nitric oxide production, effect on mitochondrial activity in cardiac myocytes (rat), **213,** 1002
  treated cerebral capillary endothelial cells, cGMP formation by, role of NO synthase and heme oxygenase (rat), **214,** 1
Cytokinesis
  mutants deficient in, isolation by restriction enzyme-mediated integration of blastocidin S resistance marker (*Dictyostelium discoideum*), **205,** 1808; *erratum,* **208,** 1181
Cytolysis
  complement-dependent, influenza virus-infected cells, mediation by serum mannose-binding lectin, **217,** 1128
  by tumor necrosis factor, effect of retinoic acid (human, mouse), **206,** 223
Cytomegalovirus, *see* Human cytomegalovirus
Cytoplasm
  cellular structures, role in permeability of outer mitochondrial membrane for ADP and oxidative phosphorylation in hepatocytes (rat), **213,** 138
  glucokinase regulatory protein translocation to, in response to high glucose (rat liver), **215,** 467
  NIH-3T3 cells, heat shock factor-1 and heat shock cognate 70 protein association in high-molecular-weight complexes (mouse), **213,** 1
Cytoskeleton
  effects of 3-aminobenzamide, in protection of cells from UV-B-induced apoptosis (human, mouse), **207,** 715
  membrane-free, association with low-molecular weight GTP-binding proteins (carrot), **210,** 7
Cytotoxicity
  caged compounds of L-leucyl-L-leucine methyl ester to U937 cells (human), **213,** 652
  receptor-mediated, advanced glycosylation end products to bovine retinal pericytes, **213,** 681
Cytotoxic T cells
  epitopes in HPV type 16 E2 protein recognizing, association with B cell and helper T cell epitopes (human), **209,** 541
  proliferation, suppression by ISP-1/myriocin via modulation of sphingolipid metabolism, identification of serine palmitoyltransferase as primary target (mouse), **211,** 396

D

Dactinomycin
  induced apoptosis, effects on β-actin expression patterns in HL-60, U937, and WISH cell lines (human), **211,** 491
Daidzein
  as inhibitor of *P. testosteronii* β-hydroxysteroid dehydrogenase, **215,** 1137
DAPI, *see* 4′,6-Diamidino-2-phenylindole
DEAD-box
  related motif, replication-related proteins with, role in cell-free DNA replication of *Xenopus* eggs, **212,** 1098
Deazaflavin
  photoreduced, effect on biotin synthase transformation of dethiobiotin into biotin, **217,** 1231
Decidua
  secretion of soluble interleukin-6 receptors, regulation (mouse), **211,** 1077

- Degradation
  - extracellular matrix proteins by procathepsin L in presence of glycosaminoglycans *in vitro* (NIH 3T3 cells), **217,** 624
  - neurofilaments, role of ubiquitination, **217,** 529
- Dehalogenation
  - *o*-halobenzoate, 1,2-dioxygenation as mechanism, evidence from regioselective dioxygenation of *o*-trifluoromethylbenzoate by *Pseudomonas aeruginosa* 142, **213,** 759
- 7-Dehydrocholesterol
  - effect of sensitivity of lipid bilayers to melittin, **211,** 312
- Deltorphins
  - analogs, synthesis, conformation, and opioid activity, **207,** 99
- Denaturants
  - effect on polyalanine β-sheet macromolecule stability, **211,** 7
- Denaturation
  - thermal, lens aldose reductase, α-crystallin chaperone-like activity against: effect of divalent metal ions (bovine), **212,** 413
- Deoxycholic acid
  - regulation of MHC I mRNA expression in hepatoma cells *in vitro* (human), **208,** 935
  - sensitivity of *dnaA* mutant phenotypes (*Escherichia coli*), **212,** 84
- Deoxycytidine kinase
  - UTP as phosphate donor for, properties (human), **216,** 42
- Deoxyglucose
  - induced hypoxia, modulation of adenosine release in renal MDCK cells *in vitro* (dog), **208,** 970
  - inhibition of phosphatidylserine synthesis in Ehrlich ascites tumor cells, relation to Crabtree effect and depletion of endoplastic reticulum Ca^{2+} stores (mouse), **207,** 300
- 2-Deoxyglucose, *see* 2-Deoxy-D-glucose
- 2-Deoxy-D-glucose
  - and 2-aminobutyric acid, uptake in EGFR T17 fibroblasts, and intracellular Ca^{2+} release, oleic acid effects, **207,** 105
- 2′-Deoxyguanosinyl
  - malondialdehyde-modified adduct, formation from metabolism of chloral hydrate by mouse hepatic microsomes, **216,** 1110
- Deoxyribonuclease
  - hypersensitive sites, progesterone receptor gene 5′ region (mouse), **205,** 1093; *erratum,* **207,** 476
- Deoxyribonuclease I
  - encoding gene, genomic organization (mouse), **207,** 62
  - hypersensitive sites in 120kB 5′ to CFTR gene, characterization (human), **211,** 274
  - hypersensitivity of two glucokinase gene promoters, cell-specific differences (rat), **215,** 272
- Dephosphorylation
  - 20-kDa regulatory myosin light chain, stimulation by cyclin strain in vascular smooth muscle cells (bovine aorta), **205,** 79; *erratum,* **207,** 1058
  - 30-kDa protein of spermatozoa, by addition of myosin light-chain kinase substrate peptide, inhibition of flagellar motility (chicken), **215,** 706
  - insulin-elicited phosphotyrosine proteins *in vivo,* role of phosphatase PTP2C (human), **211,** 190
  - –phosphorylation
    - Ca^{2+}–calmodulin-dependent, parotid secretion granules (rat), **215,** 75
    - tyrosine, regulation of adhesion-inducible DNA synthesis (rat), **214,** 856
- Depolarization
  - membranes of hepatic mitochondria, induction by potassium channel opener RP 66471 (rat), **207,** 126
- Dermatan sulfate
  - –chondroitin sulfate, and heparan sulfate, formation on recombinant domain I of mouse perlecan expressed in CHO K1 cells, **211,** 262
- DesTrp1,Ala3 α-factor
  - antagonism of agonist switch in chimeric G-protein-coupled α factor receptors, (*Saccharomyces cerevisiae, S. kluyveri*), **207,** 559
- Desulforedoxin
  - total synthesis, **208,** 680
- *Desulfurococcus* strain SY
  - heat shock protein gene, nucleotide sequence, **214,** 730
- Detergents
  - ionic and nonionic, effect on aggregation state and catalytic activity of rabbit cytochrome P450 isozymes, **217,** 886
- Dethiobiotin
  - transformation into biotin by highly purified biotin synthase in presence of photoreduced deazaflavin, **217,** 1231
- Development
  - associated regulation of gene expression of pleiotrophic factors α and β (*Xenopus laevis*), **214,** 432
  - and differentiation, in kirromycin-producing *Streptomyces collinus,* phosphorylation of EF-Tu1 during, **213,** 454
  - distribution of expression of nonmuscle and smooth muscle isoforms of myosin-light-chain kinase (chicken), **217,** 696
  - fetal, associated activity of 4a-hydroxy-tetrahydropterin dehydratase/hepatic nuclear factor-1α dimerization cofactor (human), **217,** 958
  - G$_{\alpha q/11}$ regulation during, determination by quantitative immunoblot analysis (rat), **210,** 246
  - heart, L10 ribosomal protein expression during, analysis (chicken embryo), **212,** 461
  - limb, additional, induction from flank by implantation of fibroblast growth factor 4-expressing cells at pre-limb bud stage (chicken embryo), **209,** 809
  - postnatal, submandibular gland, associated differential expression of transforming growth factor α and epidermal growth factor (rat), **217,** 271
  - regulated genes, identification by differential display during somatic embryogenesis (*Solanum melongena*), **213,** 376
  - related changes in cardiac Na$^+$/H$^+$ exchanger mRNA (rabbit), **212,** 960
- Dexamethasone
  - down-regulation of *bcl-x$_s$* gene expression in thymocytes (rat), **215,** 511
  - effects on
    - α_1-proteinase inhibitor synthesis in cells of monocytic origin (human), **208,** 216
    - 20-kDa major protein expression in exorbital lacrimal gland (hamster), **208,** 412
  - and forskolin, differential regulation of proenkephalin gene expression (rat), **210,** 589
  - and indomethacin, anti-HIV activity, potentiation by bitter melon antiviral agent MAP30 (human MT-4 T cells), **208,** 779
  - induced apoptosis in thymocytes, role of CD45 (rat), **214,** 941

- Dexamethasone (*continued*)
  - induced Ca^{2+} influx into vascular smooth muscle cells, role of endothelin-1 autocrine production (rat), **208,** 82
  - regulation of
    - mucin genes, **217,** 1006
    - *obese* expression in isolated adipocytes (rat), **214,** 1260
    - phospho*enol*pyruvate carboxykinase gene expression, role of TATA box (rat), **215,** 1006
  - repression of angiotensin II type 2 receptor gene expression (PC12 cell), **216,** 359
  - treated thymocytes, DNA fragmentation and cell death in, effect of oxygen tension (rat), **212,** 300
- Diabetes
  - affected rat, histones from, evidence for increased levels of advanced glycation end products, **212,** 56
  - cyclophosphamide-induced, development, effects of probucol (NOD mouse), **209,** 953
  - duration, effect on secondary structures of human lens capsules in diabetic cataracts, **216,** 183
  - effect on α-crystallin chaperone function (rat), **212,** 184
  - insulin-dependent, triggering by transforming growth factor-β1 overexpression and tumor necrosis factor α (mouse), **217,** 1279
  - streptozotocin-induced
    - affected rat, glycogen synthase kinase-3α mRNA hepatic levels, effect of insulin, **217,** 250
    - renal expression of heparin-binding EGF-like growth factor mRNA (rat), **207,** 216
  - Zucker fatty male rat, pancreatic islets, K$_{ATP}$-2 channel cloning and expression, **212,** 894
- Diabetes insipidus
  - congenital nephrogenic, affected patients, mutations in vasopressin receptor V$_2$ gene, **205,** 552; *erratum,* **207,** 1059
  - nephrogenic, vasopressin type 2 receptor gene mutations R143P and ΔV278 in patients with, functional properties, **211,** 967
- Diabetes mellitus
  - advanced Maillard reaction and lysyl oxidase-mediated cross-linking in, related corneal collagen biochemical changes, **214,** 793
  - non-insulin-dependent
    - animal model, islet phosphoinositide hydrolysis and insulin secretory responses: prediabetic fa/fa Zucker diabetic fatty rat, **209,** 974
    - associated mtDNA mutation, identification (human), **209,** 664; *erratum,* **212,** 718
    - Japanese patients, screening for mutations in putative subunit of β cell ATP-sensitive K channel, **211,** 1036
  - patient with hereditary ceruloplasmin deficiency with, identification of nonsense mutation of ceruloplasmin gene, **217,** 89
  - type II, association with variability in regulatory region of tumor necrosis factor α gene regulatory region (human), **211,** 833
- Diacylglycerol
  - role in aldosterone signaling in vascular smooth muscle cells, **213,** 123
- 1,2-Diacylglycerol
  - unoxidized, effect on protein kinase C, **217,** 654
- 1,2-Diacylglycerol hydroperoxide
  - and derived alcohol, effect on protein kinase C, **217,** 654
- 4′,6-Diamidino-2-phenylindole
  - sequence-dependent DNA binding, computer model, **208,** 332
- Diamine oxidase, *see* Amine oxidase (copper-containing)
- 4,4′-Di-*tert*-butyldiphenyl-1-nitroxy radical
  - paramagnetism loss during illumination of photosensitizer by light above 620 nm, EPR analysis, **215,** 192
- 2,5-Di(*tert*-butyl)-1,4-hydroquinone
  - effects on agonist-stimulated phasic myometrial contractions, **207,** 891
- Di-*n*-butyltin dichloride
  - thymus atrophy-inducing, stimulation of T cell receptor αβ–CD3 complex signaling in immature thymocytes (rat), **214,** 552
- Dibutyrl cyclic AMP
  - effect of exposure on dystrophin mRNA in C2C12 muscle cell line (mouse), **210,** 654
- Dicarbanonaborates
  - inhibition of mitochondrial L-glycerol-3-phosphate dehydrogenase, **210,** 760
- 5,6-Dichloro-1-(β-D-ribofuranosyl)benzimidazole
  - and analogues and benzotriazoles, halogenated, selective inhibition of casein kinases CK1 and CK2 from yeast and mammalian sources, **208,** 418
- *trans*(O)-3,4-Dichloro-*N*-methy-*N*[2-(1-pyrrolidynyl)ciclehexyl] benzene acetamide
  - inhibition of nitric-oxide synthase induction in J774 macrophages, **212,** 975
- *Dictyostelium discoideum*
  - cytokinesis mutants, isolation by restriction enzyme-mediated integration of blastocidin S resistance marker, **205,** 1808; *erratum,* **208,** 1181
  - identification of phosphoglycosylation initiator *N*-acetylglucosamine-α–1-phosphate transferase, **208,** 384
- Didemnin B
  - induction of apoptotic cell death, **215,** 1130
- 2′,3′-Dideoxycytidine
  - and AZT, effects on gene-specific DNA repair (CHO-B11 cells), **208,** 198
- DIDS, *see* 4,4′-Diisothiocyanostilbene-2,2′-disulfonic acid
- DIDS-binding protein
  - 30-kDa, effect on Ca^{2+} release channel in sarcoplasmic reticulum (rabbit), **210,** 648
- $\Delta^{3,5}$,$\Delta^{2,4}$-Dienoyl-CoA isomerase
  - presence in peroxisomes, determination from subcellular distribution in liver (rat), **215,** 15
- Diet
  - experimental iron overload, associated hepatic mitochondrial dysfunction, relationship to free iron level (rat), **209,** 53
  - fasting mouse, effect of recombinant ob-gene product, **214,** 131
  - fats, regulation of hepatic microsomal triglyceride transfer protein mRNA levels (hamster), **212,** 473
  - fish oil, effect on human erythrocyte Mg,Na,K-ATPase, **213,** 881
  - high-fat
    - adipose tissue in rat fed, augmented expression of *obese* gene, **216,** 355
    - effect on pancreatic GLUT2 and glucokinase gene expression (rat), **208,** 1092

  regulation of small intestinal peptide and amino acid transporter mRNAs (rat), **216,** 249

Diethylstilbestrol
  inhibition of 20-kDa major protein expression in exorbital lacrimal gland (hamster), **208,** 412

Differential display
  in identification of developmentally regulated genes during somatic embryogenesis (*Solanum melongena*), **213,** 376
  mRNAs from liver regeneration late phase (rat), **212,** 21

Differential scanning calorimetry
  in analysis of nucleotide effects on skeletal muscle myosin unfolding in myofibrils, **217,** 592

Differentiation
  adipocytes
    3T3-L1 fibroblasts to
      associated expression of insulin-activated amino acid transporter gene (mouse), **208,** 1008
      inhibition by phosphatidylinositol 3-kinase inhibitor wortmannin (mouse), **212,** 263
      related insulin-stimulated signal transduction system, inhibitory effect of wortmannin (mouse), **210,** 574
    in preadipocyte clonal line from intramuscular adipose tissue: GLUT-4 protein nonexpression (bovine), **213,** 369
  and development, in kirromycin-producing *Streptomyces collinus,* phosphorylation of EF-Tu1 during, **213,** 454
  endothelial cells under different culture conditions, role of transcription and translation (human), **213,** 630
  erythroid
    in erythroleukemia cells, dimethyl sulfoxide-induced, role of protein kinase C interaction with c-*myb* (mouse), **210,** 90
    induction in K562 erythroleukemia cells by *S*-adenosylhomocysteine hydrolase inhibitor aristeromycin, **207,** 69
    in leukemia cells, induction by *Dictyostelium discoideum* morphogen DIF-1 (human, mouse), **208,** 1036
  ES cells *in vitro* and *in vivo,* role of focal adhesion kinase (mouse), **209,** 300
  gastric mucosa epithelial cells, effect of long-term omeprazole treatment (rat), **214,** 861
  and growth, human preosteoclastic cell line FLG 29.1, effect of LY 139478, **211,** 857
  HL-60 cells by all-*trans* retinoic acid, associated binding pattern of nuclear proteins to *cis* elements in H2B histone gene upstream region, **213,** 616
  hyphal cellular, positional correlation with acid phosphatase intracellular levels (*Pycnoporus cinnabarinus*), **208,** 1159
  keratinocytes, related upregulation of aryl hydrocarbon receptor mRNAs, suppression by retinoic acid (human), **209,** 706
  leukemia cells, hemin/protoporphyrin-IX-induced, role of serum retinoids (human), **206,** 1003
  limb bud cells *in vitro,* promotion by fullerene C60 (rat), **206,** 885
  lipopolysaccharide-stimulated B cells, inhibition by lovastatin (mouse), **211,** 665
  macrophages, associated transcriptional expression of mannose gene (human), **217,** 106
  megakaryocytic, in erythroleukemia HEL TIB cells, induction by diosgenin (human), **207,** 398
  muscle, transcriptional regulation of phospholipase C-γ1 during (mouse), **206,** 194
  neuroblastoma cells, tumor necrosis factor α-mediated, modulatory effects of pentoxifylline (human), **211,** 1006
  neuronal, Neuro 2a cells, induction by lactacystin and inhibition by calyculin A and okadaic acid, **216,** 291
  osteoblast-like cells, regulation by cyclic nucleotides (rat), **215,** 1104
  osteoclast-like cells, and bone resorption, effects of recombinant human osteogenic protein-1 *in vitro* (rat), **209,** 433
  osteogenic, bone marrow cells, induced by collagen matrix, effect of transforming growth factor β, **211,** 1091
  ovarian granulosa cells *in vitro,* associated changes in angiotensin II receptor type 2 content (rat), **207,** 593
  P19 embryonal carcinoma cells, associated differential expression of myocyte-specific enhancer factor 2 homologue MEF2B (mouse), **213,** 555
  retinoic acid-induced U937 cells, associated increase in *AML1* gene expression (human), **211,** 1023
  terminal
    C2C12 myocytes, regulation of cyclin and $p34^{cdc2}$ expression during, analysis (mouse), **206,** 82
    melanoma cell, effect on cdk4, cyclin A, and cyclin D1 (mouse), **216,** 422
    melanoma cells and melanocytes, L-tyrosine-induced, effect on decrease in actin gene expression (mouse), **216,** 84
  tracheal epithelium cultured on human amniotic membrane, induction (guinea pig), **210,** 302
  trophoblast, human chorionic gonadotropin-mediated, effect of leukemia inhibitory factor, **211,** 137

Differentiation enhancing factor
  murine erythroleukemia cells, and 30-kDa heparin-binding protein of developing rat brain, homology of molecular structure, **210,** 82

Diffusion
  lateral, CD2 wild type and mutants with large deletions in transmembrane domain (human), **208,** 1131

α-Difluoromethylornithine
  interaction with ornithine decarboxylase from *Leishmania mexicana* promastigotes, **212,** 396

3,4-Dihydro-1,2-diazete 1,2-dioxides
  nitric oxide release kinetics, and vasodilatory properties *in vitro* and *in vivo,* **214,** 1023

Dihydrofolate reductase
  encoding gene, specific DNA repair in CHO-B11 cells, effects of 2′,3′-dideoxycytidine and AZT, **208,** 198

Dihydropteridine reductase
  correlation with 4a-hydroxy-tetrahydropterin dehydratase/hepatic nuclear factor 1α dimerization cofactor activity during human fetal development, **217,** 958

Dihydropyrimidinase
  properties and use in preparation of N-carbamyl D-amino acids (*Agrobacterium tumefaciens*), **216,** 1095

Dihydrotestosterone
  enhancement of α2-adrenoreceptor protein and mRNA expression in white adipocytes, enhancement by direct effect of androgens (hamster), **206,** 112
  inhibition of 20-kDa major protein expression in exorbital lacrimal gland (hamster), **208,** 412

5α-Dihydrotestosterone
  effects on transcription of nm23 and c-myc genes in human prostatic LNCaP cells, **208,** 603
1,25-Dihydroxycholecalciferol
  and analog, non-vitamin D-binding protein serum components binding to, identification (human), **215,** 199
5,15-Dihydroxyeicosatetraenoic acid
  and lipoxins, generation by neutrophils after A23187 stimulation *in vitro,* as asthma biomarker (human), **207,** 273
1α,25-Dihydroxyvitamin D_3
  effects on cytochrome P450 27 mRNA renal and hepatic expression (rat), **215,** 136
1,25-Dihydroxyvitamin D_3, *see* Calcitriol
N-(O,O-Diisopropyl)phosphoryl histidine
  cleavage of DNA, **213,** 875
4,4′-Diisothiocyanostilbene-2,2′-disulfonic acid
  30-kDa protein binding, effect on Ca^{2+} release channel in sarcoplasmic reticulum, **210,** 648
Dimerization
  HIV-1 Tat protein with human p53 protein via p53 02 dimerization domai, **206,** 326
4-(γ,γ-Dimethylallyl)tryptophan synthase
  encoding gene, characterization (*Claviceps purpurea*), **216,** 119
Dimethylarsenic acid
  induced DNA strand breaks and protein crosslinks in alveolar epithelial cells, role of apurinic/apyrimidinic site formation (human), **207,** 244
N^{α}-(*N,N*-Dimethylcarbamoyl)-α-azaornithine *p*-nitrophenyl ester
  inhibition of β-trypsin, kinetic and X-ray crystallographic study (bovine), **217,** 437
N,N-Dimethylsphingosine-dependent kinase
  identification of signal modulator protein 14-3-3 as target in 3T3 cells, **216,** 739
Dimethyl sulfoxide
  induced erythroid differentiation, role of protein kinase C interaction with c-*myb* (mouse), **210,** 90
2,4-Dinitrophenol
  apolipoprotein AI conjugated with, as ligand in detection of high-density lipoprotein-binding proteins, **216,** 801
N-(1-(2,3-Dioleoxyloxy)propyl)-*N,N,N*-trimethylammonium methyl sulfate
  effect on exogenous DNA uptake by rat liver, **213,** 81
1,2-Dioleoylglycerol
  effect on protein kinase C, **217,** 654
Dioleoyl phosphatidylethanolamine
  –gramicidin S–DNA complex, short-chain phospholipid addition, effect on amphipathic peptide-mediated gene transfer, **217,** 179
Diosgenin
  induction of megakaryocytic differentiation in erythroleukemia HEL TIB cells (human), **207,** 398
Dioxygenation
  regioselective, *o*-trifluoromethylbenzoate by *Pseudomonas aeruginosa* 142, as evidence for 1,2-dioxygenation mechanism in *o*-halobenzoate dehalogenation, **213,** 759
Dipeptidyl-peptidase IV
  cysteine-rich region, identification as collagen-binding site (human), **217,** 341
Diphtheria toxin receptor
  diphtheria toxin-binding domain, localization to C-terminus of mature heparin-binding EGF-like growth factor region (monkey), **206,** 710
Dipyrrometheneboron difluoride
  –coumarin couple resonance energy transfer couple, characterization and application to analysis of protein–lipid interactions, **207,** 508
Disulfide bonds
  assignment in X protein of hepatitis B virus, **212,** 919
  bridge, engineered in transmembrane region of phage M13 coat protein, resulting stabilization of α-helical dimer, **206,** 230
  in lipoprotein lipase, role in catalytic activity (human), **206,** 266
Disulfides
  mixed, formation in α-crystallins, effect on molecular chaperone property (bovine, human), **208,** 675
DNA
  adenosine A_1 receptor, systematic screening for sequence variation and linkage mapping on chromosome 1q31–32.1 with silent polymorphism in coding region (human), **214,** 614
  antisense oligonucleotides, transdermal transport by electroporation (human), **212,** 286
  binding activity
    of HIV-1 integrase, characterization with filter binding assay, **217,** 802
    in *Saccharomyces cerevisiae,* regulated by growth phase and oxygen/heme system, identification, **216,** 458
    of transcription factor Oct-3, **212,** 847
  binding by
    4′,6-diamidino-2-phenylindole, sequence-dependent, computer model, **208,** 332
    bisphenol A, potential: *in vitro* conversion to reactive metabolite, **210,** 424
    BSAP, site recognition by Ah receptor: mechanism for dioxin-mediated alteration of CD19 gene expression in B cells (human), **212,** 27
    high mobility group protein HMG-I(Y), role of conserved threonine residues in DNA-binding domain (human), **207,** 497
    interferon-inducible autoantigen IFI 16, associated domain, identification, **214,** 152
    Pax-6 protein, properties (zebrafish), **215,** 122
    thyroid transcription factor-1 homeodomain, specificity, definition by chromatographic selection of binding sequences, **213,** 781
    wild-type and mutant forms of homeodomain protein Msx2, properties (human), **209,** 257
  CGG triplet repeat, peroxisome proliferator activated receptor δ with, expression in thalamic nucleus (rat), **217,** 1015
  chromosomal, *Pseudomonas putida* KF715, catechol 2,3-dioxygenase and salicylate hydrolase cloned from, sequencing of intergenic sequences, **211,** 382
  cis-acting elements required for necdin gene neuron-specific expression, determination *in vivo* (zebra fish), **211,** 438
  cleavage
    hydroxyl radical-dependent, by 1,10-phenanthroline–vanadyl complex in presence of hydrogen peroxide (human), **206,** 133

  to large kilobase pair fragments in necrosis, **207,** 40
  by N-phosphoryl histidine, **213,** 875
  in ribosomal genes, mediation by topoisomerase II (human), **213,** 282
complementary, *see* Complementary DNA
conventional binding and endonuclease activities, dissociation by adeno-associated virus Rep78 mutant, **210,** 717
damage
  associated signals during apoptosis, activation of cyclin E-dependent kinase (HL-60 cells), **214,** 771
  in freeze-dried liver by atmospheric oxygen (rat), **208,** 1021
  hydrogen peroxide induced, correlation with nuclear translocation of hsp70 (human), **206,** 548
  hydroxyl radical-induced, relationship to DNA repair enzyme activities, analysis with glycerol (*Escherichia coli*), **207,** 515
  and retinoic acid treatment, brain- and reproductive-organ-specific gene *BRE* responsive to, identification (human), **206,** 764
  specific binding of XPA protein, enhancement by interaction with ERCC1 DNA repair protein, **211,** 960
double-strand breaks, production in X-irradiated *Escherichia coli,* role of hydroxyl radicals, **207,** 957
duplex
  high order structure, effect of positively charged surface, **214,** 1040
  nucleotide-selective cleavage by nitric oxide, **211,** 748
end-joining in cell extracts (human), **215,** 987
and estradiol, binding to estrogen receptor, modification upon association with calmodulin, **208,** 748
exogenous, uptake by liver, effect of cationic lipids (rat), **213,** 81
fragmentation
  in cerebral cortex, production by HIV-1 gp120 (rat), **211,** 130
  in glucocorticoid-treated thymocytes, effect of oxygen tension (rat), **212,** 300
  in NS-1-derived cells, role of *Pim*-1 (mouse), **215,** 538
GC-rich elements in ornithine decarboxylase gene, Sp1 affinity for, correlation with ODC promoter activity (rat), **214,** 324
genomic, 120kB 5′ to CFTR gene, DNase I hypersensitive sites in, characterization (human), **211,** 274
–gramicidin S–dioleoyl phosphatidylethanolamine complex, short-chain phospholipid addition, effect on amphipathic peptide-mediated gene transfer, **217,** 179
hepatic replicating, cell cycle-associated transient sequences after *N*-methyl-*N*-nitrosourea administration (rat), **208,** 506
heterodimeric, binding and transactivation, role of T-box near zinc fingers of vitamin D receptor (human), **215,** 1
interaction with ferric uptake regulation protein, **212,** 784
internucleosomal fragmentation, TNF-α and ceramide-induced, inhibition by herbimycin A in U937 cells (human), **212,** 640
–lipospermine particles, complexed with thiol-reactive phospholipids, transfection of hepatoma cells and fibroblasts, efficiency, **209,** 444
long segments, CGCG clusters in, loop-size spacings (human), **213,** 147
mitochondrial, *see* Mitochondrial DNA
and mitochondrial proteins, oxidation after ethanol administration (mouse), **213,** 815
model libraries, RecA-assisted enrichment of specific clones from, **211,** 804
multiple transcribed sequences from spinal muscular atrophy region on chromosome 5, identification (human), **206,** 294
nicks, in plasmid pBR322, induction by peroxynitrite, **210,** 1025
NotI-cleaved genomic fragments appearing as spots in 2D gel electrophoresis, cloning, **213,** 258
plasmid, electropulsation-mediated transfer in intact yeast cells, fast kinetic studies, **214,** 825
purines and pyrimidines, experimental hardness and electronegativity, comparison with values from AM1 calculation, **217,** 755
replication, *see* DNA synthesis
Rhodotorula gracilis, unusual biphasic melting behavior, **211,** 978
scaffold attachment regions, lack of impairment of position-dependent expression of kit/lacZ transgene (mouse), **211,** 735
stereospecific binding of luminescent atropisomeric viologens, **214,** 716
strand breaks and protein crosslinks in alveolar epithelial cells, dimethylarsenic-induced, role of apurinic/apyrimidinic site formation (human), **207,** 244
template, and RNA, structure, effect on transcript elongation by RNA polymerases, **211,** 106
DNA-binding proteins
  A2 and B, amplifying surfactant protein B gene expression: isolation and characterization (rabbit), **208,** 153
  HIF-1, expression and binding activity, effects of altered redox states (Hep3B cells), **212,** 550
  SaRD, isolation (*Sulfolobus acidocaldarius*), **214,** 646
  in vitro ADP-ribosylation (*Sulfolobus solfataricus*), **208,** 55
DNA (cytosine-5-)-methyltransferase
  purification and stabilization (mouse), **207,** 544
DNA-directed DNA polymerase
  α and δ isoforms, induction in normal kidney cells activated to proliferate, role of calmodulin (rat), **217,** 566
  stimulation by proliferating cell nuclear antigen (rat), **216,** 715
DNA-directed RNA polymerase
  C-terminal domain, phosphorylation by rat protein kinase ERK2 (bovine thymus), **207,** 1051
  C-terminus tandem repeat sequence, synthesis and conformational investigation, **206,** 981
  and other nuclear proteins, tyrosine residues, phosphorylation by active chromatin tyrosine kinase (hamster), **209,** 356
  purification and characterization (*Staphylococcus aureus*), **208,** 610
  terminator, heteroduplex analysis (*Xenopus*), **212,** 1082
  transcript elongation, effect of RNA and DNA template structures, **211,** 106
  transcription of untranslatable gene *dutA* in developmental phase (*Dictyostelium discoideum*), **216,** 273
  types II and III, role in transcription from U6 promoter *in vitro* (human), **214,** 934
DNA helicase B
  replication protein A-dependent, biochemical and genetic characterization (*Saccahromyces cerervisiae*), **206,** 850

- DNA polymerase, *see* DNA-directed DNA polymerase
- DNA polymerase γ, *see* DNA-directed DNA polymerase
- DNA polymerase α-primase
  - inactivation by acrolein, **214,** 971
- DNA polymorphisms, *see also specific types*
  - bradykinin B_2 receptor gene, identification (human), **211,** 234
  - detection in apolipoprotein(a) gene 5′-flanking region (human), **209,** 372
  - dinucleotide repeat, in estrogen receptor, association with osteoporosis (human), **217,** 378
  - dopamine D4 receptor tandem repeats, prevalence in primate species, **207,** 467
  - silent, in adenosine A_1 receptor DNA coding region, in systematic screening for DNA sequence variation and linkage mapping on chromosome 1q31–32.1 (human), **214,** 614
  - single base, linked to ataxia–telangiectasia locus, detection by mismatch PCR, **210,** 982
  - thrombin receptor, characterization (Chinese hamster), **215,** 974
  - variable number tandem repeats in dopamine transporter gene, DAT1, association with alcoholism (human), **211,** 28
- DNA primers, *see specific types*
- DNA repair
  - gene-specific, effects of AZT and 2′,3′-dideoxycytidine (CHO-B11 cells), **208,** 198
  - SOS, induction, X-ray dose threshold for, measurement (*Escherichia coli*), **206,** 781
- DNA repair enzymes
  - activities, relationship to hydroxyl radical-induced DNA damage, analysis with glycerol (*Escherichia coli*), **207,** 515
- DNase I, *see* Deoxyribonuclease I
- DNA synthesis
  - adhesion-inducible, regulation by tyrosine phosphorylation/dephosphorylation (rat), **214,** 856
  - cell-free, in *Xenopus* eggs
    - phosphorylation of P1 protein in, role of DNA-dependent protein kinase, **213,** 803
    - role of
      - P1 protein family members, **209,** 823
      - replication-related proteins with DEAD-box-like motif, **212,** 1098
  - insulin-induced, in NIH 3T3 fibroblasts, synergistic potentiating effects of choline phosphate and ethanolamine (mouse), **213,** 980
  - *in vitro* system from maize mitochondria, isolation and characterization, **208,** 287
  - osteoblast, effects of IGFBP-3 and -6: role of auto-/paracrine IGF I and IGF II (rat), **212,** 242
  - stimulation by truncated Fos and Jun proteins in cell-free egg extract (*Xenopus laevis*), **208,** 1080
  - stimulatory effects of insulin and insulin-like growth factor-1, enhancement by ethanol (NIH 3T3 cells), **208,** 63
- DNA topoisomerase
  - ATP-independent mitochondrial-associated, relationship to nuclear topoisomerase I (*Saccharomyces cerevisiae*), **214,** 723
- DNA topoisomerase type I
  - nuclear, relationship to ATP-independent mitochondrial-associated DNA topoisomerase (*Saccharomyces cerevisiae*), **214,** 723
  - regulation during activation and mitogenesis of T cells (human), **211,** 872
- Doc2
  - with two repeated C_2-like domains, identification (human brain), **206,** 439
- Doc2β
  - with two C2-like domains, cloning, **217,** 1053
- Docosahexaenoic acid
  - effect on rat uterine stromal cell proliferation, **207,** 1015
- Dolichyl phosphate
  - induction of apoptosis in rat glioma C6 cells, **216,** 848
- Domain conformation
  - in cystic fibrosis transmembrane conductance regulator recombinant R domain, effects of mutations in potential phosphorylation sites, **206,** 207
- Dopamine β-hydroxylase, *see* Dopamine β-monooxygenase
- Dopamine β-monooxygenase
  - gene expression in bovine chromaffin cells, effect of Ca^{2+} influx, **211,** 864
- Dopamine receptor
  - D4, polymorphic tandem repeats, prevalence in primate species, **207,** 467
- Dopamine transporter
  - gene polymorphism, association with alcoholism (human), **211,** 28
- Doxorubicin
  - induced apoptosis in U937 cells, prevention by aspartate-based inhibitor of interleukin-1β-converting enzyme, **209,** 907
  - resistance in human ovarian cancer cells, effect of KN-62, **215,** 566
  - treated fibroblasts, p53 expression, attenuation by phorbol esters (human), **215,** 641
- Drugs
  - stimulated ATPase activity of deletion mutant of human multidrug-resistance protein, **216,** 602
- DT-5461
- endotoxin antagonism by, with low endotoxicity in human DT peripheral blood monocytes, **216,** 367
- DT-diaphorase, *see* NAD(P)H dehydrogenase (quinone)
- Duplication
  - inducible nitric-oxide synthase-like sequences, molecular genetic analysis (human), **212,** 466
- Dynamin
  - pleckstrin homology domain, binding by platelet-activating factor acetylhydrolase-45 WD40/β-transducin repeat segments *in vitro*, **209,** 622
- Dystonia
  - hereditary progressive dystonia/dopa-responsive dystonia, Japanese family with, GTP cyclohydrolase I splice site base substitution leading to exon skipping, **213,** 645
- Dystrophins
  - –actin interaction
    - inhibition by phosphoinositide diphosphate (*Torpedo marmorata*), **210,** 152
    - role in membrane resistance (rabbit), **213,** 295
  - effect on lateral diffusion of sarcolemmal proteins of myoblasts and mature striated muscle cells, measurement by photobleaching technique (mouse, rat), **215,** 67
  - mRNA, effect of exposure to dibutyryl cAMP in C2C12 muscle cell line (mouse), **210,** 654

  N-terminal half, protection from proteolysis *in situ* (human muscle), **209,** 1062
  phosphorylation, effect on actin binding (rabbit), **206,** 57
  splicing isoforms in developing brain, PCR studies (human), **215,** 361

E

E2 protein
  HPV type 16, T-helper and B cell epitopes, association with cytotoxic T cell epitopes, **209,** 541
E5a oncoprotein
  human papillomavirus type 11, effect on growth restriction induced by temperature shift in simian virus 40 T antigen-immortalized keratinocytes, **217,** 712
Ear
  inner, β-parvalbumin isoform, detection (guinea pig), **215,** 142
Echovirus 22
  polyprotein processing, **217,** 1120
EctoATPase
  cDNA, detection of induction of carcinoembryonic antigen but not mercurial-insensitive ectoATPase in human hepatoma cells treated by EGF and cholera toxin (rat liver), **207,** 529
Ectoderm
  neuralization, induction by dominant negative bone morphogenetic protein 4 receptor (*Xenopus laevis*), **212,** 212
Edetic acid
  tolerance in PQQ glucose dehydrogenase, region responsible for, elucidation by construction of *Escherichia coli* and *Acinetobacter calcoaceticus* chimeric enzymes, **211,** 268
EDTA, *see* Edetic acid
EF-hand motif
  role in phospholipase C-δ1, analysis by deletion and site-directed mutagenesis, **211,** 364
EGF, *see* Epidermal growth factor
Eggs, *see also* Oocytes
  activation, associated differential phosphorylation of 57-kDa protein tyrosine kinase (sea urchin), **208,** 204
  cell-free DNA replication
    phosphorylation of P1 protein in, role of DNA-dependent protein kinase (*Xenopus*), **213,** 803
    role of
      P1 protein family members (*Xenopus laevis*), **209,** 823
      replication-related proteins with DEAD-box-like motif (*Xenopus*), **212,** 1098
    stimulation by truncated Fos and Jun proteins in (*Xenopus laevis*), **208,** 1080
  fertilization membrane, effect of dansylated mastoparan and related peptides, **215,** 828
EHS laminin, *see* Laminin, Englebreth-Holm Swarm
Elasticity
  myosin head, direct measurement (rabbit), **211,** 219
Elastin
  gene expression in dermal fibroblasts, suppression by okadaic acid (human), **209,** 175
Electrical activity
  pancreatic B cells, effect of NO synthase (mouse), **210,** 914
Electrical potential, *see also* Membrane potential
  postsynaptic, associated mechanical and thermal changes in electric organ (*Torpedo californica*), **215,** 654
  transmembrane, hepatic mitochondria, effect of K$^+$ concentration in suspension medium (rat), **210,** 98
Electric charge
  neutralization, role in phosphofructo-1-kinase active site (*Escherichia coli*), **214,** 765
Electric fields
  continuous stimulation, skeletal muscle injury induced by, protective effect of coenzyme Q$_{10}$, **216,** 1006
Electric organ
  mechanical and thermal changes associated with postsynaptic potentials (*Torpedo californica*), **215,** 654
Electrochemical properties
  pH-dependent, pyrroloquinoline quinone and isomeric analogues, **212,** 41
Electrochemistry
  nitrite reductase immobilized on glassy carbon electrode: biosensor development, **209,** 1018
Electron affinity
  purines and pyrimidines in DNA and RNA, from AM1 calculation, comparison with experimental values, **217,** 755
Electronegativity
  experimental, purines and pyrimidines in DNA and RNA, comparison with values from AM1 calculation, **217,** 755
Electron microscopy
  eukaryotic large ribosomal subunit, three-dimensional reconstruction with SECReT (*Thermomyces lanuginosus*), **207,** 848
Electron paramagnetic resonance
  cytochrome ba$_3$ Cu$_A$ center (*Thermus thermophilus*), **212,** 77
  ferredoxins I and II (*Desulfovibrio vulgaris*), **211,** 198
  hemoglobin M Boston and M Saskatoon oxidation states in blood (human), **210,** 483
  in kinetic analysis of 4,4′-di-*tert*-butyldiphenyl-1-nitroxy radical paramagnetism loss during illumination of photosensitizer by light above 620 nm, **215,** 192
  L-band, copper(II) complexes with CuN$_4$ configurations, **216,** 154
  low-frequency, in analysis of chromium(V) formation from Cr(VI) in living plants, **206,** 829
  nitric oxide interaction with brain nerve terminals (rat), **212,** 404
  pentacoordinate nitrosyl–heme complex formation on soluble guanylate cyclase, **207,** 572
  probes, for conformational analysis of model β-turn peptides, biradicals as, **213,** 439
  at room temperature, *Rhus vernicifera* laccase and derivatives, **215,** 235
Electron transport
  photosynthetic, insensitivity to paraquat inhibition (*Hydrilla verticillata*), **212,** 132
Electron transport protein
  27- and 31-kDa, onion root plasma membrane, topography, **216,** 1054
Electropermeabilization
  CHO cells, induction of long-lived macropinocytosis, **208,** 26
Electroporation
  enhancement of cell membrane peroxidation and luminescence, **206,** 238

Electroporation (*continued*)
  induced cell permeability, role of lipid peroxidation (K562 cells, lentil), **209,** 417
  in transdermal transport of DNA antisense oligonucleotides (human), **212,** 286
Electropulsation
  mediated plasmid DNA transfer in intact yeast cells, fast kinetic studies, **214,** 825
Electrostatic interactions
  role in determination of CO stretch frequency in carbon monoxymyoglobin (human), **212,** 159
Electrostatics
  porcine pancreatic phospholipase A_2 transition state, designed long-range stabilization, enzyme activity increase by, **216,** 778
Elemental analysis
  copper-binding ligands of *Escherichia coli* K12 copper-containing monoamine oxidase, **212,** 1107
ELISA, *see* Enzyme-linked immunosorbent assay
Ellagic acid
  dietary, inhibition of benzo[*a*]pyrene hydroxylase without alteration of CYP1A1 protein or mRNA (rat liver), **201,** 1477; *erratum,* **207,** 1058
Ellagitannins
  macrocircular, oenothein B, suppression of mouse mammary tumor gene expression via inhibition of poly(ADP-ribose) glycohydrolase, **210,** 329
Elongation factors
  EF-1β′, homology with nucleotide and primary sequences of rice endosperm 21-kDa protein cDNA, **209,** 1026
  EF-2, identification of rapidly dephosphorylating 95-kDa protein as, during 8-Br-cAMP treatment of N1E115 neuroblastoma cells (mouse), **217,** 131
  EF-Tu1, phosphorylation during development and differentiation in kirromycin-producing *Streptomyces collinus,* and *tuf1* gene sequencing, **213,** 454
  fibroblast, derived from colon carcinoma cells, identification of sequence homology with TIMP-1 (human), **206,** 590
Embryo
  cleavage cycle, oscillation of inositol polyphosphates (*Xenopus laevis*), **206,** 775
  dorsal mesoderm-inducing activity of activin βD (*Xenopus laevis*), **210,** 581
  early avian, endogenous retinoids, detection, **217,** 1026
  explants from animal cap, mesoderm induction by activin, associated expression of *Xenopus* homologue of *sonic hedgehog,* **207,** 1
  GLUT1 and GLUT3 expression during early organogenesis (rat), **209,** 95
  heat shock protein hsp70 gene transcription, activation (*Paracentrotus lividus*), **217,** 1032
  kit/lacZ transgene position-dependent expression, lack of impairment by scaffold attachment regions (mouse), **211,** 735
  Pax-6 protein expression of (zebrafish), **215,** 122
  pre-limb bud stage, additional limb development in, induction from flank by implantation of fibroblast growth factor 4-expressing cells (chicken), **209,** 809
  secondary axial structures, induction by truncated type II receptor for bone morphogenetic protein (*Xenopus*), **216,** 26
  spontaneous abortion, association with instability at H-*ras* minisatellite (human), **214,** 788
Embryogenesis
  expression pattern of *Wnt-11* gene (chicken), **211,** 123
  somatic, developmentally regulated genes during, identification by differential display (*Solanum melongena*), **213,** 376
  two-cell stage, cytosolic chaperonin subunit TRiC-P5 expression (mouse), **216,** 279
Embryonic stem cells
  gene targeting of DT-diaphorase in, establishment of null mutant and mitomycin C-resistance (mouse), **214,** 701
Empigen BB
  solubilization and biochemical analysis of keratins (human), **206,** 370
Encephalocardiomyopathy
  mitochondrial, association with mitochondrial DNA point mutation (human), **216,** 835
Endocytosis, *see also* Pinocytosis
  chimeric receptors with insulin receptor juxtamembrane region linked to LDL receptor extracellular domain, **211,** 714
  hepatic endothelial cell, differential cytokine-mediated modulation (rat), **212,** 235
  insulin receptor B isoform, role of GPLY amino acid sequence (CHO cells), **209,** 730
  recombinant CD4 in Sf9 cells after phorbol ester treatment, **207,** 411
  transferrin receptors in 3T3-L1 adipocytes, role of phosphoinositide 3-kinase (mouse), **211,** 535
Endogenous elicitor
  self-induced, sugar composition and partial structure (potato), **215,** 768
Endoglucanase
  D family, catalysis of stereoselective hydrolysis of *p*-nitrophenyl β-D-cellotrioside (*Bacillus subtilis*), **212,** 539
Endonuclease
  BamHI, and BamHI methylase, substrate recognition, effects of BAMHI restriction site base analog substitutions, **206,** 997
  and binding activity, DNA, dissociation by adeno-associated virus Rep78 mutant, **210,** 717
Endopeptidase 24.11, *see* Neprilysin
Endopeptidase EC 3.4.24.15, *see* Thimet oligopeptidase
Endoplasmic reticulum
  Ca^{2+} depletion, relation to glucose- and deoxyglucose-inhibited phosphatidylserine synthesis in Ehrlich ascites tumor cells (mouse), **207,** 300
  calreticulin as major calcium storage protein for, identification (pea), **211,** 54
  retention of recombinant human α2,6(*N*)sialyltransferase expressed in *Saccharomyces cerevisiae,* **210,** 14
Endosomolysis
  related activity of cationic liposomes, effect on delivery of HIV-1 Tat to mammalian cells, **217,** 761
Endosperm
  cDNA, 21-kDa protein isolated from, nucleotide and primary sequence homology to elongation factor 1β′ (rice), **209,** 1026
Endothelial cells
  128-kDa surface glycoprotein, tyrosine phosphorylation, induction by fluid flow and osmotic stress, **214,** 69

activation, effect of NF-κB inhibition with pyrrolidine dithiocarbamate (pig), **214,** 212
aortic
  L-arginine-deprived, L-arginine transport (bovine), **213,** 447
  cell adhesion molecule, tumor necrosis factor-induced gene expression, inhibition by alkoxybenzo[b]thiophene-2-carboxamide (human), **214,** 6
  gap junctional intercellular communication *in vitro,* inhibition by elevated glucose and phorbol ester (bovine), **208,** 492
  matrix-metalloproteinase-2 activation in, induction by ulex europaeus agglutinin I (monkey), **216,** 177
  native, acetylcholine-induced responses, potentiation by bradykinin (rabbit), **213,** 1061
  nitric oxide release, stimulation by oxidized low-density lipoprotein (rabbit), **207,** 231
  P$_{2Y}$ receptor, cloning and characterization (bovine), **212,** 648
  plasminogen activator activity, effect of midkine-derived synthetic peptides (bovine), **206,** 468
  surface, identification of lipoprotein lipase-binding protein (human), **216,** 906
calcium signaling and possible exocytosis in, induction by stable leukocyte-derived factor (human), **206,** 146
capillary
  cerebral
    cytokine- and hemin-treated, cGMP formation by, role of NO synthase and heme oxygenase (rat), **214,** 1
    delta sleep-inducing peptide in, peptidyl-dipeptidase A-catalyzed metabolism: cell culture model of blood–brain barrier (bovine), **210,** 987
  mitogenic effects of 12(S)-hydroxyeicosatetraenoic acid *in vitro* (mouse), **211,** 462
  P-selectin mRNA and polypeptide levels, upregulation by tumor necrosis factor α (bovine), **210,** 174
*cdc*2-related protein kinase, cDNA cloning (human), **208,** 562
cerebral artery, ATP effects on K$^+$ channel and cytosolic Ca^{2+} release, role of P$_{2Y}$ purinoceptor linked to PTX-insensitive G protein (bovine), **215,** 1022
chemotaxis and angiogenesis *in vitro,* inhibition by interferon γ-inducible protein 10 (bovine), **210,** 51
cholesterol accumulation after malondialdehyde modification of high-density lipoprotein (rat), **212,** 1
cytokine-activated, glyceraldehyde-3-phosphate dehydrogenase mRNA levels, stimulation by endogenous nitric oxide (mouse), **217,** 363
cytosolic free Ca^{2+}, LPS-induced increase, prevention by Kunitz-type trypsin inhibitor (human), **207,** 324
damage by synergism of nitric oxide and reactive oxygen species (rat), **213,** 196
expression of local hepatocyte growth factor system (rat), **215,** 483
gene expression patterns, rapid identification by differential RNA display (bovine), **209,** 1068
hepatic
  endocytosis, differential cytokine-mediated modulation (rat), **212,** 235
  LPS-induced glucose metabolic response, relationship to acute endotoxin tolerance (rat), **211,** 340
  and other hepatic cells, differential induction of mRNA for ICAM-1 and selection during endotoxemia (rat), **211,** 74
K$^+$ channels, stimulation by estradiol-17β (rabbit), **214,** 367
lymphatic, nitric oxide production *in vitro* (sheep), **217,** 96
monocyte adhesion, enhancement by oxidatively modified low-density lipoprotein, mediation by CD11b activation (human), **206,** 621
nitric-oxide synthase
  effect of estrogen (bovine, human), **214,** 847
  type III gene transcriptional activation, role of Sp1 (human), **213,** 673
normal and transformed, differential response to interferon-γ (human), **214,** 582
primary cultures, and tissue homogenates, differential expression of adenylyl cyclase isoforms (rat), **208,** 323
secretion and subsequent internalization of endothelin-1 *in vitro,* role of ET$_B$ receptors (human), **209,** 483
transformation by apoE-mediated transfection with plasmid DNA (human), **214,** 206
umbilical vein
  adhesion to neutrophils via E-selectin, induction by lipoteichoic acid (human), **217,** 1208
  cultured, apoptotic cell death in, induction by transforming growth factor-β1, with down-regulated expression of bcl-2 (human), **210,** 1076
  differentiation under different culture conditions, role of transcription and translation (human), **213,** 630
vascular
  ICAM-1 and VCAM-1 expression, effects of shear stress (human), **206,** 981
  interleukin-8 expression, regulation by nitric oxide (human), **211,** 671
  proliferation after injury, induction by vascular endothelial growth factor (rat), **207,** 348
  tubular morphogenesis and plasminogen activator expression, modulation by angiogenin (bovine), **211,** 476
  VCAM-1 expression, inhibition by type IV collagen (human), **214,** 1163
Endothelial growth factor
  vascular, *see* Vascular endothelial growth factor
Endothelin
  induced autocrine proliferation of normal keratinocytes, ET$_A$ receptor subtype mediating, identification (human), **209,** 80
  mature and precursor forms, selective proteolytic activation and degradation in parenchymal strips of lung (guinea pig), **207,** 675
Endothelin-1
  autocrine production, role in glucocorticoid-induced Ca^{2+} influx into vascular smooth muscle cells (rat), **208,** 82
  binding to ET$_B$ receptor, inhibition by cyclic peptide RES-701-1, species specificity (dog, guinea pig, rabbit, rat), **209,** 712
  expression by human hepatocellular carcinoma, **216,** 514
  gene expression, and salt-dependent cardiac hypertrophy, inhibition by lacidipine in stroke-prone spontaneously hypertensive rat, **210,** 219
  growth response in scleroderma fibroblasts, ET$_A$ receptor-mediated impairment (human), **207,** 829

Endothelin-1 (*continued*)
  induction of thrombin receptor internalization in glomerular epithelial cells (human), **217,** 445
  role in collagen remodeling in experimental pulmonary hypertension (rat), **215,** 981
  secretion and subsequent internalization by cultured endothelial cells, role of ET_B receptors (human), **209,** 483
  stimulation of proliferation of normal airway epithelial cells (pig), **212,** 953
Endothelin-2
  producing renal adenocarcinoma cells, endothelin-converting enzyme in, cloning and sequencing (human), **208,** 721
Endothelin-3
  reduction of Ca^{2+} uptake and content of platelet internal stores (human), **210,** 889
Endothelin-converting enzyme
  cDNA, cloning and functional expression (human), **207,** 807
  gene expression in tissues (human), **211,** 249
  isolation free from neutral endopeptidase 24.11 contamination, methodology, **207,** 355
  in renal adenocarcinoma cells producing endothelin-2, cloning and sequencing (human), **208,** 721
Endothelin receptor
  activation of phospholipase A_2, role of G_i protein-mediated Ca^{2+} influx (CHO cells), **217,** 52
  ET_A
    mediating ET-induced autocrine proliferation of normal keratinocytes, identification (human), **209,** 80
    role in impairment of growth response to endothelin-1 in scleroderma fibroblasts (human), **207,** 829
  ET_{A2}, nonselective antagonist [Thr^{18},γ-MeLeu^{19}]-ET-1, effect on isolated blood vessels (rabbit, rat), **212,** 421
  ET_A and ET_B, subtypes, mediation of tracheal smooth muscle contraction (rabbit), **207,** 668
  ET_B
    binding to ET-1, inhibition by cyclic peptide RES-701-1, species specificity (dog, guinea pig, rabbit, rat), **209,** 712
    carboxy terminus, truncation, effect on membrane signaling and ligand binding (human), **217,** 354
    human and rat, pharmacological differences, **209,** 506
    role in ET-1 incorporation in cultured endothelial cells (human), **209,** 483
  mediating hepatic stellate cell contraction, characterization (rat), **207,** 725
Endotoxemia
  hepatic cells, differential induction by ICAM-1 and selectin mRNAs (rat), **211,** 74
Endotoxic shock
  nitric-oxide synthase induction in, inhibition by phenyl *N-tert*-butyl nitrone (mouse), **215,** 114
  resistance in transgenic mouse overexpressing human Cu/Zn-containing superoxide dismutase, analysis, **208,** 523
Endotoxin
  acute tolerance, relationship to LPS-induced glucose metabolic response in macrophage-rich tissues and nonparenchymal hepatic cells (rat), **211,** 340
  antagonism by DT-5461, with low endotoxicity in human peripheral blood monocytes, **216,** 367
  effect on adrenomedullin plasma concentration and gene transcription (rat), **215,** 531
  treated rat, bilirubin oxidized in, synergistic *in vivo* action as physiological antioxidant with ascorbic acid, **214,** 11
Energy
  conversion step of oxidative phosphorylation, model: electrochemical transduction in elastic protein-based polymers, **210,** 1031
Enhancers
  activating transcription in somatic cells, related function of c-*mos* 5′ flanking region (rat), **210,** 181
  fibroblast growth factor-4, regulation of activity by transcription factor NF-Y binding to FGF-4 promoter (mouse), **211,** 519
  melanocyte-specific, –tyrosinase promoter construct, enhancement of reporter gene expresson in human melanoma cells, **213,** 699
  sequences, effects on ventricular myosin light chain-2 promoter activity in heart muscle and nonmuscle cells (rat), **210,** 260
Enkephalins
  CD13/aminopeptidase N interactions with, effects of peptide inhibitors: substance P and bradykinin as natural inhibitors (HL60 cells, porcine kidney), **208,** 664
Enolase, *see* Phosphopyruvate hydratase
2-Enoyl-CoA hydratase
  mitochondrial, matrix-associated, characterization (human), **214,** 247
Enterocytes
  brush-border membrane vesicles, glycyl-proline transport system, detection (sheep), **215,** 561
Enterostatin
  enzyme-linked immunosorbent assay, **215,** 227
Enterotoxin B
  staphylococcal
    induced thymocyte apoptosis, associated changes in protein kinase C subspecies, **213,** 1132
    triggered lethal shock in galactosamine-loaded mouse, protection by interleukin-12, **217,** 74
Enzyme crystallin
  π-crystallin, identification as glyceraldehyde-3-phosphate dehydrogenase in diurnal gecko lens (*Phelsuma* spp.), **209,** 796
Enzyme immunoassay
  atrial myosin light chain 1 in ventricular aneurysms (human), **207,** 75
Enzyme-linked immunosorbent assay
  detection of elevated basic fibroblast growth factor during early hours of *in vitro* angiogenesis (bovine), **205,** 1423; *erratum,* **210,** 638
  enterostatin, **215,** 227
  4-hydroxy-2-nonenal-trapping, in analysis of release of cytotoxic aldehyde from oxidized low-density lipoproteins, **212,** 1068
  oxidized high-density lipoproteins, using monoclonal antibody 9F5-3a, **217,** 407
Eosinophils
  from asthmatic patients, leukotriene C4 release in, *in vivo* effect of prednisolone, **214,** 869
  peripheral, expression of cytochrome b_{558} gp91-*phox*, mechanism (human), **209,** 146

- protein kinase C-independent leukotriene B_4 activation of Raf-1 and mitogen-activated protein kinase (guinea pig), **210,** 837
- release of major basic protein, role of adult T cell leukemia-derived factor/thioredoxin and inhibitor (human), **213,** 1140

Epicatechin-3-gallate
- selective inhibition of steroid 5α-reductase (tea), **214,** 833

Epidermal growth factor
- 70-kDa S6 kinase activation in CHO cells expressing human EGF receptors, **209,** 131
- binding to cellular receptors on adipocyte precursors in primary culture, inhibition by prostaglandin $F_{2\alpha}$ (rat), **212,** 1125
- heparin-binding, *see* Heparin binding EGF-like growth factor
- induced intracellular Ca^{2+} release and 2-deoxyglucose and 2-aminobutyric acid uptake in EGFR T17 fibroblasts, effects of oleic acid, **207,** 105
- modulation of P-glycoprotein and *mdr1b* mRNA expression in primary hepatocyte culture (rat), **215,** 179
- regulation of mucous phenotype expression in rat tracheal epithelial cell, **217,** 412
- STAT transcription factor activation in cell lines with wild-type and mutant EGF receptors (human), **210,** 74
- stimulation of
  - carcinoembryonic antigen gene expression in hepatoma Li-7A cells (human), **207,** 529
  - MAP kinase via protein kinase C-dependent pathway in keratinocytes (human), **208,** 245
  - polyamine uptake in Caco-2 cells (human), **206,** 962
- and transforming growth factor α
  - antagonists, monoclonal antibodies acting as, effects on heparin-binding EGF-like growth factor binding to tumor cells overexpressing EGR receptors (human), **207,** 389
  - differential expression during postnatal development of rat submandibular gland, **217,** 271

Epidermal growth factor receptor
- in A431 cells, site-specific association with c-SRC (human), **210,** 844
- cells expressing, enhanced expression of E-cadherin (mouse), **206,** 518
- CHO cells expressing, EGF-induced activation of 70-kDa S6 kinase (human), **209,** 131
- deletions, defining region specifically mediating STAT transcription factor activation (human), **210,** 74
- ligand-induced polyubiquitination (pig), **213,** 32
- mediated signaling in A431 epidermoid carcinoma cells, cell cycle-dependent modulation (human), **208,** 253
- tumor cells overexpressing, heparin-binding EGF-like growth factor binding, effects of monoclonal antibodies acting as EGF and transforming growth factor α antagonists (human), **207,** 389
- Tyr845, phosphorylation by c-Src (mouse), **215,** 1078
- tyrosine phosphorylation in keratinocytes, induction by bradykinin (human), **210,** 774

Epididymis
- caput and cauda, expression of osteocalcin-related protein (mouse), **215,** 412

Epigallocatechin-3-gallate
- selective inhibition of steroid 5α-reductase (tea), **214,** 833

Epithelial cells
- alveolar, DNA strand breaks and DNA protein crosslinks, dimethylarsenic-induced, role of apurinic/apyrimidinic site formation (human), **207,** 244
- BRL, cell adhesion signaling to DNA synthesis, regulation by tyrosine phosphorylation/dephosphorylation (rat), **214,** 856
- bronchial
  - from atopic patient with asthma, response to allergens, **217,** 817
  - expression of interleukin 6, effect of erythromycin (human), **210,** 781
- choroid plexus, SCP, growth hormone receptor mRNA, detection (sheep), **217,** 349
- distal airway, nitric-oxide synthase-expressing, rat pulmonary epithelial cell line L2 as model, **217,** 575
- endometrial, cystic fibrosis transmembrane conductance regulator expression, down-regulation by progesterone, RT-PCR analysis (guinea pig), **217,** 1105
- esophageal, in primary culture, wound repair, stimulation by hepatocyte growth factor (rabbit), **216,** 298
- follicular, androgen-induced growth, mediation via insulin-like growth factor I from dermal papilla cells (human), **212,** 988
- gastric mucosa, proliferation and differentiation, effect of long-term omeprazole treatment (rat), **214,** 861
- glandular, selenoprotein identification (rat prostate), **217,** 162
- glomerular, thrombin receptor internalization, induction by endothelin-1 (human), **217,** 445
- growth signaling through $\alpha5\beta1$ fibronectin receptor (human), **208,** 126
- hepatic, c-jun-overexpressing, transformation, correlation with insulin-like growth factor-induced c-jun phosphorylation (rat), **217,** 501
- intestinal, IEC-6, growth stimulation by transfection with antisense insulin-like growth factor binding protein-2 construct, **211,** 707
- normal airway, proliferation, stimulation by endothelin-1 (pig), **212,** 953
- ocular ciliary, volume-sensitive chloride conductance regulatory protein pI_{Cln}, cloning (human), **208,** 89
- pigmented, and melanoma cells, reporter gene expression, gene regulatory elements enhancing, **213,** 699
- programmed death, model: involution of mammary glands in whole organ cultures (mouse), **207,** 860
- pulmonary, L2, as model for inducible nitric-oxide synthase-expressing distal airway epithelial cells (rat), **217,** 575
- renal
  - cortical, LLC-PK_1, TPA-induced increase in transepithelial permeability, inhibition by bisindolylmaleimide (swine), **209,** 669
  - MDCK, adenosine release, modulation by glucose and chemical hypoxia *in vitro* (dog), **208,** 970
- retinal pigment
  - apoptosis, mediation by CD95 antibody (human), **213,** 1026
  - cytokine-mediated expression of nitric-oxide synthase mRNA in, inhibition by transforming growth factor β (human), **215,** 386

- Epithelial cells (*continued*)
  - thymic, cortical and medullary, TEC14C18 and TEC1C6, differential expression of protein tyrosine kinase (mouse), **213,** 768
  - tracheal
    - chloride channel, effect of pH changes (bovine), **215,** 355
    - mucous phenotype, expression, regulation by epidermal growth factor (rat), **217,** 412
  - tracheal gland, MM39, intracellular Ca^{2+}, neutrophil elastase-induced changes and role in exocytosis (human), **212,** 307
  - yolk sac, associated gp280, processing: plasma membrane delivery of immature protein, **212,** 353
- Epithelium
  - cultured on human amniotic membrane, induction of cell differentiation and polarity (guinea pig), **210,** 302
  - nasal polyp, activities and localization of phenol sulfotransferase (human), **213,** 104
  - olfactory and lingual, identification of guanylyl cyclase (bovine, rat), **216,** 242
  - sensory, neuropeptide-like receptor preferentially expressed in, identification (bovine, rat), **209,** 752
- Epitopes
  - B cell and helper T cell, in HPV type 16 E2 protein, association with cytotoxic T cell epitopes (human), **209,** 541
  - FLAG, monoclonal antibodies to, reaction with Mg^{2+}-dependent protein phosphatase β isoform MPPβ4 (rat), **207,** 708
  - monoclonal antibody blocking binding of retinol protein to receptor, mapping (human), **210,** 105
- Epoxidation
  - [3-^{3}H]squalene by squalene epoxidase: retention of label during conversion into (3*S*)-2,3-oxidosqualene (porcine liver), **208,** 42
- EPR, *see* Electron paramagnetic resonance
- Epstein–Barr virus
  - nuclear antigen 2, transactivation of chemokine receptor BLR2/EBI1 expression, **215,** 737
  - transformed lymphocytes, producing IgG class monoclonal antibodies, isolation, **207,** 985
- Erbstatin
  - effect on cGMP production in rat pinealocytes, **207,** 994
- ERCC1 protein
  - DNA-repair, interaction with XPA protein, enhancement of damage-specific DNA binding by XPA, **211,** 960
- Ergosterol
  - effect of sensitivity of lipid bilayers to melittin, **211,** 312
- ERK2 kinase
  - phosphorylation of RNA polymerase II C-terminal domain (rat), **207,** 1051
- D-Erythroascorbic acid
  - and oxalic acid, conversion of D-arabinose to, in *Sclerotinia sclerotiorum,* **212,** 196
- Erythrocytes
  - 90-kDa membrane-bound endogenous inhibitor of multicatalytic proteinase, identification and purification (human), **214,** 957
  - calcium influx, and Ca^{2+},Mg^{2+}-ATPase, relationship in patient with idopathic hypercalciuria, **217,** 1099
  - cell surface lactosaminyl glycans, enzymatic analysis by flow cytometry (human), **215,** 30
  - detection of 2-keto-3-deoxygluconic acid and oxoaldehyde dehydrogenase (human), **210,** 852
  - evidence for existence of thioredoxin and thioredoxin reductase (human), **217,** 900
  - glucose 6-phosphate dehydrogenase N-terminal residue, identification as *N*-acetyl-alanine (human), **207,** 331
  - lithium transport pathways (chicken, eel, human), **210,** 119
  - membrane
    - 12-kDa inositolphosphate-binding protein, identification as immunophilin (human), **215,** 212
    - sodium permeability, Ca^{2+}-dependent activation by fluoride (human), **217,** 286
  - Mg,Na,K-ATPase, effect of dietary fish oil (human), **213,** 881
  - morphological changes, functional link with phosphorylation state of membrane proteins (human), **213,** 249
  - pyruvate kinase isozymes, compound heterozygous mutations affecting, identification (human), **208,** 991
  - and reticulocytes, from sickle cell disease patients, sickling *in vitro* at venous and arterial O_2 tensions, **211,** 504
- Erythroid cells
  - differentiation of leukemia cells to, induction by *Dictyostelium discoideum* morphogen DIF-1 (human, mouse), **208,** 1036
- Erythroid factor
  - GATA-1, binding by HMG-I nuclear protein, implications for hereditary persistence of fetal hemoglobin syndrome, **214,** 927
- Erythromycin
  - effect on interleukin 6 expression by human bronchial epithelial cells, **210,** 781
- Erythropoiesis
  - stimulating activity, molecular cloning and expression in *Escherichia coli* (*Streptomyces thermoviolaceus*), **215,** 48
- Erythropoietin
  - induction of tyrosine phosphorylation of GM–CSF receptor β chain (human), **208,** 1060
  - mRNA, and 4-kb mRNA in macrophages and hematopoietic tissues, shared short nucleotide sequence (mouse), **209,** 1076
- Erythropoietin receptor
  - soluble, full-length, ligand binding kinetics (mouse), **216,** 62
- *Escherichia coli*
  - 70-kDa heat shock protein SSB1P, detection and expression at different temperatures, **213,** 484
  - active transport of sucrose by cscB permease, **208,** 1116
  - amino acid-starved cells, λ plasmid replication in, regulation by transcriptional activation of *ori*λ, **214,** 978
  - *crtW* gene from marine bacteria in, encoding of canthaxanthin biosynthesis by conversion of methylene to keto groups in β-carotene, **209,** 867
  - cytoplasmic membrane, unstable SecE derivative, stabilization by SecG interaction with SecE, **217,** 217
  - *dnaA* mutant phenotypes, sensitivity to detergents and organic solvents, **212,** 84
  - estrogen receptor binding cyclophilin expressed in, biochemical and calmodulin binding properties, **209,** 117
  - expression of
    - brain-specific bovine 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase cDNA, **209,** 1140
    - chicken liver 6-phosphofructo-2-kinase/fructose-2,6-biphos-

  phatase, comparison with native chicken and recombinant rat liver enzymes, **209,** 883
  cloned adeno-associated virus rep78 protein as fusion protein with maltose binding protein, **208,** 714
  erythropoiesis-stimulating activity, **215,** 48
  fungal manganese peroxidase, **216,** 1013
  HCV serine proteinase fusion protein, **210,** 1059
  human pancreatic polypeptide, purification and characterization, **213,** 239
  human type I keratin 16 cDNA, **215,** 517
  profilin cDNA, **215,** 250
  tricarboxylate transport protein from rat liver mitochondria, purification and functional reconstitution, **207,** 783
 killing by hypochlorous acid, effect of chlorogenic acid, **217,** 972
 lactose repressor, Ser300 position, mutational analysis, **209,** 126
 melibiose carrier, Asp51→Ser mutant, activity restoration with Gly113→Asp mutation (*Escherichia coli*), **209,** 242
 membrane binding by hepatitis A virus 3A protein, **211,** 627
 proB proA operon, effect on osmotolerance of *Rhizobium fredii BD32,* **217,** 796
 radiation resistance, directed evolution, **216,** 549
 recombinant cambialistic superoxide dismutase from *Propionibacterium shermanii* expressed in, metal uptake, effect of growth conditions of host bacteria, **216,** 841
 recombinant human pancreatic ribonuclease production: role of N-terminal sequence, **216,** 406
 RNase E-deficient, recombinant tandem expression of translation initiation factor IF2, **214,** 1254
 rRNA synthesis in, feedback regulation by synthesis of non-translating specialized ribosomes, **206,** 393
 SulA, interaction with FtsZ via GTP hydrolysis, **209,** 198
 translational termination of human recombinant methionyl-neurotrophin 3, **211,** 40
 X-irradiated, production of DNA double-strand breaks in, role of hydroxyl radicals, **207,** 957
 X-ray dose threshold for SOS repair induction, measurement, **206,** 781
ESR, *see* Electron paramagnetic resonance
Esterase
 extracellular thermostable, identification and partial characterization (*Sulfolobus shibatae*), **216,** 495
Esterase S
 5′ regulatory region responsible for gene expression, identification in transgenic experiments (*Drosphila virilis*), **213,** 302
Esterification
 fatty acid ethyl ester-catalyzed, ethanol to cocaine (human), **208,** 549
Estradiol
 effect on *in vivo* Mg^{2+}/Ca^{2+}-ATPase activity in cortical and cerebellar synaptosomal membranes (rat), **212,** 178
 inhibition of 20-kDa major protein expression in exorbital lacrimal gland (hamster), **208,** 412
 role in ubiquitination of uterine estrogen receptor (rat), **213,** 24
Estradiol-17β
 and DNA, binding to estrogen receptor, modification upon association with calmodulin, **208,** 748
 effects on osteoclastic bone resorption *in vitro,* **216,** 662
 modulation of PMA-stimulated and Ca^{2+}/calmodulin-dependent synaptosomal membrane protein phosphorylation *in vivo* (rat brain), **207,** 606
 ovarian production in adult female rat, effects of submaxillariectomy, **213,** 550
 protection of neurons from oxidative stress-induced cell death *in vitro* (murine HT22 cells), **216,** 473
 regulation of sex hormone-binding globulin *in vitro* (human), **206,** 895
 stimulation of endothelial K^{+} channels (rabbit), **214,** 367
Estrogen
 effect on endothelial nitric-oxide synthase (bovine, human), **214,** 847
 induced increase in apolipoprotein B-100 mRNA in inbred strains, role of decreased RNA editing protein mRNA (mouse), **212,** 381
 regulation of
  E-cadherin expression in hormone-responsive LNCaP prostate cancer cells (human), **212,** 624; *erratum,* **214,** 1269
  interleukin-1 receptor antagonist mRNA expression in cultured monocytes (human), **209,** 279
  mucin genes, **217,** 1006
  sex hormone-binding globulin *in vitro* (human), **206,** 895
 responsiveness, differences in stocks of MCF-7 breast cancer cells to, role of differential expression of wild-type and variant estrogen receptor mRNAs (human), **210,** 609
Estrogen receptor
 dinucleotide repeat polymorphism, association with osteoporosis (human), **217,** 378
 estradiol and DNA binding to, modification upon association with calmodulin (rat), **208,** 748
 expression in MCF-7 breast cancer cells, selective regulation by heregulin family (human), **217,** 1271
 uterine, ubiquitination, role of estradiol (rat), **213,** 24
 wild-type and variant, mRNAs, differential expression by stocks of MCF-7 breast cancer cells, role in differences in estrogen responsiveness (human), **210,** 609
Estrogen receptor cyclophilin
 expressed in *Escherichia coli*, biochemical and calmodulin binding properties, **209,** 117
Estrogen response element
 mediated transcription, and osteoblast function, in HOS-TE85 osteosarcoma cells, tamoxifen effects (human), **210,** 295
Estrogens
 and androgens
  inhibition of 20-kDa major protein expression in exorbital lacrimal gland (hamster), **208,** 412
  ovarian production in adult female rat, effects of submaxillariectomy, **213,** 550
 related bisphenol A, *in vitro* conversion to DNA-binding metabolite, **210,** 424
Estrone
 regulation of sex hormone-binding globulin *in vitro* (human), **206,** 895
Ethanol
 administration in mouse, subsequent oxidation of mitochondrial proteins and DNA, **213,** 815

- Ethanol (*continued*)
  - effect on spleen myristoyl CoA:protein *N*-myristoyltransferase (bovine), **208,** 617
  - enhancement of stimulatory effects of insulin and insulin-like growth factor-1 on DNA synthesis (NIH 3T3 cells), **208,** 63
  - fatty acid ethyl ester synthase-catalyzed esterification to cocaine (human tissues), **208,** 549
  - and 3-methylcholanthrene, combined treatment, effects on hepatic cytochrome P450 1A2 and 2E1 expression (rat), **211,** 497
  - sensitivity of *dnaA* mutant phenotypes (*Escherichia coli*), **212,** 84
  - stimulation of
    - expression of functional H^+,K^+-ATPase in Sf9 cells, **210,** 907
    - prostaglandin secretion in cultured Kupffer cells (rat), **215,** 691; *erratum,* **217,** 1287
- Ethanolamine
  - and choline phosphate, synergistic potentiating effects on insulin-induced DNA synthesis in NIH 3T3 fibroblasts (mouse), **213,** 980
- Etoposide
  - induced apoptosis in U937 cells, prevention by aspartate-based inhibitor of interleukin-1β-converting enzyme, **209,** 907
- Evolution
  - directed, radiation resistance in *Escherichia coli,* **216,** 549
  - molecular
    - *A2* gene in MHC *DQ* subregion (bovine), **212,** 110
    - *DMA* and *DMB* genes of MHC class II (bovine), **217,** 522
- Exercise
  - endurance, effects on gene expression of insulin signal transduction pathway (rat), **210,** 766
- Exocytosis
  - induction in endothelial cells by stable leukocyte-derived factor (human), **206,** 146
  - in tracheal gland cells, neutrophil elastase-induced, role of intracellular Ca^{2+} (human), **212,** 307
  - transferrin receptors, insulin-stimulated, in 3T3-L1 adipocytes, role of phosphoinositide 3-kinase (mouse), **211,** 535
- Exon skipping
  - caused by base substitution at splice site in GTP cyclohydrolase I gene, in Japanese family with hereditary progressive dystonia/dopa-responsive dystonia, **213,** 645
- Extracellular matrix
  - hyaluronic acid-deficient, induction by addition of 4-methylumbelliferone to culture medium of dermal fibroblasts (human), **208,** 470
  - laminin-rich, maintenance of high level of hepatocyte nuclear factor 4 in hepatocyte culture (rat), **212,** 800
  - regulation of hepatic genes and liver transcription factors in cultured hepatocytes (rat), **210,** 38
- Extracellular matrix protein
  - degradation by procathepsin L in presence of glycosaminoglycans *in vitro* (NIH 3T3 cells), **217,** 624
  - synthesis by cultured mesangial cells, nitric oxide effects (rat), **207,** 120
- Extrusion
  - glutathione, in nonoxidative loss of glutathione in apoptosis (U937 cell), **216,** 313
- Eye, *see also specific parts*
  - $[^3H]$farnesol metabolism to cholesterol and cholesterogenic intermediates *in vivo* (rat), **210,** 695
- Ezrin
  - related domains, protein-tyrosine phosphatase *pez* with, cDNA isolation (human), **209,** 959
  - tyrosine phosphorylation and translocation, induction by hepatocyte growth factor/scatter factor, **217,** 1062

F

- Fabry disease
  - α-galactosidase missense mutants, stabilization by galactose (human), **214,** 1219
- Factor Xa
  - role in platelet activation induced by chylomicron–prothrombin complexes (rat), **208,** 765
- Familial hyperaldosteronism
  - type I, genetic defect in, PCR detection (human), **207,** 565
- Fa-response elements
  - role in fatty genotype-induced increase in GLUT4 promoter activity in transfected adipocytes (rat), **209,** 1053
- Farnesol
  - ^3H-labeled, metabolism to cholesterol and cholesterogenic intermediates *in vivo* (rat eye), **210,** 695
  - induced apoptotic cell death, role of protein kinase C-dependent signal transduction (human), **212,** 479
  - role in protein isoprenylation and cholesterol biosynthesis in mammalian cells (monkey, rat), **211,** 590; *erratum,* **213,** 1148
- Farnesyl
  - derived inhibitors of *ras* farnesyl transferase, synthesis and evaluation, **217,** 245
- Farnesylation
  - and geranylgeranylation, post-translational inhibitors, analysis by specific labeling of isoprenylated proteins (human), **206,** 637
- Farnesyl-diphosphate farnesyltransferase
  - Ras-processing, $p21^{Ras}$ protein carboxy terminus analogs as inhibitors, evaluation, **217,** 728
- Farnesyl-diphosphate synthase, *see* Geranyl*trans*transferase
- Farnesyltransferase, *see* Farnesyl-diphosphate farnesyltransferase
- Fas-ligand
  - induction in Jurkat cells, role of $p56^{lck}$ (human), **213,** 994
- Fasting
  - effects on endogenous opiate production (rat), **207,** 312
- Fat
  - accumulation, effects of lipoprotein lipase: association of overexpression of human LPL with increased hormone-sensitive lipase activity in adipose tissue in mouse, **211,** 761
  - dietary, regulation of hepatic microsomal triglyceride transfer protein mRNA levels (hamster), **212,** 473
- Fatty acid-binding protein
  - cytoplasmic, and fatty acid translocase, coexpression in heart and skeletal muscles (rat), **207,** 747
  - plasma membrane, identification and characterization (human placenta), **209,** 1011
- Fatty acid ethyl ester synthase
  - catalysis of ethanol esterification to cocaine (human tissues), **208,** 549

- Fatty acid hydroperoxide lyase
  - identification as heme protein, **207,** 438
- Fatty acids
  - enrichment effect on adenylate cyclase activity in Yoshida AH-130 ascites hepatoma (rat), **213,** 853
  - free polyunsaturated, prevention and termination of β-adrenergic agonist-induced arrhythmias in cardiac myocytes (neonatal rat), **208,** 629
  - long- and very long-chain, peroxisomal activation (*Pichia pastoris*), **206,** 335
  - n-3 and n-6 supplementation, effect on essential FA metabolism in cultured cardiomyocytes (rat), **216,** 11
  - n-3 polyunsaturated, dietary, effect on human erythrocyte Mg,Na,K-ATPase (fish), **213,** 881
  - β-oxidation
    - in peroxisomes and mitochondria, role of carnitine (human), **213,** 1035
    - related enzyme, characterization (human), **214,** 247
- Fatty acid translocase
  - and cytoplasmic fatty acid-binding protein, coexpression in heart and skeletal muscles (rat), **207,** 747
- Fatty acyl-CoA reductase, *see* Hexadecanal dehydrogenase (acylating)
- Fc receptor
  - FcγR, in *cis* mediation of calcium signaling initiated by complement receptor type 1 crosslinking (human), **209,** 1032
- Feathers
  - formation, role of *Sonic hedgehog* gene (chicken), **206,** 33
- Fenvalerate
  - inhibition of type I iodothyronine 5′-monodeiodinase activity and induction of loss of membrane integrity (mouse kidney, liver), **214,** 905
- Ferredoxin
  - 7Fe dicluster-type, alternative form, purification and characterization (*Sulfolobus* sp. strain 7), **206,** 563
  - [2Fe–2S], molecular variants, electrospray-ionization MS (*Clostridium pasteurianum*), **210,** 686
  - types I and II, EPR and redox characterization (*Desulfovibrio vulgaris*), **211,** 198
- Ferric nitrilotriacetate
  - promotion of hepatic tumors via oxidative stress generation (rat), **212,** 557
- Ferric uptake regulation protein
  - interaction with DNA, **212,** 784
- Ferrochelatase
  - binding of iron-responsive element in 5-aminolevulinate synthase mRNA, **214,** 875
- Ferroxidase
  - activity in ceruloplasmin, inhibition by carbamylation (human), **214,** 1073
  - gene encoding
    - fine structure (human), **208,** 1028
    - nonsense mutation in, identification in patient with hereditary ceruloplasmin deficiency with diabetes mellitus, **217,** 89
  - in Golgi apparatus of LEC hepatocytes, incorporation of copper (rat), **209,** 349; *erratum,* **211,** 348
  - identification as endogenous depolarizing factor in neurons, **207,** 599
- Fertilization
  - egg membrane, effect of dansylated mastoparan and related peptides (sea urchin), **215,** 828
- α-Fetoprotein
  - mRNA, hepatocellular carcinoma-associated, detection in blood (human), **207,** 813
  - transgenic mouse producing, experimental, antigen-induced arthritis in, suppression (human), **213,** 362
- Fetuin
  - as substrate for identification of O-sialoglycoprotease in *Pasteurella haemolytica* (bovine), **212,** 981
- Fetus
  - development, associated activity of 4a-hydroxy-tetrahydropterin dehydratase/hepatic nuclear factor 1α dimerization cofactor (human), **217,** 958
- Fibrin
  - and fibronectin/apical collagen and Matrigel, effects on human endothelial cell differentiation, comparison, **213,** 630
- Fibrinogen Aα
  - degradation *in vivo*: detection of cleavage sites and release of antithrombotic peptides (human), **215,** 896
- Fibroblast growth factor
  - basic, *see* Basic fibroblast growth factor
- Fibroblast growth factor 4
  - enhancer activity, regulation by transcription factor NF-Y binding to FGF-4 promoter (mouse), **211,** 519
  - expressing cells, implantation in flank at pre-limb bud stage, induction of additional limb formation (chicken embryo), **209,** 809
- Fibroblast growth factor receptor
  - ligand-induced polyubiquitination (human), **213,** 32
- Fibroblasts
  - 3T3
    - procollagen type III gene expression, inhibition by antisense oligonucleotide (mouse), **215,** 849
    - protein-tyrosine-phosphatase PTP35 expression, regulation during cell growth and stimulation by mitogens (mouse), **217,** 154
    - signal modulator protein 14-3-3 as target of sphingosine- and *N,N*-dimethylsphingosine-dependent kinase in, **216,** 739
    - transfection with thiol-reactive phospholipids complexed with lipospermine/DNA particles, efficiency (mouse), **209,** 444
    - transmembrane protein-tyrosine phosphatase mRNA expression, modulation by PDGF receptor kinase and growth arrest (mouse), **209,** 614
  - 3T3-F442A, mitogenic response to transforming growth factor β (mouse), **216,** 964
  - 3T3-L1
    - adipocytic differentiation, inhibition by wortmannin (mouse), **212,** 263
    - insulin-stimulated signal transduction system related to adipocyte differentiation, inhibitory effect of wortmannin (mouse), **210,** 574
  - 3Y1
    - p130$^{gag\text{-}fps}$ *in vivo* autophosphorylation and transforming activity, regulation by leucine zipper-like domain (rat), **211,** 447
    - 12-*O*-tetradecanoylphorbol-13-acetate induced activation of NF-κB, role of protein kinase C isoenzyme nPKCε (rat), **206,** 429

Fibroblasts (*continued*)
- A9, α_4 gene expression, role of regulatory element in 5′ untranslated region (mouse), **211,** 115
- adrenoleukodystrophy, transfection with normal ALDP cDNA, effect on peroxisomal β-oxidation (human), **210,** 830
- C3H10T1/2, radiation-induced malignant transformation *in vitro,* promotion by benzoyl peroxide (mouse), **212,** 118
- carbohydrate deficient glycoprotein syndrome-derived, enzymes in mannose 6-phosphate synthesis from glucose, analysis (human), **208,** 517
- collagenase, peptide substrates, interaction with divalent cations (human), **215,** 474
- dermal
  - diploid, GM1492, defective p53-dependent G1 cell cycle checkpoint (human), **217,** 769
  - elastin gene expression, suppression by okadaic acid (human), **209,** 175
  - hyaluronic acid-deficient extracellular matrix, induction by addition of 4-methylumbelliferone to culture medium (human), **208,** 470
  - under UVB exposure, detection of hydrogen peroxide and hydroxyl radicals (mouse), **206,** 474
- doxorubicin-treated, p53 expression, attenuation by phorbol esters (human), **215,** 641
- EGFR T17, epidermal growth factor-induced intracellular Ca^{2+} release, and 2-deoxyglucose and 2-aminobutyric acid uptake, effects of oleic acid (mouse), **207,** 105
- elongation factor, derived from colon carcinoma cells, identification of sequence homology with TIMP-1 (human), **206,** 590
- embryonic, HEF, HSV-2-infected, castanospermine derivative MDL 28,574 antiviral activity and metabolism (human), **208,** 267
- foreskin and lung, expression of A$_1$ and A$_2$ adenosine receptors (human), **208,** 871; *erratum,* **209,** 775
- fumarylacetoacetate hydrolase deficiency in, type I tyrosinemia-associated, *in vitro* correction by retroviral-mediated gene transfer (human), **208,** 957
- from Hutchinson–Gilford progeria syndrome patients, exhibition of metabolically normal uridine uptake and RNA synthetic rates, **210,** 225
- L-929, attachment and growth on silk fibroin (mouse), **208,** 511
- Ltk$^-$, coexpression of skeletal muscle voltage-dependent calcium channel α_1 and β subunit cDNAs, association with increased α_1 protein in cell membrane (mouse), **211,** 921
- MRC5, culture density, effect on activity, abundance, and phosphorylation of Na$^+$/H$^+$ exchanger (human), **209,** 191
- NIH 3T3
  - cellular genes transcriptionally suppressed by v-*src,* identification (mouse), **206,** 916
  - cyclin D1-overexpressing, tumorigenicity and gene amplification potentials (mouse), **217,** 1169
  - cytoplasm, heat shock factor-1 and heat shock cognate 70 protein association in high-molecular-weight complexes (mouse), **213,** 1
  - DNA synthesis, stimulatory effects of insulin and insulin-like growth factor-1, enhancement by ethanol (mouse), **208,** 63
  - growth characteristics, effect of protein kinase C-ζ overexpression (mouse), **213,** 266
  - growth suppression by necdin (mouse), **213,** 317
  - Ha-*ras*-expressing, suppression of anionic amino acid transport, associated impairment of intracellular glutamate (mouse), **211,** 878
  - hypoxia-induced transcription of VEGF gene, role of functional AP-1 transcription factor (mouse), **208,** 432
  - insulin-induced DNA synthesis, synergistic potentiating effects of choline phosphate and ethanolamine (mouse), **213,** 980
  - Ki-*ras*-transformed, defective phospholipase D activation, evidence for downstream effector of PLC-γ1 in PDGF-mediated signal transduction (mouse), **207,** 460
  - platelet-derived growth factor β receptor promoter activity (mouse), **210,** 165
  - platelet-derived growth factor receptor tyrosine phosphorylation levels and stimulation of phosphatidylinositol 3-kinase and MAP kinase, effect of FTI-244, **214,** 295
  - v-Ha-*ras*-transformed, conditioned medium, physical association of Ras protein and cathepsins B and L (mouse), **216,** 828
  - v-H-*ras*-transformed, reversion by apigenin via inhibition of MAP kinase and downstream oncogenes (mouse), **212,** 767
- oxygen stress-induced apoptosis, role of mitochondrial genome (human), **209,** 723
- periosteal, synthesis of nitric oxide, effect of pulsating fluid flow in relation to prostaglandin upregulation (chicken), **217,** 640
- proliferation, role of preproenkephalin A gene, antisense vector analysis, **214,** 530
- scleroderma, growth response to endothelin-1, ET$_A$ receptor-mediated impairment (human), **207,** 829
- Swiss 3T3
  - adenylyl cyclase synthesis, induction by interleukin-1β (mouse), **212,** 293
  - bombesin receptor antagonistic activity of Kuwanon G and H isolated from mulberry (mouse), **213,** 594
  - release of extracellular inositol phospholipid-specific phospholipase C *in vitro* (mouse), **211,** 318
- synovial, growth, role of protein kinase (human), **210,** 1066
- TIG-3, 8-hydroxyguanine repair activity, age-associated change (human), **214,** 1157
- UV-B-induced apoptosis, protective effect of 3-aminobenzamide via action on cytoskeleton and substrate adhesion (mouse), **207,** 715
- V79, stable expression of human platelet phenolsulfotransferase cDNA (Chinese hamster), **208,** 855
- WI38, WAF1 mRNA expression, induction by interleukin 1: accumulation mechanism (human), **216,** 429
- wound, collagen gene expression and mitotic activity, effects of platelet-derived growth factor isoforms AA, AB, and BB (human), **209,** 393

Fibroin
- silk, attachment and growth of L-929 fibroblasts on, analysis (silkworm), **208,** 511

Fibronectin
- activation of peritoneal macrophage tumoricidal activity in presence of interferon-γ (mouse), **206,** 969

  with apical collagen, and Matrigel and fibrin, effects on human endothelial cell differentiation, comparison, **213,** 630
  binding domain of fimbriae, analysis with synthetic peptides (*Porphyromonas gingivalis*), **216,** 785
  synthesis by cultured mesangial cells, nitric oxide effects (rat), **207,** 120
  synthesis and secretion, in mononuclear phagocytes of acutely injured liver and Kupffer cells of normal liver, comparison (rat), **213,** 752
Fibronectin receptor
  α5β1, mediated growth signaling (human epithelial cells), **208,** 126
Filaments
  intermediate, rod domain, identification in synemin (chicken), **213,** 796
Filter binding assay
  in characterization of HIV-1 integrase DNA-binding activity, **217,** 802
Fimbria
  fibronectin binding domain, analysis with synthetic peptides (*Porphyromonas gingivalis*), **216,** 785
FK506
  immunosuppression by, effect on duration of expression of adenovirus-delivered transgene in skeletal muscles of adult dystrophic mouse, **213,** 569
  mediated calcineurin inhibition, role of immunophilins, **215,** 781
FKBP12 protein
  in affinity purification of ryanodine receptor/calcium release channel from fast twitch skeletal muscle (rabbit), **214,** 263
Flagella
  spermatozoa, motility, inhibition by dephosphorylation of 30-kDa protein by addition of myosin light-chain kinase substrate peptide (chicken), **215,** 706
Flank
  additional limb development from, induction by implantation of fibroblast growth factor 4-expressing cells (chicken embryo), **209,** 809
Flavin-containing monooxygenase
  FMO-A, purification (rat liver), **212,** 820
Flavin mononucleotide protein
  yellow fluorescence, and bioluminescence active riboflavin protein, production by *Vibrio fischeri* Y1, **211,** 774
Flavin reductase
  myocardial, mediation of riboflavin cardioprotective effects during reoxygenation injury (rabbit), **212,** 35
Flavonoids
  as nitric oxide radical scavengers, **214,** 755
Flow cytometry
  erythrocyte cell surface lactosaminyl glycans, **215,** 30
  mitochondrial mass and membrane potential in single intact coelomocytes (earthworm), **214,** 503
  shear stress effects on ICAM-1 and VCAM-1 expression in vascular endothelial cells (human), **206,** 988
Flt-1 protein
  expression in renal mesangial cells (rat), **209,** 218
Fluid flow
  induction of tyrosine phosphorylation of endothelial cell 128-kDa surface glycoprotein (bovine), **214,** 69
  pulsating, effect on nitric oxide synthesis by osteocytes and periosteal fibroblasts in relation to prostaglandin upregulation (chicken), **217,** 640
Fluorescence correlation microscopy
  in molecular characterization of recombinant green fluorescent protein, **217,** 21
Fluorescence microscopy
  in analysis of effect of positively charged surface on DNA duplex high order structure, **214,** 1040
Fluorescence quenching
  in membrane phase (murine lymphoid cells), **208,** 111
  pyridoxal-5′-phosphate of glycogen phosphorylase *b:* local dynamics of active site region (rabbit), **209,** 936
Fluoride
  Ca^{2+}-dependent activation of human erythrocyte membrane sodium permeability, **217,** 286
5-Fluoro-2′-deoxyuridine 5′-monophosphate
  HPLC in tissue and serum (rat), **216,** 808
Fluoromethyl-2,2-difluoro-1-(trifluoromethyl)vinyl ether, *see* Compound A
5-Fluorouracil
  HPLC in tissue and serum (rat), **216,** 808
FMN protein, *see* Flavin mononucleotide protein
FMRFamide-related peptide receptor
  single, coupling to different G proteins, in signal transduction of FMRFamide-related peptides (*Locusta migratoria*), **212,** 531
FMRFamide-related peptides
  Gly–Tyr–Ile–Arg–Phe amide (*Dugesia tigrina*), **209,** 689
  KHEYLRFamide, isolation (*Caenorhabditis elegans*), **217,** 845
  signal transduction, coupling of single receptor to different G proteins in, **212,** 531
Foam cells
  formation, effect of very-low-density lipoprotein overexpression in CHO cells, **206,** 835
Focal adhesion kinase
  $pp125^{FAK}$, tyrosine phosphorylation, stimulation by mesangial cell stretching (rat), **212,** 544
  role in differentiation of ES cells *in vitro* and *in vivo* (mouse), **209,** 300
  tyrosine phosphorylation and activity in thymocytes, effect of integrin stimulation (mouse), **215,** 438
Focal adhesion protein
  tyrosine phosphorylation in keratinocytes, induction by bradykinin (human), **210,** 774
Folate transporter
  encoding gene, assignment to chromosome 21q22.3 by somatic cell hybrid analysis and *in situ* hybridization (human), **210,** 874
  placental, molecular cloning (human), **206,** 681
Follicle-stimulating hormone
  β subunit, specific regions, interaction with amino acid residues 300–315 of FSH receptor (rat), **210,** 392
Follicle-stimulating hormone receptor
  amino acid residues 300–315, identification as hormone-binding domain: interaction with specific regions of FSH β subunit (rat), **210,** 392
Follistatin
  gene encoding, differential expression in migrating endothelial cells, identification by RNA display (bovine), **209,** 1068

Follistatin (*continued*)
  heparin-binding site, role in interaction with activin (human), **208,** 1
Formononetin
  as inhibitor of *P. testosteronii* β-hydroxysteroid dehydrogenase, **215,** 1137
Formyl-methionyl-leucyl-phenylalanine
  stimulated human neutrophils, protein kinase C isoform redistribution in, **212,** 664
N-Formyl-methionyl-leucyl-phenylalanine receptor
  signaling, p72^{syk} activation in, role of cyclic AMP-elevating agents (pig), **212,** 887
Forskolin
  and dexamethasone, differential regulation of proenkephalin gene expression (rat), **210,** 589
  effect on insulin-like growth factor-1 transcript levels in normal osteoblast-like cells (human), **207,** 963
Fos protein
  and Jun protein, truncated, stimulation of DNA replication in cell-free egg extract (*Xenopus laevis*), **208,** 1080
Fourier transform infrared spectroscopy
  monoamine oxidase secondary structure determination (bovine, human), **208,** 773
Fractals
  interpretation of acid phosphatase positional correlations in solid surface fungal cultivations, **208,** 1159
Frameshifting
  ribosomal, RNA signals affecting: influence of stem size and slippery sequence, **213,** 575
Fructose-bisphosphatase
  family with deficiency, genetic mutation, identification, **210,** 797
Fructose-1,6-bisphosphatase, *see* Fructose-bisphosphatase
Fructose-1,6-bisphosphate
  allosteric activation of reticulocyte guanine nucleotide exchange factor (rabbit), **217,** 616
Fructose-2,6-bisphosphatase, *see* Fructose-2,6-bisphosphate 2-phosphatase
Fructose-2,6-bisphosphate 2-phosphatase
  –6-phosphofructo-2-kinase
    Arg-104 mutation effects on enzyme stability, **213,** 663
    brain-specific, catalytic core, cloning and expression (bovine), **209,** 1140
    native and recombinant *Escherichia coli*-expressed, comparison with recombinant rat liver enzyme (chicken liver), **209,** 883
FTI-244
  CAAX peptidomimetic, effect on platelet-derived growth factor receptor tyrosine phosphorylation levels and stimulation of phosphatidylinositol 3-kinase and MAP kinase (NIH 3T3 cells), **214,** 295
FtsZ protein
  interaction with SulA via GTP hydrolysis (*Escherichia coli*), **209,** 198
Fujinami sarcoma virus
  P130$^{gag\text{-}fps}$ fusion protein encoded by, *in vivo* autophosphorylation and transforming activity, regulation by leucine zipper-like domain (3Y1 rat embryonic fibroblasts), **211,** 447
Fullerene C60
  promotion of limb bud cell chondrogenesis *in vitro* (rat), **206,** 885
Fumarase, *see* Fumarate hydratase
Fumarate hydratase
  cytosolic, effect of single base-pair change (*Saccharomyces cerevisiae*), **215,** 578
Fumarylacetoacetase
  type I tyrosinemia-associated deficiency, *in vitro* correction in fibroblasts by retroviral-mediated gene transfer (human), **208,** 957
Fumarylacetoacetate hydrolase, *see* Fumarylacetoacetase
Fura-2
  probing of intracellular Ca^{2+}, effects of buffer system and magnesium concentration, **214,** 373
Furin
  in structural analysis and kinetic characterization of cleavage sites of HIV gp160, **213,** 356
Furocoumarin hydroperoxides
  induction of genotoxicity in mammalian cells upon UVA irradiation, **216,** 693
Fusidic acid
  resistance, conferral by depletion of small cytoplasmic RNA (*Bacillus subtilis*), **210,** 317
Fusion proteins
  consisting of SV40 large T antigen nuclear localization sequence region and β-galactosidase, nuclear transport, measurement, **217,** 419
  maltose binding protein–Rep78, cloning, expression, and purification in *Escherichia coli,* **208,** 714
  neurokinin 1 receptor-containing, biotinylated, expressed in Semliki Forest virus system, functional activity (human), **208,** 260
  Sendai virus, activation by hemagglutinin–neuraminidase receptor binding, **208,** 36
  ubiquitin, carboxyl extensions, characterization as ribosomal proteins S27a and L40 (rat), **215,** 682
Fyn protein
  in postsynaptic density fraction isolated from rat brain, *N*-methyl-D-aspartate receptor subunits ε1 and ε2 as substrates, **216,** 582

G

G25K protein
  C-terminal prenylcysteine methylesterase activities, membrane localization (rabbit brain), **208,** 174
Gaegurins
  antimicrobial peptides, isolation from Korean frog skin, **205,** 948; *erratum,* **209,** 775
Galabiose
  ligand Galα1→4Gal, affinity of *Bandeiraea (Griffonia) simplicifolia* lectin-I isolectin B_4, **216,** 814
Galactokinase
  GALK1, and related GK2 protein, comparative enzymatic activities (human), **212,** 687
Galactosamine
  loaded mouse, staphylococcal enterotoxin B-triggered lethal shock, protection by interleukin-12, **217,** 74

Galactose
- metabolism, GALK1 and GK2 enzymatic activities, comparison (human), **212,** 687
- stabilization of α-galactosidase missense mutants in Fabry disease (human), **214,** 1219

α-Galactosidase
- missense mutants, in Fabry disease, stabilization by galactose (human), **214,** 1219

β-Galactosidase
- α fragments, intracellular stability, effects of amino-terminally fused polypeptides (*Escherichia coli*), **215,** 452
- encoding gene
  - amphipathic peptide-mediated transfer, effects of short-chain phospholipids, **217,** 179
  - expression in PC12-VG cells, enhancement by exposure to extremely low frequency magnetic fields (rat), **212,** 104
- fused to SV40 large T antigen nuclear localization sequence region, nuclear transport, measurement, **217,** 419
- –preapolipoprotein C-III hybrid, distinguishing between phospholipids of very-low-density and low-density lipoproteins by, **211,** 754

β-Galactoside α2,6-sialyltransferase
- colon cancer cell transfection with, in establishment of cell lines permanently expressing α2,6-sialylated sugar chains (rat), **211,** 554

Galactosyltransferase
- binding sites for UDP-galactose in, identification (*Escherichia coli*), **206,** 362

Galanin
- effect on cholecystokinin secretion in STC-1 cells, **216,** 20

Galectin-1
- modulation of melanoma cell adhesion to laminin (human), **209,** 760

Galectin-3
- binding potentials of mouse tumor EHS and human placental laminins, **217,** 402
- identification as nuclear matrix protein binding RNA, **217,** 292

Galβ(1-3/1-4) GlcNAc α2,3-sialyltransferase
- glycolipid acceptor specificity (human), **217,** 852

Gallium
- and other metals, induced conformational heterogeneity of transferrins, spectroscopic studies (human), **206,** 161

Gal11 protein
- encoding gene, role in pheromone-induced transcription in *Saccharomyces cerevisiae,* **212,** 854

Gancyclovir
- and acyclovir, selective recognition by HSV-I thymidine kinases, role of amino acid positions 251, 321, and 348, site-directed mutagenesis analysis, **209,** 966

GAP, *see* GTPase-activating protein

Gap junctional communication
- in cultured aortic endothelial cells, inhibition by elevated glucose and phorbol ester (bovine), **208,** 492
- hepatocytic, inhibition by hepatocyte growth factor (rat), **214,** 440

Gastrin
- encoding gene, molecular cloning and sequencing (mouse), **216,** 34

Gastrin receptor
- antagonist omeprazole, effects on pepsinogen-producing cells during long-term treatment (rat), **210,** 400; retraction, **212,** 718
- –CCK-B receptor, truncated isoform, generation by alternative usage of exon 1b (human), **208,** 230

Gel electrophoresis
- two-dimensional
  - NotI-cleaved genomic DNA fragments appearing as spots in, cloning, **213,** 258
  - proteasome subunits resolved by, partial sequencing (human), **205,** 1785; *erratum,* **207,** 1059

Gel mobility
- Ras-independent serum- and phorbol ester-induced shift in 33-kDa C-terminal domain of Raf-1 protein kinase, **214,** 340

Gelsolin
- domain 2, binding along axis of actin filaments, associated interface, definition by native and synthetic peptide binding properties, **209,** 426

Gene delivery
- fibroblasts and hepatoma cells with thiol-reactive phospholipid/lipospermine DNA complexes, efficiency, **209,** 444

Gene organization
- norepinephrine transporter gene coding region (human), **215,** 1145

Genes, *see also* Transgenes
- α_4, 5′ untranslated region, regulatory elements in, direction of cell-specific gene expression (mouse), **211,** 115
- *A2,* in MHC *DQ* subregion, molecular evolution and nucleotide sequence (bovine), **212,** 110
- ABO blood group, A^{el} allele-specific nucleotide insertion, detection using sequence-specific PCR (human), **216,** 642
- actin, expression in melanoma cells and melanocytes, effect of bromodeoxyuridine-induced cell adhesion and L-tyrosine induction of terminal differentiation (mouse), **216,** 84
- adenosine A_1 receptor, systematic screening for DNA sequence variation and linkage mapping on chromosome 1q31–32.1 with silent polymorphism in coding region (human), **214,** 614
- adenovirus E1A, glial precursor cell line ERD.1.1 immortalized with, apoptosis in restrictive growth conditions, **207,** 630
- β_1-adrenergic receptor
  - 5′ flanking region, functional analysis (sheep), **215,** 606
  - gene transcription initiation, localization to TATA-less region (sheep), **211,** 254
- β_3-adrenergic receptor, mutation in, association with obesity and hyperinsulinemia in Japanese subjects, **215,** 555
- adrenocorticotropic hormone receptor, cloning, characterization, and expression (mouse), **212,** 912
- adrenomedullin, transcription, effect of endotoxin (rat), **215,** 531
- alcohol dehydrogenase *ADH7*
  - structure comparison in Caucasian and Japanese subjects, **212,** 875
  - upstream structure and organ distribution of expression (human), **216,** 216
- aldehyde oxidase, *ALDH5,* expression and characterization (human), **211,** 144
- alkaline shock protein, isolation and cloning in methicillin-resistant *Staphylococcus aureus,* **207,** 978

Genes (*continued*)
  amino acid transporter, expression during differentiation of 3T3-L1 preadipocytes to adipocytes (mouse), **208,** 1008
  AML1, increased expression during retinoic acid-induced differentiation of U937 cells (human), **211,** 1023
  AML1/MTG8 fusion, hammerhead ribozymes against, inhibitory effects on proliferation of leukemic cells with t(8;21) (human), **215,** 431
  amplification potentials, of cyclin D1-overexpressing NIH3T3 cells, **217,** 1169
    type 2
      sequence analysis (human), **209,** 554
      transcription, repression by growth factors and glucocorticoids (PC12 cell), **216,** 359
  angiotensinogen
    expression in cardiomyocytes *in vitro,* induction by cyclical mechanical stretch (rat), **211,** 241
    transfection into glomerula cells *in vivo,* induction of phenotypic change in mesangial cells and glomerular sclerosis (human), **206,** 525
  angiotensin II receptor
    type 1, C^{1166} variant, molecular assay (human), **213,** 725
    type 1a, glucocorticoid response element, characterization (rat), **209,** 832
  ANP, and proximal promoter region, in patient with aldosterone-producing adenoma, long-PCR and PCR-SSCP analysis, **215,** 172
  antibiotic extrusion-associated, expression (*Pseudomonas aeruginosa*), **210,** 356
  antifreeze protein, differential regulation in liver and nonliver tissues (*Pleuronectus americanus*), **206,** 387
  anti-Müllerian hormone type II receptor, structure and chromosomal localization (human), **215,** 1029
  aortic endothelial cell adhesion molecule, tumor necrosis factor-induced expression, inhibition by alkoxybenzo[b]thiophene-2-carboxamide (human), **214,** 6
  apolipoprotein(a)
    5′-flanking region, detection of polymorphisms (human), **209,** 372
    characterization (human), **209,** 365
  apolipoprotein B mRNA editing protein, cloning and structural analysis (mouse), **214,** 653
  apolipoprotein B-100, first nontranslated exon, *cis*-acting elements in, identification (human), **215,** 394
  ataxia–telangiectasia, single base polymorphism linked to, detection by mismatch PCR, **210,** 982
  basic and acidic calponin, mapping (human), **217,** 238
  bcl-x$_s$, expression in thymocytes, down-regulation by dexamethasone (rat), **215,** 511
  β cell ATP-sensitive K channel, putative subunit, screening for mutations in Japanese non-insulin-dependent diabetes mellitus patients, **211,** 1036
  BMK1 MAP kinase, identification (human), **213,** 715
  bone morphogenetic protein-2/4 type I receptor genes, location and genomic organization (mouse), **206,** 310
  bovine growth hormone–phospho*enol*pyruvate carboxykinase, expression in transgenic mouse, effects of vitamin A deficiency and retinoic acid treatment, **213,** 706
  bradykinin B$_2$ receptor
    identification of polymorphic sites (human), **211,** 234
    organization, full length cDNA, and identification of regulatory region (human), **211,** 226
  brain- and reproductive-organ-specific, *BRE,* responsive to DNA damage and retinoic acid treatment, identification (human), **206,** 764
  brush border myosin-1, alternative splicing in testis (bovine, rat), **211,** 331
  calmodulin, insulin-stimulated expression in rat H-411E cells, inhibition by antisense oligonucleotides, **210,** 921
  candidates for macular degeneration, isolation with solid-phase subtractive cloning technique (monkey), **213,** 181
  carcinoembryonic antigen, expression in human hepatoma Li-7A cells, stimulation by EGF and cholera toxin, **207,** 529
  cardiac troponin T, embryonic alternative transcription initiation site and 5′-upstream structure (mouse), **214,** 1168
  catechol 2,3-dioxygenase, cloning and sequencing (*Alcaligenes* sp. KF711), **208,** 943
  catechol 2,3-dioxygenase and salicylate hydrolase, cloning from *Pseudomonas putida* KF715 chromosomal DNA and sequencing of intergenic sequences, **211,** 382
  CCAAT/enhancer binding protein α, molecular cloning, sequence, and expression patterns (human), **215,** 106
  CD10/neutral endopeptidase 24.11, 5′ region, characterization, **207,** 933
  CD19, expression in B cells, dioxin-mediated alteration: mechanism suggested by Ah receptor recognition of BSAP DNA binding sites (human), **212,** 27
  CD38, expression in pancreatic islets of GK rat, **214,** 239
  cellular, transcriptionally suppressed by v-*src* oncogenes, identification (murine fibroblasts), **206,** 916
  c-*erb*B-2, association with β-catenin and plakoglobin (human), **208,** 1067
  ceruloplasmin
    fine structure (human), **208,** 1028
    nonsense mutation in, identification in patient with hereditary ceruloplasmin deficiency with diabetes mellitus, **217,** 89
  c-*fos*
    expression
      in cultured hepatocytes, effect of exposure to cyproterone acetate and phenobarbital (rat), **215,** 598
      after osteogenic stimulation in osteocytes, sequential analysis (rat), **217,** 264
      in vascular smooth muscle cells and cardiomyocytes, effect of adrenomedullin (rat), **217,** 211
    –lacZ fusion, transgenic mouse expressing, in direct measurement of bone marrow macrophage activation, **211,** 767
  CFTR, DNase-I hypersensitive sites in 120kB 5′ to, characterization (human), **211,** 274
  cholecystokinin A receptor, structure (rat), **213,** 958
  cholecystokinin A and B receptors, expression, associated congenital defect, animal model, **210,** 787
  c-jun transformation of PC19 cells, effects on alternative splicing of neuron- and non-neuron-specific amyloid precursor protein (mouse), **206,** 821
  c-*mos,* enhancer activating transcription in somatic cells, identi-

fication in 5′ flanking region (rat), **210,** 181
c-*myb,* interaction with protein kinase C in dimethyl sulfoxide-induced erythroid differentiation (mouse), **210,** 90
c-*myc*
  cardiac levels, regulation by 1,25-dihydroxyvitamin D_3 (rat), **213,** 59
  expression in cultured hepatocytes, effect of exposure to cyproterone acetate and phenobarbital (rat), **215,** 598
  transcription in human prostatic LNCaP cells, effects of 5α-dihydrotestosterone, **208,** 603
c-*myc*-associated, coexpression pattern in small cell lung cancer cell line with high steady state c-Myc transcription, **213,** 789
c-*myc* and *max,* down-regulation, association to inhibition of protein phosphatase 2A in K562 leukemia cells (human), **215,** 889
collagenase, transcriptional regulation by bFGF (MC3T3-E1 cells), **214,** 331
corticotropin, and melanotropin gene, identification as distinct genes in lamprey, **213,** 490
Cre recombinase, expression in adenovirus vector, regulation by CAG promoter, **217,** 393
crystal protein, expression and synergistic effect (*Bacillus thuringiensis*), **214,** 602
cscb, product, identification as sucrose permease, **208,** 1116
Cyp1a-1, TCDD-induced expression in HEPA-1C1C7 cells, suppression by methoxsalen (mouse), **208,** 1124
cystathionine β-synthase, genomic organization (human), **211,** 826
cytochrome b_5, isolation and characterization (human), **209,** 894
cytochrome-c oxidase subunit VI, COX6
  growth phase induction, mediation by pH and cAMP-dependent protein kinase (*Saccharomyces cerevisiae*), **214,** 1051
  regulation by oxygen (*Saccharomyces cerevisiae*), **216,** 676
cytochrome P450, expression in ovary (pig), **212,** 433
cytokine
  differential expression in cervical cancer tissues (human), **214,** 1146
  expression in HIV-1 *tat*-transfected T and B cell lines (human), **208,** 704
DAN, affinity of product for Ni^{2+} (rat), **216,** 209
dbl, expression driven by neuron-specific enolase promoter, induction of tumor formation in transgenic mouse with *p53*(+/−) genetic background, **216,** 762
delayed-early response, encoding of 36-kDa hydrophobic nucleolar protein HNP36 (mouse), **213,** 325
deoxyribonuclease I, genomic organization (mouse), **207,** 62
developmentally regulated, identification by differential display during somatic embryogenesis (*Solanum melongena*), **213,** 376
DHFR, specific DNA repair, effects of 2′,3′-dideoxycytidine and AZT (CHO-B11 cells), **208,** 198
4-(γ,γ-dimethylallyl)tryptophan synthase, characterization (*Claviceps purpurea*), **216,** 119
dnaA, mutant phenotypes, sensitivity to detergents and organic solvents (*Escherichia coli*), **212,** 84
dopamine β-hydroxylase, expression in bovine chromaffin cells, effect of Ca^{2+} influx, **211,** 864
dopamine transporters, DAT1, association with alcoholism (human), **211,** 28
double, converted ES cells, mutant mouse production by selection with puromycin and neomycin, **213,** 130
DP1/TB2, mouse homologue, identification from restriction landmark genome scanning M spot behavior (human), **213,** 967
early signaling-dependent and -independent induction of apoptosis in Ramos B cells, inhibition by Bcl-2 overexpression (human), **215,** 23
elastin, expression in dermal fibroblasts, suppression by okadaic acid (human), **209,** 175
endothelin-1, expression and salt-dependent cardiac hypertrophy, inhibition by lacidipine in stroke-prone spontaneously hypertensive rat, **210,** 219
endothelin-converting enzyme, expression in tissues (human), **211,** 249
enzyme catalyzing conversion of methylene to keto groups in hydrocarbon β-carotene for canthaxanthin biosynthesis (*Agrobacterium aurantiacum, Alcaligenes* PC-1), **209,** 867
erythropoiesis-stimulating activity, molecular cloning and expression (*Streptomyces thermoviolaceus*), **215,** 48
esterase S, 5′ regulatory region responsible for expression, identification in transgenic experiments (*Drosphila virilis*), **213,** 302
familial hyperaldosteronism type I-related defect, PCR detection (human), **207,** 565
Fas, expression, and susceptibility to apoptosis, relationship in peripheral blood T cells from uremic patients, **215,** 98
fibroblast growth factor-4
  enhancer activity, regulation by transcription factor NF-Y binding to FGF-4 promoter (mouse), **211,** 519
  implanted cells expressing, induction of additional limb formation from flank (chicken embryo), **209,** 809
folate transporter, assignment to chromosome 21q22.3 by somatic cell hybrid analysis and *in situ* hybridization (human), **210,** 874
follistatin, differential expression in migrating endothelial cells, identification by RNA display (bovine), **209,** 1068
foreign, enhanced expression by modified bicistronic retroviral vector (human), **214,** 910
Gal11, role in pheromone-induced transcription in *Saccharomyces cerevisiae,* **212,** 854
β-galactosidase
  expression in PC12-VG cells, enhancement by exposure to extremely low frequency magnetic fields (rat), **212,** 104
  lacZ, adenovirus-delivered, expression in skeletal muscles of adult dystrophic mouse, effect of immunosuppression by FK506, **213,** 569
gastrin, molecular cloning and sequencing (mouse), **216,** 34
glucagon receptor, 5′ flanking region, isolation and structural analysis (human), **208,** 339
glucokinase, expression, effect of high-fat diet (rat pancreas), **208,** 1092
glucose transporter
  GLUT-1, expression in L6 muscle cells, glucocorticoid effects, **206,** 51
  GLUT-2, expression, effect of high-fat diet (rat pancreas), **208,** 1092
  GLUT-4, expression in ventricular cardiomyocytes, insulin-dependent regulation (rat), **213,** 533

Genes (*continued*)
α-glucosidase, *de novo* point mutation resulting in infantile form of Pompe's disease, identification (human), **208,** 886; *erratum,* **213,** 367
γ-glutamylcysteine synthetase
  effect of overexpression on ATP-dependent glutathione S-conjugate export pump and cisplatin resistance (SBC-3 cell), **216,** 258
  heavy subunit, 5′-flanking region, identification of antioxidant response element (human), **209,** 227
glycerol-3-phosphate dehydrogenase, expression in pancreatic islets of GK rat, **214,** 239
GM-CSF distal 5′-flanking region, characterization (human), **214,** 1015
growth hormone-regulated, detection by comparison of gene expression in normal and growth hormone receptor-deficient chickens, **206,** 153
GTP-binding protein *ram* p25, identification and localization in pituitary gland (rat), **217,** 1223
GTP cyclohydrolase I, splice site base substitution leading to exon skipping in Japanese family with hereditary progressive dystonia/dopa-responsive dystonia, **213,** 645
haptoglobin, expression and inflammatory regulation in adipocytes (mouse), **209,** 250
Ha-*ras* oncogene, NIH 3T3 cells expressing, suppression of anionic amino acid transport, associated impairment of intracellular glutamate, **211,** 878
hba2, encoding multidrug resistance transporter conferring resistance to brefeldin A, characterization (*Schizosaccharomyces pombe*), **213,** 410
heat shock protein
  hsp70, transcription in embryo, activation (*Paracentrotus lividus*), **217,** 1032
  hyperthermophilic, HHSP, nucleotide sequence (*Desulfurococcus* strain SY), **214,** 730
heme oxygenase, cadmium and Zn-mediated activation in HeLa cells, differential control, **207,** 160
hemopexin, expression in
  hepatoma H-35 cells, induction by interleukin-6-type cytokines (rat), **207,** 202
  primary hepatocyte cultures, modulation by physiological oxygen tensions (rat), **213,** 397
hepatocyte growth factor, expression in gastric mucosa, effect of *Helicobacter pylori* (human), **210,** 960
β-hexosaminidase β-subunit, missense mutation C522Y, detection in Japanese patient with infantile Sandhoff disease, **212,** 564
HIF-1, expression, effect of altered redox states (Hep3B cells), **212,** 550
histamine H_2 receptor, cloning, tissue expression, and chromosomal localization of human counterpart (guinea pig), **211,** 570
histidyl-tRNA synthetase, gene in head-to-head configuration with, encoding of mRNA predicting homologous polypeptide (human), **210,** 556
histo-blood group ABO, locus, genomic cloning (human), **206,** 318; *erratum,* **211,** 347
histone H2B, upstream region *cis* elements, binding pattern of nuclear proteins during HL-60 cell differentiation by all-*trans* retinoic acid, **213,** 616
HLA-DRB1 alleles, association with X-linked adrenoleukodystrophy, **216,** 447
*h*MTH1, mutation in, identification in hereditary nonpolyposis colorectal cancer (human), **214,** 1239
HOXA1, cloned transcripts in MCF7 breast cancer cells, induction by retinoic acid (human), **215,** 713
H-*ras*, instability in microsatellite at 3′ end, association with spontaneous embryo abortion (human), **214,** 788
human proteasome α-type HC8 subunit, isolation and characterization, **207,** 318
Huntington's disease, abnormal 350-kDa product, detection in lymphocytes and brain (human), **209,** 1119
inositol trisphosphate receptor type I, alternative splicing in cerebral arteries (human), **214,** 803
insulin-like growth factor-I, 5′ flanking regions, indentification of promoter and repressor elements (rat), **206,** 279
insulin receptor substrate-1, expression, effects of endurance training (rat), **210,** 766
interleukin-3 receptor α subunit, structural analysis (human), **208,** 360
interleukin-8, expression, regulation by all-*trans* retinoic acid (human), **210,** 898
intestinal trefoil factor, evolutionary conservation, and postnatal expression (mouse), **210,** 31
juvenile-hormone esterase, transcription site and core promoter, identification (*Trichoplusia ni*), **214,** 286
Ki*ras*, transformed fibroblasts, defective phospholipase D activation, evidence for downstream effector of PLC-γ1 in PDGF-mediated signal transduction (mouse), **207,** 460
K-ras, mutation, in carcinoma cell lines, association with β1-6 branching of N-linked carbohydrate (human), **212,** 758
lactase-phlorizin hydrolase, further characterization of 5′-flanking region (rat), **209,** 989
β-lactoglobulin, expression regulation during first stage of lactogenesis (sheep), **209,** 1089
lanosterol synthase, molecular cloning from hepatic cDNA library (human), **213,** 154
from late phase liver regeneration, clones 2-4 and 2-6, identification (rat), **212,** 21
lebocin, expression (*Bombyx mori*), **214,** 271
L-type calcium channel, fetal expression pattern, reemergence in noninfarcted myocardium during left ventricular remodeling (rat), **216,** 892
lumP
  linkage to *lumQ* gene (*Photobacterium leiognathi*), **217,** 684
  and *lux* operon, regulatory region, nucleotide sequence and functional analysis (*Photobacterium leiognathi*), **210,** 938
lumQ, linkage to *lumP* gene and *lux* operon (*Photobacterium leiognathi*), **217,** 684
lux operon
  linkage to *lumQ* gene (*Photobacterium leiognathi*), **217,** 684
  and *lumP*, regulatory region, nucleotide sequence and functional analysis (*Photobacterium leiognathi*), **210,** 938
lysosome-associated membrane protein-2, overexpressed in muscle, isolation (human), **215,** 757
magnesium-chelatase subunit *chlI*, cloning, subcellular localization, and expression (soybean), **215,** 422

major histocompatibility class II
  DMA and *DMB,* nucleotide sequence and molecular evolution (bovine), **217,** 522
  DRB allele, identification by nucleotide sequencing and analysis of phylogenetic relationships (bovine), **209,** 981
mannose receptor, transcriptional expression during differentiation of macrophages (human), **217,** 106
MAP kinase
  downstream from, inhibition by apigenin, in reversion of v-H-*ras*-transformed NIH 3T3 cells, **212,** 767
  expression, effects of endurance training (rat), **210,** 766
mdr1b, expression in primary hepatocyte culture, modulation by growth factors (rat), **215,** 179
MEF2B myocyte-specific enhancer factor 2 homologue, differential expression in murine embryonal carcinoma cells, **213,** 555
melanotropin, and corticotropin gene, identification as distinct genes in lamprey, **213,** 490
meprin A, *MEP1A,* fine mapping to chromosome 6p21 (human), **216,** 630
metallothionein IIA, cadmium and Zn-mediated activation in HeLa cells, differential control, **207,** 160
mitochondrial NADH dehydrogenase subunit 3, identification as thyroid hormone-regulated gene by whole genome PCR analysis (rat), **210,** 995
mitochondrial $\text{tRNA}^{\text{Ser(UCN)}}$ in family with MERRF/MELAS overlap syndrome, point mutation, identification, **214,** 86
mouse mammary tumor virus, expression in 34I cells, suppression by oenothein B via inhibition of poly(ADP-ribose) glycohydrolase, **210,** 329
Mov-34, product, structural similarity of p40 regulatory subunit of human 26S proteasome, **210,** 600
MRK1, encoding putative protein kinase similar to mammalian glycogen synthase kinase-3 and *Drosophila* Zeste-White3/Shaggy, identification (*Saccharomyces cerevisiae*), **208,** 728
MSH3, expression loss in hematological malignancies (human), **214,** 171
mucin, regulation by estrogen and dexamethasone, **217,** 1006
multiple tumor suppressor, MTS1, homozygous deletions, occurrence in non-astrocytic brain tumors (human), **211,** 404
myosin heavy chain, cardiac, regulation by cyclical mechanical stretch in cultured myocytes (human), **210,** 567
myotonin-protein kinase
  differential expression in discrete areas of human brain, **216,** 489
  from myotonic dystrophy patients, expanded (CAG/CTG) repeats in, detection with high-stringency hybridization method, **212,** 341
NADPH–protochlorophyllide oxidoreductase, light-enhanced expression (*Cucumis sativus*), **210,** 310
necdin, neuron-specific expression, cis-acting elements required for, determination *in vivo* (zebra fish), **211,** 438
neomycin resistance, mRNA expression in various normal human cells and tumor cell lines after introduction by VL30 vectors, **209,** 677
neurofibromatosis type 1 gene, exon 12B, five-base-pair duplication, effect on neurofibromin content and GAP activity in NF1-affected patient, **214,** 895
neurotoxin type A and B, genetic structure (*Clostridium botulinum* strain AB), **213,** 737
neurotrophin-3, $\text{Gly}^{-63}\rightarrow\text{Glu}^{-63}$ mutation, association with severe forms of schizophrenia (human), **209,** 513
NF1, mutations, in Japanese patients with neurofibromatosis 1, **212,** 697
NF-κB, activation by phorbol ester in 3Y1 fibroblasts, role of protein kinase C isoenzyme nPKCε (rat), **206,** 429
nitric-oxide synthase
  inducible
    NOS2, sequence duplication (human), **212,** 466
    transcription, in NO production by activated macrophages, effect of serine and cysteine proteinase inhibitors (rat), **215,** 721
  transcriptional inhibition by competitive binding of NF-κB/Rel proteins, **209,** 73
  type III, transcriptional activation, role of Sp1 (human), **213,** 673
N23K, encoding nociceptin precursor protein, characterization (mouse), **217,** 539
nkef-A and *nkef*-B, recombinant natural killer enhancing factors encoded by, antioxidant function (human), **208,** 964
nm23, transcription in human prostatic LNCaP cells, effects of 5α-dihydrotestosterone, **208,** 603
NME1 and NME2, differential expression and mutation in autologous melanoma cells with different metastatic potentials (human), **211,** 578
nm23-H2, promoter region, characterization and localization of microsatellite D17S396 (human), **215,** 910
norepinephrine transporter, coding region, molecular cloning and organization (human), **215,** 1145
nuclear, 24-kDa iron-sulfur subunit of complex I in mitochondrial respiratory chain, NDUFV2, structural organization and chromosomal localization (human), **216,** 771
obese
  augmented expression in adipose tissue from rat fed high-fat diet, **216,** 355
  cDNA cloning and expression (rat), **209,** 944
  expression in isolated adipocytes, regulation by dexamethasone (rat), **214,** 1260
  overexpression in genetically obese JCR:LA-corpulent rat, **216,** 148
  recombinant product, effect on eating behavior in fasted mouse, **214,** 131
  upregulation in response to increased adipocyte volume in ventromedial hypothalamus-lesioned rat, **211,** 469
δ-opioid receptor, genomic structure (mouse), **207,** 111
κ-opioid receptor, cloning and promoter mapping (mouse), **209,** 639
μ-opioid receptor, expression in immune cells (human, monkey), **216,** 922
*ori*λ, transcriptional activation, regulation of λ plasmid replication in amino acid-starved *Escherichia coli* cells, **214,** 978
ornithine decarboxylase, GC-rich elements, Sp1 affinity for, correlation with ODC promoter activity (rat), **214,** 324
osmolyte transporter, transcriptional stimulation, role of MAP kinase (MDCK cells), **213,** 975
p15/MTS2, deletion and transfection analysis in malignant gliomas (human), **217,** 195

Genes (*continued*)
  p53
    expression by adenovirus, effects on cell cycle arrest and apoptosis in aortic vascular smooth muscle cells (human), **215,** 446
    transgenic mouse with heterozygous-deficient genetic background for, tumor formation in, induction by *dbl* expression driven by neuron-specific enolase promoter, **216,** 762
    wild-type, recombinant vaccinia virus containing, in identification of p53-binding proteins (human), **213,** 986
  PCBD, encoding pterin-4α-carbinolamine dehydratase/dimerization cofactor for transcription factor HNF-1α, characterization (human), **210,** 966
  phenol sulfotransferase, thermolabile form, molecular cloning and structural characterization (human), **208,** 786
  phosphatidylinositol-specific phospholipase C β-3, structural organization and expression (human), **212,** 190
  phospho*enol*pyruvate carboxykinase
    –bovine growth hormone, expression in transgenic mouse, effects of vitamin A deficiency and retinoic acid treatment, **213,** 706
    hormonally regulated expression, role of TATA box (rat), **215,** 1006
  phospholipase C-γl, transcriptional regulation during muscle differentiation (mouse), **206,** 194
  phospholipid transfer protein, organization (human), **207,** 552
  PIG-A, promoter region characterization and constitutive expression in tissues (mouse), **215,** 497
  Pim-1, role in DNA fragmentation in NS-1-derived cells (mouse), **215,** 538
  pituitary growth hormone-releasing factor receptor, expression, regulation by thyroid hormone (rat), **217,** 1087
  placental lactogen, expression, activation by nuclear factor NF-IL6 (human), **206,** 215
  pleiotrophic factors α and β, gene expression, developmental and differential regulation (*Xenopus laevis*), **214,** 432
  pol, HIV-1, expression by ribosomal frameshifting, RNA signals affecting: influence of stem size and slippery sequence, **213,** 575
  porin, mutants with deletions in, construction for analysis of porin role in *Pseudomonas aeruginosa* antibiotic susceptibility, **213,** 88
  preproenkephalin A, role in fibroblast proliferation, antisense vector analysis, **214,** 530
  pro-αl collagen, upregulation during cardiac hypertrophy and transition to heart failure (rat), **209,** 527
  pro-αl(VI) collagen, expression in cultured human osteoblast-like cells, stimulation by interleukin-4, **211,** 727
  procollagen type III, expression in fibroblasts, inhibition by antisense oligonucleotide (mouse), **215,** 849
  prodynorphin, transcript characterization (human), **215,** 881
  proenkephalin, expression: interaction of glucocorticoid and cAMP regulatory elements (rat), **210,** 589
  progesterone receptor, 5′ region, nucleotide sequence and DNase hypersensitive sites (mouse), **205,** 1093; *erratum,* **207,** 476
  promoter, *see* Promoters
  proopiomelanocortin, upstream transcripts, characterization and regulation (mouse), **210,** 281
  protamine P1, testis-specific, *trans*-acting factors binding to, demonstration (rat), **208,** 802
  protein-glutamine γ-glutamyltransferase, upregulation during cardiac hypertrophy and transition to heart failure (rat), **209,** 527
  proteolipid protein, nonsense mutation, as cause of X-linked spastic paraplegia in twin males, **215,** 835
  prtR, nucleotide sequence (*Porphyromonas gingivalis* W50), **207,** 424
  ras, expression (flounder, red mullet), **215,** 659
  RDC-1 orphan receptor, identification as type 1 calcitonin gene-related peptide receptor, **217,** 832
  Rep78 protein of adeno-associated virus, cloning, and Rep78 expression and purification as fusion protein with maltose binding protein in *Escherichia coli,* **208,** 714
  RET, point mutation, identification in TT human medullary thyroid carcinoma cell line, **207,** 1022
  retinoic acid-induced, inhibition by tetrachlorodibenzo-*p*-dioxin (mouse), **207,** 690
  retinoid receptor- and thyroid hormone receptor-mediated expression, effect of orphan receptor TAKl binding to response elements (human), **211,** 83
  reverse transcriptase, HIV-1, SIV containing, sensitivity/resistance profile toward HIV-1-specific non-nucleoside RT inhibitors, **211,** 850
  rhodanese, *Tst,* cDNA cloning, sequencing, and recombinant protein expression (mouse), **216,** 1101
  ribosomal, DNA cleavage in, mediation by topoisomerase II (human), **213,** 282
  ribosomal proteins
    FI, α and β subunits, cloning, expression, and functional role (*Xenopus laevis* oocyte), **215,** 1088
    S6, utilization of alternative polyadenylation sites (chicken), **210,** 384
  RPL15, encoding homologue of eukaryotic ribosomal proteins L15/YL10, cloning and sequencing (*Thermoplasma acidophilum*), **209,** 684
  RVLG, dead box protein family-associated, cloning and sequencing, **207,** 405
  salicylate hydrolase and catechol 2,3-dioxygenase, cloning from *Pseudomonas putida* KF715 chromosomal DNA and sequencing of intergenic sequences, **211,** 382
  E-selectin, induction by ionizing radiation, role of cytokine induction, **217,** 784
  selective expression in human melanoma cells, gene regulatory elements for, characterization, **213,** 699
  serine/threonine protein kinase, enhancing spermine uptake in *Saccharomyces cerevisiae,* cloning, **216,** 985
  serotonin 5-HT_{1D} receptor, tranfection of rat C6 glial cells, in modulation of metallothionein III mRNA content and growth rate (human), **214,** 639
  SEZ-6 protein, cloning and characterization, **216,** 382
  SFP2, sulfate permease, characterization (*Saccharomyces cerevisiae*), **214,** 709
  somatostatin receptor 2, point mutation, detection in COR-L103 cells (human), **210,** 805
  Sonic hedgehog
    role in feather formation (chicken), **206,** 33

  Xenopus homologue, activin-induced expression during mesoderm formation in *Xenopus* explants, **207,** 1
  steroid 11β-hydroxylase, *CYP11B1,* molecular genetic analysis in 11βOHD-deficient patient, **216,** 723
  supF, mutational specificity (*Escherichia coli*), **213,** 74
  survival motor neuron, transcript analysis in muscles from spinal muscular atrophy patient, **213,** 342
  tat, HIV-1, transfected T and B cell lines, cytokine gene expression, **208,** 704
  thrombopoietin, expression in HepG2 cells, **217,** 475
  TPA response element-dependent expression, arginine vasopressin-activated, role of phosphatidylinositol 3-kinase (rat), **215,** 1037
  transcobalamin II, structure, comparison with transcobalamin I and intrinsic factor (human), **208,** 756
  transcription, hepatocellular carcinoma-associated, detection in blood (human), **207,** 813
  transforming growth factor β receptor type II, mutations, relationship to genomic instability in hereditary nonpolyposis colorectal cancer (human), **216,** 452
  β-tubulin, expression in *Trypanosoma rhodesiense,* downregulation by inhibition of protein phosphatase 1 and 2A, **212,** 793
  tufl, sequencing, and EF-Tu1 phosphorylation pattern during development and differentiation in kirromycin-producing *Streptomyces collinus,* **213,** 454
  tumor necrosis factor α, regulatory region variability, association with type II diabetes mellitus (human), **211,** 833
  tyrosine hydroxylase, basal expression, role of cytosolic calcium (rat), **206,** 659
  ubiquitin, increased expression in skeletal muscle during sepsis, role of tumor necrosis factor α and interleukin-1 (rat), **217,** 839
  untranslatable, *dutA,* transcription by RNA polymerase II in developmental phase (*Dictyostelium discoideum*), **216,** 273
  vascular endothelial growth factor, hypoxia-induced transcription, role of functional AP-1 transcription factor (mouse), **208,** 432
  vascular natriuretic peptide receptor subtypes, differential expression in artery and vein (rat), **216,** 535
  vasopressin type 2 receptor, mutations
    in patients with congenital nephrogenic diabetes insipidus, **205,** 552; *erratum,* **207,** 1059
    R143P and ΔV278 in patients with nephrogenic diabetes insipidus, functional properties, **211,** 967
  Vav and c-Cbl, tyrosine phosphorylation, induction by thrombopoietin/c-mpl ligand, **216,** 338
  vimentin, upregulation during cardiac hypertrophy and transition to heart failure (rat), **209,** 527
  v-*src,* cellular genes transcriptionally suppressed by, identification (murine fibroblasts), **206,** 916
  Wnt-11, role in dermal development (chicken), **211,** 123
  YBR235w, encoding of homolog of mammalian electroneutral Na^+-(K^+)-Cl^- cotransporter family (*Saccharomyces cerevisiae*), **217,** 150
Gene targeting
  DT-diaphorase in embryonic stem cells: establishment of null mutant and mitomycin C-resistance (mouse), **214,** 701
Genetic damage
  DNA strand breaks and DNA protein crosslinks in alveolar epithelial cells, dimethylarsenic-induced, role of apurinic/apyrimidinic site formation (human), **207,** 244
Genetic map
  RLGS, systematic genome-wide scanning with, in detection of loss of heterozygosity in chromosomes 1, 5, 7, and 13 in murine hepatoma, **212,** 632
Gene transfer
  amphipathic peptide-mediated, β-galactosidase, effects of short-chain phospholipids, **217,** 179
  cationic multilamellar liposome-mediated, exogenous genes into myoblasts (rat), **207,** 8
  retroviral-mediated, *in vitro* correction of type I tyrosinemia-associated fumarylacetoacetate hydrolase deficiency in fibroblasts (human), **208,** 957
Genistein
  effects on
    cGMP production in rat pinealocytes, **207,** 994
    stem cell factor-induced mast cell histamine release, pharmacological study (rat), **208,** 576
  as inhibitor of *P. testosteronii* β-hydroxysteroid dehydrogenase, **215,** 1137
  inhibitory effects on breast cancer cell proliferation, comparison with kievitone (human), **211,** 600
Genome amplification
  whole mitochondrial, in identification of basal level multiple deletions in mtDNA of dilated cardiomyopathy patients, **210,** 211
Genomes
  mitochondrial, expression during liver development, regulation by mitochondrial mRNA stability (rat), **217,** 1094
Genomic organization
  activin receptor type I (mouse), **213,** 211
  deoxyribonuclease I gene (mouse), **207,** 62
  intestinal trefoil factor, characterization (human), **214,** 195
  mitochondrial very-long-chain acyl-CoA dehydrogenase DNA (human), **217,** 987
  thermolabile phenol sulfotransferase gene STM (human), **208,** 786
  transcobalamin II gene, comparison with transcobalamin I and intrinsic factor (human), **208,** 756
  ZP1 glycoprotein cDNA (pig), **207,** 790; *erratum,* **214,** 754
Genotoxicity
  in mammalian cells, induction by furocoumarin hydroperoxides upon UVA irradiation, **216,** 693
Geranyl geranoic acid
  synthetic derivatives, retinoid agonist activities, **209,** 66
Geranylgeranylation
  and farnesylation, post-translational inhibitors, analysis by specific labeling of isoprenylated proteins (human), **206,** 637
Geranylgeranylcysteine
  C-terminal, of G25K, associated methylesterase activity, analysis (rabbit), **208,** 174
Geranyl*trans*transferase
  catalytic mechanism, role of Phe-220 and Gln-221 (*Bacillus stearothermophilus*), **212,** 681

Germ cells
  expressed *RVLG* gene, cloning and sequencing (rat), **207,** 405
  extracts, detection of proteins binding to conserved 3′ end of p68 RNA helicase mRNA (male mouse), **214,** 632
GF 109203X
  bisindolylmaleimide PKC-inhibitor modulates MRP-associated multiple drug resistance (human), **206,** 119
Giardia lamblia
  detection of centrin, **214,** 597
Gills
  and liver tissues, differential regulation of antifreeze protein genes (*Pleuronectus americanus*), **206,** 387
Ginkgo biloba extract
  EGb 761, protection of low-density lipoproteins against copper-mediated oxidation (human), **212,** 360
α-Gliadin
  immunological and partial sequence identity of mouse BM180 (wheat), **217,** 10
Glial cells, *see also* Astrocytes
  C6, protein isoprenylation and cholesterol biosynthesis, role of farnesol (rat), **211,** 590; *erratum,* **213,** 1148
  hippocampal, NMDA receptor currents, effect of lysophosphatidylcholine (rat), **217,** 811
Glial fibrillary acidic protein
  assembly, stimulation by annexin II$_2$-p11$_2$ in calcium- and pH-dependent manner (bovine), **208,** 901
  intermediate filaments, assembly, concerted regulation by S-100 protein and annexin II$_2$-p11$_2$ *in vitro* (bovine), **208,** 910
Glial precursor cells
  ERD.1.1, immortalized with adenovirus E1A gene, apoptosis in restrictive growth conditions, **207,** 630
Glia maturation factor
  intracellular phosphorylation, effect of phorbol ester (rat astrocytes), **211,** 928
α-Globin
  mRNA translation, amounts of protein synthesis initiation factors required for, analysis (rabbit), **210,** 370; *erratum,* **213,** 367
α2-Globin
  mRNA, elongated, detection in reticulocytes from normal patients and subjects with terminating codon or poly A mutations, **214,** 1184
β-Globin
  mRNA translation, amounts of protein synthesis initiation factors required for, analysis (rabbit), **210,** 370; *erratum,* **213,** 367
γ-Globin
  gene promoter, stage selector element, binding to CTF/NF-1 (human), **215,** 874
Globulins
  sex hormone-binding, production *in vitro,* regulation by endogenous estrogens (human), **206,** 895
Glomerular cells
  transfection of angiotensinogen and renin genes *in vivo,* induction of phenotypic change in mesangial cells and glomerular sclerosis (human), **206,** 525
Glomerular sclerosis
  induction by transfection of angiotensinogen and renin genes *in vivo* (human), **206,** 525
Glucagon
  regulation of phospho*enol*pyruvate carboxykinase gene expression, role of TATA box (rat), **215,** 1006
  and somatostatin, pancreatic islet cells secreting, Ca^{2+} oscillations in presence of glucose (mouse), **208,** 644
Glucagon-like peptide-1
  effects on electrical activity and ion currents in intact pancreatic beta cells (mouse), **207,** 33
Glucagon receptor
  gene 5′ flanking region, isolation and structural analysis (human), **208,** 339
Glucocorticoid receptor
  functional interaction with calmodulin, **208,** 48
Glucocorticoid-response elements
  angiotensin II type 1A receptor gene, characterization (rat), **209,** 832
  and cAMP response elements, interaction, role in proenkephalin gene expression (rat), **210,** 589
Glucocorticoids
  effects on glucose transport and transporter gene expression in L6 muscle cells (rat), **206,** 51
  induced Ca^{2+} influx into vascular smooth muscle cells, role of endothelin-1 autocrine production (rat), **208,** 82
  resistant mutations, isolation from AtT-20 cell line containing glucocorticoid-regulated selectable transgene (mouse), **209,** 18
  treated thymocytes, DNA fragmentation and cell death in, effect of oxygen tension (rat), **212,** 300
Glucogenesis
  from ^{13}C-labeled substrates, ^{13}C distribution in trehalose during, relationship to pentose cycling (*Manduca sexta*), **212,** 813
Glucokinase, *see also* Hexokinase
  encoding gene, two promoters, DNase I hypersensitivity, cell-specific differences (rat), **215,** 272
  and GLUT2, gene expression, effect of high-fat diet (rat pancreas), **208,** 1092
Gluconeogenesis
  and $[Ca^{2+}]_i$ mobilization, renal, effects of ATP activation of P_{2Y} purinoceptors (rat), **211,** 454
4-*O*-β-Glucopyranosyl-6-deoxy-D-glucose
  synthesis, and structure confirmation by ^{13}C-NMR and mass spectrometry, **214,** 568
4-*O*-β-D-Glucopyranosyl-D-mannosamine
  synthesis, and structure confirmation by ^{13}C-NMR and mass spectrometry, **214,** 568
4-*O*-β-D-Glucopyranosyl-D-mannose
  synthesis, and structure confirmation by ^{13}C-NMR and mass spectrometry, **214,** 568
Glucose
  effects on
    lactate production from rat hindlimb, **216,** 554
    membrane potential and intercellular calcium in islets of Langerhans (mouse), **214,** 798
  elevated levels
    effect on glucokinase regulatory protein subcellular distribution (rat liver), **215,** 467
    inhibition of gap junctional intercellular communication in

    cultured aortic endothelial cells (bovine), **208,** 492
  in macrophages and glomerular mesangial cells, inducible nitric-oxide synthase expression, modulation by high glucose levels and role of protein kinase C (mouse), **207,** 80
 inhibition of phosphatidylserine synthesis in Ehrlich ascites tumor cells, relation to Crabtree effect and depletion of endoplastic reticulum Ca^{2+} stores (mouse), **207,** 300
 insulin-stimulated transport in L6 muscle cells *in vitro,* inhibition by triacylglycerol, **207,** 768
 LPS-induced metabolic response, relationship to acute endotoxin tolerance (rat), **211,** 340
 mannose 6-phosphate synthesis from, enzymes involved, analysis in carbohydrate deficient glycoprotein syndrome fibroblasts (human), **208,** 517
 modulation of adenosine release in renal MDCK cells *in vitro* (dog), **208,** 970
 protective effects against alloxan cytotoxicity in pancreatic β cells (rat), **210,** 1
 role in fatty genotype-induced increase in GLUT4 promoter activity in transfected adipocytes (rat), **209,** 1053
 transport
  and glucose transporter translocation and intrinsic activity, in obese Zucker rat skeletal muscle plasma membranes, effects of pioglitazone, **208,** 835
  in L6 muscle cells, effect of glucocorticoid effects (rat), **206,** 51
 uptake by skeletal muscle, insulin-induced, role of phosphatidylinositol 3-kinase (rat), **208,** 1147
D-Glucose
 28mM, stimulation of cell cycle progression in vascular smooth muscle cells (rat), **211,** 619
 metabolism in crosslinked pancreatic islets (rat), **217,** 561
 uptake into milk-producing cells of mammary tissue, mechanisms (rat), **211,** 986
Glucose dehydrogenase (pyrroloquinoline-quinone)
 chimeric, region responsible for EDTA tolerance, elucidation (*Acinetobacter calcoaceticus, Escherichia coli*), **211,** 268
Glucose 6-phosphate dehydrogenase
 N-terminal residue identification as *N*-acetyl-alanine (human erythrocyte), **207,** 331
Glucose-6-phosphate 1-dehydrogenase
 identification as glycoprotein (*Saccharomyces cerevisiae*), **216,** 993
Glucose transporters
 GLUT1
  expression and localization in oviduct (rat), **214,** 1211
  human, normal functioning in *Xenopus* oocytes, **208,** 590
 GLUT1 and GLUT3, embryonic expression during early organogenesis (rat), **209,** 95
 GLUT2, and glucokinase, gene expression, effect of high-fat diet (rat pancreas), **208,** 1092
 GLUT4
  colocalization with Rab4 and transferrin receptor in insulin-sensitive intracellular compartment in skeletal muscle (rat), **215,** 321
  gene expression in ventricular cardiomyocytes, insulin-dependent regulation (rat), **213,** 533
  insulin-stimulated translocation in 3T3-L1 adipocytes, role of phosphoinositide 3-kinase (mouse), **209,** 343
  nonexpression during adipocyte differentiation: preadipocyte clonal line from intramuscular adipose tissue (bovine), **213,** 369
   promoter activity, fatty genotype-induced increase in transfected adipocytes (rat), **209,** 1053
  isoforms in adipose, brain, liver, and muscle tissues in Milan hypertensive rat, analysis, **211,** 780
  translocation, and glucose transport and intrinsic activity, in obese Zucker rat skeletal muscle plasma membranes, effects of pioglitazone, **208,** 835
α-Glucosidase
 encoding gene, *de novo* point mutation resulting in infantile form of Pompe's disease, identification (human), **208,** 886; *erratum,* **213,** 367
α-D-Glucosidase
 inactivation by (1*R*,6*S*)-cyclophellitol, kinetic studies, **213,** 175
β-Glucosidase
 inhibition by palladium (*Aspergillus niger*), **209,** 1046
Glutamate
 intracellular, impairment in Ha-*ras* oncogene-expressing NIH 3T3 cells by suppression of anionic amino acid transport, **211,** 878
 release from synaptosomes, regulatory role of calcineurin (rat cerebral cortex), **212,** 609
Glutamatecyclohexylpiperidine-binding protein
 cerebral, cDNA cloning, **216,** 390
Glutamate–cysteine ligase
 gene overexpression, effect on ATP-dependent glutathione S-conjugate export pump and cisplatin resistance (SBC-3 cell), **216,** 258
 heavy subunit, 5′-flanking region of encoding gene, identification of antioxidant response element (human), **209,** 227
 light subunit, cDNA cloning and sequencing, and comparison of mRNA levels for light and heavy subunits in normal human tissues, **206,** 584
Glutamine
 Gln-221, and Phe-220, role in catalytic mechanism of farnesyl diphosphate synthase (*Bacillus stearothermophilus*), **212,** 681
γ-Glutamylcysteine synthetase, *see* Glutamate–cysteine ligase
Glutathione
 aldose reductase modified by, detection in oxidatively stressed lens (bovine), **207,** 775
 conjugate with 4-hydroxynonenal, as substrate of bovine lens aldose reductase, **217,** 741
 intracellular, in Jurkat T cells, effects of α-lipoic acid (human), **207,** 258
 level in peritoneal macrophages, effect of exposure to oxidized low-density lipoproteins (mouse), **215,** 154
 nonoxidative loss in apoptosis via GSH extrusion (U937 cell), **216,** 313
 reversible conjugation with isothiocyanates, catalysis by human glutathione transferases, **206,** 748
 –sevoflurane Compound A conjugates, formation, role in Compound A nephrotoxicity (rat), **210,** 498
Glutathione reductase (NADPH)
 and lipoamide dehydrogenase, stereospecificities for α-lipoic acid enantiomers, comparison, **206,** 724
Glutathione S-conjugate export pump
 ATP-dependent, effect of γ-glutamylcysteine synthetase gene overexpression (SBC-3 cell), **216,** 258

Glutathione transferase
  α isoforms, up-regulation by interleukin-4 in hepatocyte primary culture (human), **216,** 793
  D27, consecutive tyrosines near N-terminus, functional analysis (*Drosophila melanogaster*), **209,** 327
  GSTA1-1, GSTM1-1, GSTM2-2, and GSTP1-1, catalysis by reversible conjugation of isothiocyanates with glutathione, **206,** 748
  mYrs-mYrs, class theta, subfamily 2, purification from hepatic cytosol (mouse), **212,** 743
Glycation
  advanced end products
    evidence for increased levels in histones from diabetic rat, **212,** 56
    stimulation of plasminogen activator activity via granulocyte–macrophage colony-stimulating factor in RAW 264.7 cells, **217,** 278
  α-crystallins, effect on molecular chaperone property (bovine, human), **208,** 675
Glyceraldehyde-3-phosphate dehydrogenase
  identification of enzyme-crystallin as, in diurnal gecko lens (*Phelsuma* spp.), **209,** 796
  mRNA levels in cytokine-activated endothelial cells, stimulation by endogenous nitric oxide (mouse), **217,** 363
  transcriptional regulation by TCDD, **212,** 165
Glycerol
  in analysis of
    relationship of hydroxyl radical-induced DNA damage and DNA repair enzyme activities (*Escherichia coli*), **207,** 515
    role of hydroxyl radicals in production of DNA double-strand breaks in X-irradiated *Escherichia coli,* **207,** 957
  sensitivity of *dnaA* mutant phenotypes (*Escherichia coli*), **212,** 84
Glycerol-3-phosphate dehydrogenase
  gene expression in pancreatic islets of GK rat, **214,** 239
  in peripheral blood mononuclear cells, effects of insulin, obesity, and weight loss (human), **207,** 183
L-Glycerol-3-phosphate dehydrogenase
  mitochondrial, inhibition by dicarbanonaborates (hamster), **210,** 760
Glycerophosphoinositol 4,5-bisphosphate
  glycerophosphoinositol 4-phosphate, inhibition of cardiac sarcolemmal sodium/calcium exchanger (bovine), **206,** 674
Glycerophosphoinositol 4-phosphate
  and glycerophosphoinositol 4,5-bisphosphate, inhibition of cardiac sarcolemmal sodium/calcium exchanger (bovine), **206,** 674
Glycerophospholipids
  ether- and ester-linked, hydrolysis by phospholipase D by different pathways in MDCK cells, **213,** 950
  and sphingolipids, N-bases, production in neuroblastoma cells, indirect utilization of glycine for, ^{15}N-tracer study (mouse), **210,** 44
Glycine
  indirect utilization in production of N-bases of glycerophospholipids and sphingolipids in neuroblastoma cells, ^{15}N-tracer study (mouse), **210,** 44
  at position 109 in N-terminal extracellular domain of vasoactive intestinal peptide receptor, role in binding of VIP (human), **206,** 246
  –proline transport system, detection in enterocyte brush-border membrane vesicles (sheep), **215,** 561
  and serine, transforming growth factor β receptor type I domain rich in, role in signal transduction (COS-1 cells), **207,** 682
  substitution by Asp at position 113 of Asp51→Ser mutant of melibiose carrier, restoration of carrier activity (*Escherichia coli*), **209,** 242
Glycinecyclohexylpiperidine-binding protein
  cerebral, cDNA cloning, **216,** 390
Glycine hydroxymethyltransferase
  expression, translational control (rabbit), **214,** 496
Glycogen phosphorylase *b*
  active site region, local dynamics (rabbit), **209,** 936
Glycogen storage disease
  type II, *de novo* point mutation in lysosomal α-D-glucosidase gene causing, identification (human), **208,** 886; *erratum,* **213,** 367
Glycogen synthase
  and mitogen-activated protein kinase, insulin-induced activation in adipocytes, effects of wortmannin: role of phosphatidylinositol 3-kinase (rat), **209,** 1082
Glycogen synthase kinase-3
  and cdc2-cyclin B, phosphorylation of inhibitor-2 of protein phosphatase-1, comparison (rabbit), **207,** 732
  effect of insulin in muscle cells and myoblasts (human, rat), **210,** 738
  p90^{rsk} phosphorylation and activation by, **208,** 796
Glycogen synthase kinase-3α
  mRNA levels in streptozotocin-induced diabetic rat liver, effect of insulin, **217,** 250
Glycolipid acceptors
  specificity of human Galβ(1-3/1-4) GlcNAc α2,3-sialyltransferase, **217,** 852
Glycoporin
  LamB, sequence alignment and structural modeling (*Vibrio parahaemolyticus, Yersinia enterocolitica*), **208,** 927
Glycoprotein Ib antagonists
  agkicetin, functional and sequence characterization (*Agkistrodon acutus* venom), **210,** 472
Glycoprotein IIb/IIIa
  deficient platelets, and normal platelets, HDL$_3$ second messenger response (human), **207,** 148
Glycoproteins
  aortic, 36-kDa microfibril-associated, homology to autoantigen in aneurysmal disease of human abdominal aorta (bovine), **213,** 40
  asialo-Tamm-Horsfall, as ligands for detection of GalNAcβ1→ and Galβ1→4GlcNAc active lectins (human), **209,** 103
  gp120, HIV-1-associated, production of DNA fragmentation in cerebral cortex (rat), **211,** 130
  gp160, HIV, cleavage sites, structural analysis and kinetic characterization by human furin and PC1, **213,** 356
  gp280, processing: plasma membrane delivery of immature protein, **212,** 353
  identification of *Saccharomyces cerevisiae* glucose-6-phosphate dehydrogenase as, **216,** 993

  P-, *see* P-glycoprotein
  pregnancy-specific, splice variant cDNA, characterization (human), **211,** 656
  secretion in CF mouse submandibular glands, β-adrenergic stimulation, effect of IBMX, **215,** 674
  surface, 128-kDa, endothelial cell, tyrosine phosphorylation, induction by fluid flow and osmotic stress, **214,** 69
  ZP1, from zona pellucida, cloning and genomic organization (pig), **207,** 790; *erratum,* **214,** 754
Glycosaminoglycans
  role in procathepsin L degradation of extracellular matrix proteins *in vitro* (NIH 3T3 cells), **217,** 624
Glycosidase
  inverting, identification of *Saccharomyces cerevisiae* α1,2-mannosidase as, **209,** 322
Glycosphingolipids
  a and asialo series, biosynthesis in murine myelogenous leukemia NFS60 cells, differential regulation, **217,** 733
  leukocyte and HL60 cell, binding to E-selectin on CHO cells, analysis: myeloglycan polylactosaminolipids (human), **209,** 777
Glycosylation
  advanced end products, *see* Advanced glycosylation end products
  alterations, in chronic leukemic human lymphocytes, discrimination by *Maackia amurensis* agglutinin, **209,** 921
  N linked, inhibition, effect on thrombin receptor functional expression on T lymphoblastoid cells (human), **206,** 857
  pancreatic type I phospholipase A_2-specific receptor, role in PLA_2-I binding (bovine), **209,** 293
Glycosylphosphatidylinositol
  anchored cathepsin D, localization and processing (CHO cells), **211,** 935
  anchored NAD glycohydrolase, expression in HL-60 cells differentiated by phorbol ester, **213,** 730
GM–CSF, *see* Granulocyte–macrophage colony-stimulating factor
Golgi complex
  LEC hepatocytes, ceruloplasmin in, incorporation of copper (rat), **209,** 349; *erratum,* **211,** 348
  membranes, localization of G_i and G_s α subunits (bovine adrenal medulla, rat liver), **208,** 135
Gonadotropin
  –testosterone system, effect on histone mono(ADP-ribosyl)ation (rat testis), **215,** 808
Gonadotropin-releasing hormone
  mRNA, detection in mammary gland (mouse), **207,** 800
Gonadotropin-releasing hormone receptor
  mRNA, absence in mammary gland (mouse), **207,** 800
G protein-coupled receptor
  SENR, preferentially expressed in retinal and taste cells, identification (bovine, rat), **209,** 752
  URH-1, cloned from hypothalamic suprachiasmatic nucleus, tissue distribution and sequence analysis (rat), **209,** 606
G proteins
  activated K^+ channels
    functional couplings with δ- and κ-opioid receptors (*Xenopus* oocytes), **208,** 302
    molecular cloning of GIRK1 and distinct distributions of GIRK1, GIRK2, and GIRK3 mRNAs in brain (mouse), **208,** 1166
  activated neuronal and cardiac inward rectifiers, K^+ channel activity, role of heterologous multimeric assembly, **212,** 657
  α-factor receptors, chimeric, agonist switch in, antagonism by desTrp1,Ala3 α-factor (*Saccharomyces cerevisiae, S. kluyveri*), **207,** 559
  α subunit, homologous with mammalian G protein, association with plant cytoskeleton and nuclear matrix (carrot), **210,** 7
  β subunit, carboxyl terminal, requirement for association with γ subunit, **214,** 694
  β_1, β_2, and β_3 subunits, localization in heart (rat), **206,** 799
  βγ subunit, association with pleckstrin homology domain of three types of RAC-protein kinase (rat), **216,** 526
  brain-specific, gamma subunit, characterization (mouse), **216,** 126
  coupling to alternatively spliced type II corticotropin-releasing factor receptor stably expressed in LLCPK-1 cells (pig), **212,** 1015
  different, coupling of single receptor, in signal transduction of FMRFamide-related peptides (*Locusta migratoria*), **212,** 531
  functional, coupled to high-affinity cholecystokinin receptor and phospholipase A_2 pathway, regulatory site, identification on G_q protein G_β subunit in pancreatic acini (rat), **211,** 648
  $G_{\alpha i2}$ gene, upregulation during cardiac hypertrophy and transition to heart failure (rat), **209,** 527
  $G_{\alpha q/11}$, developmental regulation, determination by quantitative immunoblot analysis (rat), **210,** 246
  $G_{\beta\gamma}$, direct binding to carboxyl terminus of G protein-gated muscarinic K^+ channel GIRK1 (mouse), **212,** 1022
  $G_{\beta q}$, identification as regulatory site of functional GTP-binding protein coupled to high-affinity cholecystokinin receptor and phospholipase A_2 pathway (rat pancreatic acini), **211,** 648
  G_i, mediated Ca^{2+} influx in CHO cells, role in phospholipase A_2 activation by human endothelial receptor, **217,** 52
  G_i and G_z, cAMP accumulation via, inhibition by chemoattractant complement C5a receptor (human), **208,** 223
  γ_2 subunit, covalent structure, determination by mass spectrometry (bovine brain), **212,** 367
  hydrolysis, and nucleoside diphosphate kinase, in HL-60 cell membranes, effects of lipopeptides (human), **209,** 575
  low-molecular-weight
    and protein kinase C, role in thrombin-induced histamine secretion from human platelets, **206,** 492
    translocation, role in GTPγS-induced pepsinogen secretion in gastric chief cells (guinea pig), **206,** 843
  modulation of α_{1A} type Ca^{2+} channel expressed in GH3 cells (rat), **215,** 302; *erratum,* **216,** 736
  multiple, selective coupling of prostaglandin E receptor EP3D to, role of interaction of carboxylic acid of agonist and arginine residue of EP3D seventh transmembrane domain, **212,** 279
  multiple signals, integration by adenylyl cyclase in modulation of calcium currents in neonatal rabbit heart, **216,** 190
  mutations, detection in tumors of pituitary, parathyroid, and endocrine pancreas (human), **211,** 1063

- G proteins (*continued*)
  - pertussis toxin-insensitive
    - βγ subunits, regulation of P_{2Y} purinoceptor-operated K^+ channel in cultured inferior colliculus neurons (rat), **214,** 589
    - P_{2Y} purinoceptor linked to, role in ATP effects on K^+ channel and cytosolic Ca^{2+} release in cerebral artery endothelial cells (bovine), **215,** 1022
  - *ram* p25, low-M_r, gene identification and localization in pituitary gland (rat), **217,** 1223
  - trimeric
    - α subunits, identification in platelets by RT-PCR (human), **214,** 254
    - G_i and G_s α subunits, localization at Golgi membrane (bovine adrenal medulla, rat liver), **208,** 135
- Gramicidin A
  - all Trp→Phe replacement, resulting conformational rearrangement from β-helical monomer to double-stranded dimer in model membranes, HPLC detection, **209,** 466
- Gramicidin D
  - as insulin secretagogue, dependence on extracellular Ca^{2+} influx (mouse), **212,** 449
- Gramicidin S
  - –DNA–dioleoyl phosphatidylethanolamine complex, short-chain phospholipid addition, effect on amphipathic peptide-mediated gene transfer, **217,** 179
- Granules
  - neutrophil, storage of type II 14-kDa phospholipase A_2, and active enzyme secretion in response to soluble stimuli (human), **208,** 650
  - parotid secretion, Ca^{2+}–calmodulin-dependent phosphorylation and dephosphorylation (rat), **215,** 75
- Granulocyte colony-stimulating factor
  - human, periplasmic production in *Escherichia coli,* effect of DnaK/DnaJ supplementation, **210,** 524
  - and retinoic acid, leukocyte alkaline phosphatase induction in acute promyelocytic leukemia cells, role of cyclic AMP-dependent protein kinase and tyrosine kinases, **208,** 846
  - stimulation of tyrosine phosphorylation of *vav* proto-oncogene product in primary myelogenous leukemic cells (human), **211,** 677
- Granulocyte–macrophage colony-stimulating factor
  - distal 5′-flanking region, characterization (human), **214,** 1015
  - expression in human colon carcinoma cell line SW403, **217,** 138
  - N-terminus peptide, identification as site of nucleotide interaction (human), **208,** 390
  - role in advanced glycation end product stimulation of plasminogen activator activity in RAW 264.7 cells, **217,** 278
- Granulocyte–macrophage colony-stimulating factor receptor
  - β chain, tyrosine phosphorylation, induction by erythropoietin (human), **208,** 1060
  - expression in human colon carcinoma cell line SW403, **217,** 138
  - high-affinity chimeric human, carrying β subunit cytoplasmic domain, transduction of growth-promoting signals in Ba/F3 cells, **208,** 368
- Granulocytes
  - discrete lipopolysaccharide-induced phosphoproteins in, tyrosine phosphorylation, effect of interleukin-10 (human), **209,** 87
- Granulosa cells
  - ovarian, differentiation and apoptosis *in vitro,* associated changes in angiotensin II receptor type 2 content (rat), **207,** 593
- Graves' disease
  - affected patient, thyroid-stimulating IgG antibodies from, preparation, **207,** 985
- Green fluorescent protein
  - recombinant, molecular characterization by fluorescence correlation microscopy (*Aequorea victoria*), **217,** 21
- GROα oncogene, *see* Melanoma growth stimulating activity
- Growth
  - and aging and lifespan, effect of kinetin (fruitfly), **216,** 1067
  - cellular, *see* Cell growth
- Growth factor receptor-bound protein
  - altered expression in streptozotocin-treated rat, **212,** 933
- Growth factors
  - and cytokines and lipopolysaccharide, effects on adrenomedullin production in cultured vascular smooth muscle cells (rat), **207,** 25
  - repression of angiotensin II type 2 receptor gene expression (PC12 cell), **216,** 359
- Growth hormone, *see* Somatotropin
- Growth hormone receptor
  - mRNA, detection in choroid plexus epithelial cell line (sheep), **217,** 349
- Growth hormone-releasing factor receptor
  - pituitary, gene expression, regulation by thyroid hormone (rat), **217,** 1087
- Growth hormone-releasing peptide
  - binding to EP-1 human neuroblastoma cells, effects of neurokinin receptor antagonists, **214,** 454
- Growth phase
  - associated induction of cytochrome c oxidase subunit VI gene COX6, mediation by pH and cAMP-dependent protein kinase (*Saccharomyces cerevisiae*), **214,** 1051
- Growth signaling
  - through α5β1 fibronectin receptor (human epithelial cells), **208,** 126
- GTP (guanosine 5′-triphosphate)
  - channeling for protein synthesis *in vitro,* role of cytosolic nucleoside diphosphate kinase (*Dictyostelium discoideum*), **209,** 490
  - role in protein kinase Cδ autophosphorylation, **206,** 614
- GTPase-activating protein
  - normal activity, associated with reduced neurofibromin content in patient with neurofibromatosis type 1, caused by five-base-pair duplication in exon 12B of NF1 gene, **214,** 895
- GTP cyclohydrolase I
  - gene encoding, splice site base substitution leading to exon skipping in Japanese family with hereditary progressive dystonia/dopa-responsive dystonia, **213,** 645
  - from unrelated eukaryotes, homology cloning by reverse-transcription PCR with degenerate primers, **212,** 705
- GTP hydrolysis
  - role in interaction for *Escherichia coli* SulA and Ftsz, **209,** 198

GTP-γ-S, *see* Guanosine 5′-*O*-3-thiotriphosphate
Guanine nucleotide exchange factors
  $\mathrm{CDC25^{Mm}}$, acting on Ras proteins, analysis of minimal active domain, **206,** 253
  reticulocyte
    allosteric activation by sugar phosphates and inositol phosphates (rabbit), **217,** 616
    inhibition by heparin and reversal by polyamines (rabbit), **212,** 1007
Guanosine 5′-*O*-3-thiotriphosphate
  dependent activation of phospholipase D, role of protein phosphorylation, **210,** 542
  induced pepsinogen secretion in gastric chief cells, role of carboxyl methylation and low-molecular-weight GTP-binding protein translocation (guinea pig), **206,** 843
Guanylate cyclase
  atrial natriuretic factor-dependent, ligand binding and signal transduction activities, regulation by ATP bimodal switch, **209,** 286
  atrial and type C natriuretic factor receptor, transduction activities, single amino acid residue-linked signaling shifts, **212,** 1046
  from chemosensory tissues, identification (bovine, rat), **216,** 242
  soluble form
    with kinase-like domain, structure and expression (rat), **217,** 993
    pentacoordinate nitrosyl–heme complex formation, EPR study, **207,** 572
Guanylate cyclase-coupled natriuretic peptide receptor-A
  isoform GC-A1, identification and mRNA localization to renal papilla and adrenal (rat), **209,** 930
Guanylin
  immunohistochemical localization in small intestine and colon (rat), **209,** 803
Guanylin-16
  effect on cGMP production in T84 cells (rat), **214,** 1204
Guanylin-94
  effect on cGMP production in T84 cells (rat), **214,** 1204
Guanylyl cyclase, *see* Guanylate cyclase

H

o-Halobenzoate
  dehalogenation, 1,2-dioxygenation as mechanism, evidence from regioselective dioxygenation of *o*-trifluoromethylbenzoate by *Pseudomonas aeruginosa* 142, **213,** 759
Haloperidol
  inhibition of ATP-evoked responses in pheochromocytoma cells (rat), **210,** 624
Haptoglobins
  human, 3.3 kb, −CAT transgene, modulation by inflammation in lungs of transgenic mice, **208,** 309
  murine, gene expression and inflammatory regulation in adipocytes, **209,** 250
Hardness
  experimental, purines and pyrimidines in DNA and RNA, comparison with values from AM1 calculation, **217,** 755
Heart
  and brain and testis, expression of heat shock factor 1 α and β isoforms (mouse), **211,** 943
  $\mathrm{Ca^{2+}}$/calmodulin-dependent protein kinase lacking autophosphorylation activity, characterization and semi-purification (rabbit), **211,** 562
  N-cadherin, calcium-dependent proteolysis, induction by elevated calcium level, analysis by detergent-treated model (dog), **217,** 649
  coexpression of fatty acid translocase and cytoplasmic fatty acid-binding protein (rat), **207,** 747
  congestive failure, transition from left ventricular hypertrophy, associated neurohumoral factors in salt-sensitive rat, **206,** 814
  development, L10 ribosomal protein expression during, analysis (chicken embryo), **212,** 461
  fibers, permeabilized, ADP-regulated respiration, kinetics, correlation with degree of rupture of outer mitochondrial membrane (rat), **208,** 919; *erratum,* **211,** 1099
  hypertrophy, *see* Cardiac hypertrophy
  ischemia, nitric oxide release during, role of α1-adrenoceptor (dog), **212,** 1133
  localization of G protein subunits β_1, β_2, and β_3 (rat), **206,** 799
  muscle and nonmuscle cells, ventricular myosin light chain-2 promoter activity, effects of enhancer sequences (rat), **210,** 260
  myocardial growth and *c-myc* levels, regulation by 1,25-dihydroxyvitamin $\mathrm{D_3}$ (rat), **213,** 59
  and neuronal tissues, protein kinase C isoform expression and subcellular localization (*Limulus polyphemus*), **208,** 463
  ventricular aneurysms, atrial myosin light chain 1 levels in, enzyme immunoassay (human), **207,** 75
Heat shock
  induced apoptosis in thymocytes
    effect on ornithine decarboxylase mRNA accumulation and enzymatic activity (rat), **216,** 708
    role of CD45 (rat), **214,** 941
  induced P-glycoprotein phosphorylation in multidrug-resistant breast cancer cells, role of phospholipase C (human), **210,** 21
  liver response *in vivo*, role of activation of MAP kinases and Raf-1 kinase and tyrosine phosphorylation of SHC proteins (rat), **216,** 54
Heat shock factor 1
  and heat shock cognate 70 protein, association in high-molecular-weight complexes in cytoplasm of NIH-3T3 cells (mouse), **213,** 1
  isoforms with distinct leucine zipper arrays, regulated expression via tissue-dependent alternative splicing (mouse), **211,** 943
Heat shock proteins
  gene sequence (*Desulfurococcus* strain SY), **214,** 730
  homology and evolutionary comparison with amphibian αβ-crystallin cDNA, **216,** 881
  hsp60, bacterial, 40-kDa human protein cross-reacting with, identification, **208,** 697
  hsp70
    cognate, and heat shock factor 1, association in high-molecular-weight complexes in cytoplasm of NIH-3T3 cells (mouse), **213,** 1
    differential expression in well healing and chronic wound tissue (human), **214,** 1009
    gene transcription in embryo, activation (*Paracentrotus lividus*), **217,** 1032

Heat shock proteins (*continued*)
    - nuclear translocation, correlation with hydrogen peroxide-induced DNA damage (human), **206,** 548
    - SSB1P, detection and expression at different temperatures in *Escherichia coli,* **213,** 484
- hsp90, dissociation from F-actin, induction by ATP (human), **211,** 166
- hsp90β, gene promoter, isolation (chicken), **206,** 644
- induction in *Saccharomyces cerevisiae* by tetrachloroisophthalonitrile, **216,** 1041

Heat shock transcription factor
- HSF1, down-regulation, in quercetin suppression of heat shock response in HeLa cells (human), **208,** 1099

Hecogenin
- effects on erythroleukemia HEL TIB cells (human), **207,** 398

HeLa cells
- adhesion to laminin and type I, IV, and V collagens, inhibition by antibody to human α1β1 integrin antibody, **209,** 205
- cadmium- and Zn-mediated heme oxygenase-1 and metallothionein IIA gene activation, differential control, **207,** 160
- heat shock response, suppression by quercetin via down-regulation of heat shock transcription factor 1, **208,** 1099
- poliovirus proteinase $2A^{pro}$ expression, resultant cleavage of p220, effect on vaccinia virus, **215,** 928
- receptor tyrosine kinase-regulated signal transduction, role of queuine, **207,** 306

Helicobacter pylori
- effect on hepatocyte growth factor gene expression in human gastric mucosa, **210,** 960

Helix–loop–helix protein
- Id1, Id2, and Id3, phosphorylation (rat), **207,** 916

Helper T cells
- and B cells, epitopes in HPV type 16 E2 protein recognizing, association with cytotoxic T cell epitopes (human), **209,** 541

Hemagglutinin
- influenza virus, bromelain-cleaved, acid-induced conformational change, kinetic analysis with 1,1′-bis(4-anilino-5-naphthalenesulfonic acid), **206,** 355
- measles virus, biological function, role of carboxy terminal amino acids, **214,** 1232

Hemagglutinin–neuraminidase
- Sendai virus, receptor binidng, associated activation of viral fusion protein, **208,** 36

Hemagglutinin–neuraminidase receptor
- Sendai virus, hemagglutinin–neuraminidase binding for, activation of fusion protein, **208,** 36

Hematopoiesis
- associated tissues, 4-kb mRNA identified in, shared short nucleotide sequence (mouse), **209,** 1076

Heme
- fatty acid hydroperoxide lyase identification as, **207,** 438
- histidine/methionine replacement, effect on cytochrome c thermostability (*Desulfovibrio vulgaris*), **211,** 742
- –nitrosyl pentacoordinate complex, formation on soluble guanylate cyclase, EPR study, **207,** 572
- –oxygen system, regulation of DNA binding activity in heme-dependent region of upstream activation sequence 6 (*Saccharomyces cerevisiae*), **216,** 458
- in production of endothelial nitric-oxide synthase in baculovirus-infected Sf21 cells, **208,** 10

Heme oxygenase (decyclizing)
- isozyme 1, interleukin-1-induced mRNA, regulation in mesangial cells: role of prostaglandin E_2 (rat), **212,** 617
- modulation in brain and spleen by nitric oxide inhibitors and donors (rat), **214,** 1152
- role in cGMP formation by cytokine- and hemin-treated cerebral capillary endothelial cells (rat), **214,** 1

Hemin
- induced leukemia cell differentiation, role of serum retinoids (human)
    - protoporphyrin-IX, **206,** 1003
- inhibition of MSP23 protein thiol-specific antioxidant activity (rat), **216,** 970
- treated cerebral capillary endothelial cells, cGMP formation, role of NO synthase and heme oxygenase (rat), **214,** 1

Hemocytes
- corticotropin-releasing factor-induced biogenic amine release, effects of preincubation with cytokines (*Planobarius corneus, Viviparus ater*), **207,** 288
- mbn-2, immune response, activation by signals from interleukin-1 receptor homolog Toll (*Drosophila melanogaster*), **209,** 111

Hemoglobin
- biocatalytic oxidation of polycyclic aromatic hydrocarbons, **215,** 968
- $^{13}C/^{12}C$ ratio changes, in early detection of catabolic state (chicken), **212,** 719
- Hb M Boston and Hb M Saskatoon, oxidation states in blood, EPR studies (human), **210,** 483

Hemolymph
- major lipoproteins, identification as proteins in immune recognition and clotting (crayfish), **216,** 939

Hemopexin
- gene expression in primary hepatocyte cultures, modulation by physiological oxygen tensions (rat), **213,** 397

Heparan sulfate
- and chondroitin/dermatan sulfate, formation on recombinant domain I of mouse perlecan expressed in CHO K1 cells, **211,** 262

Heparin
- binding site, of follistatin, role in interaction with activin (human), **208,** 1
- inhibition of rabbit reticulocyte guanine nucleotide exchange factor activity, **212,** 1007

Heparin-binding EGF-like growth factor
- binding to tumors overexpressing EGF receptors, blockage by monoclonal antibodies acting as EGF and transforming growth factor α antagonists (human), **207,** 389
- mRNA expression in kidney in streptozotocin-induced diabetic rat, **207,** 216
- region of diphtheria toxin receptor, C-terminus, localization of diphtheria toxin-binding domain (monkey), **206,** 710

Hepatitis
- chronic, detection of telomere shortening in affected liver (human), **211,** 33

Hepatitis A virus
  protein 3A, recombinant expression and membrane interaction *in vitro* and in bacterial expression system, **211,** 627
Hepatitis B virus
  core protein, nuclear localization signal, single serine mutation, effect on nuclear transport by surface proteins (human), **213,** 1068
  X protein, assignment of disulfide bonds, **212,** 919
Hepatitis C virus
  genome, 3′ terminus, analysis by primer extension, **215,** 744
  infection, susceptibility of HTLV-I-infected MT-2 cells (human), **206,** 863
  NS3 protein, C-terminal domain, identification of RNA helicase activity, **215,** 160
  replication in culture cells, inhibition by antisense oligonucleotide, **212,** 906
Hepatocyte growth factor
  β-chain, critical domains, biological activities and ligand-binding functions (human, mouse), **210,** 1017
  and c-Met, mRNA expression in fetal and adult brain and HGF activation of neuronal Ras (rat), **210,** 231
  deleted form, hepatocytes stimulated by, phospholipase A_2 in, activation by tumor necrosis factor α (rat), **217,** 1263
  differential effects on proliferation of periportal and pericentral hepatocytes (rat), **207,** 578
  gene expression in gastric mucosa, effect of *Helicobacter pylori* (human), **210,** 960
  human recombinant, effect on rat osteoclast formation and function, **212,** 334
  inhibition of intercellular communication via gap junctions in hepatocytes (rat), **214,** 440
  mRNA expression in vascular tissues (rat), **215,** 483
  –scatter factor, induction of tyrosine phosphorylation and translocation of ezrin, **217,** 1062
  stimulation of wound repair of rabbit esophageal epithelial cells in primary culture, **216,** 298
Hepatocyte nuclear factors
  HNF-1 and -4, regulation in cultured hepatocytes by extracellular matrix (rat), **210,** 38
  HNF-4, high level in hepatocyte culture, maintenance with laminin-rich extracellular matrix (rat), **212,** 800
Hepatocytes
  albumin secretion *in vitro*, effect of ratio change of branched-chain to aromatic amino acids (rat), **214,** 1045
  aryl hydrocarbon receptor, ligand-independent activation by benzimidazoles (rabbit), **209,** 474
  cytochrome P4501A1 induction in, effect of picrotoxin (rainbow trout), **214,** 1060
  gap junctions, intercellular communication via, inhibition by hepatocyte growth factor (rat), **214,** 440
  glutathione transferase α, up-regulation by interleukin-4 (human), **216,** 793
  hemopexin gene expression in primary cultures, modulation by physiological oxygen tensions (rat), **213,** 397
  hepatic genes and liver transcription factors, *in vitro* regulation by extracellular matrix (rat), **210,** 38
  4-hydroxy-2-nonenal metabolism, age effects (rat), **207,** 477
  immortal, establishment from cytochrome P4503A7-transgenic/p53-knockout mouse, **217,** 1001
  intercellular adhesion molecule-1 expression, after dissociation of cell-to-cell contact (rat), **214,** 1225
  intracellular Ca^{2+} overload and cell death after iron-induced lipid peroxidation, prevention by Na^+/Ca^{2+} exchanger (rat), **208,** 813
  isolated, exposed to hypoxia or mitochondrial toxins, irreversible damage in, association with sodium-mediated cell swelling (rat), **206,** 180
  LEC, Golgi apparatus, ceruloplasmin in, incorporation of copper (rat), **209,** 349; *erratum,* **211,** 348
  normal, and FAO and HepG2 hepatoma cells, differential expression of protein kinase C isoenzymes (rat), **217,** 546
  nuclear matrix condensation and c-*fos* and c-*myc* expression *in vitro*, effect of exposure to cyproterone acetate and phenobarbital (rat), **215,** 598
  and other hepatic cells, differential induction of mRNA for ICAM-1 and selection during endotoxemia (rat), **211,** 74
  outer mitochondrial membrane, permeability for ADP and oxidative phosphorylation, role of cytoplasmic cellular structures (rat), **213,** 138
  periportal and pericentral, differential proliferative responses to hepatocyte growth factor (rat), **207,** 578
  permeabilized, ADP-regulated respiration, kinetics, correlation with degree of rupture in outer mitochondrial membrane (rat), **208,** 919; *erratum,* **211,** 1099
  P-glycoprotein and *mdr1b* mRNA expression in primary culture, modulation by growth factors (rat), **215,** 179
  small, isolated from adult rat liver, growth and maturation, **214,** 310
  stimulated by deleted form of hepatocyte growth factor, phospholipase A_2 in, activation by tumor necrosis factor α (rat), **217,** 1263
  vascular cell adhesion molecule-1 expression, induction by tumor necrosis factor α, and interleukin-1β (mouse), **209,** 335
Hepatoma cells
  expression of aldehyde oxidase gene *ALDH5* (human), **211,** 144
  FAO, and HepG2 cells and hepatocytes, differential expression of protein kinase C isoenzymes (rat), **217,** 546
  H-35, hemopexin gene expression, induction by interleukin-6-type cytokines (rat), **207,** 202
  H-411E, insulin-stimulated calmodulin gene expression, inhibition by antisense oligonucleotides (rat), **210,** 921
  Hepa-1
    aromatic hydrocarbon receptor nuclear translocator, identification of associated 120-kDa protein (human), **212,** 144
    microcarrier-attached, CYP1A1 induction under hydrodynamic shear conditions, role of Ah receptor (mouse), **208,** 144
  HEPA-1C1C7, TCDD-induced cytochrome P450 *Cyp1a-1* gene expression in, suppression by methoxsalen (mouse), **208,** 1124
  HepG2
    aromatic hydrocarbon receptor nuclear translocator, identification of associated 120-kDa protein (human), **212,** 144
    expression of MHC class I mRNA, regulation by bile acids (human), **208,** 935
    and FAO cells and hepatocytes, differential expression of protein kinase C isoenzymes (human), **217,** 546

Hepatoma cells (*continued*)
    low-density lipoprotein receptor induction by chenodeoxycholic acid, molecular mechanism (human), **208,** 405
    microcarrier-attached, CYP1A1 induction under hydrodynamic shear conditions, role of Ah receptor (human), **208,** 144
    production of sex hormone-binding globulin *in vitro,* regulation by endogenous estrogens (human), **206,** 895
    thrombopoietin gene expression (human), **217,** 475
    transfection with thiol-reactive phospholipids complexed with lipospermine/DNA particles, efficiency (human), **209,** 444
  HuH-7, acyclic retinoid-induced apoptosis (human), **207,** 382
  Li-7A, treated with EGF and cholera toxin, induction of carcinoembryonic antigen by rat liver ectoATPase lacking capacity to induce mercurial-insensitive ectoATPase (human), **207,** 529
  signal transducer and activator of transcription 3 activation by interferon-γ and interleukin-6 (human, rat), **216,** 999
  Yoshida ascite, AH-130, adenylate cyclase activity, effect of fatty acid enrichment (rat), **213,** 853
Hepoxilin
  binding by neutrophils (human), **207,** 191
HEPT
  derivative MKC442, and other HIV-1-specific non-nucleoside reverse transcriptase inhibitors, sensitivity/resistance profile of SIV containing HIV-1 RT gene, **211,** 850
Heptanucleotide
  slippery, size, and stem length, effects on efficiency of ribosomal frameshifting, **213,** 575
Herbimycin A
  effect on platelet-derived growth factor-induced phospholipase D and PLC, **212,** 1061
  inhibition of TNF-α and ceramide-induced internucleosomal DNA fragmentation in U937 cells (human), **212,** 640
Hereditary persistence of fetal hemoglobin syndrome
  implications of HMG-I nuclear protein binding of erythroid factor GATA-1, **214,** 927
Heregulin
  family member, selective regulation of steroid receptor expression in MCF-7 breast cancer cells, **217,** 1271
  –NDF, bioactive synthetic peptide, **210,** 441
α_2-2 Heremans-Schmid glycoprotein
  baculoviral expression: natural inhibitor of insulin receptor tyrosine kinase (human serum), **208,** 879
Herpes simplex virus
  type 1, thymidine kinase, site directed mutagenesis: role of amino acid positions 251, 321, and 348 in selective recognition of substrate analogs, **209,** 966
  type 2, infected cells, castanospermine derivative MDL 28,574 antiviral activity and metabolism (human, monkey), **208,** 267
Heteroduplex analysis
  Xenopus RNA polymerase I terminator, **212,** 1082
Heterozygosity
  loss in chromosomes 1, 5, 7, and 13 in murine hepatoma, detection by systematic genome-wide scanning with RLGS genetic map, **212,** 632
2,4,5,2′,4′,5′-Hexachlorobiphenyl
  persistent PCB congener, metabolism by human CYP2B6, **212,** 455
Hexadecanal dehydrogenase (acylating)
  uropygial gland, solubilization, purification, and characterization (duck), **208,** 210
4-(Hexadecyloxy)-3-(S)-methoxybutyl phosphonic acid
  selective inhibition of phosphatidylinositol 3-kinase, **215,** 8
Hexafluoropropanol
  –water mixtures, nonideality, X-ray small angle scattering analysis, **217,** 1151
Hexapeptides
  retinoblasta protein-derived, binding of LXCXE motif, **206,** 97
Hexokinase
  regulatory protein, nuclear location and translocation to cytoplasm in response to high glucose (rat liver), **215,** 467
β-Hexosaminidase
  β-subunit gene, missense mutation C522Y, detection in Japanese patient with infantile Sandhoff disease, **212,** 564
  release by mast cells, nitric oxide effects, role of cyclic nucleotides (rat), **210,** 507
High-density lipoprotein
  HDL_3, induced second messenger response, analysis in normal and glycoprotein IIb/IIIa-deficient platelets (human), **207,** 148
  modification with malondialdehyde, subsequent cholesterol accumulation in endothelial cells (rat liver), **212,** 1
  oxidized, assay using monoclonal antibody 9F5-3a, **217,** 407
High-density lipoprotein-binding protein
  detection with apolipoprotein AI conjugated with 2,4-dinitrophenol as ligand (human), **216,** 801
High mobility group protein
  HMG-I, binding to GATA motifs, implications for hereditary persistence of fetal hemoglobin syndrome, **214,** 927
  HMG-I(Y), DNA-binding domain, conserved threonine residues in, replacement by alanine, effect on binding affinity for DNA (human), **207,** 497
  HMG17, and histone H1, nucleosome complexed with, actin ATP/ADP binding domains conserved in, **212,** 509
High-performance liquid chromatography
  analysis of gramicidin A all Trp→Phe replacement in model membranes, **209,** 466
  5-fluorouracil and 5-fluoro-2′-deoxyuridine 5′-monophosphate in tissue and serum (rat), **216,** 808
  pyrroloquinoline quinone and isomeric analogues, **212,** 41
Hippocampus
  phenol sulfotransferase isoform, molecular cloning (human), **207,** 701
  postmortem Alzheimer's disease tissues, apolipoprotein E binding to neurofibrillary tangles and senile plaques, **208,** 657
Histamine
  exogenous and endogenous, regulation of pancreatic β-cell replication and insulin secretion (rat), **214,** 224
  and H_1 agonists, interaction with Lys200 in fifth transmembrane domain of histamine H_1 receptor (guinea pig), **214,** 110
  secretion from platelets, thrombin-induced, role of protein kinase C and low-molecular-weight G proteins (human), **206,** 492

  stem cell factor-induced release by mast cells, effects of kinase inhibitors, pharmacological study (rat), **208,** 576
Histamine H_1 receptor
  fifth transmembrane domain, Lys200, interaction with histamine and H_1 agonists (guinea pig), **214,** 110
Histamine H_2 receptor
  agonist-induced internalization, visualization, **214,** 1138
  gene cloning, tissue expression and chromosomal localization of human counterpart (guinea pig), **211,** 570
  gene promoter region, identification (human), **210,** 616
Histidine
  calcium-binding protein rich in, and triadin, identification as substrates of 60-kDa calmodulin-dependent protein kinase in junctional terminal cisternae of fast muscle sarcoplasmic reticulum (rabbit), **209,** 457
  coordination to catalytic ferrous ion in 2,2′,3-trihydroxybiphenyl dioxygenase (*Sphingomonas* sp.), **215,** 855
  residue 273 of 3-isopropylmalate dehydrogenase, role in coenzyme binding (*Thermus thermophilus* HB8), **210,** 733
  residues 102 and 117 of MelC1 protein, role in chaperone function for apotyrosinase (*Streptomyces*), **214,** 447
L-Histidine
  exogenous, regulation of pancreatic β-cell replication and insulin secretion (rat), **214,** 224
Histidine–tRNA ligase
  gene in head-to-head configuration with gene for, encoding of mRNA predicting homologous polypeptide (human), **210,** 556
Histidyl-tRNA synthetase, *see* Histidine–tRNA ligase
Histone-binding protein
  cochaperonin identification as (rat), **206,** 260
Histones
  diabetic rat, evidence for increased levels of advanced glycation end products, **212,** 56
  H1, and HMG17, nucleosome complexed with, actin ATP/ADP binding domains conserved in, **212,** 509
  H2A.H2B dimers, acetylation, effects on transcription, **210,** 409
  H2B, gene upstream region *cis* elements, binding pattern of nuclear proteins during HL-60 cell differentiation by all-*trans* retinoic acid, **213,** 616
  $(H3–H4)_2$ tetramers, oligonucleosomal templates containing, transcriptional properties, **213,** 232
  mono(ADP-ribosyl)ation in testis, effect of gonadotropin–testosterone system (rat), **215,** 808
HIV-1, *see* Human immunodeficiency virus, type 1
HIV-1 integrase
  DNA-binding activity, characterization with filter binding assay, **217,** 802
HIV-1 protease inhibitors
  with oral bioavailability, synthesis and evaluation (dog, monkey, rat), **211,** 159
HMG-CoA reductase
  regulated degradation, alteration by mutation in lumenal part of enzyme membrane domain (CHO cells), **206,** 186
Homeobox
  derived short peptide, *retro-inverso* form, internalization by cultured neurons, **214,** 685
Homeodomain protein
  Aα Y and Z mating-type, interaction, detection by two-hybrid system (*Schizophyllum commune*), **211,** 1071
Homeodomains
  thyroid transcription factor-1, DNA binding specificity, definition by chromatographic selection of binding sequences, **213,** 781
Hormone-sensitive lipase, *see* Triacylglycerol lipase
Horseradish peroxidase
  heme distal site, putative hydrogen bond network, identification, **207,** 417
HPLC, *see* High-performance liquid chromatography
HPV, *see* Human papillomavirus
HS1 protein
  cDNA, molecular cloning and characterization (mouse), **208,** 1137
HSV, *see* Herpes simplex virus
HTLV-I, *see* Human T-cell lymphotrophic virus type I
Human chorionic gonadotropin
  mediated trophoblast differentiation, effect of leukemia inhibitory factor, **211,** 137
Human cytomegalovirus
  transformed BH21 cells, casein kinase with elevated activity in, identification, **207,** 740
  US28 protein, high affinity binding to multiple CC chemokines, **211,** 325
Human immunodeficiency virus
  antiviral activity of dexamethasone and indomethacin, potentiation by bitter melon antiviral agent MAP30 (human MT-4 T cells), **208,** 779
  gp160, cleavage sites, structural analysis and kinetic characterization by human furin and PC1, **213,** 356
  type 1
    acute and chronic *in vitro* infection, effect of nicotinamide, **210,** 954
    decrease of intracellular NAD with *in vitro* infection (human), **212,** 126
    expression in latently HIV-1-infected ACH2 cells, induction by anticancer agents, **207,** 903
    gp120 glycoprotein, production of DNA fragmentation in cerebral cortex (rat), **211,** 130
    induced syncytium formation, and viral infectivity, differential effects of hydrophobic tripeptide, **208,** 75
    infected cells, anti-V3 domain antibody binding to, inhibition by sulfated polysaccharides, **209,** 850
    pol gene expression by ribosomal frameshifting, RNA signals affecting: influence of stem size and slippery sequence, **213,** 575
    polymerase, associated RNase H, reverse transcription by, inhibition by phosphorothioate oligonucleotides, **211,** 1041
    polysaccharide MAR-10 exhibiting strong activity against, isolation from *Hyssop officinalis,* **210,** 145
    reverse transcriptase gene, SIV containing, sensitivity/resistance profile toward HIV-1-specific non-nucleoside RT inhibitors, **211,** 850
    tat gene, transfected T and B cell lines, cytokine gene expression, **208,** 704
    Tat protein
      delivery to mammalian cells, effect of endosomolytic activity of cationic liposomes, **217,** 761

- Human immunodeficiency virus (*continued*)
    - interaction with human p53 via p53 O2 dimerization domain, **206,** 326
  - U937 cells with different susceptibility to infection, poly(ADP-ribose) polymerase activity, **213,** 161
- Human neutrophil peptides
  - 6- and 8-kDa precursors, isolation from bone marrow, plasma, and peripheral blood neutrophils and sequence analysis, **211,** 1053
- Human papillomavirus
  - type 11, E5a oncoprotein, effect on growth restriction induced by temperature shift in simian virus 40 T antigen-immortalized keratinocytes, **217,** 712
  - type 16, E2 protein, T-helper and B cell epitopes, association with cytotoxic T cell epitopes, **209,** 541
- Human T-cell lymphotrophic virus type I
  - infected lymphocytes, oligoclonal proliferation in virus-induced arthropathy lesions, **208,** 1040
  - infected MT-2 cells, susceptibility to hepatitis C virus infection (human), **206,** 863
- Huntington's disease
  - associated abnormal gene product, identification in lymphocytes and brain (human), **209,** 1119
- Hutchinson–Gilford progeria syndrome
  - fibroblasts from affected patients, metabolically normal uridine uptake and RNA synthetic rates, **210,** 225
- Hyaluronate
  - binding to cell-surface expressed CD44, dependence on splicing and cell type, **214,** 137
- Hyaluronic acid
  - deficient extracellular matrix, induction by addition of 4-methylumbelliferone to culture medium of dermal fibroblasts (human), **208,** 470
- Hybridization
  - differential, and degenerate PCR, in isolation of cell type-specific protein tyrosine kinase, **214,** 60
  - high-stringency, in detection of expanded (CAG/CTG) repeats in myotonin-protein kinase genes of myotonic dystrophy patients, **212,** 341
  - *in situ,* in assignment of human folate transporter gene to chromosome 21q22.3, **210,** 874
  - Southern, in analysis of neurotoxin type A and B (*Clostridium botulinum* strain AB), **213,** 737
- D-Hydantoinase, *see* Dihydropyrimidinase
- Hydrocarbons, *see* Aromatic hydrocarbons
- Hydrogen bonding
  - effects on circular dichroism spectra of ferric cytochrome P450 enzymes, **211,** 389
- Hydrogen bonds
  - putative, network at heme distal site of horseradish peroxidase, identification, **207,** 417
  - transient interresidue, in sucrose in aqueous solution, evidence from rotating-frame exchange NMR under supercooled conditions, **215,** 504
- Hydrogen peroxide
  - biocatalytic oxidation of polycyclic aromatic hydrocarbons, **215,** 968
  - DNA cleavage by 1,10-phenanthroline–vanadyl complex in presence of, analysis (human), **206,** 133
  - effects on
    - membrane potential and $[Ca^{2+}]_i$ of cultured rat arterial smooth muscle cells, **209,** 139
    - Na^+/K^+-ATPase α_1 and α_2 isoforms expressed in baculovirus-infected insect cells, **207,** 155
  - generation by alloxan in β cells, effect of glucose (rat), **210,** 1
  - and hydroxyl radicals, detection in dermal fibroblasts under UVB exposure (mouse), **206,** 474
  - induction of
    - DNA damage, correlation with nuclear translocation of hsp70 (human), **206,** 548
    - low-level oxidative stress in cultured cells, sites and mechanisms, **206,** 421
  - macrophage-induced generation in islet cells, inhibitory effects of probucol (NOD mouse), **209,** 953
  - and physiological O_2 tensions, effects on hemopexin gene expression in primary hepatocyte cultures (rat), **213,** 397
  - system generating, production of leukotoxin and isomer, **216,** 483
- Hydrolysis
  - aliphatic acid amides and esters by penicillin acylase from *Kluyvera citrophila,* **206,** 629
  - ATP, role in
    - assembly of ClpA/ClpP complex in *Escherichia coli,* **217,** 41
    - chloride pump activity (*Aplysia californica*), **215,** 994
  - GTP, role in interaction for *Escherichia coli* SulA and Ftsz, **209,** 198
  - phosphatidylcholine, effect of C-reactive protein (rat), **208,** 1046
  - phosphoinositide, islet cell, and insulin secretory response, in prediabetic fa/fa Zucker diabetic fatty rat, **209,** 974
  - stereoselective, *p*-nitrophenyl β-D-cellotrioside, catalysis by *Bacillus* endoglucanase in family D, **212,** 539
- Hydrophobicity
  - surfaces, accessible areas, relationship to binding energies of protease–protein inhibitor complexes, **206,** 497
- N^{ω}-Hydroxyagmatine
  - synthesis and characterization, **214,** 145
- Hydroxyapatite
  - and poly(lactide-co-glycolide) three-dimensional porous composite, adherence and migration of rat osteoblast-like cells, **213,** 639
- *trans-o*-Hydroxycinnamoyl group
  - and *o*-nitrobenzyl group, caged compounds of L-leucyl-L-leucine methyl ester containing, synthesis and cytotoxic activity, **213,** 652
- 12(S)-Hydroxyeicosatetraenoic acid
  - mitogenic effect on microvascular endothelial cells and promotion of wound healing *in vitro* (mouse), **211,** 462
- 8-Hydroxyguanine
  - repair activity in cultured fibroblasts, age-associated change (human), **214,** 1157
- 17β-Hydroxy-16α-iodowortmannin
  - ^{125}I-labeled, radiolabeling of phosphatidylinositol 3-kinase catalytic subunits, **216,** 655
- 11β-Hydroxylase
  - gene, regulatory elements, fused to aldosterone synthase gene coding region, PCR detection in familial hyperaldosteronism type I (human), **207,** 565

ω-Hydroxylation
  in lauric acid metabolism, regioselectivity shift to (ω-1)-oxidation, by heteroatom substitution, **214,** 1089
Hydroxyl radicals
  DNA damage induced by, relationship to DNA repair enzyme activities, analysis with glycerol (*Escherichia coli*), **207,** 515
  effects on low-density lipoprotein electrophoretic mobility, catabolism, receptor binding, and lipid peroxidation, **208,** 597
  and hydrogen peroxide, detection in dermal fibroblasts under UVB exposure (mouse), **206,** 474
  α-lipoic acid antioxidant activity against, **208,** 161
  and oxygen radicals, *in situ*-generated, role as stage I tumor promoter in murine skin, **209,** 698
  production by pericentral and periportal microsomes, effect of pyrazole induction of cytochrome P4502E1 (rat), **215,** 698
  role in production of DNA double-strand breaks in X-irradiated *Escherichia coli,* **207,** 957
2-Hydroxy-5-methyl-1,4-benzoquinone
  with amine oxidase properties, preparation and properties, **208,** 825
5-Hydroxymethyl-2-furaldehyde
  bioactivation to electrophilic and mutagenic allylic sulfuric acid ester, associated mutagenicity in *Salmonella typhimurium* TA104, **209,** 996
4-Hydroxynonenal
  and conjugate with glutathione, as substrate of bovine lens aldose reductase, **217,** 741
4-Hydroxy-2-nonenal
  metabolism in hepatocytes, age effects (rat), **207,** 477
  trapping ELISA, in analysis of release of cytotoxic aldehyde from oxidized low-density lipoproteins, **212,** 1068
4-Hydroxy-2,3-nonenal
  hepatocellular metabolism, effect of chronic cholestasis conditions (rat), **214,** 669
17α-Hydroxyprogesterone
  ovarian production in adult female rat, effects of submaxillariectomy, **213,** 550
15-Hydroxyprostaglandin dehydrogenase
  and 11β-hydroxysteroid dehydrogenase, and homologs, structures stabilizing dimer interface (human), **217,** 859
Hydroxyquinone
  with amine oxidase properties, preparation and properties: 2-hydroxy-5-methyl-1,4-benzoquinone, **208,** 825
β-Hydroxysteroid dehydrogenase
  inhibition by dietary estrogenic isoflavones (*P. testosteronii*), **215,** 1137
11β-Hydroxysteroid dehydrogenase
  types 1 and 2, and 15-hydroxyprostaglandin dehydrogenase, and homologs, structures stabilizing dimer interface (human), **217,** 859
3-Hydroxysteroid sulfotransferase
  distinct from chiral-specific 3α-hydroxysteroid sulfotransferase, cloning and expression (guinea pig), **217,** 1078
3α-Hydroxysteroid sulfotransferase
  chiral-specific, guinea pig 3-hydroxysteroid sulfotransferase distinct from, cloning and expression, **217,** 1078
4a-Hydroxy-tetrahydropterin dehydratase
  –hepatic nuclear factor 1α dimerization cofactor, activity during human fetal development, **217,** 958
Hymecromone
  induction of hyaluronic acid-deficient extracellular matrix after addition to culture medium of dermal fibroblasts (human), **208,** 470
Hyperaldosteronism
  familial, *see* Familial hyperaldosteronism
Hypercalciuria
  idiopathic, affected patient, relationship of Ca^{2+},Mg^{2+}-ATPase and Ca^{2+} influx, **217,** 1099
Hyperinsulinemia
  in Japanese subject, association with mutation in β_3-adrenergic receptor gene, **215,** 555
Hyperpolarization
  acetylcholine-induced, in native aortic endothelial cell transient membrane, potentiation by bradykinin (rabbit), **213,** 1061
Hypertension
  affected mouse, hypertrophied heart, associated alterations in angiotensin II receptor content (mouse), **212,** 326
  Milan hypertensive rat model, adipose, brain, liver, and muscle tissues, glucose transporter isoforms, **211,** 780
  pulmonary, experimental, collagen remodeling in, role of endothelin-1 (rat), **215,** 981
  regulation of parathyroid hormone-related peptide mRNA (rat), **208,** 447
  salt sensitive Dahl rat model, transition from left ventricular hypertrophy to congestive heart failure, associated neurohumoral factors, **206,** 814
  spontaneous, stroke-prone rat with
    cardiac and renal preproendothelin-1 mRNA expression, effect of salt loading, **209,** 161
    peritoneal macrophages from, intracellular cholesterol metabolism, comparison with normotensive rat, **211,** 547
    salt-dependent cardiac hypertrophy and preproendothelin-1 mRNA expression, inhibition by lacidipine, **210,** 219
Hypertrophy
  cardiac, *see* Cardiac hypertrophy
Hypochlorous acid
  killing of *Escherichia coli,* effect of chlorogenic acid, **217,** 972
  oxidative inactivation of F_1-ATPase, associated subunit sites, determination (*Escherichia coli*), **212,** 868
Hypoperfusion
  coronary, effects on plasma levels of nitric oxide end products (dog), **211,** 370
Hypotaurine
  and taurine, effects on lipid peroxidation, **213,** 820
Hypothalamus
  suprachiasmatic nucleus, G protein-coupled receptor UHR-1 cloned from, tissue distribution and sequence analysis (rat), **209,** 606
  ventromedial lesioning, induced increased in adipocyte volume, effects on obese gene expression in fat tissue (rat), **211,** 469
Hypothermia
  post-insult, moderate, inhibition of apoptosis after cerebral hypoxia–ischemia (pig), **217,** 1193
Hypoxanthine
  hydrogen peroxide-generating system with, production of leukotoxin and isomer, **216,** 483

Hypoxia
  deoxyglucose-induced, modulation of adenosine release in renal MDCK cells *in vitro* (dog), **208,** 970
  induced transcription of VEGF gene, role of functional AP-1 transcription factor (mouse), **208,** 432
  –ischemia, induced cerebral apoptosis, inhibition by moderate post-insult hypothermia (pig), **217,** 1193
  isolated hepatocytes exposed to, irreversible damage in, association with sodium-mediated cell swelling (rat), **206,** 180
Hypoxia-inducible factor 1
  DNA-binding activity and expression, effects of altered redox states (Hep3B cells), **212,** 550
  expression, effects of protein kinase and phosphatase inhibitors, **216,** 669

I

IBMX, *see* 3-Isobutyl-1-methylxanthine
Ibuprofen
  inhibition of inducible nitric-oxide synthase gene expression (rat), **208,** 1053
ICAM, *see* Cell adhesion molecules, ICAM
Immune cells
  mu opioid receptor gene expression (human, monkey), **216,** 922
Immune recognition
  role of major hemolymph lipoproteins (crayfish), **216,** 939
Immune responses
  in *Drosophila* hemocyte cell line, activation by signals from interleukin-1 receptor homolog Toll, **209,** 111
  against mdr1 protein, induction by vaccination with synthetic lipopeptides in liposomes (mouse), **212,** 494
  role of cyclic AMP (mouse), **206,** 703
Immunoblot analysis
  quantitative, in determination of developmental regulation of $G_{\alpha q/11}$ (rat), **210,** 246
Immunofluorescence microscopy
  in visualization of agonist-induced internalization of histamine H_2 receptors, **214,** 1138
Immunoglobulin receptor
  T1, interleukin-1 receptor-related, high-level expression in insect cells, **216,** 595
Immunoglobulins
  IgE, high-affinity receptor activation, induction of protein kinase Cδ tyrosine phosphorylation: site identification (rat basophilic leukemia cells), **214,** 888
  IgG
    heavy chain, containing *N*-acetylgalactosaminylated *N*-linked sugar chains, identification (bovine milk), **210,** 275
    light chains, cross-reactivity with prolactin antisera, effect on immunoblot detection of glycosylated human prolactin in biological fluids, **212,** 48
  IgM, antigens specifically incorporated in B cells by, and antigens nonspecifically incorporated by pinocytosis, presentation, effects of thiol-protease inhibitors, **210,** 324
Immunomodulation
  mast cell, nitric oxide effects, role of cyclic nucleotides (rat), **210,** 507
Immunophilins
  12-kDa inositolphosphate-binding protein as, identification in erythrocyte membrane (human), **215,** 212
  role in cyclosporin A/FK506-mediated calcineurin inhibition, **215,** 781
Immunosuppression
  by FK506, effect on duration of expression of adenovirus-delivered transgene in skeletal muscles of adult dystrophic mouse, **213,** 569
  ISP-1/myriocin-induced, identification of serine palmitoyltransferase as primary target (mouse), **211,** 396
Indium
  and other metals, induced conformational heterogeneity of transferrins, spectroscopic studies (human), **206,** 161
Indomethacin
  and dexamethasone, anti-HIV activity, potentiation by bitter melon antiviral agent MAP30 (human MT-4 T cells), **208,** 779
  inhibition of inducible nitric-oxide synthase gene expression (rat), **208,** 1053
  reduction of interleukin-1β-induced enhancement of amyloid precursor protein processing in PC12 cells, **208,** 542
Infection
  HIV-1 *in vitro*
    acute and chronic, effect of nicotinamide, **210,** 954
    effect on intracellular NAD (human), **212,** 126
    in U937 cells with different susceptibility, poly(ADP-ribose) polymerase activity, **213,** 161
  influenza C virus in MDCK cells, sialic acid analog with resistance to receptor-destroying enzyme as receptor determinant in, **216,** 821
Infectivity
  HIV-1, and virus-induced syncytium formation, differential effects of hydrophobic tripeptide, **208,** 75
Inflammation
  modulation of expression of human haptoglobin–CAT transgene in transgenic mouse lung, **208,** 309
  regulation of haptoglobin gene expression in adipocytes (mouse), **209,** 250
Inflammatory mediators
  silica-induced production in macrophages, role of NF-κB activation, **214,** 985
Influenza virus
  bromelain-cleaved hemagglutinin, acid-induced conformational change, kinetic analysis with 1,1′-bis(4-anilino-5-naphthalenesulphonic acid), **206,** 355
  infected cells, complement-dependent lysis, mediation by serum mannose-binding lectin, **217,** 1128
  proteins, interaction with pine cone antitumor substance, inhibition of viral replication, **214,** 318
  type C, infection of MDCK cells, use of sialic acid analog with resistance to receptor-destroying enzyme as receptor determinant, **216,** 821
Inhibitory protein
  IκBα, signal-induced phosphorylation, inhibition by Cu^{2+}, in blockade of NFκB activation, **216,** 568
Initiation factor 2
  eIF-2, mRNA binding properties (wheat germ), **214,** 1033
  eIF-2B, allosteric regulation by adenine nucleotides (rabbit), **212,** 1074
Injury, *see also* Lesions; Wounds
  acute hepatic, mononuclear phagocytes from, and Kupffer cells from normal liver, synthesis and secretion of fibronectin,

    comparison (rat), **213,** 752
  carotid artery, balloon angioplasty-induced, effect of *N*-acetylcysteine (rabbit), **215,** 613
  ischemic reperfusion, to kidney, protective effects of ICAM-1 antibodies (rat), **211,** 67
  lung, leukotoxin-induced, associated increase in nitric oxide biosynthesis (rat), **210,** 133
  reoxygenation, decrease by myocardial flavin reductase and riboflavin (rabbit), **212,** 35
  skeletal muscle cell, induced by continuous electric field stimulation, protective effect of coenzyme Q_{10} (rat), **216,** 1006
  tissues in mercuric chloride-induced autoimmunity, role of nitric oxide (rat), **217,** 515
  vascular
    porcine coronary model, restenosis in, effect of retroviral suicide vector, **207,** 89
    subsequent endothelial proliferation, induction by vascular endothelial growth factor (rat), **207,** 348
Inosine kinase
  occurrence as distinct enzyme in *Spirulina platensis,* **209,** 547
scyllo-Inositol
  containing phosphatidylinositol, in plant cells, characterization (*Hordeum vulgare*), **210,** 549
Inositol 1,4-bisphosphate
  allosteric activation of reticulocyte guanine nucleotide exchange factor (rabbit), **217,** 616
Inositol phosphate
  production by pancreatic acinar cells, effects of desensitization by carbamylcholine, caerulein, and phorbol esters (rat), **206,** 870
Inositolphosphate-binding protein
  12-kDa, erythrocyte membrane, identification as immunophilin (human), **215,** 212
Inositol phospholipids
  specific phospholipase C, extracellular environment, release by Swiss 3T3 cells *in vitro,* **211,** 318
Inositol 1,3,4,5-tetrakisphosphate receptor
  high-affinity, 42-kDa, cerebral, species heterogeneity, analysis with peptide-specific antibodies (bovine, human, rat, sheep), **214,** 20
Inositol 1,4,5-trisphosphate
  binding site, correlation with βIΣII spectrin C-terminal region in binding to cerebral membranes (bovine), **217,** 608
  dependent calcium signaling, sensitization via structural modification of voltage-dependent Ca^{2+} channel, role of Ca^{2+} channel β subunit (*Xenopus* oocytes), **208,** 440
  oscillation in embryonic cleavage cycle (*Xenopus laevis*), **206,** 775
  sensitive Ca^{2+} stores, noradrenaline-induced emptying, subsequent α1B-adrenergic receptor activation of Ca^{2+} influx in PC C13 cells via tyrosine kinase/phosphotyrosine phosphatase pathway (rat thyroid), **209,** 630; ***erratum,* 210,** 1083
Inositol 1,4,5-trisphosphate receptor
  availability, and PIP_2 hydrolysis and Ca^{2+} gradients, effects on progesterone-stimulated *Xenopus* oocyte maturation, **217,** 931
  intrinsic inactivation, role in quantal calcium release in permeabilized A7r5 cells (rat), **209,** 451
  type I, encoding gene, alternative splicing in cerebral arteries (human), **214,** 803
  type I, II, and III, coimmunoprecipitation, as evidence for existence of heterotrimeric receptor complexes, **213,** 334
Insecticidal crystal protein
  CryIA family, *Bacillus thuringiensis,* binding in resistant strains of *Plutella xylostella,* immunohistochemical detection, **212,** 388
$InsP_3$, *see* Inositol 1,4,5-trisphosphate
Insulin
  activated amino acid transporter, gene expression during differentiation of 3T3-L1 preadipocytes to adipocytes (mouse), **208,** 1008
  activation of
    glycogen synthase and mitogen-activated protein kinase in adipocytes, effects of wortmannin: role of phosphatidylinositol 3-kinase (rat), **209,** 1082
    p70 S6 kinase in CHO cells overexpressing dominant negative 85-kDa subunit of phosphoinositide 3-kinase, **208,** 735
  B chain, in analysis of primary substrate specificity of recombinant human stratum corneum chymotryptic enzyme, **211,** 586
  binding sites of *Tetrahymena pyriformis,* isolation and characterization, **212,** 515
  dependent regulation of Glut4 gene expression in ventricular cardiomyocytes: direct effect on transcription (rat), **213,** 533
  effects on
    glycerol-3-phosphate dehydrogenase in peripheral blood mononuclear cells (human), **207,** 183
    glycogen synthase kinase-3 in muscle cells and myoblasts (human, rat), **210,** 738
    glycogen synthase kinase-3α mRNA levels in streptozotocin-induced diabetic rat liver, **217,** 250
  elicited phosphotyrosine proteins, dephosphorylation *in vivo,* role of phosphatase PTP2C (human), **211,** 190
  induced DNA synthesis in NIH 3T3 fibroblasts, synergistic potentiating effects of choline phosphate and ethanolamine (mouse), **213,** 980
  induced glucose uptake by skeletal muscle, role of phosphatidylinositol 3-kinase (rat), **208,** 1147
  LXCXE motif, binding to hexapeptide derived from retinoblasta protein, **206,** 97
  mimetic activity, of bis(picolinato)oxovanadium(IV) after oral administration, **214,** 1095
  modulation of protein kinase C ζ in preadipocytes (rat), **217,** 123
  regulation of phospho*enol*pyruvate carboxykinase gene expression, role of TATA box (rat), **215,** 1006
  secretagogue gramicidin D, dependence on extracellular Ca^{2+} influx (mouse), **212,** 449
  secretion
    histaminergic regulation (rat), **214,** 224
    from pancreatic β cell line MIN6, inhibitory role of phosphatidylinositol 3-kinase, **214,** 51
    by pancreatic islets, alloxan- and H_2O_2-induced inhibition, preventive effects of glucose (rat), **210,** 1
    in pancreatic islets, modulation, role of cyclic AMP phosphodiesterase types III and IV (human, rat), **217,** 916
    stimulation by nitric oxide by induction of calcium release from mitochondria (INS-1 cells), **217,** 584

- Insulin (*continued*)
  - secretory response, and islet phosphoinositide hydrolysis, in prediabetic fa/fa Zucker diabetic fatty rat, **209,** 974
  - sensitive intracellular compartment, colocalization of GLUT4 with Rab4 and transferrin receptor (rat skeletal muscle), **215,** 321
  - signaled membrane ruffling, Rac protein in, identification of phosphoinositide 3-kinase as upstream regulator (CHO cells), **208,** 985
  - signaling components, altered expression in streptozotocin-treated rat, **212,** 933
  - stimulation of
    - calmodulin gene expression, in rat H-411E cells, inhibition by antisense oligonucleotides, **210,** 921
    - DNA synthesis in NIH 3T3 fibroblasts, enhancement by ethanol, **208,** 63
    - glucose transport in L6 muscle cells *in vitro,* inhibition by triacylglycerol, **207,** 768
    - GLUT4 translocation in 3T3-L1 adipocytes, role of phosphoinositide 3-kinase (mouse), **209,** 343
    - signal transduction system related to adipocyte differentiation in 3T3-L1 fibroblasts, inhibitory effect of wortmannin, **210,** 574
  - transferrin receptor exocytosis in 3T3-L1 adipocytes stimulated by, role of phosphoinositide 3-kinase (mouse), **211,** 535
- Insulin-like growth factor
  - induced c-jun phosphorylation, correlation with transformation of c-jun-overexpressing cells (rat liver), **217,** 501
  - modulation of P-glycoprotein and *mdr1b* mRNA expression in primary hepatocyte culture (rat), **215,** 179
- Insulin-like growth factor I
  - auto-/paracrine, role in osteoblast growth stimulation: evidence from effects of IGFBP-3 and -6 on osteoblast DNA synthesis (rat), **212,** 242
  - from dermal papilla cells, mediation of androgen-induced follicular epithelial cell growth (human), **212,** 988
  - gene 5′ flanking regions, indentification of promoter and repressor elements (rat), **206,** 279
  - inhibition of protein breakdown, associated autocatalytic inactivation of lysosomal cathepsins in myotubes (mouse), **208,** 353
  - and parathyroid hormone and calcitriol, differential responses in osteoblastic cell lines, **210,** 197
  - stimulatory effect on DNA synthesis, enhancement by ethanol (NIH 3T3 cells), **208,** 63
  - transcript levels in normal osteoblast-like cells, effects of transforming growth factor β and forskolin (human), **207,** 963
  - yeast-secreted, *in vitro* folding, role of human neuroendocrine protein 7B2 as molecular chaperone (human), **211,** 417
- Insulin-like growth factor II
  - auto-/paracrine, role in osteoblast growth stimulation (rat), **212,** 242
- Insulin-like growth factor-binding proteins
  - IGFBP-2, cDNA antisense construct, effect on growth after transfection into intestinal epithelial cells, **211,** 707
  - IGFBP-3 and IGFBP-6, effects on osteoblast DNA synthesis: role of auto-/paracrine IGF I and IGF II (rat), **212,** 242
- Insulin-like growth factor receptor
  - mRNA, expression in atherosclerotic lesions (rabbit), **209,** 182
- Insulin-like growth factor I receptor
  - mutants, as dominant negatives for growth and transformation (human), **214,** 475
- Insulin receptor
  - β subunit
    - endocytic function, role of GPLY amino acid sequence (CHO cells), **209,** 730
    - extracellular portion, Ser→Cys mutation, effects on insulin–insulin receptor complex internalization in CHO cells, **210,** 931
  - cerebral, cDNA sequence analysis (human), **217,** 304
  - in circulating mononuclear cells, coprecipitation with insulin-dependent phosphatidylinositol 3′-kinase (human), **209,** 234
  - juxtamembrane region, linked to LDL receptor extracellular domain, chimeric receptor with, endocytosis, **211,** 714
  - mRNA, alternative splicing and gene expression, effects of endurance training (rat), **210,** 766
  - neuronal, structure, function, and regulation, analysis in Y79 retinoblastoma cells (human), **210,** 58
- Insulin receptor substrate-1
  - deficient mouse, liver regeneration in, ornithine decarboxylase induction during, **216,** 284
  - gene expression, effects of endurance training (rat), **210,** 766
  - p85 subunit and IRS-1 in PI3-kinase/IRS-1 complexes by PI3-kinase serine kinase (human), **206,** 272
- Insulin receptor substrate-1-like protein
  - 190-kDa, cDNA, cloning (COS cells), **216,** 321
- Insulin receptor tyrosine kinase
  - natural inhibitor serum α_2-2 Heremans-Schmid glycoprotein, baculoviral expression (human), **208,** 879
- Insulin resistance
  - obese Zucker rat, associated defect in glucose transport and glucose transporter translocation in skeletal muscle plasma membranes, effects of pioglitazone, **208,** 835
- Integrase
  - HIV-1, DNA-binding activity, characterization with filter binding assay, **217,** 802
- Integrin collagen receptor
  - $\alpha_2\beta_1$, inhibition by jararhagin and jaracetin from snake venom (bovine), **206,** 570
- Integrins
  - α_2, cytoplasmic domain, direct binding to F-actin *in vitro* (human), **217,** 466
  - α_6, and L1 and CD24 cell adhesion molecules, adhesive hierarchy in neuroblastoma N2A cells (mouse), **214,** 94
  - $\alpha_1\beta_1$, antibody, inhibition of HeLa cell adhesion to laminin and type I, IV, and V collagen (human), **209,** 205
  - β_1
    - isoform expressed in skeletal and cardiac muscle, identification and characterization (chicken, human, rat), **214,** 279
    - linked tyrosine phosphorylation, effect on membrane association of protein kinase Cα in pancreatic acinar cells (rat), **208,** 978
  - stimulation, effect on tyrosine phosphorylation and activity of focal adhesion kinase in thymocytes (mouse), **215,** 438

Intercellular communication
  cell-to-cell contact in hepatocytes, dissociation, associated intercellular adhesion molecule-1 expression (rat), **214,** 1225
  gap junctional, in cultured aortic endothelial cells, inhibition by elevated glucose and phorbol ester (bovine), **208,** 492
Interfaces
  for gelsolin domain 2 binding along axis of actin filaments, definition by native and synthetic peptide binding properties, **209,** 426
  surface pressure, effect on binding and phospholipase A_2 activity of recombinant human lecithin–cholesterol acyltransferase, **211,** 840
Interferon-α
  role in macrophage preparation for lipopolysaccharide-induced apoptosis (bovine), **215,** 921
  treated Daudi cells, dual modulation of phosphorylation of 60-kDa nuclear protein, **208,** 819
  and tumor necrosis factor-α, suppression of cyclin A and cdk2 kinase (human), **213,** 1115
Interferon-γ
  activation of signal transducer and activator of transcription 3 in hepatoma cells (human, rat), **216,** 999
  differential gene expression in cervical cancer tissues (human), **214,** 1146
  differential response by normal and transformed endothelial cells (human), **214,** 582
  inhibitory effect on mitochondrial respiration, role of endogenous peroxynitrite (murine macrophages), **209,** 739
  and LPS, activated macrophages, nitric-oxide synthase induction in, inhibition by curcumin (mouse), **206,** 533
  mediated expression of inducible nitric-oxide synthase mRNA in retinal pigment epithelial cells, inhibition by transforming growth factor β (human), **215,** 386
  neurotoxic effects on cultured cholinergic neurons, **215,** 572
  role in
    fibronectin-activated tumoricidal activity in peritoneal macrophages (mouse), **206,** 969
    vascular cell adhesion molecule-1 expression on primary cultured hepatocytes (mouse), **209,** 335
  and tumor necrosis factor α, effects on cyclooxygenase-2 mRNA expression in macrophages (human), **208,** 582
Interferon γ-inducible protein 10
  inhibition of interleukin-8- and basic fibroblast growth factor-induced angiogenesis *in vitro* and *in vivo* (bovine, rat), **210,** 51
Interferon regulatory factor 1
  mRNA induction in pancreatic β cells, inhibition by nicotinamide (rat), **215,** 524
Interleukin-1
  in endothelial cells, effects of contrast agents (human), **212,** 776
  induced heme oxygenase-1 mRNA, regulation in mesangial cells, role of prostaglandin E_2 (rat), **212,** 617
  induction of WAF1 mRNA expression in human fibroblasts: accumulation mechanism, **216,** 429
  and oncostatin M, effect on collagen fragment release from nasal cartilage in culture (bovine), **215,** 377
  role in increased ubiquitin gene expression in skeletal muscle during sepsis (rat), **217,** 839
  synthesis and secretion by Kupffer cells: indications for necrosis-induced maturation of IL-1α but not IL-1β (rat), **207,** 637
  and tumor necrosis factor and lipopolysaccharide, additive stimulation of adrenomedullin production in cultured vascular smooth muscle cells (rat), **207,** 25
Interleukin-1α
  differential gene expression in cervical cancer tissues (human), **214,** 1146
  and IL-1β, *in vitro* effects on ancestral type stress response in molluscan hemocytes (*Planobarius corneus* and *Viviparus ater*), **207,** 288
  silica-induced production in macrophages, role of NF-κB activation, **214,** 985
Interleukin-1β
  and IL-1α, *in vitro* effects on ancestral type stress response in molluscan hemocytes (*Planobarius corneus* and *Viviparus ater*), **207,** 288
  induced enhancement of amyloid precursor protein processing in PC12 cells, reduction by indomethacin and nordihydroguaiaretic acid, **208,** 542
  induction of
    adenylyl cyclase synthesis in MG-63 osteosarcoma and Swiss 3T3 cells (human, mouse), 293
    NO synthase expression in rat renal mesangial cells, suppression by cyclosporin A, **216,** 438
    NO synthase mRNA and superoxide dismutase mRNA in insulin-producing cells, effect of pyrrolidine dithiocarbamate (human), **210,** 816
    vascular cell adhesion molecule-1 expression on primary cultured hepatocytes (mouse), **209,** 335
    vascular cell adhesion molecule-1 in glomerular mesangial cells, mediation by nuclear factor κB (rat), **206,** 462
  mediated expression of inducible nitric-oxide synthase mRNA in retinal pigment epithelial cells, inhibition by transforming growth factor β (human), **215,** 386
  and other cytokines, differential modulation of hepatic endothelial cell endocytosis (rat), **212,** 235
  regulation of serotonin transporter (human), **216,** 560
  and related interleukin-6-type cytokines, induction of hemopexin gene expression in hepatoma H-35 cells (rat), **207,** 202
Interleukin-3
  role in regulation of intracellular K^+ homeostasis in cultured hematopoietic cells (mouse), **214,** 348
  and thrombopoietin, induction of protein tyrosine phosphorylation in myeloid precursor cell line, comparison (mouse), **214,** 424
Interleukin-4
  induced growth, and spontaneous growth, human B cells, effect of interleukin-8: role of protein kinase C, **207,** 1044
  induction of arginase in bone marrow-derived macrophages (mouse), **206,** 667
  stimulation of pro-α1(VI) collagen gene expression in cultured human osteoblast-like cells, **211,** 727
  up-regulation of glutathione transferase α in hepatocyte primary culture (human), **216,** 793
Interleukin-6
  activation of
    lysosomal cathepsin system in skeletal muscle, effect on catabolic activity (mouse), **207,** 168

Interleukin-6 (*continued*)
    - signal transducer and activator of transcription 3 in hepatoma cells (human, rat), **216,** 999
- autocrine secretion stimulated by soluble factor released by activated monocytes, regulation of human satellite cell proliferation *in vitro*, **216,** 49
- differential gene expression in cervical cancer tissues (human), **214,** 1146
- expression by bronchial epithelial cells, effect of erythromycin (human), **210,** 781
- full-length, mRNA, ribozyme-mediated cleavage, *in vitro* effect of NCp7 (human), **214,** 36
- recombinant, regulation of soluble interleukin-6 receptor secretion by decidua, analysis (mouse), **211,** 1077
- and related cytokines, induction of hemopexin gene expression in hepatoma H-35 cells (rat), **207,** 202

Interleukin-8
- effect on interleukin-4-induced and spontaneous growth of human B cells, role of protein kinase C, **207,** 1044
- expression in
    - endothelial cells, regulation by nitric oxide (human), **211,** 671
    - melanoma cells, regulation at transcriptional level by nitric oxide (human), **214,** 949
- family member cytokine-induced neutrophil chemoattractant, secretion from alveolar macrophages, effect of adrenomedullin (rat), **211,** 1031
- gene expression
    - downregulation in HL60 cells by human Kunitz-type trypsin inhibitor, **206,** 927
    - regulation by all-*trans* retinoic acid (human), **210,** 898
- induced angiogenesis, inhibition by interferon γ-inducible protein 10 *in vitro* and *in vivo* (bovine, rat), **210,** 51
- induction of IL-8 production in CD4$^+$ T cells, regulation by IL-10 (human), **210,** 660

Interleukin-10
- effect on tyrosine phosphorylation of discrete lipopolysaccharide-induced phosphoproteins in granulocytes (human), **209,** 87
- endogenous, prevention of apoptosis in macrophages during *Salmonella* infection, **213,** 600
- induction of arginase in bone marrow-derived macrophages (mouse), **206,** 667
- regulation of IL-8-induced IL-8 production in CD4$^+$ T cells (human), **210,** 660

Interleukin-12
- protection of galactosamine-loaded mouse from lethal shock triggered by staphylococcal enterotoxin B, **217,** 74

Interleukin-13
- induction of rapid tyrosine phosphorylation and activation of raf-1 kinase in monocytic progenitor cell line U937 (human), **206,** 103

Interleukin-1β-converting enzyme
- aspartate-based inhibitor, prevention of antitumor agent-induced apoptosis in U937 cells, **209,** 907
- identification of actin as substrate, and role in VP-16-induced U937 cell apoptosis, **217,** 1185

Interleukin-1β-converting enzyme-like protease
- identification of actin as substrate, and role in VP-16-induced U937 cell apoptosis, **217,** 1185

Interleukin-1 receptor
- antagonist mRNA, expression in cultured monocytes, modulation by gonadal steroids (human), **209,** 279
- homolog Toll, activation of immune response in *Drosophila* hemocyte cell line, **209,** 111
- related T1 receptor, high-level expression in insect cells, **216,** 595

Interleukin-3 receptor
- α subunit, encoding gene, structural analysis (human), **208,** 360

Interleukin-4 receptor
- expressed in CHO cells, characterization, and role of N-linked oligosaccharides in structure and function (human), **206,** 694

Interleukin-6 receptor
- soluble, secretion by decidua, regulation (mouse), **211,** 1077

Internodal cells
- organelle motion, stochastic behavior (*Nitella axilliformis*), **214,** 1102

Intestinal trefoil factor
- structure, evolutionary conservation, and postnatal expression (mouse), **210,** 31

Intestine
- diamine oxidase activity, inhibition by metronidazole (human, rabbit, rat), **212,** 589
- and mammary gland, protein-tyrosine kinase *iyk* differential expression (mouse), **209,** 582; *erratum,* **211,** 100
- monocarboxylic acid transport, role of proton/monocarboxylate transporter MCT1 (rabbit, rat), **214,** 482
- small, and colon, immunohistochemical localization of guanylin (rat), **209,** 803

Intrinsic factor, *see* Castle's intrinsic factor

Iodothyronine 5′-monodeiodinase
- type I, and membrane integrity, effect of fenvalerate (murine kidney, liver), **214,** 905

Ion channels
- voltage-dependent, mitochondrial, phosphorylation by cyclic AMP-dependent protein kinase, **209,** 213

Ionic currents
- ATP-gated, and ATP-induced increase in intracellular Ca^{2+}, in PC12 cells, inhibition by haloperidol, **210,** 624
- intact pancreatic β cells, effects of glucagon-like peptide-1 (mouse), **207,** 33

Ionic strength
- effect on membrane potential generation in liposomes containing reconstituted cytochrome-*c* oxidase (bovine heart), **211,** 914

Ionization potential
- purines and pyrimidines in DNA and RNA, from AM1 calculation, comparison with experimental values, **217,** 755

Ionomycine
- SPGM-1 pre-B cell incubation with, subsequent lineage switch to macrophage-like cells (mouse), **216,** 540

β-Ionone
- induction of rat hepatic cytochrome P450 2B1, **216,** 198

I_{sK} protein
- expression in oocytes, regulation by *S*-nitroso-cysteine via cGMP-independent mechanism (*Xenopus laevis*), **207,** 195

Iron
- cysteine ligand, mutated rubredoxin with substituted serine,

characterization (*Clostridium pasteurianum*), **212,** 827
Fe^{2+}, in *supF* gene, mutational specificity (*Escherichia coli*), **213,** 74
ferrous, catalytic, in 2,2′,3-trihydroxybiphenyl dioxygenase, coordination to histidine (*Sphingomonas* sp.), **215,** 855
free level, relationship to hepatic mitochondrial dysfunction in experimental dietary iron overload (rat), **209,** 53
induced lipid peroxidation, subsequent intracellular Ca^{2+} overload and hepatocyte killing, prevention by Na^+/Ca^{2+} exchanger (rat), **208,** 813
role in β amyloid toxicity, **216,** 702
uptake by recombinant cambialistic superoxide dismutase, effect of growth conditions of host *Escherichia coli* (*Propionibacterium shermanii*), **216,** 841

Iron-regulatory protein
binding to 5′-untranslated region of transferrin mRNA in sequence-specific manner (human), **212,** 925

Iron-responsive elements
in 5-aminolevulinate synthase mRNA, binding by ferrochelatase, **214,** 875

Irradiation
gamma-, induced apoptosis in thymocytes, effect on ornithine decarboxylase mRNA and enzymatic activity (rat), **216,** 708
UVA, in mammalian cells, associated induction of genotoxicity by furocoumarin hydroperoxides, **216,** 693
UVB, exposed dermal fibroblasts, detection of hydrogen peroxide and hydroxyl radicals (mouse), **206,** 474

Ischemia
affected brain, transcription factor binding activities, alteration (rat), **212,** 939
canine heart, nitric oxide release during, role of α1-adrenoceptor, **212,** 1133
induced cerebral apoptosis, inhibition by moderate post-insult hypothermia (pig), **217,** 1193
–reperfusion
associated renal injury, protective effects of ICAM-1 antibodies (rat), **211,** 67
myocardial, associated increase in plasma nitric oxide end products (dog), **211,** 370

Islets of Langerhans
crosslinked, D-glucose metabolism (rat), **217,** 561
destruction, and macrophage-induced hydrogen peroxide generation, in NOD mouse, preventive effect of probucol, **209,** 953
expression of CD38 gene and mitochondrial glycerol-3-phosphate dehydrogenase gene (GK rat), **214,** 239
identification of phosphatidylinositol 3,4,5-trisphosphate (rat), **208,** 190
insulin secretion
alloxan- and H_2O_2-induced inhibition, preventive effects of glucose (rat), **210,** 1
modulation, role of cyclic AMP phosphodiesterase types III and IV (human, rat), **217,** 916
K_{ATP}-2 channel, cloning and decreased expression in male Zucker diabetic fatty rat, **212,** 894
membrane potential and intercellular calcium, effect of glucose challenge (mouse), **214,** 798
phosphoinositide hydrolysis and insulin secretory response, in prediabetic fa/fa Zucker diabetic fatty rat, **209,** 974
secreting glucagon and somatostatin, Ca^{2+} oscillations in presence of glucose (mouse), **208,** 644

Isoaspartate
accumulation in synapsin I during *in vitro* aging (bovine brain), **212,** 442

3-Isobutyl-1-methylxanthine
effect on β-adrenergic stimulation of glycoprotein secretion in CF mouse submandibular glands, **215,** 674

Isolectins
lectin-I isolectin B_4, affinity for Galα1→4Gal ligand (*Bandeiraea (Griffonia) simplicifolia*), **216,** 814

Isoleucine–tRNA ligase
zinc binding and aminoacylation activity, effect of carboxy terminal zinc finger mutation (*Escherichia coli*), **216,** 648

Isoleucyl-tRNA synthetase, *see* Isoleucine–tRNA ligase

Isomerization
by cholesterol oxidase, stereospecific catalysis via one active site base (*Brevibacterium sterolicum*), **206,** 688

Isoprenylation
protein, and cholesterol biosynthesis, in mammalian cells, role of farnesol (monkey, rat), **211,** 590; *erratum,* **213,** 1148

3-Isopropylmalate dehydrogenase
His273, role in coenzyme binding (*Thermus thermophilus* HB8), **210,** 733

Isoproterenol
β-adrenoceptor stimulation, induced arrhythmias in cardiac myocytes, prevention and termination by free polyunsaturated fatty acids (neonatal rat), **208,** 629
and amiodarone, effects on thyroid hormone receptor subtype mRNA levels in cultured AT-1 cardiomyocytes (mouse), **211,** 991
effect on β-adrenergic stimulation of glycoprotein secretion in CF mouse submandibular glands, **215,** 674
treatment *in vivo*, effect on cAMP response element binding protein mRNA (rat heart), **215,** 1043

ISP-1
suppression of T cell proliferation via modulation of sphingolipid metabolism, identification of serine palmitoyltransferase as primary target (mouse), **211,** 396

Iyk
differential expression in mammary gland and intestine (mouse), **209,** 582; *erratum,* **211,** 100

J

Jacalin
induction of morphological and biochemical changes in K562 cells (*Artocarpus integrifolia*), **209,** 263

Jaracetin
in venom, inhibition of integrin collagen receptor $\alpha_2\beta_1$ and modulation of binding of von Willebrand factor to platelets (*Bothrops jararaca*), **206,** 570

Jararhagin
in venom, inhibition of integrin collagen receptor $\alpha_2\beta_1$ and modulation of binding of von Willebrand Factor to platelets (*Bothrops jararaca*), **206,** 570

Jun protein
  and Fos protein, truncated, stimulation of DNA replication in cell-free egg extract (*Xenopus laevis*), **208,** 1080
Juvenile-hormone esterase
  encoding gene, transcription site and core promoter, identification (*Trichoplusia ni*), **214,** 286

K

K-252A
  ^{3}H-labeled, binding sites specific for, identification on SH-SY5Y neuroblastoma cell membrane (human), **211,** 511
Kallikrein
  renal, gene promoter region regulatory elements, comparison in normotensive and hypertensive rats, **217,** 113
Kallikrein-2
  glandular, recombinant, and prostate-specific antigen, production and immunological cross-reactivity (human), **213,** 888
Keratin 16
  type I, cDNA cloning and bacterial expression (human), **215,** 517
Keratinocyte growth factor
  expression in pancreatic cancer (human), **215,** 309
Keratinocytes
  cultured, antigenic reactivity of p53 in, effect of phosphorylation (human), **214,** 744
  EGF receptor and focal adhesion proteins, tyrosine phosphorylation, induction by bradykinin (human), **210,** 774
  endothelin-induced autocrine proliferation, ET_A receptor subtype mediating, identification (human), **209,** 80
  HaCaT, Ah receptor and TCDD-induced cytochrome P450 1A1 mRNA expression, effects of retinoic acid (human), **209,** 706
  MAP kinase, stimulation by epidermal growth factor via protein kinase C-dependent pathway (human), **208,** 245
  simian virus 40 T antigen-immortalized, temperature-induced growth restriction, effect of human papillomavirus 11 E5a, **217,** 712
Keratins
  solubilization and biochemical analysis by Empigen BB detergent (human), **206,** 370
3-Ketoacyl-CoA thiolase, *see* Acetyl-CoA *C*-acyltransferase
2-Keto-3-deoxygluconic acid
  detection in erythrocytes (human), **210,** 852
Ketolase
  catalyzing conversion of methylene groups of β-carotene to keto groups in canthaxanthin biosynthesis, encoding by single gene (*Agrobacterium aurantiacum, Alcaligenes*), **209,** 867
KHEYLRFamide
  isolation (*Caenorhabditis elegans*), **217,** 845
Kidney
  acute failure, pathogenesis, role of meprin A (mouse), **208,** 498
  asialoglycoprotein receptor mRNA expression (rat), **210,** 138
  Ca^{2+}-sensing receptor cDNA, molecular cloning (human), **214,** 524
  chronic failure, lymphopenia in, mechanism: relationship between apoptosis susceptibility and Fas expression in peripheral blood T cells from uremic patient, **215,** 98
  cortical tubule suspensions, gluconeogenesis and $[Ca^{2+}]_i$ mobilization, effects of ATP activation of P_{2Y} purinoceptors (rat), **211,** 454
  cytochrome P450 27 expression, effects of 1α,25-dihydroxyvitamin D_3 (rat), **215,** 136
  heparin-binding EGF-like growth factor mRNA expression in streptozotocin-induced diabetes (rat), **207,** 216
  ischemic reperfusion injury, protective effects of ICAM-1 antibodies (rat), **211,** 67
  and liver tissues, differential regulation of antifreeze protein genes (*Pleuronectus americanus*), **206,** 387
  papilla, guanylyl cyclase-coupled natriuretic peptide receptor-A1 isoform mRNA localization (rat), **209,** 930
  sevoflurane Compound A toxicity, role of glutathione and cysteine conjugate formation and renal cysteine conjugate β-lyase (rat), **210,** 498
Kidney cells
  292er (rat embryonic), cerebral potassium channels Kv1.1 expressed in, temperature dependence, **215,** 915
  293 (human embryonic), *in vivo* dephosphorylation of insulin-elicited phosphotyrosine proteins, role of phosphatase PTP2C, **211,** 190
  A6 (*Xenopus laevis* epithelial), electrogenic sodium transport, stimulation by parathyroid hormone, **213,** 688
  BHK (baby hamster)
    expression of poliovirus proteinase $2A^{pro}$, resultant cleavage of p220, effect on vaccinia virus, **215,** 928
    influenza virus-infected, complement-dependent lysis, mediation by serum mannose-binding lectin, **217,** 1128
  COS (African green monkey)
    expression of poliovirus proteinase $2A^{pro}$, resultant cleavage of p220, effect on vaccinia virus, **215,** 928
    transfected, secretion and intracellular retention of Alzheimer β/A4 protein, **207,** 971
  COS-1 (African green monkey)
    functional expression of human endothelin-converting enzyme cDNA, **207,** 807
    Sky receptor tyrosine kinase transiently expressed in, autophosphorylation activity and association with Src family kinases, **209,** 656
    tumor necrosis factor α- and phorbol 12-myristate 13-acetate-induced NF-κB activation, effects of catalase overexpression, **210,** 537
  CV-1 (African green monkey), protein isoprenylation and cholesterol biosynthesis, role of farnesol, **211,** 590; *erratum,* **213,** 1148
  LLCPK-1 (porcine kidney), stably expressed alternatively spliced type II corticotropin-releasing factor receptor, coupling to G proteins, **212,** 1015
  MDCK (Madin–Darby canine kidney)
    ether- and ester-lined glycerophospholipids, hydrolysis by phospholipase D by different pathways, **213,** 950
    influenza C virus infection, sialic acid analog with resistance to receptor-destroying enzyme as receptor determinant in, **216,** 821
    MAP kinase cascade, role in transcriptional stimulation of osmolyte transporter genes, **213,** 975
  NRK-F44 (normal rat), activated to proliferate, induction of

DNA polymerases α and δ, role of calmodulin, **217,** 566
OK (opossum), adaptation to phosphate depletion, **216,** 141
Vero (African green monkey), HSV-2-infected, castanospermine derivative MDL 28,574 antiviral activity and metabolism, **208,** 267
Kievitone
inhibitory effects on breast cancer cell proliferation, comparison with genistein (human), **211,** 600
Kinetics
acid-induced conformational change of influenza virus hemagglutinin, analysis with 1,1′-bis(4-anilino-5-naphthalenesulphonic acid), **206,** 355
ADP-regulated mitochondrial respiration in permeabilized cardiac and hepatic cells, correlation with degree of rupture of outer mitochondrial membrane (rat), **208,** 919; *erratum,* **211,** 1099
ligand binding, soluble full-length murine erythropoietin receptor, **216,** 62
myristoyl CoA:protein *N*-myristoyltransferase in presence of organic solvents (bovine spleen), **208,** 617
nitric oxide release by 3,4-dihydro-1,2-diazete 1,2-dioxides *in vitro* and *in vivo*, **214,** 1023
Kinetin
effect on fruit fly aging, lifespan, and development, **216,** 1067
Kirromycin, *see* Mocimycin
KN-62
effect on Adriamycin resistance of human ovarian cancer cells, **215,** 566
inhibitory effects on angiotensin II- and potassium-mediated aldosterone secretion, **209,** 916
KP-102
binding to EP-1 human neuroblastoma cells, effects of neurokinin receptor antagonists, **214,** 454
KT5926
effect on stem cell factor-induced mast cell histamine release, pharmacological study (rat), **208,** 576
Kunitz-type module
type VI collagen, expression, purification, and characterization (chicken), **215,** 1050
Kupffer cells
cultured, prostaglandin secretion, stimulation by lipopolysaccharide and ethanol (rat), **215,** 691; *erratum,* **217,** 1287
LPS-induced glucose metabolic response, relationship to acute endotoxin tolerance (rat), **211,** 340
from normal liver, and mononuclear phagocytes of acutely injured liver, synthesis and secretion of fibronectin, comparison (rat), **213,** 752
and other hepatic cells, differential induction of mRNA for ICAM-1 and selection during endotoxemia (rat), **211,** 74
synthesis and secretion of interleukin-1: indications for necrosis-induced maturation of IL-1α but not IL-1β (rat), **207,** 637
Kuwanon G
nonpeptide, isolated from mulberry, bombesin receptor antagonistic activity, **213,** 594
Kuwanon H
nonpeptide, isolated from mulberry, bombesin receptor antagonistic activity, **213,** 594

L

L-692,429
induction of phosphatidylinositol hydrolysis and hormone secretion by human pituitary tumors, **208,** 555
Labeling, *see* Photoaffinity labeling; Radiolabeling
Laccase
associated with electrophilic metabolites, inhibition by azide, **212,** 834
and derivatives, room temperature EPR (*Rhus vernicifera*), **215,** 235
Lacidipine
inhibition of salt-dependent cardiac hypertrophy and preproendothelin-1 mRNA expression in stroke-prone spontaneously hypertensive rat, **210,** 219
Lacrimal gland
exorbital, 20-kDa major protein expression, inhibition by androgens and estrogens (hamster), **208,** 412
Lactacystin
induction of
apoptosis in human monoblast U937 cells, **217,** 1070
neuronal differentiation of Neuro 2a cells, **216,** 291
β-Lactamase
active site, cross-linkage of 4-alkoxy-2-azetidinone (*Bacillus cereus*), **206,** 577
Lactase-phlorizin hydrolase
gene encoding, further characterization of 5′-flanking region (rat), **209,** 989
Lactate
production from hindlimb, effect of glucose administration and amylin antagonist (rat), **216,** 554
D-Lactate dehydrogenase
NADH–NADPH binding sites, discrimination, role of conserved Asp-175 (*Lactobacillus delbrueckii bulgaricus*), **208,** 895
Lactogen
placental
gene expression, activation by nuclear factor NF-IL6 (human), **206,** 215
role in regulation of β-lactoglobulin gene expresion during first stage of lactogenesis (sheep), **209,** 1089
Lactogenesis
first stage, regulation of β-lactoglobulin gene expression, analysis (sheep), **209,** 1089
β-Lactoglobulin
gene expression, regulation during first stage of lactogenesis (sheep), **209,** 1089
Lactosaminyl glycans
erythrocyte cell surface, enzymatic analysis by flow cytometry (human), **215,** 30
Lactose repressor
Ser300 position, mutational analysis (*Escherichia coli*), **209,** 126
Laminin
Englebreth-Holm Swarm, and placental, galectin-3 binding potentials (human, mouse), **217,** 402
extracellular matrix rich in, maintenance of high level of hepatocyte nuclear factor 4 in hepatocyte culture (rat), **212,** 800

- Laminin (*continued*)
  - HeLa cell adhesion to, inhibition by antibody to human α1β1 integrin antibody, **209,** 205
  - induced expression of 67-kDa laminin receptor and 37-kDa precursor, role of protein synthesis (human melanoma cells), **208,** 637
  - melanoma cell adhesion, modulation by galectin-1 (human), **209,** 760
  - synthesis by cultured mesangial cells, nitric oxide effects (rat), **207,** 120
- Laminin receptor
  - 67-kDa, and 37-kDa precursor, expression in melanoma cell line, role of protein synthesis (human), **208,** 637
- Lanosterol
  - effect of sensitivity of lipid bilayers to melittin, **211,** 312
- Lanosterol synthase
  - encoding gene, molecular cloning from hepatic cDNA library (human), **213,** 154
- Larvae
  - dipteran and lepidopteran, toxicity of *Bacillus thuringiensis* crystal protein genes, **214,** 602
  - paralytic polypeptide, purification and characterization (*Myrmeleon bore*), **215,** 167
  - silkworm, baculovirus-mediated production of human growth hormone, **213,** 389
- Lauric acid
  - metabolism, regioselectivity shift from ω-hydroxylation to (ω-1)-oxidation by heteroatom substitution, **214,** 1089
- Lead
  - chain length-dependent coordination in phytochelatins (rat), **215,** 730
- Leber's hereditary optic neuropathy
  - associated mtDNA mutation
    - analysis in cytoplasmic hybrid cells (human), **210,** 880
    - ND6*14,484C, role in deficiency of respiratory chain complex I (human), **215,** 1001
- Lebocin
  - cDNA cloning and gene expression (*Bombyx mori*), **214,** 271
- Lecithin
  - –sodium cholate, effect on aggregation state and catalytic activity of rabbit cytochrome P450 isozymes, **217,** 886
- Lecithin–cholesterol acyltransferase, *see* Phosphatidylcholine–sterol *O*-acyltransferase
- Lectin I
  - toxic, interaction with sialoglycoproteins (mistletoe), **214,** 396
- Lectin-I isolectin B_4
  - affinity for Galα1→4Gal ligand (*Bandeiraea (Griffonia) simplicifolia*), **216,** 814
- Lectins
  - active, GalNAcβ1→ and Galβ1→4GlcNAc, detection with asialo-Tamm-Horsfall glycoproteins as ligands, **209,** 103
  - binding to membranes isolated from normal and chronic leukemic human lymphocytes: discriminative ability of *Maackia amurensis* agglutinin, **209,** 921
  - mannose-binding
    - amino acid sequence (*Aloe arborescens Miller var. natalensis Berger*), **214,** 163
    - in serum, mediation of complement-dependent lysis of influenza virus-infected cells, **217,** 1128
  - rat hepatic, *see* Rat hepatic lectin
- *Leishmania mexicana*
  - promastigotes, derived ornithine decarboxylase, interaction with pyridoxal 5′-phosphate and α-difluoromethylornithine, **212,** 396
- Lens
  - aldose reductase, thermal denaturation, α-crystallin chaperone-like activity against: effect of divalent metal ions (bovine), **212,** 413
  - capsules, secondary structures in diabetic cataracts, effect of diabetic duration (human), **216,** 183
  - diurnal gecko, enzyme-crystallin, identification as glyceraldehyde-3-phosphate dehydrogenase (*Phelsuma* spp.), **209,** 796
  - effects of ultraviolet-B light (albino mouse), **210,** 417
  - oxidatively stressed, detection of glutathione-modified aldose reductase (bovine), **207,** 775
- Lesions, *see also* Injury; Wounds
  - arthropathy, HTLV-I-induced, oligoclonal proliferation of virus-infected lymphocytes in, analysis, **208,** 1040
  - tuberous sclerosis-induced, loss of 40-kDa chromosomal protein (human), **217,** 599
- Leucine zippers
  - distinct arrays, heat shock factor 1 α and β isoforms with, tissue expression (mouse), **211,** 943
- L-Leucyl-L-leucine methyl ester
  - caged compounds with *trans-o*-hydroxycinnamoyl and *o*-nitrobenzyl groups, synthesis and cytotoxic activity, **213,** 652
- Leukemia cells
  - basophilic, RBL-2H3, IgE high affinity receptor activation in, induction of protein kinase Cδ phosphorylation: site identification (rat), **214,** 888
  - B-cell, A20HL, presentation of antigens incorporated non-specifically by pinocytosis and specifically by surface IgM, effects of thiol-protease inhibitors, **210,** 324
  - CEM, HIV-1 infected, anti-V3 domain antibody binding to, effects of sulfated polysaccharides (human), **209,** 850
  - CEM-C1, farnesol-induced apoptotic cell death, role of protein kinase C-dependent signal transduction (human), **212,** 479
  - erythroleukemia
    - B8 and K562, erythroid differentiation, induction by *Dictyostelium discoideum* morphogen DIF-1 (mouse), **208,** 1036
    - differentiation-competent and -resistant, protein kinase C isoform expression and interaction with c-*myb* (mouse), **210,** 90
    - FA-K562, growth signaling through α5β1 fibronectin receptor (human), **208,** 126
    - HEL TIB, megakaryocytic differentiation, induction by diosgenin (human), **207,** 398
    - K562
      - electroporation-induced permeability, role of lipid peroxidation (human), **209,** 417
      - erythroid differentiation, induction by *S*-adenosylhomocysteine hydrolase inhibitor aristeromycin (human), **207,** 69
      - hemin/protoporphyrin-IX-induced differentiation, role of serum retinoids (human), **206,** 1003
      - jacalin-induced morphological and biochemical changes (human), **209,** 263

      - membrane peroxidation and luminescence, enhancement by electroporation, **206,** 238
      - protein phosphatase 2A inhibition in, association to downregulation of c-*myc* and *max* genes (human), **215,** 889
      - ts-p53/K562, apoptosis, protective effects of phorbol esters, **215,** 641
    - MEL
      - differentiation enhancing factor, and 30-kDa heparin-binding protein of developing rat brain, identity of molecular structure (mouse), **210,** 82
      - generation of resistance to acifluorfen (mouse), **215,** 186
  - lymphocytic, L1210
    - α_4 gene expression, role of regulatory element in 5′ untranslated region (mouse), **211,** 115
    - immune response against mdr1 protein, induction by vaccination with synthetic lipopeptides in liposomes (mouse), **212,** 494
  - megakaryocytic, UT-7/TPO, thrombopoietin-dependent, tyrosine phosphorylation and MAP kinase activation in, induction by thrombopoietin (human), **217,** 230
  - monocytic, U1, NAD concentration, decrease with HIV infection (human), **212,** 126
  - myelogenous, NFS60, biosynthesis of a and asialo series glycosphingolipids, differential regulation (mouse), **217,** 733
  - primary myelogenous, tyrosine phosphorylation of *vav* proto-oncogene product in, stimulation by granulocyte colony-stimulating factor (human), **211,** 677
  - promonocytic, U937
    - 23-kDa nuclear protein, tyrosine phosphorylation, effect of tumor necrosis factor α via ceramide signaling pathway (human), **215,** 489
    - antitumor agent-induced apoptosis, prevention by aspartate-based inhibitor of interleukin-1β-converting enzyme (human), **209,** 907
    - apoptosis induction by lactacystin (human), **217,** 1070
    - cytotoxic activity of caged compounds of L-leucyl-L-leucine methyl ester (human), **213,** 652
    - internucleosomal DNA fragmentation, TNF-α- and ceramide-induced, inhibition by herbimycin A (human), **212,** 640
    - α_1-proteinase inhibitor synthesis, effect of dexamethasone (human), **208,** 216
    - subclones with different susceptibility to HIV-1 infection, poly(ADP-ribose) polymerase activity (human), **213,** 161
    - thromboxane A_2 synthase production, post-transcriptional regulation (human), **209,** 901
    - tyrosine phosphorylation and activation of raf-1 kinase induced by interleukin-13 (human), **206,** 103
    - VP-16-induced apoptosis, role of interleukin-1β-converting enzyme and ICE-like protease (human), **217,** 1185
  - promyelocytic
    - HL-60
      - CD13/aminopeptidase N on, function, inhibitor effects: substance P and bradykinin as natural inhibitors (human), **208,** 664
      - differentiated by phorbol ester, expression of glycosylphosphatidylinositol-anchored NAD glycohydrolase (human), **213,** 730
      - differentiation by all-*trans* retinoic acid, associated binding pattern of nuclear proteins to *cis* elements in H2B histone gene upstream region (human), **213,** 616
      - GTP-γ-S-dependent activation phospholipase D activation, role of protein phosphorylation (human), **210,** 542
      - interleukin-8 expression, downregulation by Kunitz-type trypsin inhibitor (human), **206,** 927
      - membrane-bound phospholipase D, activation by protein kinase C via synergistic action of RhoA (human), **211,** 306
      - nuclear retinoic acid binding activity, characterization (human), **213,** 112
      - plasma membrane nucleoside diphosphate kinase, and GTP hydrolysis, effects of lipopeptides (human), **209,** 575
      - E-selectin-binding polylactosaminolipids in, identification: myeloglycan (human), **209,** 777
    - HL-60, apoptosis
      - DNA damage signals during, activation of cyclin E-dependent kinase (human), **214,** 771
      - induction by didemnin B, **215,** 1130
      - induction by enediyne antitumor antibiotic C1027 (human), **208,** 238
      - induction by lithium, **209,** 768
    - HL-60/AR, MRP-associated multidrug resistance, specific modulation by leukotriene D_4 antagonist MK571 (human), **208,** 345
    - HL-60/AR-7, A23187-resistant, selection and partial characterization (human), **213,** 541
    - NB4, leukocyte alkaline phosphatase induction by granulocyte colony-stimulating factor and retinoic acid, role of cyclic AMP-dependent protein kinase and tyrosine kinases, **208,** 846
  - with t(8;21), Kasumi-1, proliferation, inhibitory effects of ribozymes against AML1/MTG8 fusion transcript (human), **215,** 431
  - T-cell, ACH2, latently HIV-1-infected, HIV-1 expression, induction by anticancer agents (human), **207,** 903
- Leukemia inhibitory factor
  - effect on human chorionic gonadotropin-mediated trophoblast differentiation, **211,** 137
  - and related interleukin-6-type cytokines, induction of hemopexin gene expression in hepatoma H-35 cells (rat), **207,** 202
- Leukocyte alkaline phosphatase
  - induction by granulocyte colony-stimulating factor and retinoic acid in acute promyelocytic leukemia cells, role of cyclic AMP-dependent protein kinase and tyrosine kinases, **208,** 846
- Leukocytes
  - adhesion to endothelium, effects of contrast agents (human), **212,** 776
  - derived factor, induction of calcium signaling and possible exocytosis in endothelial cells (human), **206,** 146
  - normal, E-selectin-binding polylactosaminolipids in, identification: myeloglycan (human), **209,** 777
  - polymorphonuclear, *see* Neutrophils
- Leukotoxin
  - induced lung injury, associated increase in nitric oxide biosynthesis (rat), **210,** 133
  - and isomer, production with hydrogen peroxide-generating system, **216,** 483

Leukotriene B_4
  protein kinase C-independent activation of Raf-1 and mitogen-activated protein kinase in eosinophils (guinea pig), **210,** 837
Leukotriene C_4
  release in eosinophils from asthmatic patients, *in vivo* effect of prednisolone, **214,** 869
Leukotriene D_4 receptor
  antagonist MK571, specific modulation of MRP-associated multidrug resistance (human), **208,** 345
Leupeptin
  analogue inhibiting urokinase–plasmin system, suppression of *in vitro* invasion of human fibrosarcoma cells, **209,** 25
  and antipain, effects on presentation of antigens incorporated nonspecifically by pinocytosis and specifically by surface IgM of B cells, **210,** 324
Leydig cells
  two phospholipase D subtypes, evidence from differential phospholipid labeling (rat), **217,** 747
Lifespan
  and aging and development, effect of kinetin (fruit fly), **216,** 1067
Light, *see also* Ultraviolet light
  above 620 nm, illumination of *meso*-tetrahydroxyphenyl chlorin, 4,4′-di-*tert*-butyldiphenyl-1-nitroxy radical paramagnetism loss during, EPR analysis, **215,** 192
  enhanced expression of NADPH–protochlorophyllide oxidoreductase (*Cucumis sativus*), **210,** 310
Lighting
  environmental, regulation of constitutive neuronal nitric-oxide synthase in pineal gland (rat), **212,** 70
Limb bud cells
  chondrogenesis *in vitro,* promotion by fullerene C60 (rat), **206,** 885
  mesenchymal, *in vitro* chondrogenesis, concurrent cAMP-induced phosphorylation of 40-kDa nuclear protein (chicken), **212,** 16
Limbs
  additional, development, induction from flank by implantation of fibroblast growth factor 4-expressing cells at pre-limb bud stage (chicken embryo), **209,** 809
LIM protein
  developmental regulation (human muscle), **212,** 840
Linkage mapping
  adenosine A_1 receptor DNA on chromosome 1q31–32.1, with silent polymorphism in coding region (human), **214,** 614
Linoleic acid
  derived monoepoxides and monochlorohydrins, pH-dependent alterations and *in vivo* existence, **215,** 945
Liothyronine
  augmentation of adrenomedullin production in vascular smooth muscle cells (rat), **211,** 686
  binding site, of human T_3 nuclear receptor, characterization with monoclonal antibody, **210,** 464
Liothyronine receptor
  nuclear, interaction with antibody: characterization of T_3 binding site (human), **210,** 464
  subtype mRNA levels, downregulation by amiodarone during catecholamine stress *in vitro* in murine AT-1 cardiomyocytes, **211,** 991
Lipid droplet capsule
  in adrenal cells, structure and function analysis with monoclonal antibody (rat), **217,** 81
Lipid peroxidation
  effects of taurine and hypotaurine, **213,** 820
  iron-induced, subsequent intracellular Ca^{2+} overload and hepatocyte killing, prevention by Na^+/Ca^{2+} exchanger (rat), **208,** 813
  low-density lipoproteins, effects of hydroxyl radicals, **208,** 597
  product 4-hydroxynonenal, and conjugate with glutathione, as substrate of bovine lens aldose reductase, **217,** 741
  role in electroporation-induced cell permeability (K562 cells, lentil), **209,** 417
Lipids
  accumulation, effect of very-low-density lipoprotein overexpression in CHO cells, **206,** 835
  apolipoprotein B-bound, as markers for evaluation of low-density lipoprotein oxidation *in vivo* (human), **214,** 608
  bilayers, sensitivity to melittin, effect of sterols, **211,** 312
  components of cortical hemogenates, β amyloid peptide binding, effect of aggregation state (rat), **207,** 209
  copper-induced oxidation, in unfractionated plasma: pre-oxidation lag as measure of oxidation resistance (human), **216,** 854
  membrane, binding of actin under *in vivo*-like conditions, evaluation, **208,** 1154
  moieties of *Rab*3A, role in interaction with rabphilin-3A (bovine), **217,** 979
  –protein interactions, analysis with resonance energy transfer couple coumarin/BODIPY, **207,** 508
  supplemented vesicles, in analysis of sarcolemmal chloride and potassium channels in normal and myotonic murine muscle, **213,** 513
Lipoamide dehydrogenase
  and glutathione reductase, stereospecificities for α-lipoic acid enantiomers, comparison, **206,** 724
α-Lipoic acid, *see* Thioctic acid
Lipomatosis
  multiple symmetric, and multiple endocrine neoplasia type 1-associated lipomas, chromosome 11, q13 from affected patients, RFLP analysis, **207,** 363
Lipopeptides
  effects on GTP hydrolysis and nucleoside diphosphate kinase in HL-60 cell membranes (human), **209,** 575
  synthetic, in liposomes, vaccination with, induction of immune response against mdr1 protein (mouse), **212,** 494
Lipopolysaccharides
  coordinate up- and down-modulation of inducible nitric-oxide synthase, nitric oxide production, and tumoricidal activity in mononuclear phagocytes (rat), **211,** 183
  and cytokines, induction of nitric oxide production in Sertoli cells, **213,** 218
  and cytokines and growth factors, effects on adrenomedullin production in cultured vascular smooth muscle cells (rat), **207,** 25
  discrete phosphoproteins induced by, in granulocytes, tyrosine phosphorylation, effect of interleukin-10 (human), **209,** 87

  - induction of
    - glucose metabolic response in macrophage-rich tissues and nonparenchymal hepatic cells, relationship to acute endotoxin tolerance (rat), **211,** 340
    - increase in cytosolic free Ca^{2+} in neutrophils and endothelial cells, prevention by Kunitz-type trypsin inhibitor (human), **207,** 324
    - interleukin-1β, and other cytokines, differential modulation of hepatic endothelial cell endocytosis (rat), **212,** 235
    - manganese superoxide dismutase in pancreas: role in caerulein pancreatitis (rat), **217,** 1216
  - inhibitory effects on mitochondrial respiration, role of endogenous peroxynitrite (murine macrophages), **209,** 739
  - and interferon-γ, activated macrophages, nitric-oxide synthase induction in, inhibition by curcumin (mouse), **206,** 533
  - macrophages activated by
    - arginase and nitric-oxide synthase in, co-induction (mouse), **210,** 1009
    - differential regulation of NF-κB and nitric oxide (mouse), **214,** 839
  - neurotoxic effects on cultured cholinergic neurons, **215,** 572
  - and proinflammatory cytokines IFN-γ and TNF-α, effects on cyclooxenase-2 mRNA expression in macrophages (human), **208,** 582
  - S-form, separated from wild-type LPS, induction of macrophage activation (*Salmonella abortus equi*), **210,** 678
  - stimulated B cells, lovastatin effects: inhibition of proliferation/differentiation and induction of apoptosis (mouse), **211,** 665
  - stimulation of prostaglandin secretion in cultured Kupffer cells (rat), **215,** 691; *erratum,* **217,** 1287
  - treated RAW 264.7 macrophages, NO synthase and tumor necrosis factor α mRNA levels, effect of extracellular ATP (mouse), **214,** 125
  - treatment *in vivo,* effect on tissue expression of argininosuccinate synthetase and argininosuccinate lyase mRNAs (rat), **215,** 148
- Lipoprotein, *see also* High-density lipoprotein; Low-density lipoprotein
  - hemolymph, identification as protein involved in immune recognition and clotting (crayfish), **216,** 939
- Lipoprotein lipase
  - catalytic activity, role of intramolecular disulfide bonds (human), **206,** 266
  - effects on fat accumulation: association of overexpression of human LPL with increased hormone-sensitive lipase activity in adipose tissue in mouse, **211,** 761
- Lipoprotein lipase-binding protein
  - 85-kDa, identification on aortic endothelial cell surface (human), **216,** 906
- Lipoprotein receptors, *see specific types*
- Liposomes
  - cationic
    - endosomolytic activity, effect on delivery of HIV-1 Tat to mammalian cells, **217,** 761
    - multilamellar, mediated gene transfer into primary myoblasts (rat), **207,** 8
  - containing reconstituted cytochrome-*c* oxidase, membrane potential generation, effect of ionic strength (bovine heart), **211,** 914
  - phosphatidylinositolmannoside-based, induction of nitric-oxide synthase in primed peritoneal macrophages (mouse), **208,** 295
  - –plasmid complexes, inhibition of ovarian carcinoma cell proliferation (human), **207,** 492
  - synthetic lipopeptides in, vaccination with, induction of immune response against mdr1 protein (mouse), **212,** 494
  - unilamellar, effect of *Pseudomonas* pv. *syringae* phytotoxins, **214,** 118
- Lipospermine
  - –DNA particles, complexed with thiol-reactive phospholipids, transfection of hepatoma cells and fibroblasts, efficiency, **209,** 444
- Lipoteichoic acid
  - induction of neutrophil adhesion via E-selectin to human umbilical vein endothelial cells, **217,** 1208
- Lipoxins
  - and 5,15-dihydroxyeicosatetraenoic acid, generation by neutrophils after A23187 stimulation *in vitro,* as asthma biomarker (human), **207,** 273
- Lipoxygenase
  - visible spectrophotometric assay, purification, and molecular properties (eggplant), **214,** 1067
- Lithium
  - effect on mating response and cell cycle of *Saccharomyces cerevisiae,* **206,** 401
  - induction of apoptosis in HL-60 cells (human), **209,** 768
  - transport pathways in erythrocytes (chicken, eel, human), **210,** 119
- Lithocholic acid
  - regulation of MHC I mRNA expression in hepatoma cells *in vitro* (human), **208,** 935
- Liver
  - acetaminophen effects, relationship to toxicity (mouse), **203,** 532; *erratum,* **206,** 437
  - acutely injured, mononuclear phagocytes, and Kupffer cells of normal liver, synthesis and secretion of fibronectin, comparison (rat), **213,** 752
  - brush border myosin-I detection (bovine, rat), **211,** 331
  - with chronic cirrhosis and hepatitis, detection of telomere shortening (human), **211,** 33
  - cytochrome P450 1A1, protein and mRNA levels, effects of dietary ellagic acid inhibition of benzo[*a*]pyrene hydroxylase (rat), **201,** 1477; *erratum,* **207,** 1058
  - cytochrome P450 1A2 and 2E1 expression, effects of combined ethanol and 3-methylcholanthrene treatment (rat), **211,** 497
  - cytochrome P450 27 expression, effects of 1α,25-dihydroxyvitamin D_3 (rat), **215,** 136
  - development, mitochondrial genome expression during, regulation by mitochondrial mRNA stability (rat), **217,** 1094
  - effects of musk xylene (mouse), **206,** 975
  - endothelial cells, cholesterol accumulation after malondialdehyde modification of high-density lipoprotein (rat), **212,** 1
  - freeze-dried, DNA degradation by atmospheric oxygen (rat), **208,** 1021
  - glucokinase regulatory protein, nuclear location and translocation to cytoplasm in response to high glucose (rat), **215,** 467

- Liver (*continued*)
  - Milan hypertensive rat, glucose transporter isoforms, analysis, **211,** 780
  - mitochondria, nitric-oxide synthase, immunocytochemical localization (rat), **213,** 896
  - and nonliver tissues, differential regulation of antifreeze protein genes (*Pleuronectus americanus*), **206,** 387
  - pyruvate kinase isozymes, compound heterozygous mutations affecting, identification (human), **208,** 991
  - regeneration
    - associated protein kinase C isozyme activity (rat), **214,** 354
    - cyclin D1 expression, analysis in murine model and regenerating human hepatic tissue, **209,** 648
    - in insulin receptor substrate-1-deficient mouse, ornithine decarboxylase induction during, **216,** 284
    - late phase, mRNAs from, differential display and cloning (rat), **212,** 21
  - response to *in vivo* heat shock, role of activation of MAP kinases and Raf-1 kinase and tyrosine phosphorylation of SHC proteins (rat), **216,** 54
  - streptozotocin-induced diabetic rat, glycogen synthase kinase-3α mRNA levels, effect of insulin, **217,** 250
  - transplantation, effects on variant transthyretin plasma levels in familial amyloidotic polyneuropathy type I patient, **211,** 354
  - tumor promotion by ferric nitrilotriacetate via oxidative stress generation (rat), **212,** 557
  - uptake of exogenous DNA, effect of cationic lipids (rat), **213,** 81
- Lovastatin
  - inhibition of proliferation/differentiation and induction of apoptosis in lipopolysaccharide-stimulated B cells (mouse), **211,** 665
- Low-density lipoprotein
  - copper-mediated oxidation
    - PGF$_2$-isoprostanes formed during, cross-reaction with prostaglandin E$_2$ antibodies, **206,** 455
    - protective effect of ginkgo biloba extract EGb 761 (human), **212,** 360
  - electrophoretic mobility, catabolism, receptor binding, and lipid peroxidation, effects of hydroxyl radicals, **208,** 597
  - lesioned, in atherosclerotic apolipoprotein E-deficient transgenic mouse and human, oxidation and aggregation, **216,** 501
  - native structure, role of noncovalent interactions in maintenance (human), **216,** 414
  - oxidation *in vivo*, evaluation with apolipoprotein B-bound lipids as markers (human), **214,** 608
  - oxidized
    - induced adhesion of monocytes to endothelial cells, mediation by CD11b activation (human), **206,** 621
    - peritoneal macrophage exposure to, effect on cystine transport activity and glutathione level (mouse), **215,** 154
    - release of cytotoxic aldehyde, direct evidence from 4-hydroxy-2-nonenal-trapping ELISA, **212,** 1068
    - stimulation of nitric oxide release by aortic endothelial cells (rabbit), **207,** 231
  - protein oxidation in, induction by *N,N'*-bis(2-hydroxyperoxy-2-methoxyethyl)-1,4,5,8-naphthalene-tetra-carboxylic-diimide (human), **206,** 138
  - and very-low-density lipoprotein, phospholipids of, distinguishing by preapolipoprotein C-III–β-galactosidase hybrid, **211,** 754
- Low-density lipoprotein receptor
  - extracellular domain, linked to insulin receptor juxtamembrane region, chimeric receptor with, endocytosis, **211,** 714
  - induction in HepG2 cells by chenodeoxycholic acid, molecular mechanism (human), **208,** 405
  - mediated pathway into cells, and LDL, binding to vitamin D (human), **215,** 199
- LPS, *see* Lipopolysaccharides
- Lucine zipper
  - related domain, regulation of $p130^{gag\text{-}fps}$ *in vivo* autophosphorylation and transforming activity (3Y1 rat fibroblasts), **211,** 447
- Luminescence
  - aequorin, triggering by binding of two Ca^{2+} ions, **211,** 359
  - cell membrane, enhancement by electroporation, **206,** 238
- Lung
  - expression of human haptoglobin–CAT transgene, modulation by inflammation (transgenic mouse), **208,** 309
  - isolated perfused, nitric oxide release in, measurement (rat), **208,** 1016
  - leukotoxin-induced injury, associated increase in nitric oxide biosynthesis (rat), **210,** 133
  - parenchymal strips, selective proteolytic activation and degradation of mature and precursor forms of endothelin (guinea pig), **207,** 675
- Luteinizing hormone
  - β-subunit, testis-specific DNA, isolation and characterization (rat), **210,** 858
- LY 139478
  - effects on growth and differentiation of preosteoclastic cell line FLG 29.1 (human), **211,** 857
- Lymph nodes
  - stromal cells, cysteine from, effect on apoptosis of malignant T-lymphoma cells (mouse), **213,** 837
- Lymphoblastoid cells
  - regulatory effects of adenomatous polyposis coli protein phosphorylation (human), **208,** 103
- Lymphocytes, *see also specific types*
  - and brain tissue, in Huntington's disease, identification of abnormal gene product (human), **209,** 1119
  - Epstein–Barr virus-transformed, producing IgG class monoclonal antibodies, isolation, **207,** 985
  - κ-opioid receptor expression, analysis (human, monkey), **209,** 1003
  - peripheral blood
    - and chronic leukemic, isolated memebranes, lectin binding profiles: discriminative ability of *Maackia amurensis* agglutinin (human), **209,** 921
    - proliferation, chromium(III)-induced abnormalities: evidence of apoptosis (human), **210,** 434
  - phorbol ester-mediated activation of phospholipase D in, enhancement by sphingosine, mechanism (bovine), **217,** 908
  - SupT1, DNA end-joining in extracts (human), **215,** 987
  - trans-plasma membrane chloride influx, induction by depletion

      of $[Ca^{2+}]_i$ stores via tyrosine-kinase-dependent mechanism (human), **211,** 432
  voltage-dependent K^+ channels
    blocker noxiustoxin, chemical synthesis, and structural and functional characterization (scorpion), **213,** 901
    blocking by β-scorpion toxin 2 from *Centruroides noxius* (human), **213,** 419
Lymphoid cells
  Sp-2/0-Ag14, fluorescence quenching in membrane phase (mouse), **208,** 111
Lymphoma cells
  B-cell, WEHI 231, apoptosis, induction by specific inhibitors of vacuolar-type H^+-ATPase (mouse), **212,** 255
  Burkitt's
    Daudi
      interferon-α-induced dual modulation of phosphorylation of 60-kDa nuclear protein (human), **208,** 819
      intracellular Ca^{2+} increase, mediation by L-selectin antibody FMC46 (human), **217,** 1145
    Raji, HIV-1 *tat*-transfected, cytokine gene expression, comparison with Jurkat-*tat* T cells (human), **208,** 704
  T-cell
    CS-21, apoptosis, effect of cysteine from lymph node stromal cells (mouse), **213,** 837
    Jurkat
      functional thrombin receptor expression, inhibition by tunicamycin, **206,** 857
      HIV-1 *tat*-transfected, cytokine gene expression, comparison with Raji-*tat* B cells (human), **208,** 704
      interaction between annexin VI and 56-kDa protein kinase (human), **212,** 270
      intracellular glutathione, effects of α-lipoic acid (human), **207,** 258
      T-cell receptor/CD3-mediated apoptosis and Fas-ligand induction in, role of $p56^{lck}$ (human), **213,** 994
Lymphopenia
  in chronic renal failure, mechanism: relationship between apoptosis susceptibility and Fas expression in peripheral blood T cells from uremic patient, **215,** 98
Lysine
  residue 200, in fifth transmembrane domain of histamine H_1 receptor, interaction with histamine and H_1 agonists (guinea pig), **214,** 110
Lysophosphatidic acid
  effects on platelet phosphoinositide 3-kinase and phospholipase C (human), **211,** 484
  selective inhibition of phosphatidylinositol 3-kinase, **215,** 8
  sensitizing effect on mechanoreceptor-linked response in cytosolic free Ca^{2+} in cultured smooth muscle cells (guinea pig), **208,** 19
Lysophosphatidylcholine
  effect on NMDA receptor currents in rat hippocampal glial cells, **217,** 811
Lysosomes
  associated cathepsin system, activation by interleukin-6, effect on skeletal muscle catabolism (mouse), **207,** 168
Lysyl oxidase
  mediated crosslinking, in diabetes, related corneal collagen biochemical changes, **214,** 793

M

α2-Macroglobulin
  autologous, role in development of peptide vaccine, **216,** 399
Macromolecules
  crystallization, polymeric precipitants for, identification, **207,** 819
Macrophage inflammatory protein-1α
  in alveolar macrophages, molecular cloning and post-transcriptional regulation, **211,** 289
Macrophages, *see also* Kupffer cells
  activated, production of nitric oxide, effect of serine and cysteine proteinase inhibitors, mechanism (rat), **215,** 721
  adhesion, augmentation by oxidation of mesangial matrix with mixed-function oxidase system: role of macrophage scavenger receptors (rat), **212,** 63
  alveolar
    inducible nitric oxide-synthase expression, inhibition by nonsteroidal anti-inflammatory drugs (rat), **208,** 1053
    macrophage inflammatory protein-1α, molecular cloning and post-transcriptional regulation (rat), **211,** 289
    secretion of cytokine-induced neutrophil chemoattractant, effect of adrenomedullin (rat), **211,** 1031
  apoptosis
    dose-dependent induction by exogenous nitric oxide (mouse), **209,** 519
    during *Salmonella* infection, prevention by endogenous interleukin-10 (mouse), **213,** 600
  bone marrow
    activation, direct measurement with transgenic mouse expressing c-fos/lacZ fusion gene, **211,** 767
    induction of arginase by nitric oxide synthesis suppressors (mouse), **206,** 667
  cyclooxenase-2 mRNA expression, effects of proinflammatory cytokines (human), **208,** 582
  differentiation, associated transcriptional expression of mannose gene (human), **217,** 106
  foam cell formation, role of very-low-density lipoprotein receptor, **206,** 835
  induced hydrogen peroxide generation in islet cells, inhibitory effects of probucol (NOD mouse), **209,** 953
  J774, nitric-oxide synthase induction in, inhibition by opioids (mouse), **212,** 975
  J774.1, activation in response to S-form lipopolysaccharides from wild-type LPS (mouse), **210,** 678
  J774.2, immuno-stimulated, inhibition of mitochondrial respiration in, role of endogenous peroxynitrite (mouse), **209,** 739
  maturation-associated transcript, encoding protein with potential transmembrane domains, molecular cloning (human), **217,** 661
  –monocytes, THP-1, triglyceride-rich lipoprotein receptor, purification (human), **210,** 491
  P388D1, soluble factor from, stimulation of calcium entry in neutrophils (human), **206,** 348; *erratum,* **208,** 1182
  peritoneal
    cystine transport activity and glutathione level, effect of exposure to oxidized low-density lipoprotein (mouse), **215,** 154

Macrophages (*continued*)
    - 4-kb mRNA identified in, shared short nucleotide sequence with erythropoietin mRNA (mouse), **209,** 1076
    - μ-opioid receptor from, cDNA cloning and sequencing (rat), **209,** 563
    - primed, nitric-oxide synthase induction by phosphatidylinositolmannoside-based liposomes (mouse), **208,** 295
    - role in development of arterial fat deposits: comparison of intracellular cholesterol metabolism in spontaneously hypertensive stroke-prone and normotensive rat, **211,** 547
    - from spontaneously hypertensive stroke-prone rat, intracellular cholesterol metabolism, comparison with normotensive rat, **211,** 547
    - tumoricidal activity, activation by fibronectin in presence of interferon-γ (mouse), **206,** 969
  - preparation for lipopolysaccharide-induced apoptosis, role of interferon-α (bovine), **215,** 921
  - RAW 264.7
    - inducible nitric-oxide synthase expression, modulation by high glucose levels and role of protein kinase C (mouse), **207,** 80
    - lipopolysaccharide-activated
      - coinduction of arginase and nitric-oxide synthase (mouse), **210,** 1009
      - and interferon-γ-activated, nitric-oxide synthase induction in, inhibition by curcumin (mouse), **206,** 533
      - nitric-oxide synthase and tumor necrosis factor α mRNA levels, effect of extracellular ATP (mouse), **214,** 125
    - particulate and soluble forms of nitric-oxide synthase, characterization (mouse), **210,** 711
    - plasminogen activator activity, stimulation by advanced glycation end products via granulocyte–macrophage colony-stimulating factor (mouse), **217,** 278
    - silica- and lipopolysaccharide-induced, differential regulation of NF-κB and nitric oxide (mouse), **214,** 839
    - silica-induced inflammatory mediator production in, role of NF-κB activation (mouse), **214,** 985
  - related cells, lineage switch of SPGM-1 pre-B cells to, after incubation with phorbol ester and calcium ionophore (mouse), **216,** 540
  - tissues rich in, LPS-induced glucose metabolic response, relationship to acute endotoxin tolerance (rat), **211,** 340

Macrophage scavenger receptor
  - role in macrophage adhesion augmentation by oxidation of mesangial matrix with mixed-function oxidase system (rat), **212,** 63

Macrophage-stimulating protein
  - activation of Ras by activation and translocation of SOS nucleotide exchange factor, **216,** 110

Macropinocytosis
  - long-lived, induction by electropermeabilization (CHO cells), **208,** 26

Macula
  - degeneration, causative genes, isolation with solid-phase subtractive cloning technique (monkey), **213,** 181

Magnesium
  - concentration, effects on Ca^{2+}-sensitive probing of intracellular Ca^{2+}, **214,** 373
  - inhibition of mitochondrial permeability transition (rat liver), **207,** 661
  - ions
    - effect on α-crystallin chaperone-like activity against thermal denaturation of lens aldose reductase (bovine), **212,** 413
    - inhibition of cyclic ADP-ribose-induced calcium release (sea urchin), **206,** 786

Magnesium chelatase
  - subunit *chlI*, cloning, subcellular localization, and expression (soybean), **215,** 422

Magnetic cell separator
  - in isolation of Epstein–Barr virus-transformed lymphocytes producing IgG class monoclonal antibodies, **207,** 985

Magnetic fields
  - extremely low frequency, enhancement of β-galactosidase in exposed PC12-VG cells (rat), **212,** 104
  - 60-Hz, effects on ornithine decarboxylase activity in mouse L929 cells *in vitro*, **214,** 627

Maillard reaction
  - advanced, related corneal collagen biochemical changes in diabetes, analysis, **214,** 793

Major basic protein
  - release from eosinophils, role of adult T cell leukemia-derived factor/thioredoxin and inhibitor (human), **213,** 1140

Malate dehydrogenase
  - gene promoter, activation by peroxisome proliferator activated receptor/retinoic X receptor, effect of chicken ovalbumin upstream promoter transcription factor, **215,** 338

MALDI TOF MASS, *see* Matrix-assisted laser desorption ionization time-of-flight mass spectrometry

Malic enzyme, *see* Malate dehydrogenase

Malondialdehyde
  - modified 2′-deoxyguanosinyl adduct, formation from metabolism of chloral hydrate by mouse hepatic microsomes, **216,** 1110
  - modified high-density lipoprotein, subsequent cholesterol accumulation in endothelial cells (rat liver), **212,** 1

L-*O*-Malonyltyrosine
  - phosphotyrosyl mimetic peptides containing, inhibitory effects on protein-tyrosine phosphatase, **209,** 817

Maltose
  - reconstituted bacterial ATP-binding cassette transporter for, ATPase activity, inhibition by vanadate and bafilomycin A_1 (*Salmonella typhimurium*), **216,** 589

Maltose binding protein
  - bacterial expression of cloned full-length adeno-associated virus Rep78 as fusion protein with, **208,** 714

Mammary gland
  - gonadotropin-releasing hormone and GnRH receptor mRNA, detection (mouse), **207,** 800
  - and intestine, protein-tyrosine kinase *iyk* differential expression (mouse), **209,** 582; *erratum,* **211,** 100
  - involution in whole organ cultures: model for study of programmed cell death (mouse), **207,** 860
  - milk-producing cells, D-glucose uptake, mechanisms (rat), **211,** 986

Mammary tumor virus
  - transcription, repressor, multi-strand binding to nuclear factors, kinetic analysis (mouse), **209,** 379

Manganese
  and Co^{2+}, dependent form of protein phosphatase 2A, identification (bovine heart), **208,** 274
  uptake by recombinant cambialistic superoxide dismutase, effect of growth conditions of host *Escherichia coli* (*Propionibacterium shermanii*), **216,** 841
Manganese peroxidase
  expression in *Escherichia coli* and refolding to yield active enzyme (*Phanerochaete chrysosporium*), **216,** 1013
Mannose-binding protein
  sequence comparison to E-selectin, **216,** 1018
Mannose 6-phosphate
  synthesis from glucose, enzymes involved, analysis in carbohydrate deficient glycoprotein syndrome fibroblasts (human), **208,** 517
Mannose receptor
  transcriptional gene expression during differentiation of macrophages (human), **217,** 106
α-D-Mannosidase
  inactivation by (1*R*,2*S*,6*S*)-cyclophellitol, kinetic studies, **213,** 175
α1,2-Mannosidase
  identification as inverting glycosidase (*Saccharomyces cerevisiae*), **209,** 322
MAP30
  from bitter melon *Momordica charantia,* potentiation of anti-HIV activity of dexamethasone and indomethacin, **208,** 779
MAP kinase
  activation
    in CHO cells, role of protein kinase C isoforms, **210,** 639
    by epidermal growth factor via protein kinase C-dependent pathway in keratinocytes (human), **208,** 245
    in human thrombopoietin-dependent cell line, induction by TPO, **217,** 230
    insulin-induced, related to adipocyte differentiation in 3T3-L1 fibroblasts, inhibitory effect of wortmannin (mouse), **210,** 574
    and intracellular Ca^{2+} increase, induction by platelet-activating factor in B cells, mediation by independent pathways (human), **209,** 1111
    by prostaglandin EP_{3A} receptor (human), **211,** 152
    protein kinase C-independent, by leukotriene B_4 in eosinophils (guinea pig), **210,** 837
    role in liver response to *in vivo* heat shock (rat), **216,** 54
  BMK1, primary structure (human), **213,** 715
  cascade, role in transcriptional stimulation of osmolyte transporter genes (MDCK cells), **213,** 975
  decreased activity in gastric adenocarcinoma (human), **212,** 1001
  and downstream oncogenes, inhibition by apigenin, in reversion of v-H-*ras*-transformed NIH 3T3 cells, **212,** 767
  effect of FTI-244 on stimulation (NIH 3T3 cells), **214,** 295
  gene expression, effects of endurance training (rat), **210,** 766
  and glycogen synthase, insulin-induced activation in adipocytes, effects of wortmannin: role of phosphatidylinositol 3-kinase (rat), **209,** 1082
  and $p90^{rsk}$, anti-IgM-dependent activation in B cells, role of microfilament assembly (human), **209,** 1102
  pathway activation downstream of $p21^{ras}$, effect of Syp expression, **214,** 737
  $PK40^{erk2}$, hyperphosphorylation of cytoskeletal protein Tau, **215,** 1056
  –protein kinase C cascade, mediation of phospholipase A_2-activating protein-induced smooth muscle contraction (rabbit), **217,** 203
  role in phosphorylation and activation of cytosolic phospholipase A_2 in neutrophils stimulated with tumor necrosis factor α (human), **209,** 271
Mass spectrometry
  in determination of
    anaerobic ribonucleotide reductase radical scission site(*Escherichia coli*), **206,** 731
    G protein γ_2 subunit covalent structure (bovine brain), **212,** 367
  electrospray-ionization, [2Fe–2S] ferredoxin molecular variants, **210,** 686
  in identification and quantification of endogenous tissue-specific 5-methoxyindole-3-acetic acid in pineal, retina, and serum (quail), **209,** 1132
  in structure confirmation of three hetero disaccharides, **214,** 568
  tandem, in amino acid sequence analysis of human S100A7, **217,** 257
Mast cells
  chemotactic activity of RANTES (human), **209,** 316
  immunomodulatory effects of nitric oxide, role of cyclic nucleotides (mouse), **210,** 507
  peritoneal, stem cell factor-induced histamine release, effects of kinase inhibitors, pharmacological study (rat), **208,** 576
Mastoparan
  dansylated, activity on fertilization membrane of sea urchin eggs, **215,** 828
Mating response
  and cell cycle, effect of lithium (*Saccharomyces cerevisiae*), **206,** 401
Mating types
  associated homeodomain proteins, Aα Y and Z, interactions, analysis with two-hybrid system (*Schizophyllum commune*), **211,** 1071
Matrigel
  and fibronectin/apical collagen and fibrin, effects on human endothelial cell differentiation, comparison, **213,** 630
Matrilysin
  proteolytic inactivation of α_1-antitrypsin: comparison with other matrix metalloproteinases (human), **204,** 613; *erratum,* **206,** 438
Matrix
  poly(lactide-co-glycolide) and hydroxyapatite, three-dimensional, adherence and migration of rat osteoblast-like cells, **213,** 639
Matrix-assisted laser desorption ionization time-of-flight mass spectrometry
  in *N*-myristoyl protein sequence determination, **217,** 632
Matrix-metalloproteinase-2
  activation in endothelial cells, induction by Ulex europaeus agglutinin I (monkey), **216,** 177
Matrix protein
  mesangial, oxidation with mixed-function oxidase system, augmentation of macrophage adhesion: role of macrophage scavenger receptors (rat), **212,** 63

Maturation
  oocytes
    effect of microinjection of rap 2A point mutant proteins (*Xenopus laevis*), **216,** 748
    progesterone-stimulated, effect of phosphatidylinositol 4,5-bisphosphate hydrolysis, inositol 1,4,5-trisphosphate receptor availability, and Ca^{2+} gradients (*Xenopus laevis*), **217,** 931
  small hepatocytes isolated from adult rat liver, **214,** 310
Maxadilan
  binding to cerebral membrane fractions (sand fly), **216,** 234
MDL 28,574
  castanospermine derivative, antiviral activity and metabolism in cells infected with HSV-2 (human, monkey), **208,** 267
Measles virus
  hemagglutinin, biological function, role of carboxy terminal amino acids in biological function, **214,** 1232
Mechanoreceptor
  linked response in cytosolic free Ca^{2+} in cultured smooth muscle cells, sensitizing effect of lysophosphatidic acid (guinea pig), **208,** 19
MEF2c protein
  repression of p53-dependent sequence-specific transactivation (mouse), **214,** 468
Megakaryocytes
  morphological changes, second messenger role of calcium and cAMP (rat), **211,** 282
Melanocortin
  and corticotropin, encoding on distinct genes in lamprey, **213,** 490
Melanocortin-1 receptor
  interaction with melanocyte-stimulating hormone, three-dimensional model, **210,** 205
Melanocytes
  actin gene expression, effect of bromodeoxyuridine-induced cell adhesion and L-tyrosine induction of terminal differentiation (mouse), **216,** 84
Melanocyte-stimulating hormone
  effects on neural crest cells of wild-type and white axolotl, **210,** 239
  interaction with melanocortin-1 receptor, three-dimensional model, **210,** 205
Melanogenesis
  role of tetrahydrobiopterin binding domain on tyrosinase (human), **206,** 480
Melanoma cells
  A375 and A2058, adhesion to laminin, modulation by galectin-1 (human), **209,** 760
  actin gene expression, effect of bromodeoxyuridine-induced cell adhesion and L-tyrosine induction of terminal differentiation (mouse), **216,** 84
  C8161, metastasis inhibition by introduction of chromosome 6, mechanism (human), **208,** 476
  expression of vascular endothelial growth factor receptor KDR, effect of exogenous VEGF (human), **217,** 721
  G361, interleukin-8 expression, regulation at transcriptional level by nitric oxide (human), **214,** 949
  Hs294t, melanoma growth stimulating activity C-terminal, cell-binding and growth-stimulating activities (human), **206,** 792
  IV Cl 1 and IV Cl 3, with different metastatic potential, differential expression of NME1 and NME2 genes (human), **211,** 578
  M14, UV-B-induced apoptosis, protective effect of 3-aminobenzamide via action on cytoskeleton and substrate adhesion (human), **207,** 715
  Melan A, terminal differentiation, effect on cdk4, cyclin A, and cyclin D1 (mouse), **216,** 422
  MV3, BLM, 530, and 1F6, in functional analysis of calcyclin gene promoter (human), **213,** 1122
  selective gene expression in, gene regulatory elements for, characterization (human), **213,** 699
Melanoma growth stimulating activity
  C-terminal, determination of cell binding and growth stimulating activities (human), **206,** 792
MelC1 protein
  histidine residues 102 and 117, roles in chaperone function for apotyrosinase (*Streptomyces*), **214,** 447
Melibiose carrier
  Asp51→Ser mutant, activity restoration with Gly113→Asp mutation (*Escherichia coli*), **209,** 242
Melittin
  sensitivity of lipid bilayers to, effect of sterols, **211,** 312
Melting behavior
  unusual biphasic, *Rhodotorula gracilis* DNA, **211,** 978
Membrane alanyl aminopeptidase
  identification of substance P and bradykinin as natural inhibitors (HL60 cells, porcine kidney), **208,** 664
Membrane phase
  fluorescence quenching in (murine lymphoid cells), **208,** 111
Membrane potential
  in coelomocytes, flow cytometric studies in single intact cells (earthworm), **214,** 503
  cultured arterial smooth muscle cells, effects of H_2O_2 (rat), **209,** 139
  generation in liposomes containing reconstituted cytochrome-*c* oxidase, effect of ionic strength (bovine heart), **211,** 914
  and intercellular calcium, in islets of Langerhans, effect of glucose challenge (mouse), **214,** 798
Membrane proliferation
  induction by poliovirus proteins 2C and 2BC (human), **206,** 64
Membrane proteins
  lysosome-associated, h-lamp-2, encoding gene, overexpressed in muscle, isolation (human), **215,** 757
  phosphorylation state, functional link with morphological changes of erythrocytes (human), **213,** 249
  role in βIΣII spectrin C-terminal region binding to cerebral membranes (bovine), **217,** 608
Membrane ruffling
  insulin-signaled, Rac protein in, identification of phosphoinositide 3-kinase as upstream regulator (CHO cells), **208,** 985
Membranes
  amniotic, *see* Amnion
  bilayer, reduced width measured by small angle X-ray diffraction, association with age-related impairment in striatal muscarinic cholinergic signal transduction (rat), **213,** 869

binding
  mitochondrial trifunctional β-oxidation protein, role of α-subunit (human), **209,** 47
  $p56^{lck}$, second signal to myristate for, provision by amino-terminal palmitate or polybasic domain (HeLa cells), **207,** 868
bound phospholipase D, activation by protein kinase C via synergistic action of RhoA in HL-60 cells (human), **211,** 306
brush-border, enterocytic vesicles, glycyl-proline transport system, detection (sheep), **215,** 561
cerebral
  binding to βIΣII spectrin C-terminal region, role of pleckstrin homology domain (bovine), **217,** 608
  fractions, binding to maxadilan (sand fly), **216,** 234
ciliary, depolarization, effect on ciliary beat frequency (sheep), **215,** 1014
cytoplasmic, unstable SecE derivative, stabilization by SecG interaction with SecE (*Escherichia coli*), **217,** 217
delimited pathway, modulation of cloned neuronal Ca^{2+} channels in dysgenic myotubes, **208,** 485
effect on conformation of neuromedin C, **214,** 663
erythrocyte
  protein 4.1 interaction with, effects of phosphorylation by protein kinase C, **210,** 478
  sodium permeability, Ca^{2+}-dependent activation by fluoride (human), **217,** 286
  12-kDa inositolphosphate-binding protein, identification as immunophilin (human), **215,** 212
esophageal, bombesin receptor antagonistic activity of Kuwanon G and H isolated from mulberry (mouse), **213,** 594
fertilization, sea urchin egg, effect of dansylated mastoparan and related peptides, **215,** 828
integration, role of cleaved N-terminal signal sequence of cardiac Na^{+}/Ca^{2+} exchanger, **212,** 968
integrity, and type I iodothyronine 5′-monodeiodinase activity, effect of fenvalerate (murine kidney, liver), **214,** 905
larval midgut, resistant strains of *Plutella xylostella,* binding of *Bacillus thuringiensis* CryIA crystal proteins, immunohistochemical detection, **212,** 388
microsomal, interaction with hepatitis A virus 3A protein in bacterial expression system, **211,** 627
mitochondrial
  depolarization, induction by potassium channel opener RP 66471 (rat liver), **207,** 126
  outer
    hepatocytic, permeability for ADP and oxidative phosphorylation, role of cytoplasmic cellular structures (rat), **213,** 138
    in permeabilized cardiac and hepatic cells, degree of rupture, correlation with ADP-regulated respiration kinetics (rat), **208,** 919; *erratum,* **211,** 1099
organization of N-terminal proton-translocating domain of pyridine nucleotide transhydrogenase β subunit (*Escherichia coli*), **214,** 230
pancreatic acinar cells, protein kinae Cα association with, effect of integrin-linked tyrosine phosphorylation (rat), **208,** 978
peripheral blood and chronic leukemic lymphocytes, lectin binding profiles: discriminative ability of *Maackia amurensis* agglutinin (human), **209,** 921
resistance, role of dystrophin/actin interaction (rabbit), **213,** 295
synaptosomal
  associated proteins, PMA-stimulated and Ca^{2+}/calmodulin-dependent phosphorylation *in vivo,* modulation by estradiol and pregnenolone sulfate (rat brain), **207,** 606
  binding to radiolabeled cannabinoid receptor ligand, effects of anandamide and 2-arachidonoylglycerol (rat), **215,** 89
  cortical and cerebellar, Mg^{2+}/Ca^{2+} activity *in vivo,* neuroactive steroid effects (rat), **212,** 178
transient, aortic endothelial cell, acetylcholine-induced hyperpolarization, potentiation by bradykinin (rabbit), **213,** 1061
translocation, ricin A chain hydrophobic region with role in, function as noncleaved signal peptide, **217,** 68
Meprin A
  encoding gene *MEP1A,* fine mapping to chromosome 6p21 (human), **216,** 630
  role in pathogenesis of acute renal failure (mouse), **208,** 498
Mercaptodicarbanonaborates
  inhibition of mitochondrial L-glycerol-3-phosphate dehydrogenase, **210,** 760
Mercuric chloride
  induced autoimmunity, tissue injury in, role of nitric oxide (rat), **217,** 515
Meromyosin
  heavy, dissociation of F-actin in presence of hsp90, induction by ATP (human), **211,** 166
  light chain isoforms with different primary structures, induction in fast skeletal muscle by temperature acclimation (carp), **208,** 118
MERRF–MELAS overlap syndrome
  affected family, mitochondrial tRNA$^{\mathrm{Ser(UCN)}}$ gene in, point mutation, identification, **214,** 86
Mesangial cells
  cell line, growth arrest by transforming growth factor β1, association with inhibition of mitogen-induced Ca^{2+} mobilization (murine kidney), **210,** 378
  effects of glycated albumin, mediation by ligand receptor system (murine kidney), **207,** 521
  expression of Flt-1 and vascular endothelial growth factor (rat kidney), **209,** 218
  heme oxygenase-1 mRNA regulation in, role of prostaglandin E$_2$ (rat), **212,** 617
  inducible nitric-oxide synthase expression, modulation by high glucose levels and role of protein kinase C (mouse), **207,** 80
  interleukin-1β-induced NO synthase expression, suppression by cyclosporin A (rat kidney), **216,** 438
  mitogenesis in, suppression by adrenomedullin via cAMP pathway (rat), **215,** 868
  phenotypic change, induction by transfection of angiotensinogen and renin genes *in vivo* (human), **206,** 525
  stretching, stimulation of tyrosine phosphorylation of focal adhesion kinase pp125$^{\mathrm{FAK}}$ (rat), **212,** 544
  synthesis of extracellular matrix proteins in culture, nitric oxide effects (rat), **207,** 120

Mesangial cells (*continued*)
  vascular cell adhesion molecule-1 expression, cytokine-induced, mediation by nuclear factor κB (rat), **206,** 462
Mesenchymal cells
  limb bud chondrogenesis
    in vitro, concurrent cAMP-induced phosphorylation of 40-kDa nuclear protein (chicken), **212,** 16
    protein kinase C isozymes required for, expression (chicken), **216,** 1034
  palate, retinoic acid-induced gene expression, inhibition by 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (murine embryo), **207,** 690
Mesoderm
  dorsal, inducing activity of cloned activin βD (*Xenopus laevis*), **210,** 581
  formation in *Xenopus* explants, expression of *Xenopus* homologue of *sonic hedgehog* during, induction by activin, **207,** 1
Messenger RNA
  β-actin, expression patterns in HL-60, U937, and WISH cell lines during apoptosis (human), **211,** 491
  adenomatous polyposis coli, assay in tissue (human), **217,** 385
  α2-adrenoreceptor and, expression in white adipocytes, enhancement by direct effect of androgens (hamster), **206,** 112
  Ah receptor, expression in keratinocytes, effects of retinoic acid (human), **209,** 706
  amino acid transporter, regional expression and dietary regulation (rat), **216,** 249
  5-aminolevulinate synthase, iron-responsive element in, binding by ferrochelatase, **214,** 875
  apolipoprotein B, associated editing protein gene, cloning and structural analysis (mouse), **214,** 653
  apolipoprotein B-100, estrogen-induced increase in inbred strains, role of decreased RNA editing protein mRNA (mouse), **212,** 381
  argininosuccinate lyase, tissue expression, effect of lipopolysaccharide treatment *in vivo* (rat), **215,** 148
  argininosuccinate synthetase, tissue expression, effect of lipopolysaccharide treatment *in vivo* (rat), **215,** 148
  asialoglycoprotein receptor, differential expression in brain areas, kidney, and thyroid (rat), **210,** 138
  binding properties of wheat germ protein synthesis initiation factor 2, **214,** 1033
  calcitonin receptors type 1 and type 3, generation by alternative splicing and expression in human tumor cell lines and renal tissue, **209,** 744
  cAMP response element binding protein, effect of *in vivo* isoproterenol treatment (rat heart), **215,** 1043
  cardiac Na^+/H^+ exchanger, developmental changes (rabbit), **212,** 960
  c-Met, expression in fetal and adult brain (rat), **210,** 231
  c-myc, levels in human prostatic LNCaP cells in relation to cell proliferation, effects of 5α-dihydrotestosterone, **208,** 603
  cyclin D1, expression in murine liver regeneration model and in regenerating human hepatic liver tissue, **209,** 648
  cyclooxenase-2, expression in macrophages, effects of proinflammatory cytokines (human), **208,** 582
  cytochrome P450, expression in colon and rectum (human), **210,** 350
  cytochrome P450 1A1
    effects of dietary ellagic acid inhibition of benzo[*a*]pyrene hydroxylase (rat liver), **201,** 1477; *erratum,* **207,** 1058
    expression in keratinocytes, effects of retinoic acid (human), **209,** 706
  cytochrome P450 27, renal and hepatic expression, effects of 1α,25-dihydroxyvitamin D_3 (rat), **215,** 136
  dystrophin, effect of exposure to dibutyryl cAMP in C2C12 muscle cell line (mouse), **210,** 654
  endogenous Mn-containing superoxide dismutase, and plasmid MnSOD transcripts, differentiation with RT-PCR, **216,** 610
  endothelin-1, expression in experimental pulmonary hypertension (rat), **215,** 981
  estrogen receptor, wild-type and variant, differential expression by stocks of MCF-7 breast cancer cells, role in differences in estrogen responsiveness (human), **210,** 609
  α-fetoprotein, hepatocellular carcinoma-associated, detection in blood (human), **207,** 813
  α-globin and β-globin, translation, amounts of protein synthesis initiation factors required for, analysis (rabbit), **210,** 370; *erratum,* **213,** 367
  α2-globin, elongated, detection in reticulocytes from normal patients and subjects with terminating codon or poly A mutations, **214,** 1184
  γ-glutamylcysteine synthetase heavy and light subunits, levels in normal human tissues, comparison (human), **206,** 584
  glyceraldehyde-3-phosphate dehydrogenase, levels in cytokine-activated endothelial cells, stimulation by endogenous nitric oxide (mouse), **217,** 363
  glycogen synthase kinase-3α, levels in streptozotocin-induced diabetic rat liver, effect of insulin, **217,** 250
  gonadotropin-releasing hormone and GnRH receptor, detection in mammary gland (mouse), **207,** 800
  G-protein activated potassium channels GIRK1, GIRK2, and GIRK3, distinct distributions in brain (mouse), **208,** 1166
  growth hormone receptor, detection in choroid plexus epithelial cell line (sheep), **217,** 349
  guanylyl cyclase-coupled natriuretic peptide receptor-A1 isoform, localization to renal papilla and adrenal (rat), **209,** 930
  heme oxygenase-1, interleukin-1-induced, regulation in mesangial cells: role of prostaglandin E_2 (rat), **212,** 617
  heparin-binding EGF-like growth factor, expression in kidney in streptozotocin-induced diabetic rat, **207,** 216
  hepatic microsomal triglyceride transfer protein, regulation by dietary fats (hamster), **212,** 473
  hepatocyte growth factor, expression in fetal and adult brain (rat), **210,** 231
  hepatocyte growth factor receptor, expression in vascular tissues (rat), **215,** 483
  histidyl-tRNA synthetase-homologous polypeptide, encoding by gene in head-to-head configuration with HRS gene (human), **210,** 556
  ICAM-1 and selectins, differential induction in hepatic cells during endotoxemia (rat), **211,** 74
  insulin-like growth factor receptor, expression in atherosclerotic lesions (rabbit), **209,** 182
  insulin receptor, alternative splicing, effects of endurance train-

ing (rat), **210,** 766
interferon regulatory factor 1, induction in pancreatic β cells, inhibition by nicotinamide (rat), **215,** 524
interleukin-1 receptor antagonist, expression in cultured monocytes, modulation by gonadal steroids (human), **209,** 279
interleukin-6, full-length, ribozyme-mediated cleavage, *in vitro* effect of NCp7 (human), **214,** 36
from late phase liver regeneration, differential display and cloning (rat), **212,** 21
liver-specific genes, levels in cultured hepatocytes, regulation by extracellular matrix (rat), **210,** 38
macrophage inflammatory protein-1α, post-transcription regulation in alveolar macrophages (rat), **211,** 289
in macrophages and hematopoietic tissues, 4-kb, shared short nucleotide sequence with erythropoietin mRNA (mouse), **209,** 1076
mdr1b, expression in primary hepatocyte culture, modulation by growth factors (rat), **215,** 179
metalloendopeptidase with ability to cleave β-amyloid precursor protein substrate peptide, cloning and expression (human brain), **213,** 66
metallothionein III, content of C6-glial cells, modulation by transfection with human 5-HT_{1D} receptor genes (rat), **214,** 639
MHC class I, expression in hepatoma cells *in vitro,* regulation by bile acids (human), **208,** 935
mitochondrial, stability, regulation of mitochondrial genome expression during liver development (rat), **217,** 1094
mucosal addressin cell adhesion molecule-1, characterization (mouse), **216,** 170
neo gene, expression in various normal human cells and tumor cell lines after introduction by VL30 vectors, **209,** 677
nitric-oxide synthase
  cytokine-mediated expression in retinal pigment epithelial cells, inhibition by transforming growth factor β (human), **215,** 386
  expression in cultured aortic smooth muscle cells, induction by transferrin (rat), **213,** 608
  induction by interleukin-1β in insulin-producing cells, effect of pyrrolidine dithiocarbamate (human), **210,** 816
  levels in lipopolysaccharide-treated RAW 264.7 macrophages, effect of extracellular ATP (mouse), **214,** 125
nm23, levels in human prostatic LNCaP cells in relation to cell proliferation, effects of 5α-dihydrotestosterone, **208,** 603
obese
  enhanced expression in adipose tissue in ventromedial hypothalamus lesioned-rat, **211,** 469
  expression level in adipose tissue of lean and obese littermates, comparison (rat), **209,** 944
κ-opioid receptor gene sequence, identification and isolation from lymphocytes (human, monkey), **209,** 1003
ornithine decarboxylase, accumulation in thymocytes undergoing apoptosis upon heat shock treatment and gamma irradiation (rat), **216,** 708
osteocalcin-related protein, expression in gonadal tissues (male mouse), **215,** 412
p68 RNA helicase, conserved 3′ end, proteins binding to, detection in male germ cell extracts (mouse), **214,** 632
parathyroid hormone-related peptide, regulation by hypertension (rat), **208,** 447
P-glycoprotein, expression in primary hepatocyte culture, modulation by growth factors (rat), **215,** 179
PIG-A, constitutive expression in tissues (mouse), **215,** 497
platelet-activating factor acetylhydrolase γ-subunit, expression in tissues (human), **214,** 180
precursor, amyloid precursor protein, alternative splicing in PC19 cells, effects of *c-jun* transformation (mouse), **206,** 821
preproendothelin-1 from heart and kidney, expression in stroke-prone spontaneously hypertensive rat, effect of salt loading, **209,** 161
proopiomelanocortin gene upstream transcripts, characterization and regulation (mouse), **210,** 281
prostatic acid phosphatase, differential regulation by androgen (rat), **213,** 861
P-selectin, levels in capillary endothelial cells, upregulation by tumor necrosis factor α (bovine), **210,** 174
small intestinal peptide, regional expression and dietary regulation (rat), **216,** 249
squid sodium channel subtype SQSC1, tissue distribution, **206,** 807
superoxide dismutase, induction by interleukin-1β in insulin-producing cells, effect of pyrrolidine dithiocarbamate (human), **210,** 816
thromboxane A_2 synthase in U937 cells, post-transcriptional regulation, **209,** 901
thyroid hormone receptor subtypes, downregulation by amiodarone during catecholamine stress *in vitro* in murine AT-1 cardiomyocytes, **211,** 991
transferrin, 5′-untranslated region, binding by iron-regulatory protein in sequence-specific manner (human), **212,** 925
transmembrane protein-tyrosine phosphatase LRP and mRPTPσ, expression, modulation by PDGF receptor kinase and growth arrest in 3T3 fibroblasts (mouse), **209,** 614
tumor necrosis factor α, levels in lipopolysaccharide-treated RAW 264.7 macrophages, effect of extracellular ATP (mouse), **214,** 125
vasoactive intestinal peptide, 3′-untranslated region, binding of sequence-specific proteins to, **211,** 819
WAF1, expression in human fibroblasts, induction by interleukin-1: accumulation mechanism, **216,** 429
Metabolites
  electrophilic, enzymes associated with, inhibition by azide, **212,** 834
Metalloendopeptidase
  h-MP78, with ability to cleave β-amyloid precursor protein substrate peptide, cloning and expression (human brain), **213,** 66
Metalloproteinases
  with fibrinogenolytic activity, characterization (*Trimeresurus mucrosquamatus*), **216,** 223
  matrix, and matrilysin, proteolytic inactivation of α_1-antitrypsin, comparison (human), **204,** 613; *erratum,* **206,** 438
Metallothionein IIA
  gene encoding, cadmium and Zn-mediated activation in HeLa cells, differential control, **207,** 160

Metallothionein III
  mRNA, content of C6-glial cells, modulation by transfection with human 5-HT$_{1D}$ receptor genes (rat), **214,** 639
Metals
  uptake by recombinant cambialistic superoxide dismutase, effect of growth conditions of host *Escherichia coli* (*Propionibacterium shermanii*), **216,** 841
Met-ase-1
  recombinant, expression (human), **217,** 675
Metastasis
  breast cancer, regression, and vitamin Q$_{10}$ therapy, progress, **212,** 172
  melanoma cell line, inhibition by introduction of chromosome 6, mechanism (human), **208,** 476
  NME1 and NME2 genes suppressing, differential expression and mutation in autologous melanoma cells with different metastatic potentials (human), **211,** 578
Methionine
  N-terminal, removal, role in antitumor activity of recombinant bovine seminal ribonuclease, **213,** 525
Methionyl-neurotrophin 3
  recombinant, translational termination in *Escherichia coli* (human), **211,** 40
Methoxsalen
  interaction with osteoblasts during irradation with long-wave ultraviolet light *in vitro* (rat), **207,** 877
  suppression of TCDD-induced cytochrome P450 *cyp1a-1* expression in HEPA-1C1C7 cells (mouse), **208,** 1124
5-Methoxyindole-3-acetic acid
  endogenous, in pineal, retina, and serum, identification and quantification by mass spectrometry (quail), **209,** 1132
5-Methoxy-3-(1-methylethoxy)benzo[b]thiophene-2-carboxamide-1-oxide
  inhibition of tumor necrosis factor-induced human aortic endothelial cell adhesion molecule gene expression, **214,** 6
8-Methoxypsoralen, *see* Methoxsalen
Methylase
  BamHI, and BamHI endonuclease, substrate recognition, effects of BAMHI restriction site base analog substitutions, **206,** 997
N-Methyl-D-aspartate
  dependent prostaglandin E$_2$ release by cultured astroglial cells, role of nitric oxide (human), **215,** 793
N-Methyl-D-aspartate receptor
  currents in hippocampal glial cells, effect of lysophosphatidylcholine (rat), **217,** 811
  subunits ε1 and ε2, as substrates for Fyn in postsynaptic density fraction isolated from rat brain, **216,** 582
Methylation
  carboxyl, *see* Carboxyl methylation
4-Methylcatechol
  autoxidation, as model for analysis of biosynthesis of copper amine oxidase quinonoid cofactor, **214,** 559
3-Methylcholanthrene
  and ethanol, combined treatment, effects on hepatic cytochrome P450 1A2 and 2E1 expression (rat), **211,** 497
Methylene
  conversion to keto groups, in hydrocarbon β-carotene, canthaxanthin biosynthesis by, encoding by single gene (*Agrobacterium aurantiacum, Alcaligenes* PC-1), **209,** 867
14α-Methylergosta-8,24(28)-dien-3β,6α-diol
  formation, azole antifungals associated with, mode of action and resistance to, **207,** 910
Methylesterase
  G25K-specific, in cerebral soluble and membrane fractions (rabbit), **208,** 174
N-Methyl-*N*-nitrosourea
  cell cycle-associated transient sequences in hepatic replicating DNA after administration (rat), **208,** 506
4-Methylumbelliferone, *see* Hymecromone
Methyl viologen, *see* Paraquat
Metronidazole
  inhibition of intestinal diamine oxidase (human, rabbit, rat), **212,** 589
Microcystin
  in vitro and *in vivo* binding to protein phosphatases 1 and 2A (*Microcystis aeruginosa*), **216,** 162
Microfilaments
  assembly, role in anti-IgM-dependent MAP kinase and p90^{rsk} activation in B cells (human), **209,** 1102
Microglia
  activation in mixed neuronal/glial cultures, in selective killing of cholinergic neurons (rat), **215,** 572
  expression of hepatocyte growth factor mRNA and c-Met mRNA in fetal and adult brain (rat), **210,** 231
Microinjection
  rap 2A point mutant proteins in *Xenopus* oocytes, effect on maturation and mottling, **216,** 748
Microsatellites
  D17S396, localization in nm23-H2 promoter region (human), **215,** 910
Microscopy, *see specific types*
Microsomal triglyceride transfer protein
  hepatic, mRNA levels, regulation by dietary fats (hamster), **212,** 473
Microsomes
  adrenal gland, high-level expression of cytochrome P4592D (guinea pig), **209,** 1149
  hepatic, metabolism of chloral hydrate, associated formation of malondialdehyde-modified 2′-deoxyguanosinyl adduct (mouse), **216,** 1110
  pericentral and periportal, production of hydroxyl radical, effect of pyrazole induction of cytochrome P4502E1 (rat), **215,** 698
Microtubules
  assembly *in vitro,* promotion by 35-kDa protein from term placenta (human), **208,** 1174
Microvessels
  endothelial cells, cerebral, delta sleep-inducing peptide in, peptidyl-dipeptidase A-catalyzed metabolism: cell culture model of blood–brain barrier (bovine), **210,** 987
Midgut
  isolation of RFamide peptide (*Periplaneta americana*), **213,** 519
  membranes, in larvae of resistant strains of *Plutella xylostella,* binding of *Bacillus thuringiensis* CryIA crystal proteins, immunohistochemical detection, **212,** 388

Midgut receptor
  effect of *Bacillus thuringiensis* CryIA toxins domain III exchanges on binding (gypsy moth), **216,** 306
Midkine
  derived synthetic peptides, effect on plasminogen activator activity in aortic endothelial cells (bovine), **206,** 468
  enhancement of plasminogen activator activity and neurite outgrowth extension, **216,** 574
Milk-producing cells
  mammary tissue, D-glucose uptake, mechanisms (rat), **211,** 986
Mineralization
  nodules, regulation by cyclic nucleotides (rat), **215,** 1104
  osteoblast-like osteosarcoma cells, and estrogen response element-mediated transcription, tamoxifen effects (human), **210,** 295
Mineralocorticoid receptor
  ligand-induced conformational changes, analysis by protease mapping (human), **215,** 286
Minicircles
  mtDNA, without replication origin, detection in cardiac muscle of normal subject, **215,** 952
Minisatellites
  H-*ras*, instability at, association with spontaneous embryo abortion (human), **214,** 788
Minoxidil
  as substrate of recombinant human liver thermolabile phenol sulfotransferase, characterization, **210,** 363
Mithramycin
  binding to spectrin, **212,** 428
Mitochondria
  calcium release, induction, in nitric oxide stimulation of insulin secretion (INS-1 cells), **217,** 584
  cardiac myocytes, activity, effect of cytokine-stimulated nitric oxide production (rat), **213,** 1002
  cerebral and hepatic, nitric-oxide synthase, immunocytochemical localization (rat), **213,** 896
  content in skeletal muscle, correlation with endothelial-type nitric-oxide synthase expression (rat), **211,** 375
  dysfunction in experimental dietary iron overload, relationship to free iron level (rat liver), **209,** 53
  F_1-ATPase complex, tryptophan phosphorescence study (bovine heart), **207,** 369
  fatty acid β-oxidation, role of carnitine (human), **213,** 1035
  genome, and mtDNA fragmentation, role in oxygen stress-induced apoptosis in fibroblasts (human), **209,** 723
  in vitro DNA replication system, isolation and characterization (maize), **208,** 287
  mass in coelomocytes, flow cytometric studies in single intact cells (earthworm), **214,** 503
  membrane depolarization, induction by potassium channel opener RP 66471 (rat liver), **207,** 126
  monoamine oxidase B inhibition by oxadiazolones and oxadiazolethiones, species differences (bovine, human, rat liver), **206,** 556
  outer membranes, in permeabilized cardiac and hepatic cells, degree of rupture, correlation with ADP-regulated respiration kinetics (rat), **208,** 919; *erratum,* **211,** 1099
  permeability transition
    effects of polycation peptides (rat), **217,** 144
    inhibition by polyamines and magnesium (rat liver), **207,** 661
  protonmotive force components, effect of K$^+$ concentration in suspension medium (rat liver), **210,** 98
  respiration, inhibition
    in immuno-stimulated J774.2 macrophages, role of endogenous peroxynitrite (mouse), **209,** 739
    by *p*-quinone methide (rat), **209,** 6
  toxins, isolated hepatocytes exposed to, irreversible damage in, association with sodium-mediated cell swelling, **206,** 180
  transcription, cAMP-dependent protein kinase-mediated, assessment in *TPK1, TPK2,* and *TPK3* mutants (*Saccharomyces cerevisiae*), **206,** 756
  translation, age-associated changes (murine brain), **217,** 668
  translocation of basic peptides into, role of peptide-sensitive channels (yeast), **211,** 92
  tricarboxylate transport protein, high-yield bacterial expression, purification, and functional reconstitution (rat liver), **207,** 783
  uptake of newly synthesized aspartate aminotransferase, effect of mutations, **214,** 511
  whole, genome amplification, in identification of basal level multiple deletions in mtDNA of dilated cardiomyopathy patients, **210,** 211
Mitochondrial DNA
  A7237T mutation, absence in Parkinson's disease (human), **211,** 700
  accumulation of deletions during tissue aging, long PCR analysis (human), **217,** 59
  basal level multiple deletions in dilated cardiomyopathy patients, identification by whole mitochondrial genome amplification, **210,** 211
  carrying pathogenic point mutation, segregation in cytoplasmic hybrid cells (human), **213,** 189
  deletion analysis: comparison of PCR quantitative methods (human), **207,** 839
  in maternally inherited cardiomyopathy, mtDNA point mutation, description (human), **213,** 588
  minicircles, without replication origin, detection in cardiac muscle of normal subject, **215,** 952
  and mtDNA fragmentation, role in oxygen stress-induced apoptosis in fibroblasts (human), **209,** 723
  mutations
    Leber's hereditary optic neuropathy-associated
      analysis in cytoplasmic hybrid cells (human), **210,** 880
      ND6*14,484C, role in deficiency of respiratory chain complex I (human), **215,** 1001
    in mitochondrial myopathy, associated extensive tissue oxygenation (human), **213,** 432
    in recipient of heart transplantation with severe mitochondrial cardiomyopathy (human), **207,** 613
  non-insulin-dependent diabetes mellitus-associated mutation, identification (human), **209,** 664; *erratum,* **212,** 718
  point mutation, association with mitochondrial encephalocardiomyopathy (human), **216,** 835
  very-long-chain acyl-CoA dehydrogenase, genomic organization and mutation analysis (human), **217,** 987
Mitogen-activated protein kinase, *see* MAP kinase

Mitogenesis
  in mesangial cells, suppression by adrenomedullin via cAMP pathway (rat), **215,** 868
  related effects of endothelin-1, ET_A receptor-mediated impairment in scleroderma fibroblasts (human), **207,** 829
  T cells, regulation of DNA topoisomerase I during, analysis (human), **211,** 872
Mitogenicity
  12(S)-hydroxyeicosatetraenoic acid in microvascular endothelial cells (mouse), **211,** 462
Mitogens
  serum, modulation of protein kinase C ζ in preadipocytes (rat), **217,** 123
  stimulation of protein-tyrosine-phosphatase PTP35 expression in 3T3 fibroblasts (mouse), **217,** 154
Mitomycin C
  resistance, DT-diaphorase null mutant, establishment by gene targeting in embryonic stem cells (mouse), **214,** 701
Mitosis
  associated site Ser 75 in human $pp60^{c\text{-}src}$ from unsynchronized tumor cells with spherical morphology, phosphorylation, **216,** 619
MK571
  leukotriene D_4 antagonist, specific modulation of MRP-associated multidrug resistance (human), **208,** 345
Mocimycin
  Streptomyces collinus producing, *tufl* gene sequencing and phosphorylation pattern of EF-Tu1 during development and differentiation, **213,** 454
Models
  alignment-based, LamB glycoporin structure (*Vibrio parahaemolyticus, Yersinia enterocolitica*), **208,** 927
  animal, congenital defect of cholecystokinin A and B receptor gene expression (rat), **210,** 787
  computer, for sequence-dependent DNA binding of 4′,6-diamidino-2-phenylindole, **208,** 332
  detergent-treated, in analysis of induction of calcium-dependent proteolysis of N-cadherin in heart by elevated calcium levels, **217,** 649
  pulmonary epithelial cell line L2 for inducible nitric-oxide synthase-expressing distal airway epithelial cells (rat), **217,** 575
  three-dimensional, E-selectin, template for generation and comparison, **216,** 1018
Molecular mechanics
  AM1 calculation, electron affinities and ionization potentials of purines and pyrimidines in DNA and RNA, comparison with experimental values, **217,** 755
Molecular structure, *see also* Conformation
  covalent
    G protein γ_2 subunit, mass spectrometric determination (bovine brain), **212,** 367
    synapsin I, spontaneous alterations during *in vitro* aging (bovine brain), **212,** 442
  11β-hydroxysteroid dehydrogenase types 1 and 2 and 15-hydroxyprostaglandin dehydrogenase and homologs: structures stabilizing dimer interface (human), **217,** 859
  pituitary adenylate cyclase activating polypeptide receptor: function of amino-terminal fragment as high-affinity binding domain, **212,** 673
  prejunctional receptor binding analog of neuropeptide Y dimer ANA-NPY, **215,** 264
  secondary
    Alzheimer β protein, stabilization by aluminum(III) ions and D-Asp substitutions (human), **206,** 718
    β sheet, stable formation in polyalanine macromolecule, **211,** 7
    MHC class I and II peptide binding cleft and *Mycobacterium tuberculosis* chaperonin 10, homology, **211,** 14
    monoamine oxidase, Fourier transform infrared spectroscopy results (bovine, human), **208,** 773
    phospholamban, 2D NMR analysis, **217,** 1200
    RNA, and DNA template structure, effect on transcript elongation by RNA polymerases, **211,** 106
  soluble guanylyl cyclase cDNA (rat), **217,** 993
Molten globule
  related states, detection in cardiotoxin III (Taiwan cobra), **207,** 536
Molt-inhibiting hormone
  putative, cDNA encoding, molecular cloning and sequence analysis (*Callinectes sapidus*), **209,** 1126
Mono(ADP-ribosyl)ation
  histones in testis, effect of gonadotropin–testosterone system (rat), **215,** 808
Monoamine oxidase, *see* Amine oxidase (copper-containing); Amine oxidase (flavin-containing)
Monoamine oxidase B inhibitor
  susceptibility to oxadiazolones and oxadiazolethiones, species differences (bovine, human, rat), **206,** 556
Monocarboxylate transporter
  intestinal, cDNA cloning and functional characterization (rat), **217,** 370
Monocarboxylic acid transport
  intestinal, role of proton/monocarboxylate transporter MCT1 (CHO cells, rabbit, rat), **214,** 482
Monochlorohydrins
  linoleic acid-derived, pH-dependent alterations and *in vivo* existence, **215,** 945
Monoclonal antibodies
  9F5-3a, to oxidized high-density lipoprotein, characterization, **217,** 407
  acting as transforming growth factor α and EGF antagonists, effects on heparin-binding EGF-like growth factor binding to tumor cells overexpressing EGR receptors (human), **207,** 389
  in analysis of accessibility of surface mucin peptide regions on whole cells, **210,** 866
  anti-FLAG, reaction with Mg^{2+}-dependent protein phosphatase β isoform MPPβ4 (rat), **207,** 708
  anti-V3 domain, binding to HIV-1-infected CD4+ T cells, inhibition by sulfated polysaccharides, **209,** 850
  to apolipoprotein E4 polymorphic site, differentiation of apoE4 isoform, **216,** 467
  blocking binding of retinol-binding protein to receptor, epitope mapping (human), **210,** 105
  centrin detection in *Giardia* with, **214,** 597
  chimeric, with therapeutic potential for cancers overexpressing c-erB-2 protein, construction, **211,** 792

  to endothelial nitric-oxide synthase, in localization of NOS in cerebral and hepatic mitochondria, **213,** 896
  to ICAM-1, protection of kidney against severe ischemic reperfusion injury (rat), **211,** 67
  IgG class, Epstein–Barr virus-transformed lymphocytes producing, isolation, **207,** 985
  to rat proguanylin, in identification of immunohistochemical staining in rat small intestine and colon, **209,** 803
  in structure and function analysis of lipid droplet capsule in rat adrenal cells, **217,** 81
  3,5,3′-L-triiodothyronine nuclear receptor hormone-binding site characterization with, **210,** 464
Monocyte chemoattractant protein 1
  13-, 14-, and 15-kDa species with intact N-terminus, production by Sf9 baculovirus expression system, **206,** 955
Monocytes
  adhesion to endothelial cells by oxidatively modified low-density lipoprotein, mediation by CD11b activation (human), **206,** 621
  calcium signaling initiated by complement receptor type 1 crosslinking, mediation by Fcγ receptors *in cis* (human), **209,** 1032
  interleukin-1 receptor antagonist expression *in vitro,* modulation by gonadal steroids (human), **209,** 279
  –macrophages, THP-1, triglyceride-rich lipoprotein receptor, purification (human), **210,** 491
  peripheral blood
    endotoxin antagonism by DT-5461 with low endotoxicity (human), **216,** 367
    and U937 cells, α_1-proteinase inhibitor synthesis, effect of dexamethasone (human), **208,** 216
Monoepoxides
  linoleic acid-derived, pH-dependent alterations and *in vivo* existence, **215,** 945
  producing system, establishment using hydrogen peroxide-generating system, **216,** 483
N^G-Monomethyl-L-arginine
  effect on tissue injury in mercuric chloride-induced autoimmunity (rat), **217,** 515
Mononuclear cells
  circulating, insulin receptor, copreciptation with insulin-dependent phosphaitdylinositol 3′-kinase (human), **209,** 234
  peripheral blood
    glycerol-3-phosphate dehydrogenase activity, effects of insulin, obesity, and weight loss (human), **207,** 183
    HIV-1 replication in, polysaccharide MAR-10 inhibiting, isolation from *Hyssop officinalis,* **210,** 145
    intracellular Ca^{2+} increase, mediation by L-selectin antibody FMC46 (human), **217,** 1145
Monophenol monooxygenase
  tetrahydrobiopterin binding domain, role in melanogenesis (human), **206,** 480
Morphine
  endogenous, plasma levels, effects of fasting (rat), **207,** 312
  inhibition of nitric-oxide synthase induction in J774 macrophages, **212,** 975
Morphogenesis
  limb, additional, induction from flank by implantation of fibroblast growth factor 4-expressing cells at pre-limb bud stage (chicken), **209,** 809
  tubular, and plasminogen activator expression, modulation by angiogenin in endothelial cells (bovine), **211,** 476
Morphogens
  DIF-1, induction of erythroid differentiation in murine and human leukemia cells (*Dictyostelium discoideum*), **208,** 1036
3-Morpholinosydnonimine-*N*-ethylcarbamide
  nitric oxide from, and reactive oxygen species, synergism in damage of endothelial cells, **213,** 196
Morphology
  erythrocytes, changes, functional link with phosphorylation state of membrane proteins (human), **213,** 249
  spherical, retinoblastoma with, $pp60^{c\text{-}src}$ from, phosphorylation at novel site Ser 75 (human), **216,** 619
Motility
  hydrated phalloidin-F-actin and native F-actin, *in vitro* assay, **211,** 614
Mouse mammary tumor virus
  gene expression in 34I cells, suppression by oenothein B via inhibition of poly(ADP-ribose) glycohydrolase, **210,** 329
MRP, *see* Multidrug resistance protein
MSP23 protein
  thiol-specific antioxidant activity, inhibition by hemin (rat), **216,** 970
Msx2 homeodomain protein
  wild-type and mutant forms, DNA binding and transcriptional properties (human), **209,** 257
Mt element-binding protein
  nuclear and mitochondrial, universal mammalian presence (bovine, human, rat), **213,** 204
Mucin
  encoding genes, regulation by estrogen and dexamethasone, **217,** 1006
  high-molecular-weight, from sublingual gland, cloning (human), **217,** 1112
  surface, MUC1, peptide regions, access to, reduction by sialic acids, **210,** 866
Mucosa
  gastric
    effect of long-term omeprazole treatment (rat), **214,** 861
    hepatocyte growth factor gene expression, effect of *Helicobacter pylori* (human), **210,** 960
Mucous cells
  gastric, single, P_2-purinergic receptor, activation via extracellular nucleotide increase of cytosolic free calcium (human), **216,** 636
Multicatalytic endopeptidase complex
  26 S
    protein kinase associated with, phosphorylation of substrate, linkage to ATP-dependent proteolysis of proteasome, **213,** 7
    regulatory subunit p40, cDNA cloning: homologue of *Mov-34* gene product (human hepatoblastoma cells), **210,** 600
  90-kDa membrane-bound endogenous inhibitor, identification and purification from erythrocytes (human), **214,** 957
  α-type HC8 subunit gene, isolation and characterization (human), **207,** 318

Multicatalytic endopeptidase complex (*continued*)
  dependent proteolysis, as pathway for degradation of ligand-activated platelet-derived growth factor-β receptor, **217,** 224
  S100-containing fraction, in *in vitro* assay of nuclear factor κB inhibitor IκBα inactivation, **215,** 292
  subunits resolved by two-dimensional gels, partial sequencing (human), **205,** 1785; *erratum,* **207,** 1059
Multicatalytic proteinase, *see* Multicatalytic endopeptidase complex
Multidrug resistance
  breast cancer cells, heat shock-induced P-glycoprotein phosphorylation, role of phospholipase C (human), **210,** 21
  CHO cells exhibiting, verapamil-resistant mutants, selection and characterization, **209,** 497
  MDR-1 gene conferring
    deletion mutant, drug-stimulated ATPase activity, **216,** 602
    downstream promoter, sequence-specific binding of wild-type p53 (human), **217,** 825
    downstream promoter major transcriptional start site, region 3′ to, mediation of activation by subset of mutant p53 proteins (human), **217,** 333
Multidrug resistance protein
  associated multidrug resistance, specific modulation by leukotriene D_4 antagonist MK571 (human), **208,** 345
  MDR1, *see* P-glycoprotein
  modulation by bisindolylmaleimide PKC-inhibitor GF 109203X (human), **206,** 119
  MRP, associated multiple drug resistance, modulation by bisindolylmaleimide PKC-inhibitor GF 109203X (human), **206,** 119
  specific modulation by leukotriene D_4 antagonist MK571 (human), **208,** 345
Multidrug resistance transporters
  conferring brefeldin A resistance, characterization (*Schizosaccharomyces pombe*), **213,** 410
Multimeric assembly
  heterologous, role in K^+ activity of neuronal and cardiac G protein-activated inward rectifiers GIRK, **212,** 657
Muscle, *see also* Skeletal muscle; Smooth muscle
  cardiac
    cyclic ADP-ribose formation, kinetics (rat), **210,** 452
    mtDNA minicircles lacking replication origins, detection in normal subject, **215,** 952
    thyrotropin receptor identification (mouse), **211,** 426
  differentiation
    induction in P19 embryonal carcinoma cells, associated differential expression of myocyte-specific enhancer factor 2 homologue MEF2B (mouse), **213,** 555
    transcriptional regulation of phospholipase C-γ1 during (mouse), **206,** 194
  mitochondrial myopathy patients, extensive tissue oxygenation associated with mtDNA mutations, **213,** 432
Muscle cells, *see also* Cardiomyocytes; Myocytes
  striated, mature, sarcolemmal proteins, lateral diffusion, dystrophin effect, measurement by photobleaching technique (mouse, rat), **215,** 67
Muscular dystrophy
  mdx mouse model, skeletal muscle expression of adenovirus-delivered transgene, effect of immunosuppression by FK506, **213,** 569
Musk xylene
  effects on hepatic cytochrome P450 2B enzymes (mouse), **206,** 975
Mutagenesis
  adenosine deaminase cDNA *in vitro* to pentostatin-resistant form (human), **209,** 407
  deletion
    human tyrosine hydroxylase type 1 regulatory domain, **213,** 1099
    phospholipase C-δ1 putative EF-hand motif, **211,** 364
  GLUT1 glucose transporter, for analysis of cysteine role in GLUT1 function (*Xenopus laevis*), **208,** 590
  in vitro, in analysis of protein serine/threonine phosphatase 2Aα okadaic acid-responsive sequences, **214,** 518
  site-directed, *see* Site-directed mutagenesis
  subtilisin J: thermal stability improvement by changing of primary autolysis site, **207,** 20
  unnatural amino acid, in study of Thr-252 role in cytochrome $P450_{cam}$, **208,** 96
Mutagenicity
  5-hydroxymethyl-2-furaldehyde in *Salmonella typhimurium* TA104, and inhibiting effect of rat liver cytosolic sulfotransferase activity (rat), **209,** 996
Mutants
  cytokinesis, isolation by restriction enzyme-mediated integration of blastocidin S resistance marker (*Dictyostelium discoideum*), **205,** 1808; *erratum,* **208,** 1181
  D136N, Rab5 protein, functional and structural interactions with xanthine nucleotides (human), **215,** 241
  deletion, multidrug-resistance protein, drug-stimulated ATPase activity, **216,** 602
  dnaA, phenotype sensitivity to detergents and organic solvents (*Escherichia coli*), **212,** 84
  insulin-like growth factor I receptor, as dominant negatives for growth and transformation (human), **214,** 475
  L713F, poly(ADP-ribose) polymerase gain-of-function, characterization, **212,** 317
  melibiose carrier, Asp51→Ser, activity restoration with Gly113→Asp mutation (*Escherichia coli*), **209,** 242
  missense, α-galactosidase, in Fabry disease, stabilization by galactose (human), **214,** 1219
  mitochondrial aspartate aminotransferase, conformations, probing using protease sensitivity (rat), **215,** 800
  multidrug-resistant CHO cells with verapamil resistance, selection and characterization, **209,** 497
  myoglobin, carbonmonoxy complexes, CO stretch frequency in, determination, role of electrostatic interactions (human), **212,** 159
  null, DT-diaphorase, mitomycin C-resistance, establishment by gene targeting in embryonic stem cells (mouse), **214,** 701
  p53 protein subset, activation by, mediation by region 3′ to major transcriptional start site of MDR1 downstream promoter (human), **217,** 333
  polyomavirus enhancer, conferral of ubiquitous high transcription efficiency to SV40 late promoter, **207,** 339
  porin, with deletions in multiple genes, construction for analysis of porin role in *Pseudomonas aeruginosa* antibiotic suscep-

tibility, **213,** 88
  pro-sequences of carboxypeptidase Y, misfolding induced by, discrimination by unfolded protein response element (yeast), **209,** 31
  Rhodobacter capsulatus ahcY, pigment formation and photosynthetic growth, effects of rat liver *S*-adenosylhomocystein hydrolase expression, **207,** 265
  rhodopsin, transgenic mouse expressing, altered cAMP levels in retina, **216,** 755
  TPK1, TPK2, and *TPK3,* mitochondrial cAMP-dependent protein kinase activity and transcription in, assessment (*Saccharomyces cerevisiae*), **206,** 756
  and wild type, CD2 antigen, with large deletions in transmembrane domain, lateral diffusion (human), **208,** 1131
Mutational analysis
  mitochondrial very-long-chain acyl-CoA dehydrogenase DNA (human), **217,** 987
  Ser300 position of lactose repressor (*Escherichia coli*), **209,** 126
  vasoactive intestinal peptide-1 receptor cysteine residues in extracellular domains: identification of mutants defective in ligand binding (human), **211,** 901
Mutations
  A7237T, in mtDNA, absence in Parkinson's disease (human), **211,** 700
  in β_3-adrenergic receptor gene, association with obesity and hyperinsulinemia in Japanese subjects, **215,** 555
  amino acid substitutions
    all Trp→Phe in gramicidin A in model membranes, HPLC analysis, **209,** 466
    caused by missense mutation C522Y in β-hexosaminidase β-subunit gene from Japanese patient with infantile Sandhoff disease, **212,** 564
    Gly63→Glu63 in neurotrophin-3 gene, association with severe forms of schizophrenia (human), **209,** 513
    in human 5-HT_{1A} receptor, naturally occurring: Gly22 to Ser22 and Ile28 to Val28, **210,** 530
  Arg-104 in bacterial 6-phosphofructo-2-kinase/fructose 2,6-bisphosphatase, **213,** 663
  Asp, in phosphofructo-1-kinase, effects, role of charge neutralization in active site (*Escherichia coli*), **214,** 765
  base analog substitutions at BAMHI restriction sites in BamHI endonuclease and BamHI methylase, effects on substrate recognition, **206,** 997
  base substitution at splice site in GTP cyclohydrolase I gene, exon skipping caused by, in Japanese family with hereditary progressive dystonia/dopa-responsive dystonia, **213,** 645
  compound heterozygous, affecting hepatic and erythrocyte pyruvate kinase isozymes, identification (human), **208,** 991
  CYP11B1 gene, C→G transversion in exon 7, as cause of classic steroid 11β-hydroxylase deficiency (human), **216,** 723
  deletion
    accumulation in mitochondrial DNA during tissue aging, long PCR analysis (human), **217,** 59
    analysis in mitochondrial DNA by quantitative PCR methods (human), **207,** 839
    in CD2 wild type and mutant transmembrane domain, lateral diffusion (human), **208,** 1131
    epidermal growth factor receptor, defining region specifically mediating STAT transcription factor activation (human), **210,** 74
    homozygous, MTS1 gene, occurrence in non-astrocytic brain tumors (human), **211,** 404
    multiple basal level, identification in mtDNA of dilated cardiomyopathy patients, **210,** 211
    p15/MTS2 gene, analysis in malignant gliomas (human), **217,** 195
    in thyrotropin receptor extracellular domain, constitutive activation of TSHR (rat), **211,** 205
  glucocorticoid-resistant, isolation from AtT-20 cell line containing glucocorticoid-regulated selectable transgene (mouse), **209,** 18
  G protein, detection in tumors of pituitary, parathyroid, and endocrine pancreas (human), **211,** 1063
  histidine/methionine replacements, effects on cytochrome c thermostability (*Desulfovibrio vulgaris*), **211,** 742
  in *h*MTH1, identification in hereditary nonpolyposis colorectal cancer (human), **214,** 1239
  identification in family with fructose-1,6-bisphosphatase deficiency, **210,** 797
  insertion, A^{el} allele-specific nucleotide, at blood group ABO locus, detection using sequence-specific PCR (human), **216,** 642
  isoleucyl-tRNA synthetase carboxy terminal zinc finger, effect on zinc binding and aminoacylation activity (*Escherichia coli*), **216,** 648
  K-ras, in carcinoma cell lines, association with β1-6 branching of N-linked carbohydrate (human), **212,** 758
  in lumenal part of HMG-CoA reductase membrane domain, effect on regulated degradation of enzyme (CHO cells), **206,** 186
  missense, C522Y, in β-hexosaminidase β-subunit gene of Japanese patient with infantile Sandhoff disease, **212,** 564
  mitochondrial DNA
    of heart transplant recipient with severe mitochondrial cardiomyopathy (human), **207,** 613
    Leber's hereditary optic neuropathy-associated
      analysis in cytoplasmic hybrid cells (human), **210,** 880
      ND6*14,484C, role in deficiency of respiratory chain complex I (human), **215,** 1001
    in mitochondrial myopathy, associated extensive tissue oxygenation (human), **213,** 432
    non-insulin-dependent diabetes mellitus-associated, identification (human), **209,** 664; *erratum,* **212,** 718
  in newly synthesized mitochondrial aspartate aminotransferase, effect on uptake into mitochondria, **214,** 511
  NF1 gene, in Japanese patients with neurofibromatosis 1, **212,** 697
  NME1 and NME2 genes, role in tumor cell metastatic potential (human), **211,** 578
  nonsense
    ceruloplasmin gene, identification in patient with hereditary ceruloplasmin deficiency with diabetes mellitus, **217,** 89
    proteolipid protein gene, as cause of X-linked spastic paraplegia in twin males, **215,** 835

- Mutations (*continued*)
  - point
    - *de novo,* in lysosomal α-D-glucosidase gene, resulting in infantile form of Pompe's disease, identification (human), **208,** 886; *erratum,* **213,** 367
    - identification in mitochondrial tRNA$^{Ser(UCN)}$ gene in family with MERRF/MELAS overlap syndrome, **214,** 86
    - mitochondrial DNA
      - association with mitochondrial encephalocardiomyopathy (human), **216,** 835
      - in maternally inherited cardiomyopathy (human), **213,** 588
    - pathogenic, tRNA^{leu3243}, mitochondrial DNA carrying, segregation in cytoplasmic hybrid cells (human), **213,** 189
    - rap 2A proteins with, microinjection in *Xenopus* oocytes, effect on maturation and mottling, **216,** 748
    - in *RET* protooncogene, identification in TT human medullary thyroid carcinoma cell line, **207,** 1022
    - in second phosphatase domain of CD45, abrogation of tyrosine phosphatase activity (mouse), **206,** 302
    - somatostatin receptor 2 gene, detection in COR-L103 cells (human), **210,** 805
  - poly A, reticulocytes from α-thalassemia patients with, detection of second elongated α2-globin mRNA, **214,** 1184
  - to potential phosphorylation sites in recombinant R domain of cystic fibrosis transmembrane conductance regulator, effects on domain conformation, **206,** 207
  - putative subunit of β cell ATP-sensitive K channel, screening of Japanese non-insulin-dependent diabetes mellitus patients for, **211,** 1036
  - RNA splicing, identification in Japanese patient with Wilson disease, **217,** 16
  - Ser→Cys, in extracellular portion of insulin receptor β subunit, effects on insulin-insulin receptor complex internalization in CHO cells, **210,** 931
  - serine, on nuclear localization signal of hepatitis B virus core protein, effect on nuclear transport by surface proteins (human), **213,** 1068
  - single base-pair change, ATG→ATC, effect on fumarase activity (*Saccharomyces cerevisiae*), **215,** 578
  - substituting tryptophan with arginine in C-terminal noncollagenous domain of collagen X in Schmid metaphyseal chondrodysplasia, identification, **217,** 1157
  - transforming growth factor β receptor type II gene, relationship to genomic instability in hereditary nonpolyposis colorectal cancer (human), **216,** 452
  - vasopressin type 2 receptor gene
    - in patients with congenital nephrogenic diabetes insipidus, **205,** 552; *erratum,* **207,** 1059
    - R143P and ΔV278, in patients with nephrogenic diabetes insipidus, functional properties, **211,** 967
- Myelin-associated glycoprotein
  - recombinant, recognition by anti-carbohydrate antibodies of L2/HNK-1 family (human), **217,** 171
- Myeloglycan
  - E-selectin-binding polylactosaminolipids, in normal leukocytes and myelocytic leukemia HL60 cells, identification (human), **209,** 777
- Myoblasts
  - gene transfer into, cationic multilamellar liposome-mediated (rat), **207,** 8
  - L-185 and C2, sarcolemmal proteins, lateral diffusion, dystrophin effect, measurement by photobleaching technique (mouse, rat), **215,** 67
  - and myocytes and nonmuscle cells, cardiac, ventricular myosin light chain-2 promoter activity, effects of enhancer sequences (rat), **210,** 260
  - proliferation *in vitro*, relationship to interleukin-6 secretion by satellite cells (human), **216,** 49
  - skeletal muscle, cultured, glycogen synthase kinase-3, effect of insulin (human), **210,** 738
- Myocardium, *see also* Heart
  - flavin reductase, mediation of riboflavin cardioprotective effects during reoxygenation injury (rabbit), **212,** 35
  - growth, regulation by 1,25-dihydroxyvitamin D_3 (rat), **213,** 59
  - ischemic, associated increase in plasma nitric oxide end products (dog), **211,** 370
  - noninfarcted, L-type calcium channel gene expression: reemergence of fetal pattern during left ventricular remodeling (rat), **216,** 892
- Myocytes, *see also* Cardiomyocytes; Muscle cells
  - C2C12, terminal differentiation, regulation of cyclin and p34^{cdc2} expression (mouse), **206,** 82
  - and cardiac nonmuscle cells, ventricular myosin light chain-2 promoter activity, effects of enhancer sequences (neonatal rat), **210,** 260
  - L6
    - glucose transport and transporter gene expression in, glucocorticoid effects (rat), **206,** 51
    - insulin-stimulated glucose transport *in vitro,* inhibition by triacylglycerol, **207,** 768
  - skeletal, L6, Ca^{2+}-sensitive potassium channels, activation by arginine vasopressin, role of extracellular Ca^{2+}, **217,** 1163
- Myocyte-specific enhancer factor 2
  - expression in embryonal carcinoma cells: differentially expressed MEF2B homologue (mouse), **213,** 555
- Myofibrils
  - from fast and slow skeletal muscle, Ca^{2+}-activated ATPase in, pH dependence: role of troponin (chicken), **207,** 585
  - myosin unfolding in, effects of nucleotide, differential scanning calorimetry analysis (rabbit skeletal muscle), **217,** 592
- Myoglobin
  - mutants, carbonmonoxy complexes, CO stretch frequency in, determination, role of electrostatic interactions (human), **212,** 159
- Myometrium
  - agonist-stimulated phasic contractions, effects of 2,5-di(*tert*-butyl)-1,4-hydroquinone (rat), **207,** 891
  - phasic contractions, effects of thimerosal (rat), **211,** 1
- Myopathy
  - mitochondrial, mtDNA mutations in, associated extensive tissue oxygenation (human), **213,** 432
- Myosin
  - cardiac, heavy chain genes, regulation by cyclical mechanical

  stretch in cultured myocytes (human), **210,** 567
  head, elasticity, direct measurement (rabbit), **211,** 219
  light chain, 20-kDa regulatory, dephosphorylation, stimulation by cyclic strain in vascular smooth muscle cells (bovine aorta), **205,** 79; *erratum,* **207,** 1058
  light chain 1, atrial, enzyme immunoassay in ventricular aneurysms (human), **207,** 75
  light chain 2, ventricular, gene promoter activity in heart muscle and nonmuscle cells, effects of enhancer sequences (rat), **210,** 260
  non-muscle, alkali light chain gene, upregulation during cardiac hypertrophy and transition to heart failure (rat), **209,** 527
  unfolding in myofibril, effects of nucleotide, differential scanning calorimetry analysis (rabbit skeletal muscle), **217,** 592
Myosin I
  brush border, gene encoding, detection in various tissues (bovine, rat), **211,** 331
  phosphorylation by protein kinase C, effect on calmodulin binding (rat liver), **216,** 90
Myosin-light-chain kinase
  nonmuscle and smooth muscle isoforms, developmental and tissue distribution of expression (chicken), **217,** 696
  substrate peptide, addition, dephosphorylation of 30-kDa protein of fowl spermatozoa by, inhibition of flagellar motility, **215,** 706
Myotonia
  affected muscle, and normal muscle, sarcolemmal chloride and potassium channels, analysis in lipid-supplemented vesicles (mouse), **213,** 513
Myotonic dystrophy
  myotonin-protein kinase genes, expanded (CAG/CTG) repeats in, detection by high-stringency hybridization (human), **212,** 341
Myotonin protein kinase
  encoding gene, differential expression in discrete areas of human brain, **216,** 489
Myotubes
  dysgenic, cloned neuronal Ca^{2+} channels expressed in, modulation through membrane-delimited pathway, **208,** 485
  protein breakdown, inhibition by insulin-like growth factor-1, associated autocatalytic inactivation of lysosomal cathepsins (mouse), **208,** 353
Myriocin
  suppression of T cell proliferation via modulation of sphingolipid metabolism, identification of serine palmitoyltransferase as primary target (mouse), **211,** 396
Myristicin
  induction of rat hepatic cytochrome P450, **217,** 966
Myristoylation
  and amino-terminal palmitoylation, role in membrane binding of $p56^{lck}$ (HeLa cells), **207,** 868
Myristoyl CoA:protein *N*-myristoyltransferase
  subcellular localization, activation, and kinetic behavior in presence of organic solvents, **208,** 617
N-Myristoyl protein
  sequence determination by MALDI TOF MASS and polymyxin acylase, **217,** 632
N-Myristoyltransferase
  differential activation by cytosolic activator NAF_{45} (bovine brain), **212,** 580

N

NAD (nicotinamide adenine dinucleotide)
  intracellular concentration, decrease with HIV infection (human), **212,** 126
NAD^+ (oxidized nicotinamide adenine dinucleotide)
  alloxan-induced decrease in β cells, blockage by glucose (rat), **210,** 1
NAD^+ ADP-ribosyltransferase
  activity in U937 cell subclones with different susceptibility to HIV-1 infection (human), **213,** 161
  gain-of-function mutant, characterization, **212,** 317
NAD glycohydrolase, *see* NAD^+ nucleosidase
NADH (reduced nicotinamide adenine dinucleotide)
  and NADPH, binding sites in D-lactate dehydrogenase, discrimination between, role of conserved Asp-175 (*Lactobacillus delbrueckii bulgaricus*), **208,** 895
NADH-coenzyme Q reductase
  phospholipid-dependent, purification from liver plasma membrane (pig), **212,** 138
NADH dehydrogenase
  mitochondrial
    subunit 1, amino-terminal peptides, potent chemoattractant activity (mouse), **211,** 812
    subunit 3, identification as thyroid hormone-regulated gene by whole genome PCR analysis (rat), **210,** 995
NAD^+ nucleosidase
  glycosylphosphatidylinositol-anchored, expression in HL-60 cells differentiated by phorbol ester, **213,** 730
  related activity in cardiac muscle, kinetics (rat), **210,** 452
NADPH (reduced nicotinamide adenine dinucleotide phosphate)
  and NADH, binding sites in D-lactate dehydrogenase, discrimination between, role of conserved Asp 175 (*Lactobacillus delbrueckii bulgaricus*), **208,** 895
NADPH–cytochrome P450 reductase, *see* NADPH–ferrihemoprotein reductase
NAD(P)H dehydrogenase
  27- and 31-kDa, plasma membrane, topography (onion root), **216,** 1054
NAD(P)H dehydrogenase (quinone)
  gene targeting in embryonic stem cells: establishment of null mutant and mitomycin C-resistance (mouse), **214,** 701
NADPH–ferrihemoprotein reductase
  reversible inhibition by α-lipoic acid (rat), **214,** 1246
NADPH oxidase
  activation in neutrophils, effect of hyperphosphorylation of p47-phox (guinea pig), **216,** 203
  neutrophil, $p47^{phox}$ cytosolic component, translocation to plasma membrane in cell-free system, role of protein kinase C-mediated phosphorylation (human), **211,** 410
NADPH–protochlorophyllide oxidoreductase
  light-enhanced gene expression (*Cucumis sativus*), **210,** 310
NAF_{45}
  differential activation of cerebral *N*-myristoyltransferases (bovine), **212,** 580

Naphthalene dioxygenase
  stereospecific sulfoxidation, **212,** 9
Natriuretic factor receptor
  atrial and type C, guanylate cyclase, transduction activities, single amino acid residue-linked signaling shifts, **212,** 1046
Natural killer enhancing factor
  recombinant, antioxidant function (human), **208,** 964
Nck protein
  altered expression in streptozotocin-treated rat, **212,** 933
ND-1 protein
  point mutation associated with non-insulin-dependent diabetes mellitus, identification (human), **209,** 664; *erratum,* **212,** 718
NDF–heregulin
  bioactive synthetic peptide analog of, characterization, **210,** 441
Necdin
  neuron-specific gene expression, cis-acting elements required for, determination *in vivo* (zebra fish), **211,** 438
  suppression of cell growth, **213,** 317
Necrosis
  DNA cleavage to large kilobase pair fragments in, **207,** 40
Neointima
  formation in carotid arteries, effect of antisense oligonucleotides to nuclear factor κB p65 subunit (rat), **213,** 827
  growth in porcine coronary model of restenosis, effect of retroviral suicide vector, **207,** 89
Neomycin
  in production of mutant mouse from double gene-converted ES cells, **213,** 130
  resistance, gene encoding, mRNA expression in various normal human cells and tumor cell lines after introduction by VL30 vectors, **209,** 677
Neprilysin
  CD10/neutral, encoding gene, 5′ region, characterization, **207,** 933
  isolation of endothelin converting enzyme free of contamination by, methodology, **207,** 355
Nerve growth factor
  binding to p75 NGF receptor, inhibition by PD 90780, **217,** 488
  promotion of amyloid precursor protein secretion via muscarinic receptor activation, **213,** 15
Nerve growth factor receptor
  p75, binding to NGF, inhibition by PD 90780, **217,** 488
Nerves
  peripheral, tau protein preparation: insoluble high-molecular-weight tau with high phosphorylation (rat), **210,** 338
  vagus, polarized and depolarized, water in, spin-lattice relaxation times (rabbit), **215,** 459
Nerve terminals, *see* Synaptosomes
Nervous system, *see also* Central nervous system
  neuronal tissues, and cardiac tissues, protein kinase C isoform expression and subcellular localization (*Limulus polyphemus*), **208,** 463
Neural cells
  cerebral cortical, isolated, carnitine metabolism, effect of γ-aminobutyric acid (rat), **213,** 383
Neural crest cells
  wild-type and white axolotl, effects of melanocyte-stimulating hormone, **210,** 239
Neuralization
  ectoderm, induction by dominant negative bone morphogenetic protein 4 receptor (*Xenopus laevis*), **212,** 212
Neuraminidase
  effect on accessibility of surface mucin peptide regions on whole cells, **210,** 866
  –hemagglutinin, *see* Hemagglutinin–neuraminidase
Neurites
  outgrowth extension, enhancement by midkine, **216,** 574
Neuritogenesis
  role of inward rectifier K^+ current modulation of tyrosine phosphorylation of $pp125^{FAK}$ and associated proteins in neuroblastoma cells (mouse), **210,** 823
Neuroendocrine protein 7B2
  role as molecular chaperone in *in vitro* folding of human insulin-like growth factor I secreted from yeast, **211,** 417
  transcriptional-activating sequences, identification (human), **216,** 1
Neurofibrillary tangles
  in Alzheimer's disease, interaction with apolipoprotein E (human), **208,** 657
Neurofibromatosis type 1
  affected patient, reduced neurofibromin content and normal GAP activity, caused by five-base-pair duplication in exon 12B of NF1 gene, **214,** 895
  Japanese patients with, NF1 gene mutations in, **212,** 697
Neurofibromin
  reduced content, in patient with neurofibromatosis type 1, caused by five-base-pair duplication in exon 12B of NF1 gene, **214,** 895
Neurofilaments
  degradation, role of ubiquitination, **217,** 529
  heavy subunits, progressive hyperphosphorylation as age-related effect (rat), **215,** 368
Neurokinin receptor
  antagonists, effects on binding of growth hormone-releasing peptide to EP-1 human neuroblastoma cells, **214,** 454
  NK1, biotinylated fusion protein expressed in Semliki Forest virus system, functional activity (human), **208,** 260
Neuromedin C
  binding of Cu(II) and Ni(II) via ATCUN motif: implications for central nervous system and cancer growth, **209,** 877
  conformation, effect of membranes, **214,** 663
Neurons
  cholinergic, cultured, neurotoxic effects of microglial activators, **215,** 572
  c-Met mRNA expression, and hepatocyte growth factor-induced tyrosine phosphorylation and Ras activation, in fetal and adult brain (rat), **210,** 231
  cultured, internalization of homeobox-derived short peptide *retro-inverso* form, **214,** 685
  identification of ceruloplasmin as endogenous depolarizing factor, **207,** 599
  inferior colliculus, cultured, P_{2Y} purinoceptor-operated K^+ channel, regulation by pertussis toxin-insensitive G protein βγ subunits (rat), **214,** 589
  necdin gene expression in, cis-acting elements required for, determination *in vivo* (zebra fish), **211,** 438

oxidative stress-induced cell death *in vitro*, protection by 17β-estradiol (murine HT22 cells), **216,** 473
related specificity of squid sodium channel subtype SQSC1 (*Loligo bleekeri*), **206,** 807
survival motor, gene transcript analysis in muscles from spinal muscular atrophy patient, **213,** 342

Neuropathy, *see* Familial amyloidotic polyneuropathy type I; Leber's hereditary optic neuropathy

Neuropeptides
FMRFamide-related peptide from triclad turbellarian, primary structure (*Dugesia tigrina*), **209,** 689
PACAP38, inhibition of calmodulin, **208,** 280

Neuropeptide Y
dimer ANA-NPY, prejunctional receptor binding analog, structure, **215,** 264

Neurotoxicity
associated effects of microglial activators on cultured cholinergic neurons, **215,** 572

Neurotoxins
type A and B, encoding genes, structure (*Clostridium botulinum* strain AB), **213,** 737
type A, poisoning by, effect on formation and disassembly of synaptosomal fusion complex, **212,** 945

Neurotransmission
sympathetic, inhibitory role of nitric oxide (PC12 cells), **216,** 686

Neurotrophin-3
gene encoding, Gly63→Glu63 mutation, association with severe forms of schizophrenia (human), **209,** 513

Neutral endopeptidase
activity in osteoblasts and preosteoblasts, differential effects of parathyroid hormone and calcitriol combined with growth factors, **210,** 197

Neutral endopeptidase 24.11, *see* Neprilysin

Neutrophil elastase
induced intracellular Ca^{2+} changes in tracheal gland cells and role in NE-induced exocytosis (human), **212,** 307

Neutrophils
adhesion to human umbilical vein endothelial cells via E-selectin, induction by lipoteichoic acid, **217,** 1208
apoptosis, inhibition by agents elevating cAMP (human), **217,** 892
binding to E-selectin, role of sialyl Lewis X moiety (rat), **215,** 547
calcium entry, stimulation by soluble cellular factor (human), **206,** 348; *erratum,* **208,** 1182
calcium signaling initiated by complement receptor type 1 crosslinking, mediation by phagocyte Fcγ receptors *in cis* (human), **209,** 1032
chemotaxis, potent attractant activity of peptides from aminoterminus of mouse mitochondrially encoded NADH dehydrogenase subunit 1 (rabbit), **211,** 812
cytosolic free Ca^{2+}, LPS-induced increase, prevention by Kunitz-type trypsin inhibitor (human), **207,** 324
5,15-dihydroxyeicosatetraenoic acid and lipoxin generation after A23187 stimulation *in vitro,* as asthma biomarker (human), **207,** 273
Fc-mediated phagocytosis potentiation in, role of 55- and 75-kDa tumor necrosis factor receptor (human), **214,** 44
formyl peptide- and PMA-stimulated, protein kinase C isoform redistribution (human), **212,** 664
hepoxilin binding activity (human), **207,** 191
NADPH oxidase activation in, effect of hyperphosphorylation of p47-phox (guinea pig), **216,** 203
peripheral blood, and bone marrow and plasma, 6- and 8-kDa precursors of human neutrophil peptides, isolation and sequence analysis, **211,** 1053
phosphatidylinositol 3-kinase-dependent and -independent chemotaxis (human), **217,** 1255
stimulated with tumor necrosis factor α, cytosolic phospholipase A_2, phosphorylation and activation, role of MAP kinase-independent pathway (human), **209,** 271
storage of type II 14-kDa phospholipase A_2 in granules and secretion of active enzyme in response to soluble stimuli (human), **208,** 650

Nevirapine
and other HIV-1-specific non-nucleoside reverse transcriptase inhibitors, sensitivity/resistance profile of SIV containing HIV-1 RT gene, **211,** 850

NF-κB/Rel protein
transcriptional inhibition of inducible nitric-oxide synthase gene, **209,** 73

Nickel
affinity of *DAN* gene product (rat), **216,** 209
effect on cytosolic free Ca^{2+} concentration in cultured enterocytes (human), **210,** 948; *erratum,* **214,** 1268

Nicotinamide
effect on HIV-1 in acute and chronic *in vitro* infection, **210,** 954
inhibition of interferon regulatory factor 1 mRNA induction and interleukin-1β-induced NO synthase expression in pancreatic β cells, **215,** 524

Nicotinate adenine dinucleotide phosphate
enzymatic synthesis and degradation in tissues (rat), **209,** 167

Nicotine
modulation of eye cyclic-nucleotide gated channels, **214,** 879

Nitrate
and nitrite, plasma levels, increase after myocardial ischemia–reperfusion (dog), **211,** 370

Nitric oxide
activation of metalloprotease enzymes in articular cartilage (bovine, human), **206,** 15
–L-arginine conversion to
as major source of plasma nitrite during fasting (human), **209,** 590; *erratum,* **211,** 705
in placenta, relationship to polyamines (human), **212,** 229
cytokine-stimulated production, effect on mitochondrial activity in cardiac myocytes (rat), **213,** 1002
effect on synthesis of collagen, fibronectin, and laminin by cultured mesangial cells (rat), **207,** 120
and endogenous peroxynitrite, inhibitory effect on mitochondrial respiration in J774.2 macrophages (mouse), **209,** 739
endogenous, stimulation of glyceraldehyde-3-phosphate dehydrogenase mRNA levels in cytokine-activated endothelial cells (mouse), **217,** 363
exogenous, dose-dependent induction of apoptosis in macrophages (mouse), **209,** 519

Nitric oxide (*continued*)
  formation of pentacoordinate nitrosyl–heme complex formation on soluble guanylate cyclase, EPR study, **207,** 572
  immunomodulatory effects on mast cells, role of cyclic nucleotides (mouse), **210,** 507
  increased biosynthesis in leukotoxin-injured lung (rat), **210,** 133
  inhibitors and donors, modulation of heme oxygenase activity in brain and spleen (rat), **214,** 1152
  inhibitory role in sympathetic neurotransmission (PC12 cells), **216,** 686
  interaction with brain nerve terminals, EPR analysis (rat), **212,** 404
  and NF-κB, differential regulation in silica- and lipopolysaccharide-induced macrophages (mouse), **214,** 839
  nucleotide-selective cleavage of duplex DNA, **211,** 748
  production
    by activated macrophages, effect of serine and cysteine proteinase inhibitors, mechanism (rat), **215,** 721
    and inducible nitric-oxide synthase and tumoricidal activity in mononuclear phagocytes, coordinate up- and down-modulation by lipopolysaccharide and gram-negative bacteria (rat), **211,** 183
    by lymphatic endothelial cells *in vitro* (sheep), **217,** 96
    by osteocytes and periosteal fibroblasts, effect of pulsating fluid flow in relation to prostaglandin upregulation (chicken), **217,** 640
    in platelets, relationship with cytosolic Ca^{2+} concentration, direct measurement, **215,** 842
    by Sertoli cells, induction by cytokines and lipopolysaccharide (rat), **213,** 218
    suppressors, induction of arginase in bone marrow-derived macrophages (mouse), **206,** 667
  and reactive oxygen species, synergism in damage of endothelial cells (rat), **213,** 196
  reduction to nitrous oxide, catalysis by cytochrome-c oxidase (bovine), **212,** 1054
  regulation of interleukin-8 expression
    in endothelial cells (human), **211,** 671
    in melanoma cells at transcriptional level (human), **214,** 949
  release
    by 3,4-dihydro-1,2-diazete 1,2-dioxides, kinetics, and vasodilatory properties *in vitro* and *in vivo*, **214,** 1023
    by aortic endothelial cells, stimulation by oxidized low-density lipoprotein (rabbit), **207,** 231
    during ischemia of canine heart, role of α1-adrenoceptor, **212,** 1133
    in isolated perfused lung, measurement (rat), **208,** 1016
  resistance of Ca^{2+} capacitative influx into platelets (human), **212,** 90
  reversible inactivation of calpain isoforms (human, rat), **207,** 1009
  role in
    central control of blood pressure (rats), **206,** 77
    N-methyl-D-aspartate-dependent release of prostaglandin E_2 from cultured astroglial cells (human), **215,** 793
    tissue injury in mercuric chloride-induced autoimmunity (rat), **217,** 515
  stimulation of insulin secretion by induction of calcium release from mitochondria (INS-1 cells), **217,** 584
  systems generating, inhibition of ADPribose pyrophosphatase-I, mechanism (rat), **213,** 1075
Nitric oxide radicals
  flavonoids as scavengers, **214,** 755
Nitric oxide-releasing compounds
  NOC-18, dose-dependent induction of apoptosis in macrophages (mouse), **209,** 519
Nitric-oxide synthase
  age-dependent changes in brain (rat), **215,** 822
  and arginase, co-induction in lipopolysaccharide-activated macrophages (mouse), **210,** 1009
  constitutive, neuronal, regulation in pineal gland by environmental lighting (rat), **212,** 70
  detection in silkworm *Bombyx mori*, **207,** 452
  distal airway epithelial cells expressing, rat pulmonary epithelial cell line L2 as model, **217,** 575
  effect on electrical activity of mouse pancreatic β cells, **210,** 914
  and elevated platelet calcium mobilization, in platelets, as reflection of abnormalities in schizophrenic brain, **212,** 375
  encoding gene, transcriptional inhibition by competitive binding of NF-κB/Rel proteins, **209,** 73
  endothelial
    effect of estrogen (bovine, human), **214,** 847
    expression in skeletal muscle cells, correlation with mitochondrial content (rat), **211,** 375
    gene core promoter activity, role of Sp1 binding site in GC-rich region (human), **216,** 729
    inducible, and neuronal isoforms, functional expression in baculovirus-infected insect cells (human), **206,** 511
    production in baculovirus-infected Sf21 cells, heme requirement, **208,** 10
  immunocytochemical localization in cerebral and hepatic mitochondria (rat), **213,** 896
  inducible
    expression in macrophages and glomerular mesangial cells, modulation by high glucose levels and role of protein kinase C (mouse), **207,** 80
    gene expression, inhibition by nonsteroidal anti-inflammatory drugs (rat), **208,** 1053
    gene transcription, in NO production by activated macrophages, effect of serine and cysteine proteinase inhibitors (rat), **215,** 721
    and nitric oxide production and tumoricidal activity in mononuclear phagocytes, coordinate up- and down-modulation by lipopolysaccharide and gram-negative bacteria (rat), **211,** 183
    NOS2, gene sequence duplication, molecular genetic analysis (human), **212,** 466
  induction in
    endotoxin-induced shock, inhibition by phenyl *N-tert*-butyl nitrone (mouse), **215,** 114
    J774 macrophages, inhibition by opioids, **212,** 975
    primed peritoneal macrophages by phosphatidylinositolmannoside-based liposomes (mouse), **208,** 295
  interleukin-1β-induced expression in
    pancreatic β cells, inhibition by nicotinamide (rat), **215,** 524

rat renal mesangial cells, suppression by cyclosporin A, **216,** 438
in LPS- and interferon-γ-activated macrophages, inhibition by curcumin (mouse), **206,** 533
mRNA
cytokine-mediated expression in retinal pigment epithelial cells, inhibition by transforming growth factor β (human), **215,** 386
induction by interleukin-1β in insulin-producing cells, effect of pyrrolidine dithiocarbamate (human), **210,** 816
induction by transferrin in cultured aortic smooth muscle cells (rat), **213,** 608
levels in lipopolysaccharide-treated RAW 264.7 macrophages, effect of extracellular ATP (mouse), **214,** 125
neuronal, modular structure: localization of arginine binding site and modulation by pterin (rat), **210,** 288
NO-mediated inhibition, protective effect of tetrahydrobiopterin (human), **206,** 380
particulate and soluble forms, in RAW 264.7 macrophage cells, characterization (mouse), **210,** 711
primary sequence, identification of pterin-binding domain (rat), **206,** 736
relationship to lipopolysaccharide effect *in vivo* on tissue expression of argininosuccinate synthetase and argininosuccinate lyase mRNAs (rat), **215,** 148
role in cGMP formation by cytokine- and hemin-treated cerebral capillary endothelial cells (rat), **214,** 1
silica-induced production in macrophages, role of NF-κB activation, **214,** 985
type III
endothelial, cysteine 99, role in tetrahydrobiopterin-dependent NOS-III stability and activity (human), **215,** 1119
gene transcriptional activation, role of Sp1 (human), **213,** 673
Nitrite
and nitrate, plasma levels, increase after myocardial ischemia–reperfusion (dog), **211,** 370
plasma, L-arginine:nitric oxide pathway as major source during fasting (human), **209,** 590; *erratum,* **211,** 705
Nitrite reductase
electrochemical studies toward biosensor development, **209,** 1018
o-Nitrobenzyl group
and *trans-o*-hydroxycinnamoyl group, caged compounds of L-leucyl-L-leucine methyl ester containing, synthesis and cytotoxic activity, **213,** 652
Nitrogen oxide
mediated inhibition of nitrogen oxide synthase, prevention, role of tetrahydrobiopterin (human), **206,** 380
p-Nitrophenyl β-D-cellotrioside
stereoselective hydrolysis, catalysis by *Bacillus* endoglucanase in family D, **212,** 539
S-Nitroso-*N*-acetyl-DL-penicillamine
nitric oxide from, and reactive oxygen species, synergism in damage of endothelial cells, **213,** 196
S-Nitroso-cysteine
regulation of i_sK protein expression in oocytes via cGMP-independent mechanism (*Xenopus laevis*), **207,** 195
Nitrosyl group
–heme pentacoordinate complex, formation on soluble guanylate cyclase, EPR study, **207,** 572
Nitrous oxide
nitric oxide reduction to, catalysis by cytochrome-c oxidase (bovine), **212,** 1054
Nociceptin
precursor protein, *N23K* gene encoding, characterization (mouse), **217,** 539
Nodules
mineralization, regulation by cyclic nucleotides (rat), **215,** 1104
Nonsteroidal anti-inflammatory drugs
inhibition of inducible nitric oxide-synthase gene expression (rat), **208,** 1053
Noradrenalin, *see* Norepinephrine
Nordihydroguaiaretic acid
reduction of interleukin-1β-induced enhancement of amyloid precursor protein processing in PC12 cells, **208,** 542
Norepinephrine
induced emptying of $InsP_3$-sensitive Ca^{2+} stores, subsequent α1B adrenergic receptor activation of Ca^{2+} influx in PC C13 cells via tyrosine kinase/phosphotyrosine phosphatase pathway (rat thyroid), **209,** 630; *erratum,* **210,** 1083
local and systemic levels, relationship with reduction in β-adrenoceptor positive inotropic effects in transition from left ventricular hypertrophy to failure (rat), **206,** 814
release from PC12h cells, role of HPC-1/syntaxin-1A (rat), **212,** 97
Norepinephrine transporter
encoding gene, coding region, molecular cloning and organization (human), **215,** 1145
Nose
chemosensory tissue, guanylyl cyclase, identification (bovine, rat), **216,** 242
Noxiustoxin
chemical synthesis, and structural and functional characterization (scorpion), **213,** 901
NS3 protein
hepatitis C virus, C-terminal domain, identification of RNA helicase activity, **215,** 160
Nuclear antigens
Epstein–Barr virus, EBNA2, transactivation of chemokine receptor BLR2/EBI1 expression, **215,** 737
S/G_2, with WD-40 motifs, cDNA clone isolation and sequencing (human), **207,** 1029
Nuclear basic protein
SP4, variant, occurrence in sperm (*Xenopus laevis*), **214,** 622
Nuclear factor 1α dimerization cofactor
hepatic, and 4a-hydroxy-tetrahydropterin dehydratase, activity during human fetal development, **217,** 958
Nuclear factors, *see also* Hepatocyte nuclear factors; Transcription factors
multi-strand binding to repressor of mammary tumor virus transcription, kinetic analysis (mouse), **209,** 379
NF-IL6, activation of placental lactogen gene expression (human), **206,** 215
NFκB
activation, blockade by Cu^{2+} via inhibition of signal-induced phosphorylation of inhibitory protein IκBα, **216,** 568
inhibition by pyrrolidine dithiocarbamate, effect on endothelial cell activation (pig), **214,** 212

- Nuclear factors (*continued*)
  - inhibitor IκBα, inactivation, assay, **215,** 292
  - mediation of cytokine-induced vascular cell adhesion molecule-1 expression in glomerular mesangial cells (rat), **206,** 462
  - and NO, differential regulation in silica- and lipopolysaccharide-induced macrophages (mouse), **214,** 839
  - p65 subunit, antisense nucleotides to, effect on human vascular smooth muscle cell adherence and proliferation and neointima formation in rat carotid arteries, **213,** 827
  - related site in tumor necrosis factor-α repressor element, role in repressor function (human), **212,** 879
  - Rel protein, transcriptional inhibition of inducible nitric-oxide synthase gene, **209,** 73
  - role in activation of silica-induced inflammatory mediator production in macrophages (mouse), **214,** 985
  - tumor necrosis factor α- and phorbol 12-myristate 13-acetate-induced activation in COS-1 cells, effects of catalase overexpression, **210,** 537
  - NF-Y, binding to fibroblast growth factor-4 promoter, role in FGF-4 enhancer activity (mouse), **211,** 519
- Nuclear hormone receptor
  - DAX-1, promoter, steroidogenic factor-1 response element in, identification (human), **214,** 576
- Nuclear localization
  - C-terminal domain of cell cycle-dependent AH protein sufficient for, analysis (human), **212,** 220
- Nuclear localization sequence
  - associated region of SV40 large T antigen fused to β-galactosidase, nuclear transport, measurement, **217,** 419
- Nuclear localization signals
  - hepatitis B virus core protein, single serine mutation, effect on nuclear transport by surface proteins (human), **213,** 1068
- Nuclear magnetic resonance
  - in analysis of *Escherichia coli* ribonucleotide reductase mechanism, **214,** 28
  - ^{13}C, in structure confirmation of three hetero disaccharides, **214,** 568
  - ^{1}H
    - in determination of ω-conotoxin MVIIC solution structure, **207,** 695
    - water in polarized and depolarized vagus nerves, spin-lattice relaxation times (rabbit), **215,** 459
  - rotating-frame exchange, under supercooled conditions, detection of transient interresidue hydrogen bond in sucrose in aqueous solution, **215,** 504
  - two-dimensional
    - in analysis of interaction of cobalt complex of bleomycin functional model with $d(CGCAATTGCG)_2$, **212,** 995
    - in analysis of phospholamban secondary structure, **217,** 1200
- Nuclear matrix
  - association with low-molecular-weight GTP-binding proteins (carrot), **210,** 7
  - condensation in cultured hepatocytes, effect of exposure to cyproterone acetate and phenobarbital (rat), **215,** 598
- Nuclear matrix protein
  - binding RNA, identification of galectin-3 as, **217,** 292
- Nuclear proteins, *see* Nucleoproteins
- Nuclear receptor
  - endogenous, all-*trans* retinoic acid binding affinity, relationship to retinoic acid receptor α protein modulation (human), **213,** 112
- Nuclear translocator
  - for aromatic hydrocarbon receptor, *see* Aromatic hydrocarbon receptor nuclear translocator
- Nuclear transport
  - fusion protein consisting of SV40 large T antigen nuclear localization sequence region and β-galactosidase, measurement, **217,** 419
  - hepatitis B virus core protein by surface proteins, effect of single serine mutation on HBV core protein nuclear localization signal (human), **213,** 1068
- Nucleic acid
  - vaccination, induction of antibodies to *Schistosoma japonicum* paramyosin, **212,** 1029
- Nucleocapsid protein
  - NCp7, *in vitro* effect on ribozyme-mediated cleavage of full-length human interleukin-6 mRNA (human), **214,** 36
- Nucleolar organizer proteins
  - B23 and C23, silver staining, role of specific aspartic acid-rich sequences, **207,** 485
  - B23–nucleophosmin, localization and oligomerization states, cell cycle phase-dependent changes (HeLa cells), **217,** 313
- Nucleolus
  - localization of interferon-inducible autoantigen IFI 16, **214,** 152
- Nucleophosmin
  - –B23 protein, localization and oligomerization states, cell cycle phase-dependent changes (HeLa cells), **217,** 313
- Nucleoproteins
  - 23-kDa, tyrosine phosphorylation in U937 cells, augmentation by tumor necrosis factor α via ceramide signaling pathway (human), **215,** 489
  - 34-kDa, phosphorylation status in liver and hepatocytes *in vitro,* effect of phenobarbital (rat), **216,** 947
  - 60-kDa, phosphorylation, dual modulation in interferon-α-treated Daudi cells, **208,** 819
  - cell cycle-dependent 350-kDa: C-terminus sufficient for nuclear localization (human), **212,** 220
  - with DNA-binding ability, homologue from human cDNA on chromosome 1q21, isolation and cloning (mouse), **208,** 999
  - and RNA polymerase II, tyrosine residues, phosphorylation by active chromatin tyrosine kinase (hamster), **209,** 356
- Nucleoside diphosphate kinase
  - activation in HL-60 cell membranes by synthetic lipopeptides, **209,** 575
  - cytosolic, ribosome-associated, role in GTP channeling for protein synthesis *in vitro* (*Dictyostelium discoideum*), **209,** 490
- Nucleosomes
  - complexed with histone H1 and HMG17, actin ATP/ADP binding domains conserved in, **212,** 509
- Nucleotide-diphosphate kinase
  - subunits A and B, differential gene expression and mutation in autologous cultured melanoma cells with different metastatic potential (human), **211,** 578

Nucleotide exchange factor
  SOS, activation and translocation, in macrophage-stimulating factor activation of Ras protein, **216,** 110
Nucleotides
  A^{el} allele-specific insertion, at blood group ABO locus, detection using sequence-specific PCR (human), **216,** 642
  effects on skeletal muscle myosin unfolding in myofibrils, differential scanning calorimetry analysis, **217,** 592
  interaction with GM–CSF: identification of N-terminus peptide as initiation site (human), **208,** 390
Nucleotide sequence
  A2 gene in MHC *DQ* subregion (bovine), **212,** 110
  activin β_C chain cDNA (human liver), **206,** 608
  activin βD (*Xenopus laevis*), **210,** 581
  adrenocorticotropic hormone receptor gene (mouse), **212,** 912
  alcohol dehydrogenase *ADH7* gene
    human, **212,** 875
    upstream structure (human), **216,** 216
  allergen Mal d 1 cDNA (apple), **214,** 538
  amino acid transporter cDNA (rat), **216,** 249
  angiotensin II receptor type 2 gene (human), **209,** 554
  anti-Müllerian hormone type II receptor gene (human), **215,** 1029
  apolipoprotein(a) gene (human), **209,** 365
  apolipoprotein B mRNA editing protein gene (mouse), **214,** 653
  autocrine motility factor receptor gene, 5′ region (human), **212,** 727
  basic and acidic calponin cDNAs (human), **217,** 238
  BCL-6 gene promoter region (human), **214,** 461
  bovp2y gene (bovine), **212,** 648
  bradykinin B_2 receptor cDNA (human), **211,** 226
  brain-specific G protein gamma subunit (mouse), **216,** 126
  BRE cDNA (human), **206,** 764
  brevican core protein cDNA (rat), **216,** 957
  α-bungarotoxin cDNA (*Bungarus multicinctus*), **216,** 1088
  C-2k cDNA: *cdc2*-related protein kinase (human endothelial cells), **208,** 562
  cardiac C-protein isoform cDNA (*Ambystoma mexicanum*), **213,** 225; *erratum,* **215,** 791
  cardiac troponin T gene embryonic alternative transcription initiation site and 5′-upstream region (mouse), **214,** 1168
  Ca^{2+}-sensing receptor cDNA (human), **214,** 524
  catechol 2,3-dioxygenase gene
    Alcaligenes sp. KF711, **208,** 943
    intergenic region (*Pseudomonas putida* KF715), **211,** 382
  cathepsin K cDNA (human), **206,** 89
  CCAAT/enhancer-binding protein α gene (human), **215,** 106
  CD10/neutral endopeptidase 24.11 gene, 5′ region, **207,** 933
  cellular genes transcriptionally suppressed by v-*src* (mouse), **206,** 916
  cerebral glycinecyclohexylpiperidine-binding protein cDNA, **216,** 390
  cholecystokinin type-A receptor gene (rat), **213,** 958
  collagen type VI gene (chicken), **215,** 1050
  corticotropin and melanotropin cDNAs: distinct genes (lamprey), **213,** 490
  α-crystallin cDNA (frog), **210,** 974
  αβ-crystallin cDNA (frog), **216,** 881
  βBp-crystallin cDNA (*Rana catesbeiana*), **217,** 940
  ρ-crystallin cDNA: aldo-keto reductase family member (frog), **214,** 1079
  CYB5 gene 5′ region and exons (human), **209,** 894
  cystathionine β-synthase cDNA (human), **211,** 826
  cytochrome P450
    CYP2D subfamily-associated cDNA (rat brain), **209,** 535
    CYP4F subfamily cDNAs (rat brain), **217,** 1137
    genes expressed in porcine ovary, **212,** 433
    P450A and *CYP2E1* cDNAs (human), **209,** 717
  4-(γ,γ-dimethylallyl)tryptophan synthase gene (*Claviceps purpurea*), **216,** 119
  DMA and *DMB* genes of MHC class II (bovine), **217,** 522
  Doc2β with two C2-like domains, cDNA, **217,** 1053
  elongation factor 1β′ cDNA (rice seed), **209,** 1026
  endothelin-converting enzyme cDNA (human renal adenocarcinoma cells), **208,** 721
  erythropoiesis-stimulating activity gene (*Streptomyces thermoviolaceus*), **215,** 48
  erythropoietin mRNA: short region shared with macrophage-specific 4-kb mRNA (mouse), **209,** 1076
  EWS pseudogene in Ewing's sarcoma (human), **213,** 1051
  fibrinogenolytic protease cDNA (*Trimeresurus mucrosquamatus*), **216,** 223
  folate transporter cDNA (human placenta), **206,** 681
  gastrin gene (mouse), **216,** 34
  GHRG-1 gene product (chicken), **206,** 153
  glucagon receptor gene 5′ flanking region (human), **208,** 339
  γ-glutamylcysteine synthetase light subunit cDNA (human liver), **206,** 584
  GM-CSF distal 5′-flanking region gene (human), **214,** 1015
  G protein-activated potassium channel GIRK1, GIRK2, and GIRK3 cDNA (murine brain), **208,** 1166
  G protein-coupled receptor UHR-1 cDNA (rat hypothalamus), **209,** 606
  heat shock factor 1 α and β isoform cDNAs (mouse), **211,** 943
  heat shock protein 90β gene 5′ region (chicken), **206,** 644
  heat shock protein gene (*Desulfurococcus* strain SY), **214,** 730
  high-molecular-weight mucin cDNA from sublingual gland (human), **217,** 1112
  histamine H_2 receptor (human), **210,** 616
  HOXA1 transcripts (human), **215,** 713
  3-hydroxysteroid sulfotransferase cDNA (guinea pig), **217,** 1078
  inducible nitric-oxide synthase NOS2 duplicated sequences (human), **212,** 466
  β1 integrin cDNA (human), **214,** 279
  intestinal trefoil factor
    5′-region (human), **214,** 195
    mouse, rat, **210,** 31
  keratin 16 type I cDNA (human), **215,** 517
  lactase-phlorizin hydrolase gene 5′-flanking region (rat), **209,** 989
  late phase liver regeneration gene clones 2-4 and 2-6 (rat), **212,** 21
  lebocin cDNA (*Bombyx mori*), **214,** 271
  lumQ gene (*Photobacterium leiognathi*), **217,** 684
  lysosome-associated membrane protein-2B cDNA (human), **215,** 757

Nucleotide sequence (*continued*)
  macrophage inflammatory protein-1α cDNA (rat), **211,** 289
  melanotropin and corticotropin cDNAs: distinct genes (lamprey), **213,** 490
  metalloendopeptidase h-MP78 cDNA (human), **213,** 66
  molt-inhibiting hormone cDNA (*Callinectes sapidus*), **209,** 1126
  monocarboxylate transporter cDNA (rat intestine), **217,** 370
  mucosal addressin cell adhesion molecule-1 mRNA (mouse), **216,** 170
  N23K gene encoding nociceptin precursor protein (mouse), **217,** 539
  NADPH–protochlorophyllide oxidoreductase cDNA (*Cucumis sativus*), **210,** 310
  neuroendocrine protein 7B2 DNA (human), **216,** 1
  neurotoxin type A and B genes (*Clostridium botulinum* strain AB), **213,** 737
  nitric-oxide synthase pterin-binding domain (rat), **206,** 736
  nm23-H2 gene (human), **215,** 910
  non-muscle myosin alkali light chain gene (rat), **209,** 527
  obese cDNA (rat), **209,** 944; **211,** 469
  δ-opioid receptor gene (mouse), **207,** 111
  κ-opioid receptor cDNA (mouse), **209,** 639
  μ-opioid receptor
    cDNA (rat), **209,** 563
    gene promoter (rat), **215,** 591
  P1 gene promoter sequences, alignment (rat), **208,** 802
  P_{2Y} purinoceptor cDNA (mouse, rat), **211,** 211
  p40 cDNA: regulatory subunit of 26S proteasome (human), **210,** 600
  peroxinectin cDNA (crayfish blood), **216,** 1079
  peroxisome proliferator activated receptor δ with CGG triplet repeat (rat), **217,** 1015
  6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase brain-specific cDNA (bovine), **209,** 1140
  phospholipid transfer protein gene
    exon–intron junctions (human), **207,** 552
    promoter (human), **217,** 705
  PIG-A 5′-flanking region (mouse), **215,** 497
  platelet-derived growth factor β receptor gene promoter region (rat), **210,** 165
  platelet phenolsulfotransferases cDNA (human), **208,** 855
  pleiotrophic factors α and β mRNA (*Xenopus laevis*), **214,** 432
  pregnancy-specific glycoprotein variant cDNA (human), **211,** 656
  progesterone receptor gene 5′ region (mouse), **205,** 1093; *erratum,* **207,** 476
  protein-tyrosine kinase *iyk* gene (mouse), **209,** 582; *erratum,* **211,** 100
  prtR gene (*Porphyromonas gingivalis* W50), **207,** 424
  pterin-4α-carbinolamine dehydratase cDNA (human), **210,** 966
  RAC-protein kinase γ cDNA (rat), **216,** 526
  red pigment-concentrating hormone precursor cDNA (*Callinectes sapidus*), **212,** 151
  regulatory region of *lumP* and *lux* operon (*Photobacterium leiognathi*), **210,** 938
  rhodanese cDNA (mouse), **216,** 1101
  ribosomal proteins
    S6 cDNAs (chicken), **210,** 384
    S21, L39, L7, and L18a cDNAs (rat), **213,** 1042
  RPL15 gene (*Thermoplasma acidophilum*), **209,** 684
  RVLG gene, **207,** 405
  ryudocan promoter gene (human), **212,** 1139
  salicylate hydrolase gene intergenic region (*Pseudomonas putida* KF715), **211,** 382
  sensory epithelium neuropeptide-like receptor DNA (bovine, rat), **209,** 752
  serine hydroxymethyltransferase RNA (rabbit), **214,** 496
  SEZ-6 cDNA, **216,** 382
  SFP2 sulfate permease gene (*Saccharomyces cerevisiae*), **214,** 709
  S/G_2 nuclear antigen cDNA with WD-40 motifs (human), **207,** 1029
  soluble guanylyl cyclase cDNA (rat), **217,** 993
  somatostatin receptor gene SSTR4 proximal promoter region (rat), **206,** 935
  Sry 5′ putative promoter, variation (*Mus* species and strains), **208,** 624
  steroidogenic acute regulatory protein cDNA (bovine), **215,** 646
  syk protein tyrosine kinase cDNA (mouse), **213,** 273
  synaphin 19a component cDNA (bovine), **213,** 1107
  testis-specific luteinizing hormone cDNA (rat), **210,** 858
  thermolabile phenol sulfotransferase gene STM (human), **208,** 786
  tissue-type II transglutaminase gene (rat), **209,** 527
  transcobalamin II gene 5′ region (human), **208,** 756
  tufl gene from kirromycin-producing strain (*Streptomyces collinus*), **213,** 454
  UDP-glucose dehydrogenase gene (*Xanthomonas campestris*), **207,** 223
  uridine phosphorylase cDNA (human), **216,** 265
  vasoactive intestinal peptide-2 receptor cDNA (human), **209,** 385
  vasopressin receptor V_{1B} cDNA (rat), **212,** 751
  YL-1 cDNA (human, mouse), **208,** 999
  ZP1 glycoprotein cDNA (pig), **207,** 790; *erratum,* **214,** 754
Nucleus
  DNA topoisomerase I translocation to, augmentation by T cell mitogens (human), **211,** 872
  glucokinase-inhibiting regulatory protein location in response to high glucose (rat liver), **215,** 467
  suprachiasmatic, *see* Suprachiasmatic nucleus
  translocation of hsp70 into, correlation with hydrogen peroxide-induced DNA damage (human), **206,** 548

O

Obesity
  effect on glycerol-3-phosphate dehydrogenase in peripheral blood mononuclear cells (human), **207,** 183
  in Japanese subjects, association with mutation in β_3-adrenergic receptor gene, **215,** 555
Oenothein B
  suppression of mouse mammary tumor gene expression via inhibition of poly(ADP-ribose) glycohydrolase, **210,** 329
OK-1035, *see* 3-Cyano-5-(4-pyridyl)-6-hydrazonomethyl-2-pyridone

Okadaic acid
  inhibition of neuronal differentiation of Neuro 2a cells, **216,** 291
  responsive sequences, in protein serine/threonine phosphatase, analysis by *in vitro* mutagenesis, **214,** 518
  suppression of elastin gene expression in dermal fibroblasts (human), **209,** 175
Oleic acid
  effects on epidermal growth factor-induced intracellular Ca^{2+} release and 2-deoxyglucose and 2-aminobutyric acid uptake in EGFR T17 fibroblasts, **207,** 105
Oligomerization
  states, nucleophosmin/B23, cell cycle phase-dependent changes (HeLa cells), **217,** 313
Oligomycin sensitivity conferring protein
  cDNA, functional expression in *Saccharomyces cerevisiae*, **207,** 943
Oligonucleosomes
  template containing acetylated (H3×H4)$_2$ tetramers, transcriptional properties, **213,** 232
Oligonucleotides
  antisense
    to cardiac Na$^+$/Ca^{2+} exchanger, effects on cardiac myocytes (rat), **212,** 524
    DNA, transdermal transport by electroporation (human), **212,** 286
    inhibition of hepatitis C virus replication in culture cells, **212,** 906
    inhibition of insulin-stimulated calmodulin gene expression in rat H-411E cells, **210,** 921
    inhibition of procollagen type III gene expression in fibroblasts (mouse), **215,** 849
    to p65 subunit of nuclear factor κB, effect on human vascular smooth muscle cell adherence and proliferation and neointima formation in rat carotid arteries, **213,** 827
  d(CGCAATTGCG)$_2$, interaction with cobalt complex of bleomycin functional model, 2D NMR analysis, **212,** 995
  phosphorothioate, inhibition of reverse transcription by RNase H associated with HIV-1 polymerase, **211,** 1041
  triple helix-forming, inhibition of replication initiation, **217,** 186
Oligosaccharides
  N-linked
    β-amyloid precursor protein, regulatory role in βAPP processing (C6 glioma cells), **210,** 703
    role in interleukin-4 receptor structure and function, **206,** 694
  sialyl Lewis X, role in polymorphonuclear leukocyte binding to E-selection (rat), **215,** 547
Omeprazole
  effects on pepsinogen-producing cells during long-term treatment (rat), **210,** 400; retraction, **212,** 718
  long-term treatment, effect on adult rat gastric mucosa, **214,** 861
Oncostatin
  and related interleukin-6-type cytokines, induction of hemopexin gene expression in hepatoma H-35 cells (rat), **207,** 202
Oncostatin M
  and interleukin-1, effect on collagen fragment release from nasal cartilage in culture (bovine), **215,** 377
Oocytes, *see also* Eggs
  calcium signaling, InsP$_3$-dependent, sensitization via structural modification of voltage-dependent Ca^{2+} channel, role of Ca^{2+} channel β subunit (*Xenopus laevis*), **208,** 440
  cysteineless GLUT1 glucose transporter in, normal functioning (*Xenopus laevis*), **208,** 590
  I_sK protein expression, regulation by *S*-nitroso-cysteine via cGMP-independent mechanism (*Xenopus laevis*), **207,** 195
  maturation and mottling, effect of microinjection of rap 2A point mutant proteins (*Xenopus laevis*), **216,** 748
  neuronal and cardiac G-protein-activated inward rectifiers expressed in, K$^+$ channel activity, role of heterologous multimeric assembly (*Xenopus laevis*), **212,** 657
  progesterone-stimulated maturation, effects of phosphatidylinositol 4,5-bisphosphate hydrolysis, inositol 1,4,5-trisphosphate receptor availability, and Ca^{2+} gradients (*Xenopus laevis*), **217,** 931
  ribosomal protein FI α and β subunit genes, cloning, expression, and functional role (*Xenopus laevis* oocyte), **215,** 1088
  Shaker-type potassium channels, function, role of specific transmembrane segments in α-subunit (*Xenopus laevis*), **209,** 1094
Open reading frames
  in intergenic region between catechol 2,3-dioxygenase gene and salicylate hydrolase gene, identification (*Pseudomonas putida* KF715), **211,** 382
Operons
  lux, and *lumP*, regulatory region, nucleotide sequence and functional analysis (*Photobacterium leiognathi*), **210,** 938
  proB proA, effect on osmotolerance of *Rhizobium fredii BD32* (*Escherichia coli*), **217,** 796
Opiates
  endogenous, production, effects of fasting (rat), **207,** 312
Opioid receptors
  δ, genomic structure (mouse), **207,** 111
  δ and κ, functional couplings with G protein-activated K$^+$ channel (*Xenopus* oocytes), **208,** 302
  κ
    cDNA cloning and promoter mapping (mouse), **209,** 639
    expression in lymphocytes (human, monkey), **209,** 1003
  μ
    gene expression in immune cells (human, monkey), **216,** 922
    gene promoter, molecular cloning and functional analysis (rat), **215,** 591
    from peritoneal macrophages, cDNA cloning and sequencing (rat), **209,** 563
Opioids
  related activity of synthetic deltorphin analogues, assay in rat, **207,** 99
Organ cultures
  whole, mammary gland involution in, analysis: model for study of programmed cell death (mouse), **207,** 860
Organelles
  motion in internodal cells, stochastic behavior (*Nitella axilliformis*), **214,** 1102

Organic molecules
  crystallization, polymeric precipitants for, identification, **207,** 819
Organogenesis
  early, associated GLUT1 and GLUT3 expression (rat), **209,** 95
Organs
  distribution of alcohol dehydrogenase *ADH7* gene expression (human), **216,** 216
Origin of replication
  mtDNA minicircles lacking, detection in cardiac muscle of normal subject, **215,** 952
Ornithine decarboxylase
  activity in mouse L929 cells *in vitro*, effects of 60-Hz magnetic field, **214,** 627
  induction during liver regeneration in insulin receptor substrate-1-deficient mouse, **216,** 284
  mRNA and enzymatic activity in thymocytes, effect of apoptosis stimulated by heat shock treatment and gamma irradiation (rat), **216,** 708
  promastigote, interaction with pyridoxal 5′-phosphate and α-difluoromethylornithine (*Leishmania mexicana*), **212,** 396
  promoter activity, correlation with Sp1 affinity for GC-rich elements (rat), **214,** 324
  role in mammary carcinoma cell invasion *in vitro* (mouse), **208,** 1106
Orphan receptor
  RDC-1, gene identification as type 1 calcitonin gene-related peptide receptor, **217,** 832
  TAK1, repression of retinoid receptor- and thyroid hormone receptor-mediated signal pathways (human), **211,** 83
Osmolyte transporter
  encoding genes, transcriptional stimulation, role of MAP kinase (MDCK cells), **213,** 975
Osteoblasts
  adherence and migration through three-dimensional porous polymer matrices (rat), **213,** 639
  DNA synthesis, effects of IGFBP-3 and -6: role of auto-/paracrine IGF I and IGF II (rat), **212,** 242
  interaction with 8-methoxypsoralen during irradiation with long-wave ultraviolet light *in vitro* (rat), **207,** 877
  MBA-15.6, and preosteoblastic cell line MBA-15.4, differential effects of parathyroid hormone and calcitriol combined with growth factors, **210,** 197
  proliferation, and bone mass, amylin effects (adult mouse), **207,** 133
  related cells
    differentiation, regulation by cyclic nucleotides (rat), **215,** 1104
    pro-α1(VI) collagen gene expression *in vitro,* stimulation by interleukin-4 (human), **211,** 727
  related function of HOS-TE85 osteosarcoma cells, and estrogen response element-mediated transcription, tamoxifen effects (human), **210,** 295
Osteocalcin
  related protein, mRNA expression in gonadal tissues (male mouse), **215,** 412
Osteocalcin-related protein
  mRNA expression in gonadal tissues (male mouse), **215,** 412
Osteoclastogenesis
  and bone resorption, effects of recombinant human osteogenic protein-1 *in vitro* (rat), **209,** 433
Osteoclasts
  apoptosis, detection and characterization *in vitro* (rabbit), **207,** 753
  bone resorption, role of reactive oxygen intermediates, **207,** 280
  expression of VA68 isoform of vacuolar H$^+$-ATPase subunit A (human), **214,** 1108
  formation and function, effect of human hepatocyte growth factor (rat), **212,** 334
  preosteoclastic cell line FLG 29.1, growth and differentiation, effect of LY 139478 (human), **211,** 857
  resorption *in vitro*, effect of thrombospondin (chicken), **213,** 1017
Osteocytes
  calcium intracellular stores, release, induction by extracellular Ca^{2+} (chicken embryo), **212,** 692
  osteogenic stimulation of c-*fos* expression in, sequential analysis (rat), **217,** 264
  synthesis of nitric oxide, effect of pulsating fluid flow in relation to prostaglandin upregulation (chicken), **217,** 640
Osteogenesis
  related differentiation of bone marrow cells, induced by collagen matrix, effect of transforming growth factor β, **211,** 1091
Osteogenic protein-1
  recombinant human, effects on osteoclast-like cell differentiation and bone resorption *in vitro* (rat), **209,** 433
Osteoporosis
  association with estrogen receptor dinucleotide repeat polymorphism (human), **217,** 378
Ouabain
  endogenous, secretion from adrenocortical cells, role of zona glomerulosa and zona fasciculata (bovine), **212,** 487
Ouabain-like factor
  endogenous, vanadium-diascorbates identified as, effects on Na$^+$,K$^+$-ATPase enzyme kinetics (human urine), **213,** 289
Ovary
  androgen and estrogen production, in adult female rat, effects of submaxillariectomy, **213,** 550
  Chinese hamster, *see* CHO cells
  cytochrome P450 gene expression (pig), **212,** 433
Oviduct
  glucose transporter 1 expression and localization (rat), **214,** 1211
Oxadiazolethiones
  oxadiazolones, monoamine oxidase B susceptibility to, species differences (bovine, human, rat), **206,** 556
Oxadiazolones
  and oxadiazolethiones, monoamine oxidase B susceptibility to, species differences (bovine, human, rat), **206,** 556
Oxalic acid
  and D-erythroascorbic acid, conversion of D-arabinose to, in *Sclerotinia sclerotiorum*, **212,** 196
Oxidases
  mixed-function system, oxidation of mesangial matrix, augmentation of macrophage adhesion: role of macrophage scav-

- enger receptors (rat), **212,** 63
- Oxidation, *see also* Autoxidation
  - biocatalytic, polycyclic aromatic hydrocarbons, by hemoglobin and hydrogen peroxide, **215,** 968
  - copper-induced
    - lipid in unfractionated plasma: pre-oxidation lag as measure of oxidation resistance (human), **216,** 854
    - low-density, PGF$_2$-isoprostanes formed during, cross-reaction with prostaglandin E$_2$ antibodies, **206,** 455
    - low-density lipoproteins, protective effect of ginkgo biloba extract EGb 761 (human), **212,** 360
  - α-crystallins, effect on molecular chaperone property (bovine, human), **208,** 675
  - hemoglobin M Boston and M Saskatoon in blood, EPR studies (human), **210,** 483
  - low-density lipoproteins *in vivo*, evaluation with apolipoprotein B-bound lipids as markers (human), **214,** 608
  - mesangial matrix, with mixed-function oxidase system, augmentation of macrophage adhesion: role of macrophage scavenger receptors (rat), **212,** 63
  - mitochondrial proteins and DNA after ethanol administration (mouse), **213,** 815
  - protein, component of low-density lipoproteins, induction by *N,N′*-bis(2-hydroxyperoxy-2-methoxyethyl)-1,4,5,8-naphthalene-tetra-carboxylic-diimide, **206,** 138
  - tyrosinase-catalyzed, 4-allylcatechol, quinone–quinone methide tautomerism during, **213,** 469
- β-Oxidation
  - fatty acids
    - in peroxisomes and mitochondria, role of carnitine (human), **213,** 1035
    - related enzyme, characterization (human), **214,** 247
  - mitochondrial trifunctional protein catalyzing, binding by membrane, role of α-subunit (human), **209,** 47
  - peroxisomal, in adrenoleukodystrophy fibroblast, effect of transfection with normal ALDP cDNA (human), **210,** 830
- (ω-1)-Oxidation
  - in lauric acid metabolism, regioselectivity shift from ω-hydroxylation, by heteroatom substitution, **214,** 1089
- Oxidative damage
  - F$_1$-ATPase by HOCl, associated subunit sites, determination (*Escherichia coli*), **212,** 868
- Oxidative phosphorylation
  - energy conversion step, model: electrochemical transduction in elastic protein-based polymers, **210,** 1031
  - hepatocyte outer mitochondrial membrane permeability for, role of cytoplasmic cellular structures (rat), **213,** 138
- Oxidative stress
  - in cultured cells, low-level, sites and mechanisms (Chinese hamster ovary), **206,** 421
  - generation, role in hepatic tumor promotion by ferric nitrilotriacetate (rat), **212,** 557
  - induced neuronal cell death *in vitro*, protection by 17β-estradiol (murine HT22 cells), **216,** 473
  - lens undergoing, detection of glutathione-modified aldose reductase (bovine), **207,** 775
  - low-level, induction of cell cycle-specific arrest in CHO cells, **210,** 189
  - macrophage-induced, islet cell protection from, mediation by probucol (NOD mouse), **209,** 953
- (3*S*)-2,3-Oxidosqualene
  - squalene epoxidase-catalyzed conversion of [3-^{3}H]squalene into: retention of label during conversion (porcine liver), **208,** 42
- Oxoaldehyde dehydrogenase
  - detection in erythrocytes (human), **210,** 852
- Oxygen
  - atmospheric, effect on DNA in freeze-dried liver (rat), **208,** 1021
  - consumption rates in free and alginate-entrapped βTC3 insulinoma cells (mouse), **210,** 113
  - –heme system, regulation of DNA binding activity in heme-dependent region of upstream activation sequence 6 (*Saccharomyces cerevisiae*), **216,** 458
  - physiological tensions, modulation of hemopexin gene expression in primary hepatocyte cultures (rat), **213,** 397
  - reactive species, *see* Oxygen radicals
  - regulation of cytochrome-c oxidase subunit VI gene in *Saccharomyces cerevisiae,* **216,** 676
  - singlet molecular $^1O_2$, rapid reaction with *p*-aminobenzoic acid in aqueous solution, **212,** 1145
- Oxygenation
  - tissue, extensive, associated with mitochondrial DNA mutations in mitochondrial myopathy (human), **213,** 432
- Oxygen radicals
  - and hydroxy radicals, *in situ*-generated, role as stage I tumor promoter in murine skin, **209,** 698
  - and nitric oxide, synergism in damage of endothelial cells (rat), **213,** 196
  - role in osteoclastic bone resorption (rat), **207,** 280
- Oxygen tension
  - effect on DNA fragmentation and cell death in glucocorticoid-treated thymocytes (rat), **212,** 300
  - venous and arterial, associated sickling *in vitro* of erythrocytes and reticulocytes from sickle cell disease patients, **211,** 504

P

- p1
  - multiprotein complex formation and role in cell-free DNA replication in *Xenopus* eggs, **209,** 823
  - phosphorylation in cell-free DNA replication of *Xenopus* eggs, role of DNA-dependent protein kinase, **213,** 803
- p21
  - role in p53-controlled proliferation of early lineage B cells (mouse), **206,** 948
  - tumor suppressor, induction by protein kinase inhibitors in MCF-7 cells, **214,** 361
- p21^{ras} protein
  - carboxy terminus analogs, as inhibitors of Ras-processing farnesyltransferase and peptidase, evaluation, **217,** 728
  - MAP kinase activation downstream, effect of Syp expression, **214,** 737
- p34^{cdc2}
  - and cyclins, expression, regulation during terminal differentiation of C2C12 myocytes (mouse), **206,** 82

p40
- identified as regulatory subunit of 26S proteasome, cDNA cloning: homologue of *Mov-34* gene product (human hepatoblastoma cells), **210,** 600

p45
- interacting with basic helix–loop–helix domain of aromatic hydrocarbon receptor, identification (mouse), **215,** 405

$p47^{phox}$
- recombinant, translocation by *in vitro* phosphorylation, **211,** 410

p53
- antigenic reactivity in cultured keratinocytes, effect of phosphorylation (human), **214,** 744
- control of early B lineage cell proliferation by p21-(WAF1/CIP1)-independent pathway (mouse), **206,** 948
- dependent G1 cell cycle checkpoint, GM1492 human diploid dermal fibroblasts defective in, **217,** 769
- dependent sequence-specific transactivation, repression by MEF2c (mouse), **214,** 468
- expression in doxorubicin-treated cells, attenuation by phorbol esters (human), **215,** 641
- gene expression by adenovirus, effects on cell cycle arrest and apoptosis in aortic vascular smooth muscle cells (human), **215,** 446
- interaction with HIV-1 Tat protein via p53 O2 dimerization domain (human), **206,** 326
- knockout mouse, cytochrome P4503A7-transgenic, establishment of immortal hepatocytes from, **217,** 1001
- mutant subset, activation by, mediation by region 3′ to major transcriptional start site of MDR1 downstream promoter (human), **217,** 333
- wild-type, sequence-specific binding by MDR1 downstream promoter, **217,** 825

p53-binding protein
- identification with recombinant vaccinia virus containing wild-type human p53 gene, **213,** 986

$p56^{lck}$
- membrane binding, second signal to myristate for, provision by amino-terminal palmitate or polybasic domain (HeLa cells), **207,** 868
- role in T-cell receptor/CD3-mediated apoptosis and Fas-ligand induction in Jurkat cells (human), **213,** 994

p68 RNA helicase
- mRNA, conserved 3′ end, proteins binding to, detection in male germ cell extracts (mouse), **214,** 632

p70 S6 kinase
- activation by insulin in CHO cells overexpressing dominant negative 85-kDa subunit of phosphoinositide 3-kinase, **208,** 735

$p72^{syk}$
- activation in *N*-formyl-methionyl-leucyl-phenylalanine receptor signaling, role of cyclic AMP-elevating agents (pig), **212,** 887

$p90^{rsk}$
- anti-IgM-dependent activation in B cells, role of microfilament assembly (human), **209,** 1102
- phosphorylation and activation by glycogen synthase kinase-3, **208,** 796

$p125^{FAK}$
- tyrosine phosphorylation in keratinocytes, induction by bradykinin (human), **210,** 774

$P130^{gag\text{-}fps}$
- *in vivo* autophosphorylation and transforming activity, regulation by leucine zipper-like domain (3Y1 rat embryonic fibroblasts), **211,** 447

p220
- cleavage by poliovirus $2A^{pro}$ expression in mammalian cells, effect on vaccinia virus, **215,** 928

PACAP38, *See* Pituitary adenylate cyclase activating polypeptide

Palladium
- ability to inhibitit cellulase activities, analysis (*Aspergillus niger, Trichoderma reesei*), **209,** 1046

Palmitotylation
- amino-terminal, and myristoylation, role in membrane binding of $p56^{lck}$ (HeLa cells), **207,** 868

Pancreas
- endocrine, G protein mutations, analysis (human), **211,** 1063
- islets, *see* Islets of Langerhans
- isolation and functional expression of peptidylglycine α-amidating monooxygenase (human), **205,** 282; *erratum,* **206,** 805
- transforming growth factor-β1 overexpression, induction of chronic pancreatitis and triggering of insulin-dependent diabetes (mouse), **217,** 1279

Pancreatic ribonuclease
- recombinant, production in *Escherichia coli:* role of N-terminal sequence (human), **216,** 406

Pancreatitis
- caerulein, role of lipopolysaccharide induction of Mn-superoxide dismutase (rat), **217,** 1216
- chronic, induction by transforming growth factor-β1 overexpression (mouse), **217,** 1279

Papilla cells
- insulin-like growth factor I, mediation of androgen-induced follicular epithelial cell growth (human), **212,** 988

Papillomavirus
- human, *see* Human papillomavirus

Paramagnetism
- 4,4′-di-*tert*-butyldiphenyl-1-nitroxy radical, loss during illumination of photosensitizer by light above 620 nm, EPR analysis, **215,** 192

Paramyosin
- antibodies to, induction by nucleic acid vaccination (*Schistosoma japonicum*), **212,** 1029

Paraplegia
- spastic, X-linked, in twin males, causative effects of nonsense proteolipid protein gene mutation, **215,** 835

Paraquat
- effect on photosynthetic electron transport in *Hydrilla verticillata,* **212,** 132

Parathyroid cells
- Ca^{2+}-induced Ca^{2+} oscillations (human), **215,** 903
- calcium responsiveness in, effect of decreased calcium receptor expression (bovine), **212,** 861

Parathyroid gland
- G protein mutations, analysis (human), **211,** 1063

Parathyroid hormone
- and growth factors, differential responses in osteoblastic cell lines, **210,** 197

  stimulation of electrogenic sodium transport in *Xenopus* A6 cells, **213,** 688
Parathyroid hormone-related peptide
  as locally produced vasorelaxant: mRNA regulation by hypertension (rat), **208,** 447
Parkinson's disease
  association with mitochondrial A7237T mutation (human), **211,** 700
Particles
  30-nm protein, in amoeboid sperm pseudopods, isolation and characterization (*Ascaris suum*), **208,** 1073
Parvalbumin
  β-isoform, detection in inner ear (guinea pig), **215,** 142
Pasteurella haemolytica
  O-sialoglycoprotease, identification using fetuin as substrate, **212,** 981
Patch clamp analysis
  lipid-supplemented vesicles, in analysis of sarcolemmal chloride and potassium channels from normal and myotonic muscle (mouse), **213,** 513
Pathogenesis
  related proteins, PR-5, *see* PR-5 protein
Pax-6 protein
  embryonic expression and DNA-binding properties (zebrafish), **215,** 122
Paxillin
  tyrosine phosphorylation in keratinocytes, induction by bradykinin (human), **210,** 774
PC1 protein
  in structural analysis and kinetic characterization of cleavage sites of HIV gp160, **213,** 356
PCB, *see* Polychlorinated biphenyls
PCR, *see* Polymerase chain reaction
PD 90780
  inhibition of nerve growth factor binding to p75 NGF receptor, **217,** 488
PDGF, *see* Platelet-derived growth factor
Penicillin acylase
  hydrolysis of aliphatic acid amides and esters (*Kluyvera citrophila*), **206,** 629
Pentapeptides
  cyclic, cholecystokinin analog cyclo(Asp–Trp–Met–Asp–Phe), conformational analysis, **213,** 506
Pentose
  cycling in trehalose during glucogenesis from ^{13}C-labeled substrates, relationship to ^{13}C distribution (*Manduca sexta*), **212,** 813
Pentostatin
  resistance, human adenosine deaminase mutagenesis to form expressing, **209,** 407
Pentoxifylline
  modulatory effects on tumor necrosis factor α-mediated neuroblastoma cell differentiation (human), **211,** 1006
Pepsinogen
  producing cells, in stomach, effects of CCK-B/gastrin receptor antagonist omeprazole during long-term treatment (rat), **210,** 400; retraction, **212,** 718
  secretion from gastric chief cells, GTPγS-induced, role of carboxyl methylation and low-molecular-weight GTP-binding protein translocation (guinea pig), **206,** 843
Peptidase
  Ras-processing, $p21^{Ras}$ protein carboxy terminus analogs as inhibitors, evaluation, **217,** 728
Peptide binding cleft
  MHC class I and II, and *Mycobacterium tuberculosis* chaperonin 10, sequence and structural homologies, **211,** 14
Peptides
  active site, with CXXC motif on multiple antigen peptide resin, as mimic of protein disulfide-isomerase, **213,** 746
  from amino-terminus of mouse mitochondrially encoded NADH dehydrogenase subunit 1, potent chemoattractant activity, **211,** 812
  antimicrobial
    isolation from Korean frog skin, **205,** 948; *erratum,* **209,** 775
    rugosins, isolation from *Rana rugosa* skin, **212,** 249
  antithrombotic, release from fibrinogen Aα after *in vivo* degradation (human), **215,** 896
  basic, translocation into mitochondria, role of peptide-sensitive channels (yeast), **211,** 92
  biotinylated, *Proprionibacterium shermanii,* –human neurokinin 1 receptor fusion protein, expressed in Semliki Forest virus, functional activity, **208,** 260
  CD13/aminopeptidase N activity in presence of, analysis: substance P and bradykinin as natural inhibitors (HL60 cells, porcine kidney), **208,** 664
  delta sleep-inducing, in cerebral microvessel endothelial cells, peptidyl-dipeptidase A-catalyzed metabolism: cell culture model of blood–brain barrier (bovine), **210,** 987
  derived from aminoterminus of c-Raf-1, inhibition of c-Raf-1/Ras binding, **206,** 46
  with E-cadherin sequences from EC-1 domain, recognition by anti-E-cadherin antibody (rat), **211,** 21
  GGNG, isolation from earthworm gut and whole body and identification, **216,** 1072
  GM–CSF N-terminus, identification as site of nucleotide interaction (human), **208,** 390
  β-hairpin, design, **216,** 375
  –HLA-A11 complexes, stability, effect of anchor residue modifications, **206,** 8
  homeobox-derived, short, *retro-inverso* form, internalization by cultured neurons, **214,** 685
  human neutrophil, *see* Human neutrophil peptides
  hydrophobic, Z-D-Phe-L-Phe-Gly, differential effects on HIV-1-induced syncytium formation and viral infectivity, **208,** 75
  mastoparan-related, activity on fertilization membrane of sea urchin eggs, **215,** 828
  model β-turn, conformational analysis, biradicals as ESR probes for, **213,** 439
  multiple antigen resin, active site peptides with CXXC motif on, as mimic of protein disulfide-isomerase, **213,** 746
  and nonpeptide ligands, differential recognition by AT_{1A} angiotensin II receptor: role of amino acids in third transmembrane domain, **209,** 153
  phosphotyrosyl mimetic, L-*O*-malonyltyrosine-containing, inhibitory effects on protein-tyrosine phosphatase, **209,** 817

Peptides (*continued*)
  polycation, effects on mitochondrial permeability transition, **217,** 144
  proadrenomedullin N-terminal 20, purification from pheochromocytoma, and PAMP/adrenomedullin ratio in PC tissue and normal adrenal medulla (human), **211,** 694
  from RANTES amino terminus, induction of T lymphocyte chemotaxis (human), **211,** 100
  regions of surface mucin, access to, reduction by sialic acids, **210,** 866
  RFamide, isolation from midgut (*Periplaneta americana*), **213,** 519
  small intestinal, mRNA, regional expression and dietary regulation (rat), **216,** 249
  specific antibodies, in analysis of species heterogeneity of 42-kDa high-affinity cerebral inositol 1,3,4,5-tetrakisphosphate receptor, **214,** 20
  substrate
    β-amyloid precursor protein, cerebral metalloendopeptidase with ability to cleave, cloning and expression (human), **213,** 66
    fibroblast collagenase, interaction with divalent cations (human), **215,** 474
    myosin light-chain kinase addition, dephosphorylation of 30-kDa protein of fowl spermatozoa by, inhibition of flagellar motility, **215,** 706
  synthetic
    in analysis of fibronectin binding domain of *Porphyromonas gingivalis* fimbriae, **216,** 785
    antigen, against putative substrate binding site, in production of form-specific inhibitory antibody against rat cytochrome P450 2B1, **216,** 1024
    midkine-derived, effect on plasminogen activator activity in aortic endothelial cells (bovine), **206,** 468
    NDF/heregulin, bioactivity in breast cancer cells, **210,** 441
    Octa$_4$ and Hexa$_4$, in structural studies of copper binding to N-terminal tandem repeat region of mammalian and avian prion protein, **214,** 993
    and recombinant DARPP-32 phosphoprotein, inhibition of protein phosphatase 1, mechanism (rabbit), **206,** 652
    as substrates for recombinant rat testis endopeptidase EC 3.4.24.15 and native brain enzyme, comparison, **209,** 788
Peptide sensitive channels
  role in translocation of basic peptides into mitochondria (yeast), **211,** 92
Peptidyl-dipeptidase A
  active sites on cell surface, catalytic properties (CHO cells), **211,** 528
  catalyzed metabolism of delta sleep-inducing peptide in cerebral microvessel endothelial cells: culture model of blood–brain barrier (bovine), **210,** 987
  expressed in CHO cells, proteolytic release, effect of phorbol ester (human), **206,** 541
Peptidylglycine α-amidating monooxygenase
  isolation and functional expression (human pancreas), **205,** 282; *erratum,* **206,** 805
Pericytes
  receptor-mediated toxicity of advanced glycosylation end products (bovine retina), **213,** 681
Periplasm
  Escherichia coli, production of human granulocyte colony-stimulating factor in, effect of DnaK/DnaJ supplementation, **210,** 524
Perlecan
  recombinant domain I, expressed in CHO K1 cells, formation of chondroitin/dermatan sulfate and heparan sulfate (mouse), **211,** 262
Permeability
  cell, electroporation-induced, role of lipid peroxidation (K562 cells, lentil), **209,** 417
  erythrocyte membrane, to sodium, Ca^{2+}-dependent activation by fluoride (human), **217,** 286
  hepatocytic outer mitochondrial membranes for ADP and oxidative phosphorylation, role of cytoplasmic cellular structures (rat), **213,** 138
  transition, mitochondrial, effects of polycation peptides (rat), **217,** 144
Peroxidase
  thioredoxin-linked, in human erythrocytes: presence of thioredoxin/thioredoxin reductase system, **217,** 900
Peroxidation
  cell membrane, enhancement by electroporation, **206,** 238
  lipids, *see* Lipid peroxidation
  ultraviolet-induced, protection by UV-induced proline accumulation (mung, mustard, rice), **209,** 1
Peroxinectin
  purification and characterization (crayfish blood), **216,** 1079
Peroxisome proliferator activated receptor
  –retinoic X receptor, activation of malic enzyme gene promoter, effect of chicken ovalbumin upstream promoter transcription factor, **215,** 338
Peroxisome proliferator activated receptor δ
  with CGG triplet repeat, expression in thalamic nucleus (rat), **217,** 1015
Peroxisomes
  fatty acid β-oxidation, role of carnitine (human), **213,** 1035
  long- and very-long-chain fatty acids, activation (*Pichia pastoris*), **206,** 335
  presence of $\Delta^{3,5},\Delta^{2,4}$-dienoyl-CoA isomerase, determination from subcellular distribution in liver (rat), **215,** 15
Peroxynitrite
  endogenous, role in inhibition of mitochondrial respiration in immuno-stimulated J774.2 macrophages (mouse), **209,** 739
  induction of
    apoptosis in rat thymocytes, **215,** 1111
    DNA nicks in plasmid pBR322, **210,** 1025
Pertussis toxin
  insensitive G protein
    P$_{2Y}$ purinoceptor linked to, role in ATP effects on K$^+$ channel and cytosolic Ca^{2+} release in cerebral artery endothelial cells (bovine), **215,** 1022
    βγ subunits, regulation of P$_{2Y}$ purinoceptor-operated K$^+$ channel in cultured inferior colliculus neurons (rat), **214,** 589
pez
  with protein-tyrosine phosphatase- and ezrin-like domains, cDNA characterization (human), **209,** 959

P-glycoprotein
  expression in multidrug- and verapamil-resistant CHO cells, **209,** 497
  heat shock-induced phosphorylation in multidrug-resistant breast cancer cells, role of phospholipase C (human), **210,** 21
  immune response against, induction by vaccination with synthetic lipopeptides in liposomes (mouse), **212,** 494
  inhibitor rhodamine-123, distribution to brain: *in vivo* microdialysis study in freely moving rat, **211,** 719
  MDR1, deletion mutant, drug-stimulated ATPase activity, **216,** 602
  mRNA, expression in primary hepatocyte culture, modulation by growth factors (rat), **215,** 179
pH
  acid, effect on anion exchange function in neuroblastoma cells (mouse), **207,** 375
  dependent alterations of linoleic acid-derived monoepoxides and monochlorohydrins and *in vivo* existence (rat), **215,** 945
  dependent electrochemical properties of pyrroloquinoline quinone and isomeric analogues, **212,** 41
  effects on
    Ca^{2+}-activated myofibrillar ATPase from slow and fast skeletal muscles, role of troponin (chicken), **207,** 585
    epithelial chloride channel from tracheal cells (bovine), **215,** 355
    polyalanine β-sheet macromolecule stability, **211,** 7
  gradient in hepatic mitochondria, effect of K^+ concentration in suspension medium (rat), **210,** 98
  induced self-association, role in equilibrium between fast- and slow-folding forms of prothrombin fragment 1 (bovine), **206,** 742
  mediation of growth phase induction of cytochrome c oxidase subunit VI gene COX6 (*Saccharomyces cerevisiae*), **214,** 1051
  small gradients, effect on cytochrome-c oxidase: implications for H^+ entry into binuclear center, **216,** 931
Phagemids
  pCANTAB 5E, functional display and expression of chicken cystatin, **214,** 389
Phagocytes
  calcium signaling initiated by complement receptor type 1 crosslinking, mediation by Fcγ receptors *in cis* (human), **209,** 1032
  mononuclear
    acutely injured liver, and Kupffer cells of normal liver, synthesis and secretion of fibronectin, comparison (rat), **213,** 752
    inducible nitric-oxide synthase, nitric oxide production, and tumoricidal activity, coordinate up- and down-modulation by lipopolysaccharide and gram-negative bacteria (rat bone marrow), **211,** 183
Phagocytosis
  Fc-mediated, potentiation in neutrophil, role of 55- and 75-kDa tumor necrosis factor receptor (human), **214,** 44
Phalloidin
  –F-actin, and native F-actin, hydrated, osmotic properties, **211,** 614
1,10-Phenanthroline
  –vanadyl complex hydroxyl radical-dependent DNA cleavage in presence of hydrogen peroxide (human), **206,** 133
Phenethyl isothiocyanate
  reversible conjugation with glutathione, catalysis by glutathione human transferases, **206,** 748
Phenobarbital
  effect on phosphorylation status of 34-kDa nuclear protein in rat liver and hepatocytes *in vitro*, **216,** 947
  exposure effect on nuclear matrix condensation and c-*fos* and c-*myc* expression in cultured rat hepatocytes, **215,** 598
  induction of cytochrome P4501A1 in rainbow trout hepatocytes, effect of picrotoxin, **214,** 1060
Phenol sulfotransferase, *see* Aryl sulfotransferase
Phenolsulfotransferases
  platelet, cDNA cloning, stable expression in V79 cells, and identification of allelic variant of phenol-sulfating form (human), **208,** 855
Phenylalanine
  Phe-220, and Gln-221, role in catalytic mechanism of farnesyl diphosphate synthase (*Bacillus stearothermophilus*), **212,** 681
Phenyl *N*-*tert*-butyl nitrone
  inhibition of nitric-oxide synthase induction in endotoxin-induced shock (mouse), **215,** 114
N-*tert*-α-Phenyl-butylnitrone
  effect on life span of senescence-accelerated mouse, **211,** 847
Phorbol-12,13-dibutyrate
  effect on proteolytic release of angiotensin-converting enzyme expressed in CHO cells (human), **206,** 541
Phorbol esters
  desensitization of pancreatic acinar cells, effects on inositol phosphate production (rat), **206,** 870
  induced endocytosis of recombinant CD4 in Sf9 cells, **207,** 411
  inhibition of gap junctional intercellular communication in cultured aortic endothelial cells (bovine), **208,** 492
  protective effects on ts-p53/K562 cell apoptosis, **215,** 641
  Ras-independent induced shift in gel mobility of 33-kDa C-terminal domain of Raf-1 protein kinase, **214,** 340
  responsive region in myeloid-specific promoter of c-fgr proto-oncogene, identification (human), **209,** 60
Phorbol myristate acetate
  effect on protein kinase C, **217,** 654
  induced NF-κB activation in COS-1 cells, effect of catalase overexpression, **210,** 537
  induction of HIV-1 expression in latently HIV-1-infected ACH2 cells, **207,** 903
  stimulated human neutrophils, protein kinase C isoform redistribution in, **212,** 664
  stimulation of
    intracellular phosphorylation of glia maturation factor (rat astrocytes), **211,** 928
    synaptosomal membrane protein phosphorylation *in vivo*, modulation by estradiol and pregnenolone sulfate (rat brain), **207,** 606
Phosphatase inhibitors
  effect on hypoxia-inducible factor 1 expression, **216,** 669
Phosphate
  depletion, adaptation in kidney cells (opossum), **216,** 141

Phosphatidic acid
  selective inhibition of phosphatidylinositol 3-kinase, **215,** 8
Phosphatidylcholine
  hydrolysis, effect of C-reactive protein (rat), **208,** 1046
Phosphatidylcholine–sterol *O*-acyltransferase
  recombinant human, binding and phospholipase A_2 activity, effect of interfacial pressure, **211,** 840
Phosphatidylinositol
  binding by vinculin, associated carboxy-terminal tail domain as cryptic site of, identification, **210,** 159
  hydrolysis in cultured human pituitary tumors, induction by growth hormone secretagogue L-692,429, **208,** 555
  scyllo-inositol-containing, in plant cells, characterization (*Hordeum vulgare*), **210,** 549
Phosphatidylinositol 3,4,5-trisphosphate
  identification in pancreatic islets and insulin-secreting β cells (rat), **208,** 190
Phosphatidylinositol 3-kinase
  inhibition by wortmannin, effects on insulin-induced activation of glycogen synthase and mitogen-activated protein kinase in adipocytes (rat), **209,** 1082
  p85 subunit and IRS-1 in PI3-kinase/IRS-1 complexes by PI3-kinase serine kinase (human), **206,** 272
  role in insulin-induced glucose uptake by skeletal muscle (rat), **208,** 1147
Phosphatidylinositol 3′-kinase
  altered expression in streptozotocin-treated rat, **212,** 933
Phosphatidylinositol 3-kinase inhibitors
  wortmannin, inhibition of adipocytic differentiation in 3T3-L1 cells (mouse), **212,** 263
Phosphatidylinositol 4,5-bisphosphate
  oscillation in embryonic cleavage cycle (*Xenopus laevis*), **206,** 775
Phosphatidylinositol 4-phosphate
  oscillation in embryonic cleavage cycle (*Xenopus laevis*), **206,** 775
Phosphatidylinositol 4,5-bisphosphate
  hydrolysis, and IP_3 receptor availability and Ca^{2+} gradients, effects on progesterone-stimulated *Xenopus* oocyte maturation, **217,** 931
Phosphatidylinositol 3-kinase
  catalytic subunits, radiolabeling with 17β-hydroxy-16α-[^{125}I]iodowortmannin, **216,** 655
  dependent and independent chemotaxis of human neutrophil leukocytes, **217,** 1255
  effect of FTI-244 on stimulation (NIH 3T3 cells), **214,** 295
  inhibitory role in insulin secretion from pancreatic β cell line MIN6, **214,** 51
  role in arginine vasopressin activation of TPA response element-dependent gene expression (rat), **215,** 1037
  selective inhibition by phosphatidic acid and related lipids, **215,** 8
Phosphatidylinositol 3′-kinase
  insulin-dependent, coprecipitation with insulin receptor in human circulating mononuclear cells (human), **209,** 234
Phosphatidylinositolmannoside
  based liposomes, induction of nitric-oxide synthase in primed peritoneal macrophages (mouse), **208,** 295
Phosphatidylserine
  synthesis in Ehrlich ascites tumor cells, inhibition by glucose and deoxyglucose, relation to Crabtree effect and depletion of endoplastic reticulum Ca^{2+} stores (mouse), **207,** 300
2-Phospho-D-glycerate
  carbon-2, pK_a, effects of chemical environment and correlation with proposed mechanism of enolase action, **211,** 607
Phospho*enol*pyruvate carboxykinase
  encoding gene, hormonally regulated expression, role of TATA box (rat), **215,** 1006
Phospho*enol*pyruvate carboxykinase (ATP)
  –bovine growth hormone gene, expression in transgenic mouse, effects of vitamin A deficiency and retinoic acid treatment, **213,** 706
Phosphofructokinase
  active site, evolutionary reengineering: Arg-104 effect on stability of transition state in 6-phosphofructo-2-kinase, **213,** 663
  normal polymorphonuclear leukocyte, isozyme analysis (human), **216,** 898
Phosphofructo-1-kinase
  role of charge neutralization in active site (*Escherichia coli*), **214,** 765
6-Phosphofructo-2-kinase/fructose-2,6-bisphosphatase
  Arg-104 mutation effects on enzyme stability, **213,** 663
  brain-specific, catalytic core, cloning and expression (bovine), **209,** 1140
  native and recombinant *Escherichia coli*-expressed, comparison with recombinant rat liver enzyme (chicken liver), **209,** 883
Phosphoglycosylation
  initiation by *N*-acetylglucosamine-α-1-phosphate transferase in *Dictyostelium discoideum,* **208,** 384
Phosphoinositide diphosphate
  inhibition of actin–dystrophin interaction, **210,** 152
Phosphoinositide 3-kinase
  dominant negative 85-kDa subunit, CHO cells overexpressing, insulin-induced p70 S6 kinase activation, **208,** 735
  and phospholipase C, activation by lysophosphatidic acid, role of platelet aggregation (human), **211,** 484
  role in
    insulin-stimulated GLUT4 translocation in 3T3-L1 adipocytes (mouse), **209,** 343
    transferrin receptor recycling in 3T3-L1 adipocytes (mouse), **211,** 535
  as upstream regulator of Rac protein in insulin-signalled membrane ruffling, identification (CHO cells), **208,** 985
Phosphoinositides
  islet cell, hydrolysis, and insulin secretory response, in prediabetic fa/fa Zucker diabetic fatty rat, **209,** 974
Phospholamban
  cGMP-mediated phosphorylation in intact cardiomyocytes (rat), **214,** 75
  hydrophilic domain, inhibition of Ca^{2+}-ATPase: importance of assay method, **215,** 1067
  secondary structure, 2D NMR analysis, **217,** 1200
Phospholipase A_2
  activation
    by human endothelin receptor, role of G_i protein-mediated Ca^{2+} influx (CHO cells), **217,** 52

    - in platelets, induction by von Willebrand factor type IIB (human), **214,** 102
    - by tumor necrosis factor in primary hepatocytes stimulated by deleted form of hepatocyte growth factor (rat), **217,** 1263
- cytosolic, phosphorylation and activation in neutrophils stimulated with tumor necrosis factor α, role of MAP kinase-independent pathway (human), **209,** 271
- functional GTP-binding proteins coupled to, regulatory site, identification on G_q protein G_β subunit in pancreatic acini (rat), **211,** 648
- mediated protein kinase C activation, independent NMDA current inhibition by lysophosphatidylcholine in hippocampal glial cells (rat), **217,** 811
- pancreatic, increased activity by designed long-range electrostatic stabilization of transition state (pig), **216,** 778
- related activity of recombinant human lecithin–cholesterol acyltransferase, effect of interfacial pressure, **211,** 840
- type I, pancreatic, glycosylation-dependent binding to specific receptor (bovine), **209,** 293
- type II 14-kDa, neutrophil, storage in granules and active enzyme secretion in response to soluble stimuli (human), **208,** 650

Phospholipase A_2-activating protein
- induced contraction of smooth muscle, mediation by protein kinase C/MAP kinase cascade (rabbit), **217,** 203

Phospholipase C
- and adenylate cyclase, differential mediation of prostaglandin E_2 modulation of testicular androgen synthesis *in vitro* (*Triturus carnifex*), **211,** 1047
- effect of herbimycin A, **212,** 1061
- independent Ca^{2+} mobilization, in AR42J pancreas cells, mediation by somatostatin receptor (rat), **214,** 81
- inositol phospholipid-specific, extracellular, release by Swiss 3T3 cells *in vitro,* **211,** 318
- mediated hydrolysis of islet phosphoinositide pools, in prediabetic fa/fa Zucker diabetic fatty rat, analysis, **209,** 974
- and phosphoinositide 3-kinase, activitation by lysophosphatidic acid, role of platelet aggregation (human), **211,** 484
- role in
    - aldosterone signaling in vascular smooth muscle cells, **213,** 123
    - heat shock-induced P-glycoprotein phosphorylation in multidrug-resistant breast cancer cells (human), **210,** 21

Phospholipase C β-3
- phosphatidylinositol-specific, gene structural organization and expression (human), **212,** 190

Phospholipase C-δ1
- putative EF-hand motif, role, analysis by deletion and site-directed mutagenesis, **211,** 364

Phospholipase C-γ1
- gene, transcriptional regulation during muscle differentiation (mouse), **206,** 194

Phospholipase D
- activation by HCL_3 in normal and glycoprotein IIb/IIIa-deficient platelets, analysis (human), **207,** 148
- defective activation in Ki*ras*-transformed fibroblasts, evidence for downstream effector of PLC-γ1 in PDGF-mediated signal transduction (mouse), **207,** 460
- GTP-γ-S-dependent activation, role of protein phosphorylation, **210,** 542
- hydrolysis of ether- and ester-linked glycerophospholipids by different pathways in MDCK cells, **213,** 950
- membrane-bound, activation by protein kinase C via synergistic action of RhoA in HL-60 cells (human), **211,** 306
- phorbol ester-mediated activation in lymphocytes, enhancement by sphingosine, mechanism (bovine), **217,** 908
- platelet-activating factor-stimulated activation in CHO cells expressing PAF receptor, role of protein kinase Cα, **214,** 418
- platelet-derived growth factor-induced, effect of herbimycin A, **212,** 1061
- two subtypes in Leydig cells, evidence from differential phospholipid labeling (rat), **217,** 747

Phospholipids
- acidic, cryptic binding site for, identification in vinculin carboxy-terminal tail domain, **210,** 159
- dependent NADH-coenzyme Q reductase, purification from liver plasma membrane (pig), **212,** 138
- differential labeling, derived evidence of two phospholipase D subtypes in rat Leydig cells, **217,** 747
- direct vesicle–vesicle exchange, mediation by polymyxin B, **210,** 746
- short-chain, effects on amphipathic peptide-mediated gene transfer, **217,** 179
- soybean, supplemented vesicles, in analysis of sarcolemmal chloride and potassium channels in normal and myotonic murine muscle, **213,** 513
- thiol-reactive, complexed with lipospermine/DNA particles, transfection of hepatoma cells and fibroblasts, efficiency, **209,** 444
- very-low-density and low-density lipoproteins, distinguishing by preapolipoprotein C-III–β-galactosidase hybrid, **211,** 754

Phospholipid transfer protein
- gene organization (human), **207,** 552
- gene promoter region, characterization (human), **217,** 705

Phosphonodifluoromethyl phenylalanine
- and phosphonomethyl phenylalanine, as inhibitory moieties to protein-tyrosine phosphatases, comparison, **216,** 976

Phosphonomethyl phenylalanine
- and phosphonodifluoromethyl phenylalanine, as inhibitory moieties to protein-tyrosine phosphatases, comparison, **216,** 976

Phosphoprotein phosphatase
- catalytic subunit isoforms, expression, molecular cloning, and developmental regulation (*Xenopus laevis*), **215,** 666
- inhibition
    - downregulation of β-tubulin gene expression in *Trypanosoma rhodesiense,* **212,** 793
    - in K562 leukemia cells, association to down-regulation of c-*myc* and *max* genes (human), **215,** 889
    - by recombinant DARPP-32 phosphoprotein and synthetic peptides, mechanism (rabbit), **206,** 652
- Mg^{2+}-dependent isoform MPPβ4, reaction with anti-FLAG monoclonal antibodies (rat), **207,** 708
- type 1
    - inhibitor-2, phosphorylation by cdc2-cyclin B and glycogen synthase kinase 3 (rabbit), **207,** 732

Phosphoprotein phosphatase (*continued*)
    in vitro and *in vivo* binding of microcystin (rabbit), **216,** 162
  type 2A
    identification of metal-dependent form (bovine heart), **208,** 274
    in vitro and *in vivo* binding of microcystin (rabbit), **216,** 162
Phosphoprotein phosphatase 2B, *see* Calcineurin
Phosphoproteins
  40-kDa, nuclear, cAMP-induced phosphorylation during *in vitro* chondrogenesis of limb bud mesenchymal cells (chicken), **212,** 16
  discrete lipopolysaccharide-induced, in granulocytes, tyrosine phosphorylation, effect of interleukin-10 (human), **209,** 87
  dopamine and cAMP-regulated, recombinant, and synthetic peptides, inhibition of protein phosphatase 1, mechanism (rabbit), **206,** 652
  non-collagenous 60-kDa, identification (chicken bone), **208,** 863
  nucleolar, nucleophosmin/B23, localization and oligomerization states, cell cycle phase-dependent changes (HeLa cells), **217,** 313
Phosphopyruvate hydratase
  neuron-specific promoter, *dbl* expression driven by, induction of tumor formation in transgenic mouse with *p53*(+/−) genetic background, **216,** 762
  proposed mechanism of action, correlation with effects of chemical environment of 2-phospho-D-glycerate on pK_a of carbon-2, **211,** 607
Phosphorescence
  tryptophan, mitochondrial F_1-ATPase complex, analysis (bovine heart), **207,** 369
Phosphorothioate
  modified oligonucleotides, inhibition of reverse transcription by RNase H associated with HIV-1 polymerase, **211,** 1041
Phosphorylase kinase
  phosphorylation/activation by cAMP/Ca^{2+}-independent autophosphorylation-dependent protein kinase (rabbit skeletal muscle), **207,** 140
Phosphorylation, *see also* Autophosphorylation; Oxidative phosphorylation
  34-kDa nuclear protein, status in rat liver and hepatocytes *in vitro,* effect of phenobarbital, **216,** 947
  40-kDa nuclear protein, induction by cAMP during *in vitro* chondrogenesis of limb bud mesenchymal cells (chicken), **212,** 16
  and activation
    p90^{rsk} by glycogen synthase kinase-3, **208,** 796
    phosphorylase *b* kinase by cAMP/Ca^{2+}-independent autophosphorylation-dependent protein kinase (rabbit skeletal muscle), **207,** 140
  adenomatous polyposis coli protein, regulatory effects in cells (human), **208,** 103
  calponin, mediation by protein kinase C in association with coronary artery contraction (pig), **208,** 397
  cGMP-mediated, phospholamban in intact cardiomyocytes (rat), **214,** 75
  c-jun, insulin-like growth factor-induced, correlation with transformation of c-jun-overexpressing cells (rat liver), **217,** 501
  CREB, by Ca^{2+}/calmodulin-dependent protein kinase IV activated by CaM-kinase IV kinase, **207,** 1038
  cystic fibrosis transmembrane conductance regulator recombinant R domain, potential sites, mutations in, effects on domain conformation, **206,** 207
  cytosolic phospholipase A_2 in neutrophils stimulated with tumor necrosis factor α, role of MAP kinase-independent pathway (human), **209,** 271
  –dephosphorylation
    Ca^{2+}–calmodulin-dependent, parotid secretion granules (rat), **215,** 75
    tyrosine, regulation of adhesion-inducible DNA synthesis (rat), **214,** 856
  differential, 57-kDa protein tyrosine kinase during egg activation (*Strongylocentrotus purpuratus*), **208,** 204
  direct, Ca^{2+}/calmodulin-dependent protein kinase Ia by activator, role in enzyme activation, **210,** 631
  dystrophin, effect on actin binding (rabbit), **206,** 57
  effect on antigenic reactivity of p53 in cultured keratinocytes (human), **214,** 744
  elongation factor Tu1 during development and differentiation in kirromycin-producing *Streptomyces collinus,* **213,** 454
  glycoprotein P, heat shock-induced in multidrug-resistant breast cancer cells, role of phospholipase C (human), **210,** 21
  helix–loop–helix proteins Id1, Id2, and Id3 (rat), **207,** 916
  high, tau protein prepared from peripheral nerve (rat), **210,** 338
  hyperphosphorylation, cytoskeletal protein Tau by MAP kinase PK40^{erk2}, **215,** 1056
  intracellular, glia maturation factor, effect of phorbol ester (rat astrocytes), **211,** 928
  mitotic site serine 75 in human pp60$^{c\text{-}src}$ from unsynchronized tumor cells with spherical morphology, **216,** 619
  myosin I by protein kinase C, effect on calmodulin binding (rat liver), **216,** 90
  Na$^+$/H$^+$ exchanger isoform 1 in fibroblasts, effect of cell culture density (human), **209,** 191
  nuclear protein, 60-kDa, dual modulation in interferon-α-treated Daudi cells, **208,** 819
  P1 protein, in cell-free DNA replication of *Xenopus* eggs, role of DNA-dependent protein kinase, **213,** 803
  p47^{phox}, protein kinase C-mediated, role in translocation to plasma membrane in cell-free system, **211,** 410
  p85 subunit and IRS-1 in PI3-kinase/IRS-1 complexes by PI3-kinase serine kinase (human), **206,** 272
  p90^{rsk}, anti-IgM-dependent, role of microfilament assembly (human B cells), **209,** 1102
  progressive hyperphosphorylation, as age-related effect on neurofilament heavy subunits (rat), **215,** 368
  proteasome substrate by protein kinase associated with 26 S proteasome, linkage to ATP-dependent proteolysis of proteasome, **213,** 7
  protein, role in GTP-γ-S-dependent activation of phospholipase D, **210,** 542
  protein 4.1 by protein kinase C, effect on interaction with erythrocyte membrane, **210,** 478

  - protein phosphatase-1 inhibitor-2 by cdc2-cyclin B and glycogen synthase kinase 3 (rabbit), **207,** 732
  - protein-tyrosine kinase in platelets, effects of tyrphostins B42 and B46 (horse), **212,** 595
  - rhodopsin, regulation by family of neuronal calcium sensors (rat), **216,** 133
  - ricin A chain, site, genetic construction, **210,** 253
  - RNA polymerase II C-terminal domain by rat protein kinase ERK2 (bovine thymus), **207,** 1051
  - signal-induced, inhibitory protein IκBα, inhibition by Cu^{2+}, in blockade of NFκB activation, **216,** 568
  - sites, effect on nuclear transport of nuclear localization sequence protein and subsequent intranuclear binding, **217,** 419
  - state of membrane protein, functional link with morphological changes of erythrocytes (human), **213,** 249
  - synaptosomal membrane proteins *in vivo,* phorbol 12-myristate-13-acetate-stimulated and Ca^{2+}/calmodulin-dependent reactions, modulation by estradiol and pregnenolone sulfate (rat brain), **207,** 606
  - transcription factor Oct-3, **212,** 847
  - tyrosine, *see* Tyrosine phosphorylation
- Phosphotyrosine phosphatase, *see* Protein-tyrosine phosphatase
- Phosphotyrosyl mimetic peptides
  - L-*O*-malonyltyrosine-containing, inhibitory effects on protein-tyrosine phosphatase, **209,** 817
- Photoaffinity labeling
  - associated site on retinoic acid receptor α ligand-binding domain, determination (human), **207,** 444
- *Photobacterium leiognathi*
  - *lumP,* and *lux* operon, regulatory region, nucleotide sequence and functional analysis, **210,** 938
  - *lumQ* gene, linkage to *lumP* gene and *lux* operon, **217,** 684
- Photobleaching
  - FRAP technique, in measurement of dystrophin effect on lateral diffusion of sarcolemmal proteins of myoblasts and mature striated muscle cells (mouse, rat), **215,** 67
- Photocrosslinkers
  - *p*-azidoiodoacetanilide, with greater cysteine specificity, synthesis, **217,** 1177
- Photodegradation
  - tryptophan residues in α-crystallin, and attenuation of molecular chaperone activity, correlation (rabbit), **212,** 900
- Photosynthesis
  - associated growth, and pigment formation, in *Rhodobacter capsulatus ahcY* mutant, effects of rat liver *S*-adenosylhomocysteine hydrolase expression, **207,** 265
- Phylogeny
  - dopamine D4 receptor polymorphic tandem repeats in primate species, **207,** 467
  - MHC class II *DRB* genes: bovine NR1 allele identification, **209,** 981
- *Physarum polycephalum*
  - purification of ATP-dependent actin-binding protein, **212,** 347
- Phytochelatins
  - binding to Pb(II) (rat), **215,** 730
- Phytohemagglutinin
  - induction of HIV-1 expression in latently HIV-1-infected ACH2 cells, **207,** 903
- Phytotoxins
  - effect on plasma membrane H$^+$-ATPase and unilamellar liposomes (*Pseudomonas* pv. *syringae*), **214,** 118
- *Pichia pastoris*
  - amyloid precursor protein-secreted forms, expression, purification, and neurotrophic activity, **213,** 52
  - long- and very-long-chain fatty acids in, peroxisomal activation (yeast), **206,** 335
  - vascular recombinant endothelial growth factor expressed in, purification (human), **215,** 750
- Picrotoxin
  - effect on cytochrome P4501A1 induction in hepatocytes (rainbow trout), **214,** 1060
- Pigment
  - formation, and photosynthetic growth, in *Rhodobacter capsulatus ahcY* mutant, effects of rat liver *S*-adenosylhomocysteine hydrolase expression, **207,** 265
- Pineal gland
  - constitutive neuronal nitric-oxide synthase, regulation by environmental lighting (rat), **212,** 70
  - endogenous 5-methoxyindole-3-acetic acid identification and quantification by mass spectrometry (quail), **209,** 1132
- Pinealocytes
  - cGMP production, effect of tyrosine kinase inhibitors (rat), **207,** 994
- Pine cone extract
  - antitumor substance, interaction with influenza virus proteins, inhibition of viral replication, **214,** 318
- Pinocytosis, *see also* Macropinocytosis
  - antigens nonspecifically incorporated in B cells by, and antigens specifically incorporated by surface IgM, presentation, effects of thiol-protease inhibitors, **210,** 324
- Pioglitazone
  - effects on glucose transport and glucose transporter translocation and intrinsic activity in obese Zucker rat skeletal muscle plasma membranes, **208,** 835
- Pituitary
  - identification of P2xR1 purinoceptor subunit short form produced by alternative splicing (rat), **212,** 501
  - tumor-derived GH3 cells, proglucagon processing, role of prohormone convertases PC1 and PC2 (rat), **207,** 646
- Pituitary adenylate cyclase activating polypeptide
  - inhibition of calmodulin, **208,** 280
- Pituitary adenylate cyclase activating polypeptide receptor
  - amino-terminal fragment, function as high-affinity binding domain, **212,** 673
- Pituitary cells
  - anterior, growth hormone release, effect of cyclic GMP (rat), **214,** 918
- Pituitary gland
  - G protein mutations, analysis (human), **211,** 1063
  - low-M_r GTP-binding protein *ram* p25, gene identification and localization (rat), **217,** 1223
- Pituitary growth hormone releasing factor receptor
  - sexually dimorphic expression in rat, **216,** 1060
- Placenta
  - lactogen gene expression, activation by nuclear factor NF-IL6 (human), **206,** 215

- Placenta (*continued*)
  - L-arginine nitric oxide pathway, relationship to polyamines (human), **212,** 229
  - plasma membrane fatty acid-binding protein, identification and characterization (human), **209,** 1011
  - term, 35-kDa protein from, promotion of microtubule assembly *in vitro* (human), **208,** 1174
- Plakoglobin
  - and β-catenin, association with c-*erb*B-2 gene product (human), **208,** 1067
- Plant cells
  - barley, *scyllo*-inositol-containing phosphatidylinositol, characterization, **210,** 549
  - tobacco, and yeast cells, transgenic, synthesis and secretion of tobacco neutral PR-5 protein, **211,** 909
- Plants
  - mung bean, mustard, and rice, UV-induced peroxidation, protection by UV-induced proline accumulation, **209,** 1
- Plaques
  - senile, in Alzheimer's disease, interaction with apolipoprotein E (human), **208,** 657
- Plasma, *see also* Serum
  - adrenomedullin concentration, effect of endotoxin (rat), **215,** 531
  - unfractionated, copper-induced lipid oxidation: pre-oxidation lag as measure of oxidation resistance (human), **216,** 854
- Plasma membranes
  - angiotensin I-converting enzyme active sites anchored on, catalytic properties (CHO cells), **211,** 528
  - associated fatty acid-binding protein, identification and characterization (human placenta), **209,** 1011
  - brown adipocyte, chloride channels, role in mediation of α_1-adrenergic depolarization (mouse), **211,** 639
  - cytosolic p47^{phox} translocation to, role of protein kinase C-mediated phosphorylation in cell-free system, **211,** 410
  - electroporation-induced permeability, role of lipid peroxidation (K562 cells), **209,** 417
  - erythrocytic, lithium transport pathways (chicken, eel, human), **210,** 119
  - H$^+$-ATPase, effect of *Pseudomonas* pv. *syringae* phytotoxins, **214,** 118
  - HL-60 cells, nucleoside diphosphate kinase and GTP hydrolysis, effects of lipopeptides (human), **209,** 575
  - intestinal, calcium pump, vitamin D-dependent transcriptional regulation (chicken), **213,** 499
  - liver, purification of phospholipid-dependent NADH-coenzyme Q reductase (pig), **212,** 138
  - Ltk$^-$ cells, skeletal muscle voltage-dependent calcium channel α_1 subunit, increased amount, association with coexpression of α_1 and β subunit cDNAs (mouse), **211,** 921
  - model, gramicidin A all Trp→Phe replacement in, HPLC analysis, **209,** 466
  - onion root, 27- and 31-kDa electron transport proteins, topography, **216,** 1054
  - SH-SY5Y neuroblastoma cells, identification of [^{3}H]K-252A-specific binding sites (human), **211,** 511
  - skeletal muscle, from obese Zucker rat, glucose transport, glucose transporter translocation, and intrinsic activity, effects of pioglitazone, **208,** 835
  - yolk sac epithelial cells, delivery of immature gp280, **212,** 353
- Plasmids
  - γ, replication in amino acid-starved *Escherichia coli* cells, regulation by transcriptional activation of *ori*γ, **214,** 978
  - antisense, in analysis of preproenkephalin A gene role in fibroblast proliferation, **214,** 530
  - apoE-mediated transfection with, in transformation of endothelial cells (human), **214,** 206
  - DNA, electropulsation-mediated transfer in intact yeast cells, fast kinetic studies, **214,** 825
  - invasion, associated antigen IpaD, structural analysis (*Shigella flexneri*), **214,** 963
  - –liposome complexes, inhibition of ovarian carcinoma cell proliferation (human), **207,** 492
  - Mn-containing superoxide dismutase transcripts, and endogenous MnSOD mRNA, differentiation with reverse transcription-PCR, **216,** 610
  - pBR322, DNA nicks in, induction by peroxynitrite, **210,** 1025
  - vector, with *Acetobacter pasteurianus* replicon pAC1, transformation of various gram-negative and gram-positive bacteria, **206,** 942
- Plasmin
  - –urokinase system, leupeptin analogue inhibiting, suppression of *in vitro* invasion of human fibrosarcoma cells, **209,** 25
- Plasminogen
  - binding sites in streptokinase, identification (human), **217,** 1245
- Plasminogen activator
  - activity enhancement by midkine, **216,** 574
  - in aortic endothelial cells, effect of midkine-derived synthetic peptides (bovine), **206,** 468
  - in RAW 264.7 cells, stimulation by advanced glycation end products via granulocyte–macrophage colony-stimulating factor (mouse), **217,** 278
  - urokinase-type, expression, and tubular morphogenesis, in endothelial cells, modulation by angiogenin (bovine), **211,** 476
- Plasminogen activator inhibitor-1
  - concentration in endothelial cells, effects of contrast agents (human), **212,** 776
- Plasmodia
  - purification of ATP-dependent actin-binding protein (*Physarum polycephalum*), **212,** 347
- Platelet-activating factor
  - induction of MAP kinase activation and intracellular calcium increase in B cells, mediation by independent pathways (human), **209,** 1111
  - precursor 1-alkyl-2-lyso-*sn*-glycero-3-phosphocholine, generation via CoA-dependent transacylase (rat), **210,** 1052
- Platelet-activating factor acetylhydrolase
  - γ-subunit, cytosolic, cDNA cloning and mRNA expression in tissues (human), **214,** 180
- Platelet-activating factor acetylhydrolase-45
  - WD40/β-transducin repeat segments, binding of pleckstrin homology domain *in vitro* (bovine), **209,** 622
- Platelet-activating factor receptor
  - CHO cells expressing, PAF-stimulated phospholipase D activation, role of protein kinase Cα, **214,** 418

Platelet-derived growth factor
  induced Ca^{2+} mobilization in murine mesangial cell line, inhibition by transforming growth factor β1, association with growth arrest, **210,** 378
  isoforms AA, AB, and BB, effects on collagen gene expression and mitotic activity of cultured wound fibroblasts (human), **209,** 393
  mediated signal transduction, downstream effector pf phospholipase C-γ in: defective phospholipase D activation in Ki*ras*-transformed fibroblasts (mouse), **207,** 460
Platelet-derived growth factor receptor
  PDGF-β, gene promoter, isolation and characterization (mouse), **210,** 165
  tyrosine phosphorylation levels, effect of FTI-244 (NIH 3T3 cells), **214,** 295
Platelet-derived growth factor-α receptor
  ligand-induced polyubiquitination (human), **213,** 32
Platelet-derived growth factor-β receptor
  ligand-activated, degradation via proteasome-dependent proteolytic pathway, **217,** 224
  ligand-induced polyubiquitination (human), **213,** 32
Platelet-derived growth factor receptor kinase
  modulation of expression of transmembrane protein-tyrosine phosphatase mRNAsin 3T3 fibroblasts (mouse), **209,** 614
Platelet factor Xa, *see* Factor Xa
Platelets
  activation induced by chylomicron–prothrombin complexes, role of platelet factor Xa (rat), **208,** 765
  adhesion to collagen, inhibitor from Argasid tick *Ornithodoros moubata,* characterization, **208,** 532
  binding of von Willebrand factor, modulation by jararhagin and jaracetin from snake venom (human), **206,** 570
  Ca^{2+} capacitative influx, resistance to nitric oxide (human), **212,** 90
  Ca^{2+} uptake and content of internal stores, reduction by endothelin-3 (human), **210,** 889
  endothelin-stimulated tyrosine phosphorylation, effect of cAMP and cGMP (rabbit), **215,** 219
  function and protein tyrosine phosphorylation, effects of tyrphostins B42 and B46 (horse), **212,** 595
  glycoprotein IIb/IIIa-deficient and normal, HDL_3 second messenger response (human), **207,** 148
  nitric oxide production in, relationship to cytosolic Ca^{2+} concentration, direct measurement, **215,** 842
  phenolsulfotransferases, cDNA cloning, stable expression in V79 cells, and identification of allelic variant of phenol-sulfating form (human), **208,** 855
  phosphoinositide 3-kinase and phospholipase C activities, and associated aggregation, effects of lysophosphatidic acid, **211,** 484
  phospholipase A2 activation and cytosolic Ca^{2+} increase, induction by von Willebrand factor type IIB (human), **214,** 102
  as primary source of amyloid β-peptide in blood (human), **213,** 96
  specific L-arginine transport system, identification (human), **206,** 878
  thrombin-induced histamine secretion, role of protein kinase C and low-molecular-weight G proteins (human), **206,** 492
  trimeric GTP-binding proteins, identification by RT-PCR (human), **214,** 254
Pleckstrin homology domain
  binding by platelet-activating factor acetylhydrolase-45 WD40/β-transducin repeat segments *in vitro,* **209,** 622
  role in βIΣII spectrin C-terminal region binding to cerebral membranes (bovine), **217,** 608
  three types of RAC-protein kinase, association with protein kinase C subspecies and βγ subunits of G proteins (rat), **216,** 526
Pleiotrophic factors
  type α and β, gene expression, developmental and differential regulation (*Xenopus laevis*), **214,** 432
PMA, *see* Phorbol myristate acetate
Polarity
  cellular, tracheal epithelium cultured on human amniotic membrane (guinea pig), **210,** 302
Poliovirus
  proteinase $2A^{pro}$, expression in mammalian cells, resultant cleavage of p220, effect on vaccinia virus, **215,** 928
  proteins 2C and 2BC, induction of membrane proliferation, **206,** 64
Polyadenylation
  alternative sites, utilization by chicken S6 ribosomal protein gene, **210,** 384
  and *cis*-splicing and 5′ *trans*-splicing, temporal order of reactions for actin RNA (*Onchocerca volvulus*), **211,** 49
Polyadenylation signals
  based evidence for existence of variant cytochrome P450 2E1 cDNAs (human), **209,** 717
Poly(ADP-ribose) glycohydrolase
  inhibition by oenothein B in 34I cells, role in suppression of mouse mammary tumor gene expression, **210,** 329
Poly(ADP-ribose) polymerase, *see* NAD^+ ADP-ribosyltransferase
Polyalanine
  formation of stable β-sheet structures, **211,** 7
Polyamines, *see also specific polyamines*
  and L-arginine nitric oxide pathway in placenta, relationship (human), **212,** 229
  inhibition of mitochondrial permeability transition (rat liver), **207,** 661
  reversal of rabbit reticulocyte guanine nucleotide exchange factor activity, **212,** 1007
  uptake in Caco-2 cells, stimulation by epidermal growth factor (human), **206,** 962
Polychlorinated biphenyls
  congener 2,4,5,2′,4′,5′-hexachlorobiphenyl, metabolism by human CYP2B6, **212,** 455
Polyclonal antibodies
  in analysis of inducibility of rabbit aortic cytochrome P450 families 2, 3, and 4, **213,** 916
Poly(lactide-co-glycolide)
  and hydroxyapatite, three-dimensional matrices, adherence and migration of rat osteoblast-like cells, **213,** 639
Polylactosaminolipids
  E-selectin-binding series in normal leukocytes and myelocytic leukemia HL60 cells, identification: myeloglycan (human), **209,** 777
Polymerase
  HIV-1, associated RNase H, reverse transcription by, inhibition by phosphorothioate oligonucleotides, **211,** 1041

Polymerase chain reaction
  in analysis of apodystrophin and dystrophin splicing isoforms in developing brain, **215,** 361
  degenerate, and differential hybridization, in isolation of cell type-specific protein tyrosine kinase, **214,** 60
  detection of genetic defect in familial hyperaldosteronism type I (human), **207,** 565
  long
    in analysis of accumulation of deletions in mitochondrial DNA during tissue aging, **217,** 59
    and with SSCP, in analysis of ANP gene and proximal promoter region, in patient with aldosterone-producing adenoma, **215,** 172
    whole mitochondrial genome amplification with, in identification of basal level multiple deletions in mtDNA of dilated cardiomyopathy patients, **210,** 211
  mismatch, in detection of single base polymorphism linked to ataxia–telangiectasia locus, **210,** 982
  quantitative, in deletion analysis of mitochondrial DNA, **207,** 839
  reverse transcription
    α_1-adrenoceptor subtypes in human tissues, **213,** 935
    in analysis of progesterone down-regulation of cystic fibrosis transmembrane conductance regulator expression in endometrial epithelial cells, **217,** 1105
    with degenerate primers, in homology cloning of GTP cyclohydrolase I from unrelated eukaryotes, **212,** 705
    in differentiation between plasmid Mn-containing superoxide dismutase transcripts and endogenous MnSOD mRNA, **216,** 610
    translocation detection method, in identification of EWS-pseudogene in Ewing's sarcoma (human), **213,** 1051
    trimeric GTP-binding protein identification in platelets (human), **214,** 254
  –RFLP assay, for C^{1166} variant of angiotensin II type 1 receptor (human), **213,** 725
  in sequence analysis of neurotoxin type A and B (*Clostridium botulinum* strain AB), **213,** 737
  sequence-specific, in detection of A^{el} allele-specific nucleotide insertion at blood group ABO locus (human), **216,** 642
  –single strand conformation polymorphism, in identification of mutation in *h*MTH1 in hereditary nonpolyposis colorectal cancer (human), **214,** 1239
  whole genome, in identification of mitochondrial NADH dehydrogenase subunit 3 as thyroid hormone-regulated gene (rat), **210,** 995
Polymerization
  caldesmon-induced, G-actin, effect of caltropin (rabbit), **213,** 349
  troponin, catalysis by transglutaminase *in vitro,* **206,** 201
Polymers
  elastic protein-based, electrochemical transduction: model for energy conversion step of oxidative phosphorylation, **210,** 1031
  precipitants for crystallization of macromolecules, identification, **207,** 819
Polymorphisms, *see also specific polymorphisms*
  single strand conformation, and PCR
    in analysis of ANP gene proximal promoter region, in patient with aldosterone-producing adenoma, **215,** 172
    in identification of mutation in *h*MTH1 in hereditary nonpolyposis colorectal cancer (human), **214,** 1239
  site in apolipoprotein E4 isoform, monoclonal antibody to, differentiation of apoE4 and other isoforms, **216,** 467
Polymyxin acylase
  in *N*-myristoyl protein sequence determination (*Pseudomonas* sp.), **217,** 632
Polymyxin B
  mediation of direct vesicle–vesicle exchange of phospholipids, **210,** 746
Polyneuropathy
  familial amyloidotic, *see* Familial amyloidotic polyneuropathy type I
Polyomavirus
  enhancer mutant, conferral of ubiquitous high transcription efficiency to SV40 late promoter, **207,** 339
Polypeptides
  amino-terminally fused, effects on intracellular stability of α fragments of β-galactosidase (*Escherichia coli*), **215,** 452
  homologous to histidyl-tRNA synthetase, mRNA predicting, encoding by gene in head-to-head configuration with HRS gene (human), **210,** 556
  laminin receptor precursor, 37-kDa, and 67-kDa laminin receptor, expression in melanoma cell line, role of protein synthesis (human), **208,** 637
  pancreatic, *Escherichia coli*-expressed, purification and characterization (human), **213,** 239
  paralytic, purification and characterization from larvae (*Myrmeleon bore*), **215,** 167
Polyphemusin II peptide
  $[\mathrm{Tyr}^{5,12},\mathrm{Lys}^{7}]$-, T22, binding to CD4 cell surface molecule, **215,** 626
Polyproteins
  Echovirus 22, processing, **217,** 1120
O-Polysaccharide
  region of lipopolysaccharide, role in macrophage activation by S-form LPS, **210,** 678
Polysaccharides
  MAR-10, exhibiting strong activity against HIV-1 *in vitro,* isolation (*Hyssop officinalis*), **210,** 145
  sulfated, inhibitory effects on anti-V3 domain antibody binding to HIV-1-infected cells, **209,** 850
Polysialic acid
  biosynthesis, potential initiating enzyme α-2,8-sialyltransferase, purification from neuroblastoma cells (human), **217,** 777
Polyubiquitination
  ligand-induced, receptor tyrosine kinases, **213,** 32
Pompe's disease, *see* Glycogen storage disease, type II
Porins
  role in *Pseudomonas aeruginosa* antibiotic susceptibility, analysis by construction of mutants with deletions in multiple porin genes, **213,** 88
Porphyromonas gingivalis W50
  prtR gene encoding 132-kDa protein with Arg-specific thiol endopeptidase and hemagglutinin domains, nucleotide sequence, **207,** 424
Potassium
  concentration in suspension media, effect on protonmotive force components in hepatic mitochondria (rat), **210,** 98

  intracellular, homeostasis in cultured hematopoietic cells, regulatory role of interleukin-3 (mouse), **214,** 348
  mediated aldosterone secretion, inhibition by KN-62: implication of Ca^{2+}/calmodulin-dependent protein kinase II role in secretion, **209,** 916
Potassium channels
  activator RP 66471, induction of membrane depolarization in hepatic mitochondria (rat), **207,** 126
  associated activity of neuronal and cardiac G protein-activated inward rectifiers, role of heterologous multimeric assembly, **212,** 657
  ATP effects, role of P$_{2Y}$ purinoceptor linked to PTX-insensitive G protein in cerebral artery endothelial cells (bovine), **215,** 1022
  ATP-sensitive, β cell type, putative subunit, screening for mutations in Japanese non-insulin-dependent diabetes mellitus patients, **211,** 1036
  calcium-dependent
    activation in L6 skeletal myocytes by arginine vasopressin, role of extracellular Ca^{2+}, **217,** 1163
    evidence in urinary bladder (guinea pig, human), **213,** 404
  and chloride channels, sarcolemmal, in normal and myotonic muscle, analysis in lipid-supplemented vesicles (mouse), **213,** 513
  differential distribution in pulmonary arterial tree smooth muscle cells (rat), **208,** 183
  endothelial, stimulation by estradiol-17β (rabbit), **214,** 367
  G protein-gated
    functional couplings with δ- and κ-opioid receptors (*Xenopus* oocytes), **208,** 302
    molecular cloning of GIRK1 and distinct distributions of GIRK1, GIRK2, and GIRK3 mRNAs in brain (mouse), **208,** 1166
    muscarinic, GIRK1, direct binding to G$_{\beta\gamma}$ (mouse), **212,** 1022
  and intracellular Ca^{2+} release, in smooth muscle cells of cerebral arteries, dual effects of ATP (bovine), **215,** 1071
  inward rectifier current, modulation of tyrosine phosphorylation of pp125^{FAK} and associated proteins in neuroblastoma cells (mouse), **210,** 823
  K$_{ATP}$-2, cloning and expression in pancreatic islets of male Zucker diabetic fatty rat, **212,** 894
  Kv1.1, mammalian cell-expressed, temperature dependence (rat brain), **215,** 915
  muscarinic, G protein-gated, immunological and physical properties (murine brain), **217,** 1238
  P$_{2Y}$ purinoceptor-operated, in cultured inferior colliculus neurons, regulation by pertussis toxin-insensitive G protein βγ subunits (rat), **214,** 589
  Shaker-type, function, role of specific transmembrane segments in α subunit (*Xenopus laevis* oocytes), **209,** 1094
  voltage-dependent, lymphocytic, blocker noxiustoxin, chemical synthesis, and structural and functional characterization (scorpion), **213,** 901
  voltage-gated, in human lymphocytes, blocking by β-scorpion toxin 2 from *Centruroides noxius,* **213,** 419
Potassium currents
  K$^+_{ATP,}$ in intact pancreatic beta cells, effect of glucagon-like peptide-1 (mouse), **207,** 33
Potentiation
  acetylcholine-induced responses in native aortic endothelial cells, by bradykinin (rabbit), **213,** 1061
  synergistic effects of choline phosphate and ethanolamine on insulin-induced DNA synthesis in NIH 3T3 fibroblasts (mouse), **213,** 980
pp60$^{c\text{-}src}$ protein
  effect on voltage-operated Ca^{2+} channel currents in vascular smooth muscle cells (rabbit), **217,** 1039
  expression during spermatogenesis (rat), **206,** 502
  in unsynchronized human tumor cells with spherical morphology, phosphorylation at mitotic site Ser 75, **216,** 619
pp125^{FAK}
  and associated proteins, tyrosine phosphorylation in neuroblastoma cells, modulation by inward rectifier K$^+$ current (mouse), **210,** 823
PQQ glucose dehydrogenase, *see* Glucose dehydrogenase (pyrroloquinoline-quinone)
PR-5 protein
  neutral, tobacco, synthesis and secretion by transgenic tobacco and yeast, **211,** 909
Preadipocytes
  3T3-L1, differentiation to adipocytes, associated expression of insulin-activated amino acid transporter gene (mouse), **208,** 1008
  bovine intramuscular clonal line BIP, adipocyte differentiation: GLUT-4 protein nonexpression, **213,** 369
  protein kinase C ζ, modulation by insulin and serum mitogenic factors and role in adipogenesis (rat), **217,** 123
Preapolipoprotein C-III
  –β-galactosidase hybrid, in differentiation of low-density and very-low-density phospholipids, **211,** 754
Prednisolone
  in vivo effect on release of leukotriene C4 in eosinophils from asthmatic patients, **214,** 869
Pregnancy-specific glycoprotein
  splice variants, cDNA encoding, characterization (human), **211,** 656
Pregnenolone sulfate
  effect on *in vivo* Mg^{2+}/Ca^{2+}-ATPase activity in cortical and cerebellar synaptosomal membranes (rat), **212,** 178
  modulation of PMA-stimulated and Ca^{2+}/calmodulin-dependent synaptosomal membrane protein phosphorylation *in vivo* (rat brain), **207,** 606
Pre-initiation complex
  Pit-1-mediated assembly, role in stimulation of transcription (rat), **206,** 40
Preosteoblasts
  MBA-15.4, effects of parathyroid hormone and calcitriol combined with growth factors, **210,** 197
  MC3T3-E1, effects of sphingosine derivatives (mouse), **214,** 676
Preproendothelin-1
  cardiac and renal, mRNA, expression in stroke-prone spontaneously hypertensive rat, effect of salt loading, **209,** 161
Preproenkephalin A
  encoding gene, role in fibroblast proliferation, antisense vector analysis, **214,** 530
Preputial gland
  expression of osteocalcin-related protein (male mouse), **215,** 412

Primer extension
  in analysis of hepatitis C virus genome 3′ terminus, **215,** 744
Prion protein
  avian and mammalian
    N-terminal repeat regions, binding of copper, **207,** 621
    N-terminal tandem repeat region, copper binding to, structural studies with synthetic peptides, **214,** 993
  PrP^C, cellular isoform, association with caveolae in mouse neuroblastoma N2A cells, **210,** 753
Probes
  ESR, for conformational analysis of model β-turn peptides, biradicals as, **213,** 439
  RecA-coated, in enrichment of specific clones from model DNA libraries, **211,** 804
Probucol
  inhibitory effects on macrophage-induced hydrogen peroxide generation in islet cells and islet cell destruction in NOD mouse, **209,** 953
Procathepsin L
  degradation of extracellular matrix proteins in presence of glycosaminoglycans *in vitro* (NIH 3T3 cells), **217,** 624
Procollagen
  type III, gene expression in fibroblasts, inhibition by antisense oligonucleotide (mouse), **215,** 849
Pro-α1(VI) collagen
  gene expression, stimulation by interleukin-4 in cultured human osteoblast-like cells, **211,** 727
Prodynorphin
  gene transcripts, characterization (human), **215,** 881
Proenkephalin
  gene expression: interaction of glucocorticoid and cAMP regulatory elements (rat), **210,** 589
Profilin
  cDNA, high-level expression in *Escherichia coli* (birch pollen), **215,** 250
Progeria
  Hutchinson–Gilford, *see* Hutchinson–Gilford progeria syndrome
Progesterone
  activated responses in sperm, differential modulation by protein kinase C (human), **206,** 408
  down-regulation of cystic fibrosis transmembrane conductance regulator expression in endometrial epithelial cells, RT-PCR analysis (guinea pig), **217,** 1105
  effect on 20-kDa major protein expression in exorbital lacrimal gland (hamster), **208,** 412
  induced conformational changes in mineralocorticoid receptor, analysis by protease mapping (human), **215,** 286
  mediation of cytosolic chloride efflux during sperm acrosome reaction (human), **213,** 774
  modulation of interleukin-1 receptor antagonist mRNA expression in cultured monocytes (human), **209,** 279
  nongenomic action in spermatozoa: independent targeting of plasma membrane Ca^{2+} channel and protein-tyrosine kinase (human), **210,** 518
  ovarian production in adult female rat, effects of submaxillariectomy, **213,** 550
Progesterone receptor
  encoding gene, 5′ region, nucleotide sequence and DNase hypersensitive sites (mouse), **205,** 1093; *erratum,* **207,** 476
Proglucagon
  cell-specific processing, role of prohormone convertases PC1 and PC2, **207,** 646
Prohormone convertase
  PC1 and PC2, role in cell-specific processing of proglucagon, **207,** 646
Prohormone convertase-1
  downregulation by phorbol ester (BON cells), **217,** 495
Prolactin
  glycosylated, detection in biological fluids by immunoblotting, effect of prolactin antisera cross-reactivity with IgG (human), **212,** 48
  . and growth hormone, secretion by cultured human pituitary tumors, induction by growth hormone secretagogue L-692,429, **208,** 555
Proliferating cell nuclear antigen
  stimulation of DNA polymerase γ activity (rat), **216,** 715
Proliferation
  cellular, *see* Cell proliferation
Proline
  accumulation in plants exposed to UV radiation and protective effect against UV-induced peroxidation, **209,** 1
  –glycyl transport system, detection in enterocyte brush-border membrane vesicles (sheep), **215,** 561
  residues in flanking segments of protein–protein interaction sites, hypothetical structural role, **212,** 1115
Promastigotes
  ornithine decarboxylase from, interaction with pyridoxal 5′-phosphate and α-difluoromethylornithine (*Leishmania mexicana*), **212,** 396
Promoters
  apoferritin L gene, negative and positive elements (human), **215,** 329
  BCL-6 gene, region, characterization (human), **214,** 461
  CAG, regulation of Cre recombinase gene expression in adenovirus vector, **217,** 393
  calcyclin gene, functional analysis in panel of melanoma cell lines (human), **213,** 1122
  core
    endothelial nitric-oxide synthase, activity, role of Sp1 binding site in GC-rich region (human), **216,** 729
    and transcription start site, juvenile-hormone esterase gene, identification (*Trichoplusia ni*), **214,** 286
  DAX-1, steroidogenic factor-1 response element in, identification (human), **214,** 576
  distal, aldolase A, silencer modulating transcription, characterization (human), **216,** 69
  fibroblast growth factor-4, transcription factor NF-Y binding, role in FGF-4 enhancer activity (mouse), **211,** 519
  γ-globin gene, stage selector element, binding to CTF/NF-1 (human), **215,** 874
  glucokinase gene, DNase I hypersensitivity, cell-specific differences (rat), **215,** 272
  GLUT-4 gene, transcriptional activity, fatty genotype-induced increase: delineation of two fa-responsive regions and glucose effect (rat), **209,** 1053
  histamine H_2 receptor gene, identification (human), **210,** 616
  hsp90β gene, isolation (chicken), **206,** 644
  insulin-like growth factor-I gene, identification in 5′-flanking

regions (rat), **206,** 279
intestinal trefoil factor, characterization (human), **214,** 195
malic enzyme gene, activation by peroxisome proliferator activated receptor/retinoic X receptor, effect of chicken ovalbumin upstream promoter transcription factor, **215,** 338
mammary-specific whey acidic protein promoter, protein binding to negative regulatory element in, characterization, **217,** 1045
multidrug resistance gene-1, downstream
  region 3′ to major transcriptional start site, mediation of activation by subset of mutant p53 proteins (human), **217,** 333
  sequence-specific binding of wild-type p53 (human), **217,** 825
myeloid-specific, c-fgr proto-oncogene, identification of phorbol ester responsive region (human), **209,** 60
neuron-specific enolase, *dbl* expression driven by, induction of tumor formation in transgenic mouse with *p53*(+/−) genetic background, **216,** 762
nm23-H2 gene, characterization and microsatellite D17S396 localization (human), **215,** 910
κ-opioid receptor gene, mapping (mouse), **209,** 639
μ opioid receptor gene, molecular cloning and functional analysis (rat), **215,** 591
ornithine decarboxylase gene, activity, correlation with Sp1 affinity for GC-rich elements (rat), **214,** 324
phospholipid transfer protein gene, characterization (human), **217,** 705
PIG-A, characterization (mouse), **215,** 497
platelet-derived growth factor β-receptor gene, isolation and characterization (mouse), **210,** 165
proximal region
  ANP gene, in patient with aldosterone-producing adenoma, PCR-SSCP analysis, **215,** 172
  somatostatin receptor, SSTR4, characterization (rat), **206,** 935
renal kallikrein gene, regulatory elements in, comparison in normotensive and hypertensive rats, **217,** 113
ryudocan, molecular cloning (human), **212,** 1139
Sry gene, 5′ putative, sequence variation and relevance to C57BL/6J-Y^{DOM} sex reversal, **208,** 624
surfactant protein B gene, amplification by DNA-binding proteins A2 and B (rabbit), **208,** 153
testis-specific rat protamine P1 gene, *trans*-acting factors binding to, demonstration, **208,** 802
tumor necrosis factor α gene, variability, association with type II diabetes mellitus (human), **211,** 833
tyrosinase, in characterization of gene regulatory elements for selective gene expression in human melanoma cells, **213,** 699
U6, transcription *in vitro* from, role of RNA polymerase II and III (human), **214,** 934
vasoactive intestinal polypeptide gene, cAMP-mediated activity in PC12 cells, effect of staurosporine (rat), **214,** 1114
ventricular myosin light chain-2, activity in heart muscle and nonmuscle cells, effects of enhancer sequences (rat), **210,** 260

Proopiomelanocortin
gene encoding, upstream transcripts, characterization and regulation (mouse), **210,** 281
recombinant, processing by chromaffin granule aspartic proteinase, **215,** 937

Propionyl-CoA
shuttling from peroxisomes to mitochondria, role of carnitine (human), **213,** 1035

Prostacyclin synthase, *see* Prostaglandin-I synthase

Prostaglandin D$_2$
and PGE$_2$ and PGF$_{2\alpha}$, circadian variations in cerebrospinal fluid of anesthetized rat, **213,** 625

Prostaglandin E$_2$
antibodies to, cross-reaction with PGF$_2$-isoprostanes formed during copper-induced low-density lipoprotein oxidation, **206,** 455
induction of arginase in bone marrow-derived macrophages (mouse), **206,** 667
N-methyl-D-aspartate-dependent release by cultured astroglial cells, role of nitric oxide (human), **215,** 793
modulated androgen synthesis in newt testis *in vitro,* differential mediation by adenylate cyclase and phospholipase C (*Triturus carnifex*), **211,** 1047
and PGD$_2$ and PGF$_{2\alpha}$, circadian variations in cerebrospinal fluid of anesthetized rat, **213,** 625
role in interleukin-1-induced heme oxygenase-1 mRNA regulation in mesangial cells (rat), **212,** 617

Prostaglandin endoperoxidase H synthase-2
activation of 2-aminofluorene (human, sheep), **215,** 346

Prostaglandin-endoperoxide synthase
cox-2 isoform, mRNA expression in macrophages, effects of proinflammatory cytokines (human), **208,** 582

Prostaglandin endoperoxide synthase-1
tyrosyl radical formation, analysis (sheep), **207,** 652

Prostaglandin EP$_{3A}$ receptor
activation of mitogen-activated protein kinase (human), **211,** 152

Prostaglandin EP$_{3D}$ receptor
selective coupling to multiple G proteins, role of interaction of carboxylic acid of agonist and arginine residue of seventh transmembrane domain, **212,** 279

Prostaglandin F$_{2\alpha}$
inhibition of epidermal growth factor binding to cellular receptors on adipocyte precursors in primary culture (rat), **212,** 1125
and PGD$_2$ and PGE$_2$, circadian variations in cerebrospinal fluid of anesthetized rat, **213,** 625

Prostaglandin F$_2$-isoprostanes
formed during copper-induced low-density lipoprotein oxidation, cross-reaction with prostaglandin E$_2$ antibodies, **206,** 455

Prostaglandin-I synthase
overexpression, inhibition of vascular smooth muscle cell growth (human), **216,** 862

Prostaglandins
secretion, stimulation by lipopolysaccharide and ethanol in cultured Kupffer cells (rat), **215,** 691; *erratum,* **217,** 1287
upregulation, relationship to pulsating fluid flow effect on nitric oxide synthesis by osteocytes and periosteal fibroblasts (chicken), **217,** 640

Prostate
  fetal, steroid 5α-reductase type 1 and 2 expression (human), **215,** 774
  glandular epithelial cells, selenoprotein identification (rat), **217,** 162
Prostatic acid phosphatase
  mRNA, differential regulation by androgen (rat), **213,** 861
Protamines
  P1, testis-specific, gene promoter region, *trans*-acting factors binding to, demonstration (rat), **208,** 802
Proteasome, *see* Multicatalytic endopeptidase complex
Protein activator
  Ca^{2+}/calmodulin-dependent protein kinase I, purification and characterization (rat), **215,** 861
Proteinase
  sensitivity, to probe conformations of synthesized mutant forms of mitochondrial aspartate aminotransferase (rat), **215,** 800
Proteinase $2A^{pro}$
  poliovirus, expression in mammalian cells, resultant cleavage of p220, effect on vaccinia virus, **215,** 928
Proteinase inhibitors
  HIV-1, with oral bioavailability, synthesis and evaluation (dog, rat, monkey), **211,** 159
  Z-Asp-CH_2-DCB, inhibiting interleukin-1β-converting enzyme, prevention of antitumor agent-induced apoptosis in U937 cells, **209,** 907
α_1-Proteinase inhibitors
  synthesis in cells of monocytic origin, effect of dexamethasone (human), **208,** 216
Proteinase mapping
  in analysis of ligand-induced conformational changes in mineralocorticoid receptor (human), **215,** 286
Protein degradation
  inhibition by insulin-like growth factor-1, associated autocatalytic inactivation of lysosomal cathepsins in myotubes (mouse), **208,** 353
Protein disulfide-isomerase
  activity mimicking by active site peptide with CXXC motif on multiple antigen peptide resin, **213,** 746
Protein folding
  aggregation during, effect of cyclodextrins, **211,** 60
  carboxypeptidase Y misfolding induced by mutant prosequences, discrimination by unfolded protein response element (yeast), **209,** 31
  human insulin-like growth factor I secreted from yeast, role of neuroendocrine protein 7B2 as molecular chaperone, **211,** 417
  refolding, manganese peroxidase to active enzyme (*Phanerochaete chrysosporium*), **216,** 1013
Protein-glutamine γ-glutamyltransferase
  catalysis of troponin polymerization *in vitro,* **206,** 201
  gene upregulation during cardiac hypertrophy and transition to heart failure (rat), **209,** 527
Protein inhibitors
  –serine protease complexes, binding energies, relationship to hydrophobic accessible surface areas, **206,** 497
Protein kinase
  56-kDa, interaction with annexin VI in T cells (human), **212,** 270
  associated with 26 S proteasome, phosphorylation of substrate, linkage to ATP-dependent proteolysis of proteasome, **213,** 7
  Ca^{2+}/calmodulin-dependent, *see* Ca^{2+}/calmodulin-dependent protein kinase
  cAMP/Ca^{2+}-independent autophosphorylation-dependent, phosphorylation/activation of phosphorylase *b* kinase (rabbit skeletal muscle), **207,** 140
  *cdc*2-related, cDNA cloning from endothelial cells (human), **208,** 562
  cyclic AMP-dependent, *see* Protein kinase A
  DNA-dependent
    identification of OK-1035 as selective inhibitor (HeLa cells), **215,** 41
    role in phosphorylation of P1 protein in cell-free DNA replication of *Xenopus* eggs, **213,** 803
  ERK2, phosphorylation of RNA polymerase II C-terminal domain (rat), **207,** 1051
  mitochondrial cAMP-dependent, activity and transcription in *TPK1, TPK2,* and *TPK3* mutants, assessment (*Saccharomyces cerevisiae*), **206,** 756
  mitogen-activated, *see* MAP kinase
  putative
    similar to mammalian glycogen synthase kinase-3 and *Drosophila* Zeste-White3/Shaggy, *MRK1* gene encoding, identification (*Saccharomyces cerevisiae*), **208,** 728
  Raf-1
    activation, role in liver response to *in vivo* heat shock (rat), **216,** 54
    activation and tyrosine phosphorylation, induction by interleukin-13 in monocytic progenitor cell line U937 (human), **206,** 103
    C-terminal domain, 33-kDa, Ras-independent, serum- and phorbol ester-induced shift in gel mobility, **214,** 340
    protein kinase C-independent activation by leukotriene B_4 in eosinophils (guinea pig), **210,** 837
  role in synovial fibroblast growth (human), **210,** 1066
Protein kinase A
  mediation of growth phase induction of cytochrome c oxidase subunit VI gene COX6 (*Saccharomyces cerevisiae*), **214,** 1051
  mitochondrial, substrate for, identification (*Saccharomyces cerevisiae*), **214,** 188
  phosphorylation of mitochondrial voltage-dependent anion channel, **209,** 213
  and tyrosine kinases, role in induction of leukocyte alkaline phosphatase by granulocyte colony-stimulating factor and retinoic acid in acute promyelocytic leukemia cells, **208,** 846
Protein kinase C
  activation of membrane-bound phospholipase D via synergistic action of RhoA in HL-60 (human cells), **211,** 306
  activation by oxidized diacylglycerols (rat brain), **217,** 654
  and $[Ca^{2+}]_i$, role in high D-glucose-induced cell cycle progression in vascular smooth muscle cells (rat), **211,** 619
  dependent pathway, in EGF stimulation of MAP kinase in keratinocytes (human), **208,** 245
  dependent signal transduction, role in farnesol-induced apoptotic cell death (human), **212,** 479

differential modulation of progesterone-activated responses in sperm (human), **206,** 408
independent leukotriene B_4 activation of Raf-1 and mitogen-activated protein kinase in eosinophils (guinea pig), **210,** 837
inhibitor GF 109203X, modulation of MRP-associated multiple drug resistance (human), **206,** 119
isoenzymes
  activities during liver regeneration (rat), **214,** 354
  associated changes in staphylococcal enterotoxin B-induced thymocyte apoptosis (mouse), **213,** 1132
  association with pleckstrin homology domain of three types of RAC-protein kinase (rat), **216,** 526
  differential activation by 14-3-3 ζ protein, **216,** 103
  differential expression and subcellular localization in neuronal and cardiac tissues (*Limulus polyphemus*), **208,** 463
  differential expression in FAO and HepG2 hepatoma cells and normal rat hepatocytes, **217,** 546
  expression and modulation in differentiation-competent and -resistant erythroleukemia cells (mouse), **210,** 90
  required for chondrogenesis of limb bud mesenchymal cells, expression (chicken), **216,** 1034
and low-molecular-weight G proteins, role in thrombin-induced histamine secretion from human platelets, **206,** 492
–MAP kinase cascade, mediation of phospholipase A_2-activating protein-induced smooth muscle contraction (rabbit), **217,** 203
mediation of calponin phosphorylation in association with coronary artery contraction (pig), **208,** 397
p47^{phox} phosphorylation mediated by, role in translocation to plasma membrane in cell-free system, **211,** 410
phospholipase A_2-mediated activation, independent NMDA current inhibition by lysophosphatidylcholine in hippocampal glial cells (rat), **217,** 811
phosphorylation by myosin I, effect on calmodulin binding (rat liver), **216,** 90
phosphorylation of
  protein 4.1, effect on interaction with erythrocyte membrane, **210,** 478
  synaptosomal membrane proteins *in vivo,* modulation by estradiol and pregnenolone sulfate (rat brain), **207,** 606
role in
  interleukin-8 effect on interleukin-4-induced and spontaneous growth of human B cells, **207,** 1044
  mediation of elevated glucose-induced alteration of gap junctional intercellular communication between endothelial cells (bovine), **208,** 492
  regulation of inducible nitric-oxide synthase expression in macrophages and glomerular mesangial cells by high levels of glucose (mouse), **207,** 80
stimulation by compactin in vascular smooth muscle cells (rat), **217,** 459
Protein kinase Cα
  membrane association in pancreatic acinar cells, effect of integrin-linked tyrosine phosphorylation (rat), **208,** 978
  and PKCδ, role in MAP-kinase activation in CHO cells, **210,** 639
  role in
    aldosterone signaling in vascular smooth muscle cells, **213,** 123
    platelet-activating factor-stimulated phospholipase D activation in CHO cells expressing PAF receptor, **214,** 418
Protein kinase Cβ
  and PKCζ, redistribution in stimulated neutrophils (human), **212,** 664
Protein kinase Cδ
  autophosphorylation with GTP (porcine spleen), **206,** 614
  and PKCα, role in MAP-kinase activation in CHO cells, **210,** 639
  tyrosine phosphorylation, induction by IgE high-affinity receptor activation: site identification (rat basophilic leukemia cells), **214,** 888
Protein kinase Cε
  role in activation of NF-κB by 12-*O*-tetradecanoylphorbol-13-acetate in 3Y1 fibroblasts (rat), **206,** 429
Protein kinase CK, *see* Casein kinase
Protein kinase Cζ
  overexpression, effect on NIH 3T3 cell growth characteristics (mouse), **213,** 266
  and PKCβ, redistribution in stimulated neutrophils (human), **212,** 664
  in preadipocytes, modulation by insulin and serum mitogenic factors and role in adipogenesis (rat), **217,** 123
Protein kinase inhibitors
  effect on hypoxia-inducible factor 1 expression, **216,** 669
  effects on stem cell factor-induced mast cell histamine release, pharmacological study (rat), **208,** 576
  induction of tumor suppressor p21 protein in MCF-7 cells, **214,** 361
Protein phosphatase, *see* Phosphoprotein phosphatase
Protein phosphatase 1, *see* Phosphoprotein phosphatase
Protein phosphatase 2A, *see* Phosphoprotein phosphatase
Proteins
  2C and 2BC, poliovirus, induction of membrane proliferation, **206,** 64
  3A, hepatitis A virus, recombinant expression and membrane interaction *in vitro* and in bacterial expression system, **211,** 627
  4.1, interaction with erythrocyte membrane, effects of phosphorylation by protein kinase C, **210,** 478
  14-3-3 ζ, differential activation by protein kinase C isozymes, **216,** 103
  20-kDa, expression in exorbital lacrimal gland, inhibition by androgens and estrogens (hamster), **208,** 412
  30-kDa, in spermatozoa, dephosphorylation by addition of myosin light-chain kinase substrate peptide, inhibition of flagellar motility (chicken), **215,** 706
  30-nm particles, in amoeboid sperm pseudopods, isolation and characterization (*Ascaris suum*), **208,** 1073
  35-kDa, from term placenta, promotion of microtubule assembly *in vitro* (human), **208,** 1174
  40-kDa, chromosomal, loss in tuberous sclerosis lesions (human), **217,** 599
  55-kDa, tyrosine phosphorylation, increase in β-actin/*Tec* transgenic mouse, **206,** 287
  95-kDa
    rapidly dephosphorylating, identification as elongation factor 2 during 8-Br-cAMP treatment of N1E115 neuroblastoma cells (mouse), **217,** 131

Proteins (*continued*)
    tyrosine phosphorylation in primary myelogenous leukemic cells, stimulation by granulocyte colony-stimulating factor (human), **211,** 677
  120-kDa, associated with aromatic hydrocarbon receptor nuclear translocator, identification in Hepa-1 and HepG2 cells (human), **212,** 144
  132-kDa, with Arg-specific thiol endopeptidase and hemagglutinin domains (*Porphyromonas gingivalis* W50), **207,** 424
  350-kDa, Huntington's disease-specific, identification in lymphocytes and brain (human), **209,** 1119
  apolipoprotein B mRNA editing, encoding gene, cloning and structural analysis (mouse), **214,** 653
  binding negative regulatory element in mammary-specific whey acidic protein promoter, characterization, **217,** 1045
  binding to conserved 3′ end of p68 RNA helicase mRNA, detection in male germ cell extracts (mouse), **214,** 632
  cellular, in Daudi cells, phosphorylation and/or kinase activity, modulation by interferon-α: dual modulation of 60-kDa nuclear protein, **208,** 819
  components of cortical hemogenates, β amyloid-peptide binding, effect of aggregation state (rat), **207,** 209
  core, hepatitis B virus, nuclear transport, effect of single serine mutation on HBV core protein nuclear localization signal (human), **213,** 1068
  crystallization, polymeric precipitants for, identification, **207,** 819
  cytoskeleton-associated, in Alzheimer brain, upregulation of O-linked *N*-acetylglucosamine modification, **213,** 424
  dead box family, associated *RVLG* gene, cloning and sequencing, **207,** 405
  elastic, polymers based on, electrochemical transduction: model for energy conversion step of oxidative phosphorylation, **210,** 1031
  excysted juvenile, identification (*Fasciola hepatica*), **213,** 169
  histone-binding, cochaperonin identification as (rat), **206,** 260
  hydrophobic nucleolar, 36-kDa, HNP36, delayed-early response gene encoding (mouse), **213,** 325
  influenza virus, interaction with pine cone antitumor substance, inhibition of viral replication, **214,** 318
  insulin-elicited tyrosine phosphorylation, reversal *in vivo,* role of phosphatase PTP2C (human), **211,** 190
  isoprenylated, radiolabeling, application to post-translational farnesylation and geranylgeranylation inhibitor analysis (human), **206,** 637
  isoprenylation, and cholesterol biosynthesis, in mammalian cells, role of farnesol (monkey, rat), **211,** 590; *erratum,* **213,** 1148
  lateral diffusion in sarcolemma of myoblasts and mature striated muscle cells, effect of dystrophin, measurement by photobleaching technique (mouse, rat), **215,** 67
  –ligand interactions, analysis: alkylated pyridinium salts as inhibitors of acetylcholinesterase from *Electrophorus electricus,* **211,** 1083
  –lipid interactions, analysis with resonance energy transfer couple coumarin/BODIPY, **207,** 508
  low-molecular weight, association with plant cytoskeleton and nuclear matrix (carrot), **210,** 7
  macrophage maturation-associated transcript encoding, with potential transmembrane domains, molecular cloning (human), **217,** 661
  mitochondrial, and DNA, oxidation after ethanol administration (mouse), **213,** 815
  mitochondrial trifunctional β-oxidation, binding by membrane, role of α-subunit (human), **209,** 47
  multidrug resistance, MDR1, *see* P-glycoprotein
  multiple cellular, Vav and c-Cbl, protooncogene products and Ras signaling molecules, tyrosine phosphorylation, induction by thrombopoietin/c-mpl ligand, **216,** 338
  non-collagenous, characterization in chicken bone: identification of 60-kDa non-collagenous phosphoprotein, **208,** 863
  phage M13 coat, α-helical dimer, stabilization by disulfide bridge engineered in transmembrane domain, **206,** 230
  phosphorylation, role in GTP-γ-S-dependent activation of phospholipase D, **210,** 542
  –protein interaction sites, flanking segments, hypothetical structural role for proline residues, **212,** 1115
  recombinant, radiolabeling, in genetic construction of phosphorylation site in ricin A chain, **210,** 253
  riboprotein-like, in trypanosome, *in vivo* association with mitochondrial ribosomal RNA (*Crithidia fasciculata*), **211,** 892
  Se-containing, *see* Selenoprotein
  sequence-specific, binding to 3′-untranslated region of vasoactive intestinal peptide mRNA, **211,** 819
  surface, nuclear transport of hepatitis B virus core protein, effect of single serine mutation on HBV core protein nuclear localization signal (human), **213,** 1068
Protein serine–threonine phosphatase
  type 2Aα, okadaic acid-responsive sequences, analysis by *in vitro* mutagenesis, **214,** 518
Protein synthesis
  associated GTP channeling, role of cytosolic nucleoside diphosphate kinase, *in vitro* studies (*Dictyostelium discoideum*), **209,** 490
  initiation factor 2, mRNA binding properties (wheat germ), **214,** 1033
  role in laminin-induced expression of 67-kDa laminin receptor and 37-kDa precursor (human melanoma cells), **208,** 637
Protein-tyrosine kinase
  57-kDa, differential phosphorylation during egg activation (*Strongylocentrotus purpuratus*), **208,** 204
  active chromatin-associated, phosphorylation of tyrosine residues of RNA polymerase II and other nuclear proteins (hamster), **209,** 356
  and cAMP-dependent protein kinase, role in induction of leukocyte alkaline phosphatase by granulocyte colony-stimulating factor and retinoic acid in acute promyelocytic leukemia cells, **208,** 846
  cell type-specific, isolation by degenerate PCR and differential hybridization, **214,** 60
  differential expression in cortical and medullary thymic epithelial cell lines (mouse), **213,** 768
  iyk, differential expression in mammary gland and intestine (mouse), **209,** 582; *erratum,* **211,** 100
  $p56^{lck}$, membrane binding, second signal to myristate for, provision by amino-terminal palmitate or polybasic domain (HeLa cells), **207,** 868

  pp60$^{c\text{-}src}$, expression during spermatogenesis (rat), **206,** 502
  pp125^{FAK}, *see* Focal adhesion kinase
  P130$^{gag\text{-}fps}$, *in vivo* autophosphorylation and transforming activity, regulation by leucine zipper-like domain (3Y1 rat embryonic fibroblasts), **211,** 447
  phosphorylation, in platelets, effects of tyrphostins B42 and B46 (horse), **212,** 595
  and plasma membrane Ca^{2+} channel, in spermatozoa, independent targeting by progesterone (human), **210,** 518
  –protein-tyrosine phosphatase pathway, role in α1B-adrenergic receptor activation of Ca^{2+} influx in PC C13 cells after noradrenaline-induced emptying of InsP$_3$-sensitive Ca^{2+} stores (rat thyroid), **209,** 630; *erratum,* **210,** 1083
  receptor, regulated signal transduction in HeLa cells, role of queuine, **207,** 306
  regulation of trans-plasma membrane chloride influx in lymphocytes after depletion of $[Ca^{2+}]_i$ stores (human), **211,** 432
  syk, and cDNA and transcripts, molecular characterization (mouse), **213,** 273
  TecIIa, hematopoietic cell-associated, pleckstrin homology domain, binding by platelet-activating factor acetylhydrolase-45 WD40/β-transducin repeat segments *in vitro,* **209,** 622
Protein-tyrosine phosphatase
  inhibition by peptide containing phosphotyrosyl mimetic L-*O*-malonyltyrosine, **209,** 817
  pez, with ezrin-like domains, cDNA isolation (human), **209,** 959
  phosphonodifluoromethyl phenylalanine and phosphonomethyl phenylalanine as inhibitory moieties, comparison, **216,** 976
  PTP2C, role in dephosphorylation of insulin-elicited phosphotyrosine proteins *in vivo* (human), **211,** 190
  PTP35, expression in 3T3 fibroblasts, regulation during cell growth and stimulation by mitogens (mouse), **217,** 154
  SH-PTP2, localization and subcellular distribution (rat brain), **211,** 950
  transmembrane, LRP and mRPTPσ, mRNA expression, modulation by PDGF receptor kinase and growth arrest in 3T3 fibroblasts (mouse), **209,** 614
  –tyrosine kinase pathway, role in α1B-adrenergic receptor activation of Ca^{2+} influx in PC C13 cells after noradrenaline-induced emptying of InsP$_3$-sensitive Ca^{2+} stores (rat thyroid), **209,** 630; *erratum,* **210,** 1083
Proteolipid protein
  encoding gene, nonsense mutation, as cause of X-linked spastic paraplegia in twin males, **215,** 835
Proteolysis
  α$_1$-antitrypsin, catalytic effects of matrilysin: comparison with other matrix metalloproteinases (human), **204,** 613; *erratum,* **206,** 438
  ATP-dependent, 26 S proteasome, linkage to phosphorylation of proteasome substrate by protein kinase associated with proteasome, **213,** 7
  calcium-dependent, cardiac N-cadherin, induction by elevated calcium levels, analysis by detergent-treated model (dog), **217,** 649
  dystrophin *in situ,* evidence of protection of N-terminal half (human muscle), **209,** 1062
  limited, in release of angiotensin-converting enzyme expressed in CHO cells, effect of phorbol ester (human), **206,** 541
  proteasome-dependent, as pathway for degradation of ligand-activated platelet-derived growth factor-β receptor, **217,** 224
  selective activation and degradation of mature and precursor forms of endothelin in parenchymal strips of lung (guinea pig), **207,** 675
  ubiquitin-dependent, nuclear factor κB inhibitor IκBα, and degradation product, assay, **215,** 292
Prothrombin
  –chylomicron complexes, induced platelet activation, role of platelet factor Xa (rat), **208,** 765
Prothrombin fragment 1
  fast- and slow-folding forms, equilibrium between, role of pH-induced self-association (bovine), **206,** 742
Proton–monocarboxylate transporter
  MCT1, role in intestinal transport of monocarboxylic acid (CHO cells, rabbit, rat), **214,** 482
Protonmotive force
  hepatic mitochondria, effect of K$^+$ concentration in suspension medium (rat), **210,** 98
Protons
  entry into binuclear center: implications of small pH gradient effects on cytochrome-c oxidase, **216,** 931
Proton transfer
  in isomerization by cholesterol oxidase, catalysis via one active site base (*Brevibacterium sterolicum*), **206,** 688
Proton-translocating domain
  N-terminal, pyridine nucleotide transhydrogenase β subunit, organization in membrane (*Escherichia coli*), **214,** 230
Protoplasts
  root, electroporation-induced permeability, role of lipid peroxidation (lentil), **209,** 417
Protoporphyrin-IX
  induced leukemia cell differentiation, role of serum retinoids (human), **206,** 1003
Pseudogenes
  EWS, identification in Ewing's sarcoma with translocation detection by RT-PCR (human), **213,** 1051
Pseudomonas aeruginosa
  antibiotic extrusion-associated genes, expression, **210,** 356
  antibiotic susceptibility, porin role, analysis by construction of mutants with deletions in multiple porin genes, **213,** 88
  strain 142, regioselective dioxygenation of *o*-trifluoromethylbenzoate, as evidence for 1,2-dioxygenation mechanism in *o*-halobenzoate dehalogenation, **213,** 759
Pseudomonas putida KF715
  chromosomal DNA, catechol 2,3-dioxygenase and salicylate hydrolase cloned from, sequencing of intergenic sequences, **211,** 382
Pseudopods
  amoeboid sperm, 30-nm protein particles in, isolation and characterization (*Ascaris suum*), **208,** 1073
Psychosine
  effects on MC3T3-E1 preosteoblasts, **214,** 676
Pterin
  binding domain, identification in nitric-oxide synthase sequence (rat), **206,** 736

Pterin-4α-carbinolamine dehydratase
  –dimerization cofactor, for transcription factor HNF-1α, *PCBD* gene encoding, characterization (human), **210,** 966
PTX, *see* Pertussis toxin
Purinergic receptor
  P_2
    activation in single gastric mucous cells via extracellular nucleotide increase of cytosolic free calcium (human), **216,** 636
    xR1 subunit, short form produced by alternative splicing in pituitary and cochlea, identification (rat), **212,** 501
  P_{2u}, in single thyrocytes, ATP- and UTP-induced activation, in increase of cytosolic free calcium (human), **213,** 928
  P_{2Y}
    activation by ATP, effects on renal $[Ca^{2+}]_i$ mobilization and gluconeogenesis (rat), **211,** 454
    cDNA, isolation and characterization (mouse, rat), **211,** 211
    cloning and characterization (bovine), **212,** 648
    linked to PTX-insensitive G protein, role in ATP effects on K^+ channel and cytosolic Ca^{2+} release in cerebral artery endothelial cells (bovine), **215,** 1022
Purines
  in DNA and RNA, experimental hardness and electronegativity, comparison with values from AM1 calculation, **217,** 755
Puromycin
  in production of mutant mouse from double gene-converted ES cells, **213,** 130
Putrescine
  relationship to L-arginine nitric oxide pathway in placenta (human), **212,** 229
Pycnoporus cinnabarinus
  solid surface cultivation, acid phosphatase positional correlations: fractal interpretation of biochemical differentiation, **208,** 1159
Pyrazole
  induction of cytochrome P4502E1, effect on hydroxyl radical production by pericentral and periportal microsomes, **215,** 698
Pyridine dinucleotides
  allosteric regulation by eukaryotic initiation factor eIF-2B, **212,** 1074
Pyridine nucleotide transhydrogenase
  β subunit, N-terminal proton-translocating domain, organization in membrane (*Escherichia coli*), **214,** 230
Pyridone
  and other HIV-1-specific non-nucleoside reverse transcriptase inhibitors, sensitivity/resistance profile of SIV containing HIV-1 RT gene, **211,** 850
Pyridoxal 5′-phosphate
  glycogen phosphorylase *b,* fluorescence quenching: local dynamics of enzyme active site region (rabbit), **209,** 936
  interaction with ornithine decarboxylase from *Leishmania mexicana* promastigotes, **212,** 396
Pyrimidines
  in DNA and RNA, experimental hardness and electronegativity, comparison with values from AM1 calculation, **217,** 755
Pyrrolidine dithiocarbamate
  effect on interleukin-1β induction of NO synthase mRNA and superoxide dismutase mRNA in insulin-producing cells, **210,** 816
  inhibition of NF-κB, effect on endothelial cell activation (pig), **214,** 212
Pyrroloquinoline quinone
  and isomeric analogues, HPLC separation and pH-dependent electrochemical properties, **212,** 41
Pyruvate kinase
  hepatic and erythrocyte isozymes, compound heterozygous mutations affecting, identification (human), **208,** 991

Q

Qβ replicase
  RNA replication in self-reproducing vesicles, **207,** 250
Quercetin
  down-regulation of signal transduction in breast carcinoma cells (human), **208,** 425
  suppression of heat shock response via down-regulation of heat shock transcription factor 1 (human HeLa cells), **208,** 1099
Queuine
  role in receptor tyrosine kinase-regulated signaling in HeLa cells, **207,** 306
Quinone
  –quinone methide tautomerism, during tyrosinase-catalyzed oxidation of 4-allylcatechol, **213,** 469
p-Quinone methide
  inhibition of mitochondrial respiration (rat), **209,** 6
Quinonoid cofactor
  copper amine oxidase, biosynthesis, modeling with autoxidation of 4-methylcatechol, **214,** 559

R

Rab3A protein
  lipid moieties, role in interaction with rabphilin-3A molecules (bovine), **217,** 979
Rab4 protein
  colocalization with GLUT4 in insulin-sensitive intracellular compartment in skeletal muscle (rat), **215,** 321
Rab5 protein
  D136N mutant, functional and structural interactions with xanthine nucleotides (human), **215,** 241
Rab 26 protein
  cDNA cloning (rat pancreas), **207,** 950
Rab GDP dissociation inhibitor
  purification and characterization (rat brain), **211,** 296
Rabphilin-3A
  interaction with *Rab*3A, role of *Rab*3A lipid moieties (bovine), **217,** 979
Rac protein
  in insulin-signaled membrane ruffling, identification of phosphoinositide 3-kinase as upstream regulator (CHO cells), **208,** 985
RAC-protein kinase
  three types, pleckstrin homology domain, association with pro-

  - tein kinase C subspecies and βγ subunits of G proteins (rat), **216,** 526
- Radiation
  - induced malignant transformation in C3H10T1/2 cells *in vitro,* promotion by benzoyl peroxide (mouse), **212,** 118
  - ionizing, induction of E-selectin gene, role of cytokine, **217,** 784
- Radiation resistance
  - *Escherichia coli,* directed evolution, **216,** 549
- Radioimmunoassays
  - adenomatous polyposis coli protein, with antibodies to middle and carboxyl regions (human), **206,** 909
- Radiolabeling
  - isoprenylated proteins, application to post-translational farnesylation and geranylgeranylation inhibitor analysis (human), **206,** 637
  - phosphatidylinositol 3-kinase catalytic subunits with 17β-hydroxy-16α-[^{125}I]iodowortmannin, **216,** 655
  - recombinant proteins, in genetic construction of phosphorylation site in ricin A chain, **210,** 253
- Raf-1 kinase
  - activation, role in liver response to *in vivo* heat shock (rat), **216,** 54
  - activation and tyrosine phosphorylation, induction by interleukin-13 in monocytic progenitor cell line U937 (human), **206,** 103
  - C-terminal domain, 33-kDa, Ras-independent serum- and phorbol ester-induced shift in gel mobility, **214,** 340
- Raloxifene
  - effects on osteoclastic bone resorption *in vitro,* **216,** 662
- RANTES
  - amino terminus, peptides from, induction of T lymphocyte chemotaxis (human), **211,** 100
  - mast cell chemotactic activity (human), **209,** 316
- Rap 2A protein
  - with point mutations, microinjection in *Xenopus* oocytes, effect on maturation and mottling, **216,** 748
- Ras
  - activation by
    - macrophage-stimulating protein by activation and translocation of SOS nucleotide exchange factor, **216,** 110
    - tyrosine phosphorylated Vav, molecular analysis (human), **217,** 876
  - and cathepsins B and L, physical association in conditioned medium of v-Ha-*ras*-transformed NIH 3T3 cells, **216,** 828
  - CDC25^{Mm} exchange factor acting on, analysis of minimal active domain, **206,** 253
  - independent serum- and phorbol ester-induced shift in gel mobility, exhibition by 33-kDa C-terminal domain of Raf-1 protein kinase, **214,** 340
  - insulin-induced activation related to adipocyte differentiation in 3T3-L1 fibroblasts, inhibitory effect of wortmannin (mouse), **210,** 574
  - neuronal, activation by hepatocyte growth factor in fetal and adult brain (rat), **210,** 231
  - signaling molecules, induction by thrombopoietin/c-mpl ligand, **216,** 338
- *ras* Farnesyl transferase inhibitors
  - farnesyl-derived, synthesis and evaluation, **217,** 245
- Rat hepatic lectin
  - RHL-1 and RHL-2, differential mRNA expression in brain areas, kidney, and thyroid (rat), **210,** 138
- RecA
  - coated probe, in enrichment of specific clones from model DNA libraries, **211,** 804
- Receptor tyrosine kinase
  - role in insulin receptor endocytosis, analysis with chimeric receptors with IR juxtamembrane region and LDL receptor extracellular domain, **211,** 714
  - Sky, transiently expressed in COS cells, association with Src family kinases and autophosphorylation activity, **209,** 656
- Rectum
  - and colon, cytochrome P450 mRNA expression (human), **210,** 350
- Redox states
  - altered, effects on expression and DNA-binding activity of hypoxia-inducible factor 1 (Hep3B cells), **212,** 550
- Redox titration
  - ferredoxins I and II (*Desulfovibrio vulgaris*), **211,** 198
- Red pigment-concentrating hormone
  - highly conserved precursor, identification (*Callinectes sapidus*), **212,** 151
- 5α-Reductase
  - isozymes, selective inhibition by tea epicatechin-3-gallate and epigallocatechin-3-gallate, **214,** 833
- Regeneration
  - liver, cyclin D1 expression, analysis in murine model and regenerating human hepatic tissue, **209,** 648
- Regioselectivity
  - lauric acid metabolism, shift from ω-hydroxylation to (ω-1)-oxidation by heteroatom substitution, **214,** 1089
- Regulatory elements
  - in α_4 gene 5′ untranslated region, direction of cell-specific gene expression (mouse), **211,** 115
  - negative, in mammary-specific whey acidic protein promoter, protein binding to, characterization, **217,** 1045
- Regulatory protein
  - chloride conductance-regulating, pI_{Cln}, ocular ciliary epithelial, cloning (human), **208,** 89
  - glucokinase-inhibiting, nuclear location and translocation to cytoplasm in response to high glucose (rat liver), **215,** 467
  - steroidogenic acute, cDNA cloning and *in vivo* expression (bovine), **215,** 646
- Rel protein
  - NF-κB-, transcriptional inhibition of inducible nitric-oxide synthase gene, **209,** 73
- Renin genes
  - transfection into glomerula cells *in vivo,* induction of phenotypic change of mesangial cells and glomerular sclerosis (human), **206,** 525
- Reoxygenation
  - induced injury, decrease by myocardial flavin reductase and riboflavin (rabbit), **212,** 35
- Rep78 protein
  - adeno-associated virus, full-length, cloning, expression, and purification as fusion protein with maltose binding protein in *Escherichia coli,* **208,** 714

(CAG/CTG) repeats
  expanded, myotonin-protein kinase genes of myotonic dystrophy patients, detection by high-stringency hybridization method, **212,** 341
Reperfusion
  post-ischemic
    associated renal injury, protective effects of ICAM-1 antibodies (rat), **211,** 67
    myocardial, associated increase in plasma nitric oxide end products (dog), **211,** 370
Replication
  DNA, *see* DNA synthesis
  γ plasmid in amino acid-starved *Escherichia coli* cells, regulation by transcriptional activation of *ori*γ, **214,** 978
  hepatitis C virus in culture cells, inhibition by antisense oligonucleotide, **212,** 906
  HIV-1, polysaccharide MAR-10 inhibiting, isolation from *Hyssop officinalis,* **210,** 145
  initiation, inhibition by triple helix-forming oligonucleotides, **217,** 186
  pancreatic β cells, histaminergic regulation (rat), **214,** 224
Replication-related proteins
  with DEAD-box-like motif, role in cell-free DNA replication of *Xenopus* eggs, **212,** 1098
Repressor elements
  mammary tumor virus transcription, multi-strand binding to nuclear factors, kinetic analysis (mouse), **209,** 379
  and promoters, identification in 5′-flanking regions of insulin-like growth factor-I gene (rat), **206,** 279
  tumor necrosis factor α, nuclear factor NFκB-like site, role in repressor function (human), **212,** 879
Reproductive organs
  expression of *BRE* gene after DNA damage and retinoic acid treatment (human), **206,** 764
RES-701-1
  binding characteristics as endothelin ET_B receptor-selective antagonist, species specificity (dog, guinea pig, rabbit, rat), **209,** 712
Resins
  multiple antigen peptide, active site peptides with CXXC motif on, as mimic of protein disulfide-isomerase, **213,** 746
Resistance, *see also* Radiation resistance
  acifluorfen, generation in MEL cells (mouse), **215,** 186
  adriamycin, in human ovarian cancer cells, effect of KN-62, **215,** 566
  1-β-D-arabinofuranosylcytosine in H9 cells, induction by SIV (human), **206,** 486
  azole antifungals associated with formation of 14α-methylergosta-8,24(28)-dien-3β,6α-diol, **207,** 910
  brefeldin A, multidrug resistance transporter conferring, characterization (*Schizosaccharomyces pombe*), **213,** 410
  cisplatin, effect of γ-glutamylcysteine synthetase gene overexpression (SBC-3 cell), **216,** 258
  endotoxic shock, in transgenic mouse overexpressing human Cu/Zn-containing superoxide dismutase, analysis, **208,** 523
  fusidic acid, conferral by depletion of small cytoplasmic RNA (*Bacillus subtilis*), **210,** 317
  membrane, role of dystrophin/actin interaction (rabbit), **213,** 295
  multi-drug, *see* Multidrug resistance
  neomycin, gene encoding, mRNA expression in various normal human cells and tumor cell lines after introduction by VL30 vectors, **209,** 677
  –sensitivity profile, SIV containing HIV-1 reverse transcriptase gene toward HIV-1-specific non-nucleoside RT inhibitors, **211,** 850
Resonance energy transfer studies
  coumarin/BODIPY couple for, characterization and application to analysis of protein–lipid interactions, **207,** 508
Resorption
  bone, and osteoclast-like cell differentiation, effects of recombinant human osteogenic protein-1 *in vitro* (rat), **209,** 433
  osteoclastic *in vitro, effects of*
    bone-specific estrogen-like compounds (rat), **216,** 662
    thrombospondin (chicken), **213,** 1017
Respiration
  mitochondrial
    ADP-regulated, kinetics in permeabilized cardiac and hepatic cells, correlation with degree of rupture of outer mitochondrial membrane (rat), **208,** 919; *erratum,* **211,** 1099
    inhibition
      in immuno-stimulated J774.2 macrophages, role of endogenous peroxynitrite (mouse), **209,** 739
      by *p*-quinone methide (rat), **209,** 6
Respiratory adaptation
  associated induction of cytochrome c oxidase subunit VI gene COX6, mediation by pH and cAMP-dependent protein kinase (*Saccharomyces cerevisiae*), **214,** 1051
Respiratory chain
  complex I, deficiency, role of Leber's hereditary optic neuropathy-associated mtDNA mutation ND6*14,484C (human), **215,** 1001
  mitochondrial, complex I 24-kDa iron-sulfur subunit nuclear gene NDUFV2, structural organization and chromosomal localization (human), **216,** 771
Respiratory function
  age-associated changes (mouse brain), **217,** 668
Respiratory oxidase
  heme–copper, chimeric, characterization using subunit I of *Escherichia coli* cytochrome bo and *Halobacterium salinarium* cytochrome aa_3, **217,** 428
Response elements, *see also specific response elements*
  antioxidant, identification in 5′-flanking region of γ-glutamylcysteine synthetase heavy subunit gene (human), **209,** 227
  –orphan receptor TAK1 interactions, analysis: repression of retinoid receptor- and thyroid hormone receptor-mediated signaling pathways (human), **211,** 83
  unfolded protein, discrimination of misfolding induced by different mutant pro-sequences of yeast carboxypeptidase Y, **209,** 31
Restenosis
  in porcine coronary model after angioplasty, effect of retroviral suicide vector, **207,** 89
Restriction endonucleases
  mediated integration of blastocidin S resistance marker, in isolation of cytokinesis mutants (*Dictyostelium discoideum*), **205,** 1808; *erratum,* **208,** 1181

NotI, cleaved genomic DNA fragments appearing as spots in 2D gel electrophoresis, cloning, **213,** 258

Restriction fragment length polymorphisms
  at chromosome 11, q13, from multiple symmetric lipomatosis and multiple endocrine neoplasia type-1-associated lipomas, **207,** 363
  –PCR assay, for C^{1166} variant of angiotensin II type 1 receptor (human), **213,** 725

Restriction landmark genomic scanning
  M spot behavior, in identification of mouse homologue of human DP1/TB2 gene, **213,** 967
  NotI-cleaved genomic DNA fragments appearing as spots in associated 2D gel, cloning, **213,** 258

Restriction map
  bradykinin B_2 receptor gene on chromosome 14q32 (human), **211,** 226

Reticulocytes
  and erythrocytes, from sickle cell disease patients, sickling *in vitro* at venous and arterial O_2 tensions, **211,** 504
  fetal hemoglobin-containing, survival in sickle cell disease (human), **217,** 924
  guanine nucleotide exchange factor activity, inhibition by heparin and reversal by polyamines (rabbit), **212,** 1007
  from normal patients and subjects with terminating codon or poly A mutations, detection of second elongated α2-globin mRNA, **214,** 1184

Retina
  endogenous 5-methoxyindole-3-acetic acid identification and quantification by mass spectrometry (quail), **209,** 1132
  transgenic mouse expressing rhodopsin mutant, altered cAMP levels, **216,** 755

Retinoblastoma protein
  derived hexapeptide, binding to insulin LXCXE motif, **206,** 97

Retinoic acid
  augmentation of adrenomedullin production in vascular smooth muscle cells (rat), **211,** 686
  effect on tumor necrosis factor cytolytic action (human, mouse), **206,** 223
  and granulocyte colony-stimulating factor, leukocyte alkaline phosphatase induction in acute promyelocytic leukemia cells, role of cyclic AMP-dependent protein kinase and tyrosine kinases, **208,** 846
  induced differentiation of U937 cells, associated increase in *AML1* gene expression (human), **211,** 1023
  induction of
    gene expression, inhibition by tetrachlorodibenzo-*p*-dioxin (mouse), **207,** 690
    three cloned HOXA1 transcripts in MCF7 breast cancer cells (human), **215,** 713
  modulation of Ah receptor and cytochrome P450 1A1 mRNA expression in keratinocytes (human), **209,** 706
  and phorbol ester, treated HL-60 cells, NAD glycohydrolase activity expressed in, comparison, **213,** 730
  regulation of phospho*enol*pyruvate carboxykinase gene expression, role of TATA box (rat), **215,** 1006
  supplementation, and vitamin A deficiency, effects on expression of phospho*enol*pyruvate carboxykinase–bovine growth hormone gene in transgenic mouse, **213,** 706
  treatment, and DNA damage, brain- and reproductive-organ-specific gene *BRE* responsive to, identification (human), **206,** 764

9-*cis*-Retinoic acid
  modulation of chicken ovalbumin upstream promoter transcription factor effect on peroxisome proliferator activated receptor–retinoic X receptor activation of malic enzyme gene promoter, **215,** 338

all-*trans* Retinoic acid
  binding affinity of endogenous nuclear receptors, relationship to retinoic acid receptor α protein modulation (human), **213,** 112
  induced HL-60 cell differentiation, binding pattern of nuclear proteins to *cis* elements in H2B histone gene upstream region during, **213,** 616
  regulation of interleukin-8 gene expression, **210,** 898

Retinoic acid-binding protein
  cellular, type II, gene expression induced by retinoic acid, inhibition by tetrachlorodibenzo-*p*-dioxin (mouse), **207,** 690

Retinoic acid receptor
  mediated signaling pathways, repression by orphan receptor TAK1 (human), **211,** 83

Retinoic acid receptor α
  ligand-binding domain, photoaffinity-labeled site, determination (human), **207,** 444
  protein modulation, and all-*trans* retinoic acid binding affinity of nuclear receptors, relationship (human), **213,** 112

Retinoic acid receptor β
  gene expression induced by retinoic acid, inhibition by tetrachlorodibenzo-*p*-dioxin (mouse), **207,** 690

Retinoic X receptor
  mediated signaling pathways, repression by orphan receptor TAK1 (human), **211,** 83
  –peroxisome proliferator activated receptor, activation of malic enzyme gene promoter, effect of chicken ovalbumin upstream promoter transcription factor, **215,** 338

Retinoid-like cofactor
  serum, role in hemin/protoporphyrin-IX-induced erythroid differentiation in leukemia cells (human), **206,** 1003

Retinoids
  agonist activities of synthetic geranyl geranoic acid derivatives, **209,** 66
  endogenous, detection in early avian embryo, **217,** 1026
  serum, role in hemin/protoporphyrin-IX-induced erythroid differentiation in leukemia cells (human), **206,** 1003

Retinol-binding protein
  receptor binding, monoclonal antibody blocking, epitope mapping (human), **210,** 105

Retinol-binding protein receptor
  RBP binding to, monoclonal antibody blocking, epitope mapping (human), **210,** 105

Retrotransposons
  VL30, derived vectors, expression as mRNAs in various normal human cells and tumor cell lines (mouse), **209,** 677

Retroviruses
  based suicide vector, effects on neointimal growth in porcine coronary model of restenosis, **207,** 89
  mediated gene transfer, *in vitro* correction of type I tyrosinemia-associated fumarylacetoacetate hydrolase deficiency in fibroblasts (human), **208,** 957

Retroviruses (*continued*)
  modified bicistronic vector, gene expression enhancement, **214,** 910
Reverse transcriptase, *see* RNA-directed DNA polymerase
Reverse transcriptase inhibitors
  non-nucleoside and nucleoside, HIV-1-specific, sensitivity/resistance profile of SIV containing RT gene of HIV-1, **211,** 850
RFLP, *see* Restriction fragment length polymorphisms
Rheumatoid arthritis
  synovial fibroblast growth in, role of protein kinase (human), **210,** 1066
Rhizobium fredii BD32
  osmotolerance, effect of *proB proA* operon of *Escherichia coli*, **217,** 796
RHL, *see* Rat hepatic lectin
RhoA
  synergistic role in protein kinase C activation of membrane-bound phospholipase D in HL-60 cells (human), **211,** 306
Rhodamine-123
  distribution in brain: *in vivo* microdialysis study in freely moving rat, **211,** 719
Rhodanese
  cDNA cloning, sequencing, and recombinant protein expression (mouse), **216,** 1101
Rhodopsin
  mutant, transgenic mouse expressing, altered cAMP levels in retina, **216,** 755
  phosphorylation, regulation by family of neuronal calcium sensors (rat), **216,** 133
Rhodotorula gracilis
  DNA, unusual biphasic melting behavior, **211,** 978
Riboflavin
  bioluminescence active, and yellow fluorescence FMN protein, production by *Vibrio fischeri* Y1, **211,** 774
  cardioprotective effects during reoxygenation injury, mediation by flavin reductase (rabbit), **212,** 35
Ribonuclease
  seminal, recombinant, requirement of N-terminal methionine removal for full antitumor action (bovine), **213,** 525
Ribonuclease B
  enzymatic activity, stabilization by concentrated xylose solutions, **207,** 432
Ribonuclease H
  associated with HIV-1 polymerase, reverse transcription by, inhibition by phosphorothioate oligonucleotides, **211,** 1041
Ribonucleoproteins
  nuclear, heterogeneous, differential distribution in tissues (rat), **217,** 554
Ribonucleotide reductase
  anaerobic, radical scission site, mass spectrometric determination (*Escherichia coli*), **206,** 731
  mechanism, analysis with NMR (*Escherichia coli*), **214,** 28
Ribosomal proteins
  FI, α and β subunits, XrpFI, gene cloning, expression, and functional role (*Xenopus laevis* oocytes), **215,** 1088
  L4, primary structures (rat), **214,** 810
  L7, sequence correction (rat), **213,** 1042
  L10, differential expression during heart development (chicken embryo), **212,** 461
  L15/YL10, eukaryotic, *Thermoplasma acidophilum RPL15* gene encoding homologue of, cloning and sequencing, **209,** 684
  L18a, sequence correction (rat), **213,** 1042
  L33, identification (rat), **213,** 1042
  L40, characterization of carboxyl extensions of rat ubiquitin fusion proteins as, **215,** 682
  L41, primary structures (rat), **214,** 810
  related proteins, in trypanosome, *in vivo* association with mitochondrial ribosomal RNA (*Crithidia fasciculata*), **211,** 892
  S6, encoding gene, utilization of alternative polyadenylation sites (chicken), **210,** 384
  S21, cDNA characterization (rat), **213,** 1042
  S27a, characterization of carboxyl extensions of rat ubiquitin fusion proteins as, **215,** 682
Ribosome modulation factor
  stationary growth phase-specific inhibition of ribosome functions from *Escherichia coli*, **214,** 410
Ribosomes
  eukaryotic, large subunit, three-dimensional reconstruction with SECReT (*Thermomyces lanuginosus*), **207,** 848
  frameshifting, RNA signals affecting: influence of stem size and slippery sequence, **213,** 575
  non-translating and translating, synthesis in, regulation of rRNA synthesis by feedback mechanism (*Escherichia coli*), **206,** 393
  protein synthesis, associated GTP channeling, role of cytosolic nucleoside diphosphate kinase (*Dictyostelium discoideum*), **209,** 490
  stationary growth phase-specific inhibition by ribosome modulation factor (*Escherichia coli*), **214,** 410
Ribozymes
  active, isolation from RNA pool of random sequences using anchored substrate RNA, **214,** 403
  hammerhead
    with 2′-acetamido-2′-deoxyribonucleosides, catalytic activity and stability, **210,** 67
    against AML1/MTG8 fusion transcript, specificity for fusion gene and inhibitory effects on leukemic cell proliferation, **215,** 431
  mediated cleavage of full-length interleukin-6 mRNA, *in vitro* effect of NCp7 (human), **214,** 36
Ricin A chain
  hydrophobic region, with role in membrane translocation, function as noncleaved signal peptide, **217,** 68
  phosphorylation site, genetic construction, **210,** 253
RLGS, *see* Restriction landmark genomic scanning
RNA
  actin, *cis*-splicing, polyadenylation, and 5′ *trans*-splicing, temporal order (*Onchocerca volvulus*), **211,** 49
  antisense, HMG2, effect on cell cycle progression, **210,** 1045
  binding to adenylate kinase (tobacco), **217,** 509
  cleavage by enediyne antitumor antibiotic C1027 chromophore: high selectivity to anticodon arm (yeast), **208,** 168
  differential display, in analysis of heterogeneity of endothelial

    cell populations (bovine), **209,** 1068
  and DNA templates, structure, effect on transcript elongation by RNA polymerases, **211,** 106
  hepatitis C virus genome, 3′ terminus, analysis by primer extension, **215,** 744
  messenger, *see* Messenger RNA
  mitochondrial ribosomal, in trypanosome, close *in vivo* association with protein (*Crithidia fasciculata*), **211,** 892
  nuclear matrix protein binding, identification of galectin-3 as, **217,** 292
  pool of random sequences, active ribozymes, isolation using anchored substrate RNA, **214,** 403
  purines and pyrimidines, experimental hardness and electronegativity, comparison with values from AM1 calculation, **217,** 755
  ribosomal, synthesis, feedback regulation by synthesis of non-translating specialized ribosomes, **206,** 393
  signals affecting translation frameshift: influence of stem size and slippery sequence, **213,** 575
  small cytoplasmic, depletion, conferral of fusidic acid resistance on *Bacillus subtilis,* **210,** 317
  splicing mutation, in Japanese patient with Wilson disease, identification, **217,** 16
  tRNA$^{Ser(UCN)}$, mitochondrial gene in family with MERRF/MELAS overlap syndrome, point mutation, identification, **214,** 86
RNA-directed DNA polymerase
  HIV-1, encoding gene, SIV containing, sensitivity/resistance profile toward HIV-1-specific non-nucleoside RT inhibitors, **211,** 850
RNA editing protein
  mRNA, role in estrogen-induced increase in apolipoprotein B-100 mRNA in murine inbred strains, **212,** 381
RNA helicase
  identification in C-terminal domain of hepatitis C virus NS3 protein, **215,** 160
RNA polymerase, *see* DNA-directed RNA polymerase
RNA polymerase II, *see* DNA-directed RNA polymerase
RNA polymerase III, *see* DNA-directed RNA polymerase
RNA replication
  by Qβ replicase in self-reproducing vesicles, **207,** 250
RNase E
  deficient *Escherichia coli,* recombinant tandem expression of translation initiation factor IF2, **214,** 1254
RNA synthesis
  rate in fibroblasts from Hutchinson–Gilford progeria syndrome patients, **210,** 225
Rod cells
  cGMP-gated cation channel subunit 1, high-level production and localization in baculovirus-infected insect cells and *Saccharomyces cerevisiae* (bovine), **215,** 961
Rod domain
  intermediate filaments, identification in synemin (chicken), **213,** 796
RP 66471
  induction of membrane depolarization in hepatic mitochondria (rat), **207,** 126
Rubredoxin
  mutated, with cysteine ligand of iron replaced by serine, characterization (*Clostridium pasteurianum*), **212,** 827
Rugosins
  types A, B, and C, isolation from *Rana rugosa* skin, **212,** 249
Ryanodine receptor
  affinity purification from fast twitch skeletal muscle based on association with FKBP12 (rabbit), **214,** 263
  Ca^{2+}-dependent activation by calmodulin in skeletal muscle (rabbit), **213,** 1082
  –calcium release channel
    affinity purification from fast twitch skeletal muscle based on association with FKBP12 (rabbit), **214,** 263
    multiple types, expression in vascular smooth muscle (rat), **215,** 814
  multiple types, expression in vascular smooth muscle (rat), **215,** 814
  regulation by DIDS-binding 30-kDa protein in sarcoplasmic reticulum (rabbit), **210,** 648
Ryudocan promoter
  molecular cloning (human), **212,** 1139

S

S6 kinase
  70-kDa, epidermal growth factor-induced activation in CHO cells expressing human EGF receptors, **209,** 131
S-100 protein
  and annexin II$_2$-p11$_2$, concerted regulation of glial fibrillary acidic protein intermediate filament assembly *in vitro* (bovine), **208,** 910
S100A7 protein
  amino acid sequence by tandem mass spectrometry (human), **217,** 257
Saccharomyces cerevisiae
  autophagy, determination by measurement of phosphatase activity, **210,** 126
  cytochrome c oxidase subunit VI gene COX6, growth phase induction, mediation by pH and cAMP-dependent protein kinase, **214,** 1051
  cytosolic fumarase, effect of single base-pair change, **215,** 578
  derived replication protein A-dependent DNA helicase, biochemical and genetic characterization, **206,** 850
  DNA binding activity regulated by growth phase and oxygen/heme system, identification, **216,** 458
  functional expression of oligomycin sensitivity conferring protein cDNA, **207,** 943
  heat shock protein expression and trehalose accumulation, induction by tetrachloroisophthalonitrile, **216,** 1041
  high-level production and localization of bovine rod cGMP-gated cation channel subunit 1, **215,** 961
  human insulin-like growth factor I secreted by, *in vitro* folding, role of human neuroendocrine protein 7B2 as molecular chaperone, **211,** 417
  intact, electropulsation-mediated plasmid DNA transfer in, fast kinetic studies, **214,** 825
  α1,2-mannosidase, identification as inverting glycosidase, **209,** 322
  MRK1 gene encoding putative protein kinase similar to mammalian glycogen synthase kinase-3 and *Drosophila* Zeste-White3/Shaggy, identification, **208,** 728

Saccharomyces cerevisiae (*continued*)
- pheromone-induced transcription, role of *Gal11* protein, **212,** 854
- scaled-up expression of recombinant human α2,6(*N*)sialyltransferase and retention in endoplasmic reticulum, **210,** 14
- spermine uptake, serine/threonine protein kinase enhancing, gene cloning, **216,** 985

Salicylate 1-monooxygenase
- and catechol 2,3-dioxygenase, genes encoding, cloning from *Pseudomonas putida* KF715 chromosomal DNA and sequencing of intergenic sequences, **211,** 382

Salicylate hydrolase, *see* Salicylate 1-monooxygenase

Salivary glands
- submandibular
  - glycoprotein secretion, β-adrenergic stimulation, effect of IBMX (CF mouse), **215,** 674
  - postnatal development, associated differential expression of transformed growth factor α and epidermal growth factor (rat), **217,** 271

Salmonella choleraesuis
- infection, apoptosis in macrophages during, prevention by endogenous interleukin-10 (mouse), **213,** 600

Salt
- dependent cardiac hypertrophy, and preproendothelin-1 mRNA expression, inhibition by lacidipine in stroke-prone spontaneously hypertensive rat, **210,** 219
- sensitive Dahl rat, transition from left ventricular hypertrophy to congestive heart failure, associated neurohumoral factors, **206,** 814

Salt loading
- effect on cardiac and renal preproendothelin-1 mRNA expression in stroke-prone spontaneously hypertensive rat, **209,** 161

Sandhoff disease
- infantile, Japanese patient with, identification of missense mutation C522Y in β-hexosaminidase β-subunit gene, **212,** 564

Sarcolemma
- myoblasts and mature striated muscle cells, lateral protein diffusion in, effect of dystrophin, measurement by photobleaching technique (mouse, rat), **215,** 67
- myotonic and normal muscle, chloride and potassium channels, analysis in lipid-supplemented vesicles (mouse), **213,** 513

Sarcoplasmic reticulum
- Ca^{2+},Mg^{2+}-ATPase, inactivation by *N*-cyclohexyl-N′-(4-dimethylamino-α-naphthyl)carbodiimide, protective effects of Mg^{2+}-ADP, **207,** 293
- Ca^{2+} release channel, effect of DIDS-binding 30-kDa protein (rabbit), **210,** 648
- fast twitch muscle, junctional terminal cisternae-associated 60-kDa calmodulin-dependent protein kinase, identification of triadin and histidine-rich Ca^{2+}-binding protein as substrates (rabbit), **209,** 457
- vesicles, Ca^{2+} release in response to ADP-ribose (canine heart), **210,** 457

SaRD protein
- with DNA-binding properties, isolation (*Sulfolobus acidocaldarius*), **214,** 646

Satellite cells
- proliferation *in vitro*, regulation by autocrine secretion of interleukin-6 stimulated by soluble factor released by activated monocytes (human), **216,** 49

Scanning
- genome-wide, with RLGS genetic map, in detection of loss of heterozygosity in chromosomes 1, 5, 7, and 13 in murine hepatoma, **212,** 632

Scatter factor
- –hepatocyte growth factor, induction of tyrosine phosphorylation and translocation of ezrin, **217,** 1062

Schizophrenia
- affected brain, abnormalities, platelet calcium mobilization and nitric-oxide synthase activity as reflection of, **212,** 375
- severe forms, association with neurotrophin-3 gene variant (human), **209,** 513

Schizophyllum commune
- Aα Y and Z mating-type homeodomain proteins, interactions, analysis with two-hybrid system, **211,** 1071

Scleroderma
- fibroblasts from affected patient, growth response to endothelin-1, ET$_A$ receptor-mediated impairment, **207,** 829

Sclerotinia sclerotiorum
- conversion of D-arabinose to D-erythroascorbic acid and oxalic acid in, **212,** 196

SecE protein
- interaction with SecG, stabilization of unstable SecE derivative in *Escherichia coli* cytoplasmic membrane, **217,** 217

SecG protein
- interaction with SecE, stabilization of unstable SecE derivative in *Escherichia coli* cytoplasmic membrane, **217,** 217

SECReT, *see* Single exposure conical reconstruction technique

Secretin
- and VIP, discrimination by secretin and VIP receptors, role of receptor N-terminal domain, **211,** 885

Secretin receptor
- molecular cloning and functional characterization (human), **212,** 204
- pancreatic, molecular cloning and functional expression (human), **207,** 883
- and VIP receptor, pharmacological properties: role of N-terminal domain in ligand discrimination, **211,** 885

Secretory protein
- Cys-rich, *Wnt-11* gene encoding, role in dermal development (chicken), **211,** 123
- exocrine-regulated, aggregation- and concentration-dependent sorting (rat), **215,** 82

E-Selectin
- binding to polymorphonuclear leukocytes, role of sialyl Lewis X moiety (rat), **215,** 547
- gene induction by ionizing radiation, role of cytokine induction, **217,** 784
- and ICAM-1, mRNA, differential induction in hepatic cells during endotoxemia (rat), **211,** 74
- mediated adhesion of neutrophils to human umbilical vein endothelial cells, induction by lipoteichoic acid, **217,** 1208
- and P-selectin, expression in endothelial cells, effects of contrast agents (human), **212,** 776
- three-dimensional models, template for generation and com-

parison, **216,** 1018
L-Selectin
antibody FMC46, mediation of increase in intracellular Ca^{2+} in peripheral blood mononuclear cells and Daudi lymphoma cells (human), **217,** 1145
P-Selectin
and E-selectin, expression in endothelial cells, effects of contrast agents (human), **212,** 776
and ICAM-1, mRNA, differential induction in hepatic cells during endotoxemia (rat), **211,** 74
mRNA and polypeptide levels in capillary endothelial cells, upregulation by tumor necrosis factor α (bovine), **210,** 174
Selenoprotein
identification in glandular epithelial cells of prostate (rat), **217,** 162
Self-association
pH-induced, role in equilibrium between fast- and slow-folding forms of prothrombin fragment 1 (bovine), **206,** 742
Seminal vesicles
expression of osteocalcin-related protein (mouse), **215,** 412
Semliki Forest virus
expressed biotinylated human neurokinin 1 receptor fusion, functional activity, **208,** 260
Sendai virus
fusion protein, activation by hemagglutinin–neuraminidase receptor binding, **208,** 36
Sensory epithelium neuropeptide-like receptor
preferentially expressed in retinal and taste cells, identification (bovine, rat), **209,** 752
Sepsis
ubiquitin gene expression increase in skeletal muscle during, role of tumor necrosis factor α and interleukin-1 (rat), **217,** 839
Serine
and glycine, transforming growth factor β receptor type I domain rich in, role in signal transduction (COS-1 cells), **207,** 682
lactose repressor residue 300, mutational analysis (*Escherichia coli*), **209,** 126
mutated rubredoxin with Ser residue substituted for cysteine ligand of iron, characterization (*Clostridium pasteurianum*), **212,** 827
mutation, on nuclear localization signal of hepatitis B virus core protein, effect on nuclear transport by surface proteins (human), **213,** 1068
$pp60^{c\text{-}src}$ residue 75, from unsynchronized human tumor cells with spherical morphology, phosphorylation, **216,** 619
substitution for Cys in extracellular portion of insulin receptor β subunit, effects on insulin–insulin receptor complex internalization in CHO cells, **210,** 931
Serine *C*-palmitoyltransferase
identification as primary target of ISP-1/myriocin-induced immunosuppression (mouse), **211,** 396
Serine hydroxymethyltransferase, *see* Glycine hydroxymethyltransferase
Serine kinase
PI3-kinase, p85 subunit and IRS-1 in PI3-kinase/IRS-1 complexes, phosphorylation (human), **206,** 272
Serine proteinase
HCV, activity of HCV serine proteinase, bacterial expression and analysis with recombinant and synthetic substrate, **210,** 1059
–protein inhibitor complexes, binding energies, relationship to hydrophobic accessible surface areas, **206,** 497
Serine proteinase inhibitor
effect on nitric oxide production by activated macrophages, mechanism, **215,** 721
Serine–threonine protein kinase
enhancing spermine uptake in *Saccharomyces cerevisiae,* gene cloning, **216,** 985
Serotonin receptor
5-HT_{1A}, naturally occurring amino acid substitutions: Gly22 to Ser22 and Ile28 to Val28 (human), **210,** 530
5-HT_{1D}, encoding gene, tranfection of rat C6 glial cells, in modulation of metallothionein III mRNA content and growth rate (human), **214,** 639
Serotonin transporter
regulation by interleukin-1β (human), **216,** 560
Sertoli cells
nitric oxide production, induction by cytokines and lipopolysaccharide (rat), **213,** 218
Serum, *see also* Plasma
endogenous 5-methoxyindole-3-acetic acid, identification and quantification by mass spectrometry (quail), **209,** 1132
5-fluorouracil and 5-fluoro-2′-deoxyuridine 5′-monophosphate, HPLC (rat), **216,** 808
glycosylated human prolactin, detection by immunoblotting, effect of prolactin antisera cross-reactivity with IgG, **212,** 48
mitogenic factors, modulation of protein kinase C ζ in preadipocytes (rat), **217,** 123
Ras-independent induced shift in gel mobility of 33-kDa C-terminal domain of Raf-1 protein kinase, **214,** 340
repression of angiotensin II type 2 receptor gene expression (PC12 cell), **216,** 359
withdrawal, effect on induction of apoptotic cell death in ki-ras transformed and normal differentiated thyroid cells, **214,** 819
Serum albumin
variant with high affinity for thyroxine, expression (human), **214,** 1121
Sevoflurane
breakdown product Compound A, nephrotoxicity, role of glutathione and cysteine conjugate formation and renal cysteine conjugate β-lyase (rat), **210,** 498
Sex hormone-binding globulin
production *in vitro,* regulation by endogenous estrogens (human), **206,** 895
Sex reversal
C57BL/6J-Y^{DOM}, relevance of sequence variation in *Sry* 5′ putative promoter, **208,** 624
SEZ-6 protein
cloning and characterization, **216,** 382
SHC protein
tyrosine phosphorylation, role in liver response to *in vivo* heat shock (rat), **216,** 54

- Shear stress
  - effects on ICAM-1 and VCAM-1 expression in vascular endothelial cells (human), **206,** 981
  - hydrodynamic, in microcarrier-attached hepatoma cells, induction of CYP1A1 during, role of Ah receptor (human, mouse), **208,** 144
- Shock
  - endotoxic, *see* Endotoxic shock
  - lethal, staphylococcal enterotoxin B-triggered, in galactosamine-loaded mouse, protection by interleukin-12, **217,** 74
- SH-PTP2
  - localization and subcellular distribution (rat brain), **211,** 950
- Sialic acids
  - reduction of access to surface mucin peptide regions, **210,** 866
- *O*-Sialoglycoprotease
  - identification in *Pasteurella haemolytica* using fetuin as substrate, **212,** 981
- Sialoglycoprotein
  - interaction with mistletoe toxic lectin I, **214,** 396
- α2,6-Sialylation
  - and colon cancer invasiveness, relationship, establishment of β-galactoside α2,6-sialyltransferase-transfected cell lines for analysis (rat), **211,** 554
- α2,6(*N*)Sialyltransferase
  - recombinant, scaled-up expression in *Saccharomyces cerevisiae* and retention in endoplasmic reticulum (human), **210,** 14
- α-2,8-Sialyltransferase
  - purification from neuroblastoma cells (human), **217,** 777
- Sickle cell disease
  - erythrocytes and reticulocytes from affected patients, sickling *in vitro* at venous and arterial O_2 tensions, **211,** 504
  - F-reticulocyte survival (human), **217,** 924
- Sickling
  - erythrocytes and reticulocytes from sickle cell disease patients, at venous and arterial O_2 tensions *in vitro,* **211,** 504
- Signaling
  - calcium, $InsP_3$-dependent, sensitization via structural modification of voltage-dependent calcium channel, role of Ca^{2+} channel β subunit (*Xenopus* oocytes), **208,** 440
  - epidermal growth factor receptor-mediated, in A431 epidermoid carcinoma cells, cell cycle-dependent modulation (human), **208,** 253
- Signaling molecules
  - Ras protein, induction by thrombopoietin/c-mpl ligand, **216,** 338
- Signal modulator protein
  - 14-3-3, identification as target of sphingosine- and *N,N*-dimethylsphingosine-dependent kinase in 3T3 cells, **216,** 739
- Signal peptides
  - noncleaved, associated function of ricin A chain hydrophobic region with role in membrane translocation, **217,** 68
- Signal sequence
  - N-terminus, cleaved, cardiac Na^+/Ca^{2+} exchanger, role in membrane integration, **212,** 968
- Signal transducer and activator of transcription 3
  - activation by interferon-γ and interleukin-6 in hepatoma cells (human, rat), **216,** 999
- Signal transduction
  - by atrial natriuretic factor-dependent guanylate cyclase, regulation by ATP bimodal switch, **209,** 286
  - in breast carcinoma cells, downregulation by quercetin (human), **208,** 425
  - ceramide, role in tumor necrosis factor α effect on tyrosine phosphorylation of 23-kDa nuclear protein in U937 cells (human), **215,** 489
  - FMRFamide-related peptides, coupling of single receptor to different G proteins in, **212,** 531
  - growth-promoting signals in Ba/F3 cells, by high-affinity chimeric human GM–CSF receptor carrying β subunit cytoplasmic domain, **208,** 368
  - HDL_3: second messenger response in normal and glycoprotein IIb/IIIa-deficient platelets (human), **207,** 148
  - insulin pathway, gene expression, effects of endurance training (rat), **210,** 766
  - insulin-stimulated, related to adipocyte differentiation in 3T3-L1 fibroblasts, inhibitory effect of wortmannin, **210,** 574
  - membrane, endothelin receptor ET_B, effect of carboxy terminus truncation (human), **217,** 354
  - membrane-delimited pathway, modulation of cloned neuronal Ca^{2+} channels in dysgenic myotubes, **208,** 485
  - PDGF-mediated, downstream effector phospholipase C-γ in: defective phospholipase D activation in Ki-*ras*-transformed fibroblasts (mouse), **207,** 460
  - protein kinase C-dependent, role in farnesol-induced apoptotic cell death (human), **212,** 479
  - receptor tyrosine kinase-regulated, role of queuine (HeLa cells), **207,** 306
  - role of transforming growth factor β receptor type I GS domain (COS-1 cells), **207,** 682
  - in SF9 cells, effect of phorbol ester: endocytosis of recombinant CD4, **207,** 411
  - striatal muscarinic cholinergic, age-related impairment, association with reduced membrane bilayer width measured by small angle X-ray diffraction (rat), **213,** 869
- Silica
  - induced inflammatory mediator production in macrophages, role of NF-κB activation, **214,** 985
  - induced macrophages, differential regulation of NF-κB and nitric oxide (mouse), **214,** 839
- Simian immunodeficiency virus
  - containing reverse transcriptase gene of HIV-1, sensitivity/resistance profile toward HIV-1-specific non-nucleoside RT inhibitors, **211,** 850
  - induction of 1-β-D-arabinofuranosylcytosine resistance in H9 cells (human), **206,** 486
- Simian virus 40
  - late promoters, conferral of ubiquitous high transcription efficiency from polyomavirus enhancer mutant, **207,** 339
  - T antigen, immortalized keratinocytes, temperature-induced growth restriction, effect of human papillomavirus 11 E5a, **217,** 712
- Single exposure conical reconstruction technique
  - in three-dimensional reconstruction of eukaryotic large ribosomal subunit (*Thermomyces lanuginosus*), **207,** 848
- Site-directed mutagenesis
  - in alteration of trypsin inhibitor-V inhibitory specificity and function (*Cucurbita maxima*), **207,** 897

- in analysis of
    - copper-binding ligands of *Escherichia coli* K12 copper-containing monoamine oxidase, **212,** 1107
    - role of His273 of 3-isopropylmalate dehydrogenase in coenzyme binding, **210,** 733
    - single base polymorphism linked to ataxia–telangiectasia locus, **210,** 982
- identification of binding sites for UDP-galactose in galactosyltransferase (*Escherichia coli*), **206,** 362
- phospholipase C-δ1 putative EF-hand motif, **211,** 364
- in stabilization of human collagenase, **216,** 329
- thymidine kinase of herpes simplex virus type 1: role of amino acid positions 251, 321, and 348 in selective recognition of substrate analogs, **209,** 966

SIV, *see* Simian immunodeficiency virus

Skeletal muscle
- β1 integrin isoform, identification and characterization (chicken, human, rat), **214,** 279
- adenovirus-delivered transgene expression in adult dystrophic mouse, effect of immunosuppression by FK506, **213,** 569
- aging, accumulation of deletions in mitochondrial DNA during, long PCR analysis (human), **217,** 59
- associated LIM protein, developmental regulation (human), **212,** 840
- Ca^{2+} release channel, calcium-dependent activation by calmodulin (rabbit), **213,** 1082
- c-*mos* transcription, enhancer activity of 5$'$ flanking region (mouse, rat), **210,** 181
- coexpression of fatty acid translocase and cytoplasmic fatty acid-binding protein (rat), **207,** 747
- and cultured skeletal muscle cells, syntaxin 4 expression (rat), **213,** 462
- endothelial-type and neuronal nitric-oxide synthase expression: correlation of ec-NOS with mitochondrial content (rat), **211,** 375
- enhanced catabolism, induction by interleukin-6-activated lysosomal cathepsin system (mouse), **207,** 168
- fast
    - light meromyosin isoforms with different primary structures, induction by temperature acclimation (carp), **208,** 118
    - ryanodine receptor/calcium release channel, affinity purification based on association with FKBP12 (rabbit), **214,** 263
    - sarcoplasmic reticulum junctional terminal cisternae, associated 60-kDa calmodulin-dependent protein kinase, identification of triadin and histidine-rich Ca^{2+}-binding protein as substrates (rabbit), **209,** 457
- fast and slow, myofibrillar Ca^{2+}-activated ATPase in, pH dependence: role of troponin (chicken), **207,** 585
- glucose uptake, insulin-induced, role of phosphatidylinositol 3-kinase (rat), **208,** 1147
- hindlimb, production of lactate, effect of glucose administration and amylin antagonist (rat), **216,** 554
- insulin-sensitive intracellular compartment, colocalization of GLUT4 with Rab4 and transferrin receptor (rat), **215,** 321
- Milan hypertensive rat, glucose transporter isoforms, analysis, **211,** 780
- myotonic and normal, sarcolemmal chloride and potassium channels, analysis in lipid-supplemented vesicles (mouse), **213,** 513
- from spinal muscular atrophy patient, survival motor neuron gene, transcript analysis, **213,** 342
- ubiquitin gene expression increase during sepsis, role of tumor necrosis factor α and interleukin-1 (rat), **217,** 839

Skeletal muscle cells
- injury by continuous electric field stimulation, protective effect of coenzyme Q$_{10}$ (rat), **216,** 1006

Skin
- development, role of *Wnt-11* gene (chicken), **211,** 123
- fetal, steroid 5α-reductase type 1 and 2 expression (human), **215,** 774
- fibroblasts, under UVB exposure, detection of hydrogen peroxide and hydroxyl radicals (mouse), **206,** 474
- Korean frog, isolation of antimicrobial peptides, **205,** 948; *erratum,* **209,** 775
- *Rana rugosa,* antimicrobial peptides, isolation and characterization, **212,** 249
- *in situ*-generated reactive oxygen species, role as stage I tumor promoter (mouse), **209,** 698
- transport of DNA antisense oligonucleotides by electroporation (human), **212,** 286

Sky receptor tyrosine kinase
- association with Src family kinases, transient expression in COS cells and autophosphorylation activity, **209,** 656

Smooth muscle
- cardiac, β1 integrin isoform, identification and characterization (chicken, human, rat), **214,** 279
- coronary artery, cytosolic Ca^{2+} concentration and Ca^{2+} sensitivity, effects of adrenomedullin (pig), **212,** 572
- phospholipase A$_2$-activating protein-induced contraction, mediation by protein kinase C/MAP kinase cascade (rabbit), **217,** 203
- tracheal, contraction, mediation by endothelin ET$_A$ and ET$_B$ receptor subtypes (rabbit), **207,** 668
- vascular, expression of multiple types of ryanodine receptor/Ca^{2+} release channels (rat), **215,** 814

Smooth muscle cells
- aortic
    - A7r5, permeabilized, quantal calcium release, role of intrinsic inactivation of inositol trisphosphate receptor (rat), **209,** 451
    - cell cycle arrest and apoptosis, effect of p53 gene expression by adenovirus vector (human), **215,** 446
    - nitric-oxide synthase mRNA expression *in vitro,* induction by transferrin (rat), **213,** 608
- arterial, cultured, membrane potential and $[Ca^{2+}]_i$, effects of H$_2$O$_2$ (rat), **209,** 139
- cerebral arterial, K$^+$ channel and intracellular Ca^{2+} release, dual effects of ATP (bovine), **215,** 1071
- ileum, cytosolic free Ca^{2+}, mechanoreceptor-linked response in, sensitizing effect of lysophosphatidic acid (guinea pig), **208,** 19
- pulmonary arterial tree, differential distribution of potassium channels (rat), **208,** 183
- renal arterial, autocrine regulation by adrenomedullin (pig), **215,** 619
- vascular
    - adherence and proliferation, effect of antisense oligonucleotides to nuclear factor κB p65 subunit (human), **213,** 827

- Smooth muscle cells (*continued*)
  - adrenomedullin production
    - augmentation by adrenocorticosteroids, thyroid hormones, and retinoic acid (rat), **211,** 686
    - *in vitro* effects of cytokines, growth factors, and lipopolysaccharide (rat), **207,** 25
  - aldosterone signaling in, role of phospholipase C, diacylglycerol, and protein kinase Cα, **213,** 123
  - cell cycle, stimulation from G_1 to S and M phases by high D-glucose (rat), **211,** 619
  - c-*fos* expression and activator protein-1 activity, effect of adrenomedullin (rat), **217,** 211
  - dephosphorylation of 20-kDa regulatory myosin light chain in, stimulation by cyclic strain (bovine aorta), **205,** 79; *erratum,* **207,** 1058
  - glucocorticoid-induced Ca^{2+} influx into, role of endothelin-1 autocrine production (rat), **208,** 82
  - growth, inhibition by prostacyclin synthase overexpression (human), **216,** 862
  - and neointimal vascular, expression of local hepatocyte growth factor system (rat), **215,** 483
  - protein kinase C activity, stimulation by compactin (rat), **217,** 459
  - voltage-operated Ca^{2+} channel currents in, effect of $pp60^{c\text{-}src}$ protein (rabbit), **217,** 1039
- SMS 201-995
  - induced cell cycle-dependent apoptosis in pituitary cells (mouse), **209,** 400
- Sodium
  - electrogenic transport in *Xenopus* A6 cells, stimulation by parathyroid hormone, **213,** 688
  - erythrocyte membrane permeability to, Ca^{2+}-dependent activation by fluoride (human), **217,** 286
  - mediated cell swelling, association with irreversible damage in isolated hepatocytes exposed to hypoxia or mitochondrial toxins (rat), **206,** 180
- Sodium/calcium exchanger
  - cardiac
    - antisense oligonucleotides to, effects on cardiac myocytes (rat), **212,** 524
    - cleaved N-terminal signal sequence, role in membrane integration, **212,** 968
    - sarcolemmal, inhibition by glycerophosphoinositol 4-phosphate and glycerophosphoinositol 4,5-bisphosphate (bovine), **206,** 674
  - prevention of intracellular Ca^{2+} overload and hepatocyte killing after iron-induced lipid peroxidation (rat), **208,** 813
- Sodium channels
  - subtype SQSC1, neuronal specificity (*Loligo bleekeri*), **206,** 807
  - tetrodotoxin-sensitive, chemically activated, evidence: Ca^{2+}-dependent activation by fluoride of human erythrocyte membrane permeability, **217,** 286
- Sodium cholate
  - –lecithin, effect on aggregation state and catalytic activity of rabbit cytochrome P450 isozymes, **217,** 886
- Sodium fluoride
  - effect on hypoxia-inducible factor 1 expression, **216,** 669
- Sodium/hydrogen exchanger
  - isoform 1, activity, abundance, and phosphorylation in fibroblasts, effect of cell culture density (human), **209,** 191
  - mRNA, developmental changes (rabbit heart), **212,** 960
- Sodium nitroprusside
  - nitric oxide from, and reactive oxygen species, synergism in damage of endothelial cells, **213,** 196
- Sodium/potassium/chloride cotransporter
  - electroneutral, mammalian, homolog encoded by yeast *YBR235w* gene, **217,** 150
- Sodium salicylate
  - inhibition of inducible nitric-oxide synthase gene expression (rat), **208,** 1053
- Solubilization
  - fatty acyl-CoA reductase from uropygial gland (duck), **208,** 210
  - keratins by Empigen BB detergent (human), **206,** 370
- Soluble factor
  - release by activated monocytes, autocrine secretion of interleukin-6 stimulated by, effect on satellite cell proliferation *in vitro*, **216,** 49
- Solutions
  - aqueous
    - rapid reaction of singlet molecular oxygen with *p*-aminobenzoic acid, **212,** 1145
    - sucrose in, transient interresidue hydrogen bond in, evidence from rotating-frame exchange NMR spectroscopy under supercooled conditions, **215,** 504
  - ω-conotoxin MVIIC, structure, NMR study, **207,** 695
- Solvents
  - organic, effect on polyalanine β-sheet macromolecule stability, **211,** 7
- Somatic cell hybrids
  - in assignment of human folate transporter gene to chromosome 21q22.3, **210,** 874
- Somatostatin
  - analog SMS 201-995, induced cell cycle-dependent apoptosis in pituitary cells (mouse), **209,** 400
  - binding to somatostatin receptor SSTR2, essential transmembrane domain 3 asparate residue (rat), **216,** 913
  - and glucagon, pancreatic islet cells secreting, Ca^{2+} oscillations in presence of glucose (mouse), **208,** 644
- Somatostatin receptor
  - encoding gene SSTR4, proximal promoter region, characterization (rat), **206,** 935
  - mediation of phospholipase C-independent Ca^{2+} mobilization in AR42J pancreas cells (rat), **214,** 81
  - SSTR2, somatostatin binding to, essential transmembrane domain 3 asparate residue (rat), **216,** 913
- Somatostatin receptor 2
  - encoding gene, point mutation, detection in COR-L103 cells (human), **210,** 805
- Somatotropin
  - 20-kDa and 22-kDa isoforms, differential effects in 3T3-F442A and 3T3-F442A/C4 adipocytes, assay (human), **217,** 28
  - human, baculovirus-mediated production in *Bombyx mori* larvae, **213,** 389
  - –phospho*enol*pyruvate carboxykinase gene, expression in transgenic mouse, effects of vitamin A deficiency and retinoic acid treatment, **213,** 706
  - regulated gene, detection by comparison of gene expression in

  normal and growth hormone receptor-deficient chickens, **206,** 153
  release in anterior pituitary cells, effect of cyclic GMP (rat), **214,** 918
  secretagogue L-692,429, induction of phosphatidylinositol hydrolysis and hormone secretion by human pituitary tumors, **208,** 555
Sp1 protein
  affinity for GC-rich elements, correlation with ornithine decarboxylase promoter activity (rat), **214,** 324
  role in transcriptional activation of human nitric-oxide synthase type III gene in endothelial cells, **213,** 673
Sp4 protein
  variant, occurrence in sperm (*Xenopus laevis*), **214,** 622
Sp22 protein
  potential function as radical scavenger (bovine), **213,** 1010
Species differences
  cyclic peptide RES-701-1 inhibition of endothelin-1 binding to ET_B receptor (dog, guinea pig, rabbit, rat), **209,** 712
  lithium transport pathways in erythrocytes (chicken, eel, human), **210,** 119
  susceptibility of monoamine oxidase B to oxadiazolones and oxadiazolethiones (bovine, human, rat), **206,** 556
Spectrin
  binding of mithramycin, **212,** 428
βIΣII Spectrin
  C-terminal region, binding to cerebral membranes, role of pleckstrin homology domain (bovine), **217,** 608
Spectrophotometric assay
  visible, lipoxygenase from eggplant, **214,** 1067
Spectroscopy, *see specific techniques*
Spermatogenesis
  pp60$^{c\text{-}src}$ kinase expression during, analysis (rat), **206,** 502
Spermatozoa
  acrosome reaction, cytosolic chloride efflux during, mediation by progesterone (human), **213,** 774
  amoeboid, pseudopods, 30-nm protein particles in, isolation and characterization (*Ascaris suum*), **208,** 1073
  occurrence of gene-encoded variant of nuclear basic protein SP4 (*Xenopus laevis*), **214,** 622
  plasma membrane Ca^{2+} channel and protein-tyrosine kinase, independent targeting by progesterone (human), **210,** 518
  progesterone-activated responses, differential modulation by protein kinase C (human), **206,** 408
Spermidine
  relationship to L-arginine nitric oxide pathway in placenta (human), **212,** 229
Spermine
  relationship to L-arginine nitric oxide pathway in placenta (human), **212,** 229
  uptake in *Saccharomyces cerevisiae,* serine/threonine protein kinase enhancing, gene cloning, **216,** 985
Sperm receptor
  identification of *N*-acetylglucosaminidase inhibitor from vitelline coat of ascidian egg as candidate, **213,** 311
Sphingolipids
  and glycerophospholipids, N-bases, production in neuroblastoma cells, indirect utilization of glycine for, ^{15}N-tracer study (mouse), **210,** 44
  metabolism, modulation in ISP-1/myriocin-induced immunosuppression, identification of serine palmitoyltransferase as primary target (mouse), **211,** 396
Sphingosine
  effect on MC3T3-E1 preosteoblasts, **214,** 676
  enhancement of phorbol ester-mediated phospholipase D activation in lymphocytes, mechanism, **217,** 908
Sphingosine-dependent kinase
  identification of signal modulator protein 14-3-3 as target in 3T3 cells, **216,** 739
Sphingosine-1-phosphate
  effect on MC3T3-E1 preosteoblasts, **214,** 676
Sphingosylphosphorylcholine
  effect on MC3T3-E1 preosteoblasts, **214,** 676
Spinal muscular atrophy
  encoding region on chromosome 5, multiple transcribed sequences from, identification (human), **206,** 294
  survival motor neuron gene from, transcript analysis (human muscle), **213,** 342
Spin traps
  N-*tert*-α-phenyl-butylnitrone, effect on life span of senescence-accelerated mouse, **211,** 847
Spirulina platensis
  inosine kinase as distinct enzyme in, **209,** 547
Spleen
  glycosylphosphatidylinositol-anchored arginine-specific ADP-ribosyltransferase identification (chicken), **214,** 760
  heme oxygenase activity, modulation by nitric oxide inhibitors and donors (rat), **214,** 1152
Splicing
  alternative
    calcitonin receptors isoforms generated by, expression in human tumor cell lines and renal tissue, **209,** 744
    short form of P2xR1 purinoceptor subunit produced by, identification in pituitary and cochlea (rat), **212,** 501
    testicular brush border myosin-1 gene, evaluation (bovine, rat), **211,** 331
  cis and 5′ *trans,* and polyadenylation, temporal order of reactions for actin RNA (*Onchocerca volvulus*), **211,** 49
Squalene
  3-^{3}H-labeled, conversion into (3*S*)-2,3-oxidosqualene catalyzed by squalene epoxidase: retention of label during conversion (porcine liver), **208,** 42
Squalene epoxidase, *see* Squalene monooxygenase
Squalene monooxygenase
  catalyzed conversion of [3-^{3}H]squalene into (3*S*)-2,3-oxidosqualene: retention of label during conversion (porcine liver), **208,** 42
Src-homology-2 domain
  SH-PTP2 protein-tyrosine phosphatase with, localization and subcellular distribution (rat brain), **211,** 950
SSCP, *see* Polymorphisms, single-strand conformation
Stage selector element
  γ-globin gene promoter, binding to CTF/NF-1 (human), **215,** 874
Staining
  silver, nucleolar proteins, role of specific aspartic acid-rich sequences, **207,** 485

Staphylococcus aureus
  DNA-directed RNA polymerase purification and characterization, **208,** 610
  methicillin-resistant, isolation and gene cloning of alkaline shock protein, **207,** 978
Staurosporine
  effects on
    cAMP-mediated promoter activity of vasoactive intestinal polypeptide gene in PC12 cells (rat), **214,** 1114
    stem cell factor-induced mast cell histamine release, pharmacological study (rat), **208,** 576
Stellate cells
  hepatic, contraction, endothelin receptors mediating, characterization (rat), **207,** 725
Stem cell factor
  induced mast cell histamine release, effects of kinase inhibitors, pharmacological study (rat), **208,** 576
Stem cells
  embryonic, *in vitro* and *in vivo* differentiation, role of focal adhesion kinase (mouse), **209,** 300
Stem–loop
  size, and slippery sequence, effects on efficiency of ribosomal frameshifting, **213,** 575
Stereospecificity
  glutathione reductase and lipoamide dehydrogenase for α-lipoic acid enantiomers, comparison, **206,** 724
  isomerization catalyzed by cholesterol oxidase via one base (*Brevibacterium sterolicum*), **206,** 688
Steroid 11β-hydroxylase, *see* Steroid 11β-monooxygenase
Steroid 11β-monooxygenase
  encoding gene *CYP11B1,* molecular genetic analysis in 11βOHD-deficient patient, **216,** 723
Steroidogenic factor-1 response element
  identification in DAX-1 promoter (human), **214,** 576
Steroid receptor
  expression in MCF-7 breast cancer cells, selective regulation by heregulin family (human), **217,** 1271
Steroid 5α-reductase
  isozymes, selective inhibition by tea epicatechin-3-gallate and epigallocatechin-3-gallate, **214,** 833
  type 1 and 2, expression in fetal tissues (human), **215,** 774
Steroids
  neuroactive, modulation of *in vivo* Mg^{2+}/Ca^{2+}-ATPase activity in cortical and cerebellar synaptosomal membranes (rat), **212,** 178
  nongenomic action in spermatozoa: independent targeting of plasma membrane Ca^{2+} channel and protein-tyrosine kinase by progesterone (human), **210,** 518
Sterol 27-hydroxylase
  and cholesterol 7α-hydroxylase, hepatic expression, differential effects of cholic acid and cholestyramine (rabbit), **216,** 868
Sterols
  effect on sensitivity of lipid bilayers to melittin, **211,** 312
Stigmasterol
  effect of sensitivity of lipid bilayers to melittin, **211,** 312
Stochastic behavior
  organelle motion in internodal cells (*Nitella axilliformis*), **214,** 1102
Stomach
  pepsinogen-producing cells, effects of CCK-B/gastrin receptor antagonist omeprazole during long-term treatment (rat), **210,** 400; retraction, **212,** 718
Stratum corneum chymotryptic enzyme
  recombinant, primary substrate specificity (human), **211,** 586
Streptokinase
  plasminogen-binding sites, identification (human), **217,** 1245
Streptomyces aureofaciens
  tetracycline-producing strain, translation initiation factors from, purification and characterization, **208,** 569
Streptomyces collinus
  kirromycin-producing, *tuf1* gene sequencing and phosphorylation pattern of EF-Tu1 during development and differentiation, **213,** 454
Streptozocin
  induced diabetes
    glycogen synthase kinase-3α mRNA hepatic levels, effect of insulin (rat), **217,** 250
    renal expression of heparin-binding EGF-like growth factor mRNA (rat), **207,** 216
  treated rat, altered expression of insulin signaling components, **212,** 933
Streptozotocin, *see* Streptozocin
Stress, *see also* Oxidative stress; Shear stress
  catecholamine-induced, in cultured AT-1 cardiomyocytes, thyroid hormone receptor subtype mRNA levels during, downregulation by amidiarone (mouse), **211,** 991
  heat, response in HeLa cells, suppression by quercetin via down-regulation of heat shock transcription factor 1 (human), **208,** 1099
  osmotic, induction of tyrosine phosphorylation of endothelial cell 128-kDa surface glycoprotein (bovine), **214,** 69
  oxygen, induced apoptosis in fibroblasts, role of mitochondrial genome (human), **209,** 723
Stress response
  ancestral, in molluscan hemocytes, effects of cytokines *in vitro* (*Planobarius corneus, Viviparus ater*), **207,** 288
Stretch
  mechanical, cyclical, in cultured myocytes, regulation of cardiac myosin heavy chain genes (human), **210,** 567
Stretch frequency
  carbon monoxide in carbonmonoxymyoglobin, determination, role of electrostatic interactions (human), **212,** 159
Stroke
  prone rat, spontaneously hypertensive
    peritoneal macrophages from, intracellular cholesterol metabolism, comparison with normotensive rat, **211,** 547
    salt-dependent cardiac hypertrophy and preproendothelin-1 mRNA expression, inhibition by lacidipine, **210,** 219
Stromal cells
  lymph node, cysteine from, effect on apoptosis of malignant T-lymphoma cells (mouse), **213,** 837
Stromelysin
  in articular cartilage, modulation by NO (bovine, human), **206,** 15
Sublingual gland
  high-molecular-weight mucin, cloning (human), **217,** 1112
Submaxillariectomy
  in adult female rat, effects on ovarian androgen and estrogen production, **213,** 550

Substance P
  identification as natural inhibitor of CD13/aminopeptidase N, **208,** 664
Subtilisin J
  thermal stability, improvement by changing of primary autolysis site of Asp-49 mutant protein, **207,** 20
Sucrose
  active transport by cscB permease (*Escherichia coli* K-12), **208,** 1116
  transient interresidue hydrogen bond, in aqueous solution, evidence from rotating-frame exchange NMR spectroscopy under supercooled conditions, **215,** 504
Sugars
  N-acetylgalactosaminylated *N*-linked chains, detection in IgG heavy chain identified in bovine milk, **210,** 275
  self-induced endogenous elicitor, composition (potato), **215,** 768
SulA protein
  interaction with FtsZ via GTP hydrolysis (*Escherichia coli*), **209,** 198
Sulfate permease
  encoding gene *SFP2*, characterization (*Saccharomyces cerevisiae*), **214,** 709
Sulfation
  minoxidil by recombinant human liver thermolabile phenol sulfotransferase, **210,** 363
Sulfolobus acidocaldarius
  SaRD protein with DNA-binding properties, isolation, **214,** 646
Sulfolobus shibatae
  extracellular thermostable esterase, identification and partial characterization, **216,** 495
Sulfolobus solfataricus
  DNA-binding protein, ADP-ribosylation *in vitro,* **208,** 55
Sulfolobus sp.
  strain 7, alternative form of 7Fe dicluster-type ferredoxin, purification and characterization, **206,** 563
5-Sulfooxymethylfurfural
  as electrophilic and mutagenic metabolite of bioactivated 5-hydroxymethyl-2-furaldehyde, mutagenicity in *Salmonella typhimurium* TA104, **209,** 996
Sulforaphane
  reversible conjugation with glutathione, catalysis by human glutathione transferases, **206,** 748
Sulfoxidation
  stereospecific, by toluene and naphthalene dioxygenases, **212,** 9
Superoxide dismutase
  Cu,Co-containing, active site dimetal cluster, breaking upon copper reduction, polarized absorption spectral analysis, **210,** 1040
  Cu/Zn-containing, human, transgenic mouse overexpressing, analysis for resistance to endotoxic shock, **208,** 523
  hydrogen peroxide-generating system with, production of leukotoxin and isomer, **216,** 483
  Mn-containing
    induction in pancreas by lipopolysaccharide (rat), **217,** 1216
    mRNA, induction by interleukin-1β in insulin-producing cells, effect of pyrrolidine dithiocarbamate (human), **210,** 816
    plasmid transcripts, and endogenous MnSOD mRNA, differentiation with RT-PCR, **216,** 610
  recombinant cambialistic, metal uptake, effect of growth conditions of host *Escherichia coli* (*Propionibacterium shermanii*), **216,** 841
Suprachiasmatic nucleus
  constitutive neuronal nitric-oxide synthase, effect of environmental lighting (rat), **212,** 70
Surface forces apparatus
  in direct measurement of myosin head elasticity (rabbit), **211,** 219
Surface pressure
  interfacial, effect on binding and phospholipase A_2 activity of recombinant human lecithin–cholesterol acyltransferase, **211,** 840
Surfaces
  positively charged, effect on high order structure in duplex DNA, **214,** 1040
Surfactant protein B
  gene promoter, amplification by DNA-binding proteins A2 and B (rabbit), **208,** 153
Survival motor neuron
  gene transcript analysis in muscles from spinal muscular atrophy patient, **213,** 342
Synaphin
  cDNA cloning, and tissue and subcellular distribution (bovine), **213,** 1107
Synapsins
  I, covalent structure, spontaneous alterations during *in vitro* aging (bovine brain), **212,** 442
  Ia and Ib, PMA-stimulated and Ca^{2+}/calmodulin-dependent phosphorylation *in vivo,* modulation by estradiol and pregnenolone sulfate (rat brain), **207,** 606
Synaptobrevin
  –syntaxin fusion complex, formation and assembly in synaptosomes, effect of poisoning by botulinum neurotoxin A, **212,** 945
Synaptosomes
  cerebral, high affinity choline uptake, role of cAMP in regulation (rat), **213,** 944
  cortical and cerebellar, membranes, Mg^{2+}/Ca^{2+} activity *in vivo,* neuroactive steroid effects (rat), **212,** 178
  fusion complex, formation and assembly, effect of poisoning by botulinum neurotoxin A (rat), **212,** 945
  glutamate release, regulatory role of calcineurin (rat cerebral cortex), **212,** 609
  interaction with nitric oxide, EPR analysis (rat brain), **212,** 404
  membrane proteins, PMA-stimulated and Ca^{2+}/calmodulin-dependent phosphorylation *in vivo,* modulation by estradiol and pregnenolone sulfate (rat brain), **207,** 606
Syncytia
  HIV-1-induced formation, and viral infectivity, differential effects of hydrophobic tripeptide, **208,** 75
Synemin
  intermediate filament rod domain, identification (chicken), **213,** 796
Syntaxan
  antibodies, inhibition of calcium-dependent catecholamine secretion in permeabilized chromaffin cells (mouse), **206,** 1

Syntaxin
  –synaptobrevin fusion complex, formation and assembly in synaptosomes, effect of poisoning by botulinum neurotoxin A, **212,** 945
Syntaxin 3
  four forms, identification (murine brain), **211,** 997
Syntaxin 4
  expression in skeletal muscle and cultured skeletal muscle cells (rat), **213,** 462
Syp protein
  altered expression in streptozotocin-treated rat, **212,** 933
  expression, effect on activation of MAP kinase pathway downstream of p21^{ras}, **214,** 737

T

3TC
  and AZT and HIV-1-specific non-nucleoside reverse transcriptase inhibitors, sensitivity/resistance profile of SIV containing RT gene of HIV-1, **211,** 850
Tamoxifen
  effects on osteoblast function and estrogen response element-mediated transcription in HOS-TE85 osteosarcoma cells (human), **210,** 295
Tandem repeats
  N-terminal region, mammalian and avian prion protein, copper binding to, structural studies with synthetic peptides, **214,** 993
T antigens
  large, nuclear localization sequence region, fused to β-galactosidase, nuclear transport, measurement, **217,** 419
  simian virus 40, immortalized keratinocytes, temperature-induced growth restriction, effect of human papillomavirus 11 E5a, **217,** 712
TATA box
  role in hormonal regulation of phospho*enol*pyruvate carboxykinase gene expression (rat), **215,** 1006
Tat protein
  HIV-1, delivery to mammalian cells, effect of endosomolytic activity of cationic liposomes, **217,** 761
Tau protein
  cytoskeletal, hyperphosphorylation by MAP kinase PK40^{erk2}, **215,** 1056
  peripheral nerve, preparation: insoluble high-molecular-weight tau with high phosphorylation (rat), **210,** 338
Taurine
  and hypotaurine, effects on lipid peroxidation, **213,** 820
Tautomerization
  quinone–quinone methide, during tyrosinase-catalyzed oxidation of 4-allylcatechol, **213,** 469
TCDD, *see* 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin
T-cell leukemia-derived factor
  adult, and thioredoxin, and inhibitor, role in release of major basic protein from eosinophils (human), **213,** 1140
T-cell receptor
  –CD3, apoptosis mediated by, and Fas-ligand induction, in Jurkat cells, role of p56^{lck} (human), **213,** 994
  αβ–CD3 complex, signaling in immature thymocytes, stimulation by thymus atrophy-inducing compound di-*n*-butyltin dichloride (rat), **214,** 552
T cells
  activation and mitogenesis, regulation of DNA topoisomerase I during, analysis (human), **211,** 872
  CD4$^+$, interleukin-8-induced IL-8 production, regulation by IL-10 (human), **210,** 660
  chemotaxis, induction by peptides from RANTES amino terminus (human), **211,** 100
  cytotoxic, *see* Cytotoxic T cells
  HUT78, HIV-1 replication, polysaccharide MAR-10 inhibiting, isolation from *Hyssop officinalis,* **210,** 145
  interaction between annexin VI and 56-kDa protein kinase (human), **212,** 270
  MT-2, HTLV-I-infected, susceptibility to hepatitis C virus infection (human), **206,** 863
  MT-4, anti-HIV activity of dexamethasone and indomethacin in, potentiation by MAP30 antiviral agent from bitter melon (human), **208,** 779
  mucosal, induction of systemic anergy for oral tolerance (mouse), **206,** 414
  peripheral blood, from uremic patient, relationship of apoptosis susceptibility and Fas expression, **215,** 98
TecIIa
  hematopoietic cell-associated, pleckstrin homology domain, binding by platelet-activating factor acetylhydrolase-45 WD40/β-transducin repeat segments *in vitro,* **209,** 622
TEI-3356
  prostaglandin E receptor EP3D agonist, carboxylic acid of, interaction with arginine residue of seventh transmembrane domain, role in selective coupling of EP3D to multiple G proteins, **212,** 279
Telangiectasia
  –ataxia locus, single base polymorphism linked to, detection by mismatch PCR, **210,** 982
Temperature, *see also* Thermostability
  acclimation, induction of light meromyosin isoforms with different primary structures in fast skeletal muscle (carp), **208,** 118
  effects on
    cellular content of 70-kDa heat shock protein SSB1P (*Escherichia coli*), **213,** 484
    Kv1.1 rat cerebral potassium channels expressed in mammalian cells, **215,** 915
    polyalanine β-sheet macromolecule stability, **211,** 7
  induced growth restriction in simian virus 40 T antigen-immortalized keratinocytes, effect of human papillomavirus 11 E5a, **217,** 712
Terminal oxidase
  bb and *caa*$_3$ types, in *Bacillus* sp. FTU, **207,** 55
Terminators
  RNA polymerase I, heteroduplex analysis (*Xenopus*), **212,** 1082
Testis
  androgen synthesis *in vitro,* modulation by prostaglandin E$_2$, differential mediation by adenylate cyclase and phospholipase C (*Triturus carnifex*), **211,** 1047
  brush border myosin-I detection (bovine, rat), **211,** 331
  developing, pp60$^{s\text{-}src}$ kinase expression (rat), **206,** 502
  expression of osteocalcin-related protein (mouse), **215,** 412
  and heart and brain, expression of heat shock factor 1 α and β

isoforms (mouse), **211,** 943
histone mono(ADP-ribosyl)ation in, effect of gonadotropin–testosterone system (rat), **215,** 808
luteinizing hormone β-subunit cDNA, isolation and characterization (rat), **210,** 858
Testosterone
enhancement of α2-adrenoreceptor protein and mRNA expression in white adipocytes, enhancement by direct effect of androgens (hamster), **206,** 112
–gonadotropin system, effect on histone mono(ADP-ribosyl)ation (rat testis), **215,** 808
inhibition of 20-kDa major protein expression in exorbital lacrimal gland (hamster), **208,** 412
ovarian production in adult female rat, effects of submaxillariectomy, **213,** 550
2,3,7,8-Tetrachlorodibenzo-*p*-dioxin
alteration of CD19 gene expression in B cells: mechanism suggested by Ah receptor recognition of BSAP DNA binding sites (human), **212,** 27
induced expression of
cytochrome P450 1A1 mRNA in keratinocytes, modulation by retinoic acid (human), **209,** 706
cytochrome P450 *CYP1A1* gene
in HEPA-1C1C7 cells, suppression by methoxsalen (mouse), **208,** 1124
in rainbow trout hepatocytes, effect of picrotoxin, **214,** 1060
inhibition of retinoic acid-induced gene expression (mouse), **207,** 690
transcriptional regulation of glyceraldehyde-3-phosphate dehydrogenase, **212,** 165
Tetrachloroisophthalonitrile
induction of heat shock proteins and accumulation of trehalose in *Saccharomyces cerevisiae,* **216,** 1041
Tetracycline
producing *Streptomyces aureofaciens* strain, translation initiation factors from, purification and characterization, **208,** 569
12-*O*-Tetradecanoylphorbol 13-acetate
attenuation of p53 expression in doxorubicin-treated cells and protection of ts-p53/K562 cells from apoptosis, **215,** 641
downregulation of prohormone convertase-1, **217,** 495
HL-60 cells differentiated by, expression of glycosylphosphatidylinositol-anchored NAD glycohydrolase, **213,** 730
induced increase in transepithelial permeability, inhibition by bisindolylmaleimide (LLC-PK_1 cells), **209,** 669
mediated phospholipase D activation in lymphocytes, enhancement by sphingosine, mechanism (bovine), **217,** 908
NF-κB activation in 3Y1 fibroblasts, role of protein kinase C isoenzyme nPKCε (rat), **206,** 429
SPGM-1 pre-B cell incubation with, subsequent lineage switch to macrophage-like cells (mouse), **216,** 540
Tetrahydrobiopterin
binding domain on tyrosinase, role in melanogenesis (human), **206,** 480
correlation with 4a-hydroxy-tetrahydropterin dehydratase/hepatic nuclear factor 1α dimerization cofactor activity during human fetal development, **217,** 958
dependent nitric-oxide synthase III stability and activity, role of endothelial NOS-III cysteine 99 (human), **215,** 1119
modulation of N^{ω}-nitro-L-arginine binding by neuronal nitric-oxide synthase (rat), **210,** 288
prevention of NO-mediated inhibition of nitrogen oxide synthase (human), **206,** 380
meso-Tetrahydroxyphenyl chlorin
illumination by light above 620 nm, 4,4′-di-*tert*-butyldiphenyl-1-nitroxy radical paramagnetism loss during, EPR analysis, **215,** 192
Tetrahymena pyriformis
insulin binding sites, isolation and characterization, **212,** 515
all-*trans*-3,7,11,15-Tetramethyl-2,4,6,10,14-hexadecapentaenoic acid
induced apoptosis in hepatoma HuH-7 cells (human), **207,** 382
Tetranucleotides
CGCG, in long segments of DNA, loop-size spacings (human), **213,** 147
Thalamic nucleus
expression of peroxisome proliferator activated receptor δ containing CGG triplet repeat (rat), **217,** 1015
Thapsigargin
effect on Ca^{2+} signaling in articular chondrocytes, **215,** 129
Thermoplasma acidophilum
RPL15 gene, encoding homologue of eukaryotic ribosomal proteins L15/YL10, cloning and sequencing, **209,** 684
Thermostability
cytochrome c, effects of histidine/methionine replacements (*Desulfovibrio vulgaris*), **211,** 742
subtilisin J, improvement by changing of primary autolysis site of Asp-49 mutant protein, **207,** 20
Thienylcyclohexylpiperidine-binding protein
cerebral, cDNA cloning, **216,** 390
Thimerosal
effects on phasic myometrial contractions (rat uterus), **211,** 1
Thimet oligopeptidase
testis, recombinant, and native brain enzyme, substrate specificity differences (rat), **209,** 788
Thioctic acid
antioxidant activity toward hydroxyl radical, **208,** 161
effects on intracellular glutathione in Jurkat T cells (human), **207,** 258
enantiomers, glutathione reductase and lipoamide dehydrogenase stereospecificities for, comparison, **206,** 724
reversible inhibition of NADPH–cytochrome P450 reductase (rat), **214,** 1246
Thioesterase
and chymotrypsin, related activity, detection in *Vibrio mimicus* arylesterase, **213,** 475
Thiol-protease inhibitors
effects on presentation of antigens incorporated nonspecifically by pinocytosis and specifically by surface IgM of B cells, **210,** 324
Thioredoxin
–adult T cell leukemia-derived factor, and inhibitor, role in release of major basic protein from eosinophils (human), **213,** 1140
evidence for existence in human erythrocytes, **217,** 900
Thioredoxin reductase
evidence for existence in human erythrocytes, **217,** 900

Threonine
  conserved residues in DNA-binding domain of high mobility group protein HMG-I(Y), replacement by alanine, effect on binding affinity for DNA (human), **207,** 497
  Thr-252, role in cytochrome $P450_{cam}$: study with unnatural amino acid mutagenesis, **208,** 96
[Thr^{18},γ-$MeLeu^{19}$]-endothelin-1
  ET_{A2} nonselective antagonist, effect on isolated blood vessels (rabbit, rat), **212,** 421
Thrombin
  and ATP, comparative effects on megakaryocyte (rat), **211,** 282
  induced histamine secretion from platelets, role of protein kinase C and low-molecular-weight G proteins (human), **206,** 492
Thrombin receptor
  functional expression on T lymphoblastoid cells, inhibition by tunicamycin (human), **206,** 857
  internalization in glomerular epithelial cells, induction by endothelin-1 (human), **217,** 445
  polymorphism, characterization (Chinese hamster), **215,** 974
Thrombomodulin
  activity in endothelial cells, effects of contrast agents (human), **212,** 776
Thrombopoietin
  c-mpl ligand, induction of tyrosine phosphorylation of multiple cellular proteins and Ras signaling molecules, **216,** 338
  gene expression in HepG2 cells, **217,** 475
  induction of tyrosine phosphorylation and activation of MAP kinase in human TPO-dependent cell line, **217,** 230
  and interleukin-3, induction of protein tyrosine phosphorylation in myeloid precursor cell line, comparison (mouse), **214,** 424
  truncated variants, cDNA characterization (mouse), **213,** 1091
Thrombospondin
  effect on resorption by osteoclasts *in vitro* (chicken), **213,** 1017
Thrombospondin-2
  inhibition of angiogenesis (mouse), **217,** 326
Thromboxane A_2 synthase
  expression in U937 cells, post-transcriptional regulation, **209,** 901
Thymidine kinase
  herpes simplex virus type I, site directed mutagenesis: role of amino acid postiions 251, 321, and 348 in selective recognition of substrate analogs, **209,** 966
Thymidine phosphorylase
  structural characterization (human placenta), **212,** 1040
Thymocytes
  apoptosis
    dexamethasone- and heat shock-induced, role of CD45 (rat), **214,** 941
    heat shock- and gamma irradiation-induced, effect on ornithine decarboxylase mRNA and enzymatic activity (rat), **216,** 708
    induction by peroxynitrite (rat), **215,** 1111
    staphylococcal enterotoxin B-induced, associated changes in protein kinase C subspecies (mouse), **213,** 1132
  bcl-x_s gene expression, down-regulation by dexamethasone (rat), **215,** 511
  glucocorticoid-treated, DNA fragmentation and cell death in, effect of oxygen tension (rat), **212,** 300
  immature, T cell receptor $\alpha\beta$–CD3 complex signaling in, stimulation by thymus atrophy-inducing compound di-*n*-butyltin dichloride (rat), **214,** 552
  tyrosine phosphorylation and activity of focal adhesion kinase, effect of integrin stimulation (mouse), **215,** 438
Thymus
  atrophy, inducing compound di-*n*-butyltin dichloride, stimulation of T cell receptor $\alpha\beta$–CD3 complex signaling in immature thymocytes (rat), **214,** 552
Thyroid
  asialoglycoprotein receptor mRNA expression (rat), **210,** 138
Thyroid cells
  FRTL5, derived cell line expressing active human thyroid peroxidase, cloning (rat), **212,** 602
  ki-ras transformed and normal differentiated, apoptotic cell death, induction, effect of serum withdrawal, **214,** 819
  PC C13, Ca^{2+} influx, activation by α1B-adrenergic receptors via tyrosine kinase/phosphotyrosine phosphatase pathway after noradrenaline-induced emptying of $InsP_3$-sensitive Ca^{2+} stores (rat), **209,** 630; *erratum,* **210,** 1083
  P_{2u}-receptor in, extracellular ATP- and UTP-induced activation, in increase of cytosolic free calcium (human), **213,** 928
Thyroid hormone
  mitochondrial NADH dehydrogenase subunit 3 as regulated gene, identification by whole genome PCR analysis (rat), **210,** 995
  regulation of pituitary growth hormone-releasing factor receptor gene expression (rat), **217,** 1087
Thyroid hormone receptor
  mediated signaling pathways, repression by orphan receptor TAK1 (human), **211,** 83
Thyroid peroxidase
  rat FRTL5-derived cell line expressing, cloning (human), **212,** 602
Thyroid transcription factor-1
  homeodomain DNA binding specificity, definition by chromatographic selection of binding sequences, **213,** 781
Thyrotropin receptor
  constitutive activation by deletion in TSHR extracellular domain (rat), **211,** 205
  detection in cardiac muscle (human, mouse), **211,** 426
Thyrotropin-releasing hormone
  effect of caffeine on binding in GH4C1 pituitary cells (rat), **210,** 726
Thyroxine
  augmentation of adrenomedullin production in vascular smooth muscle cells (rat), **211,** 686
  serum albumin variant with high affinity for, expression (human), **214,** 1121
TIBO R82913
  and other HIV-1-specific non-nucleoside reverse transcriptase inhibitors, sensitivity/resistance profile of SIV containing HIV-1 RT gene, **211,** 850
Tick adhesion inhibitor
  inhibiting platelets to collagen, characterization (*Ornithodoros moubata*), **208,** 532

- Tigogenin
  - effects on erythroleukemia HEL TIB cells (human), **207,** 398
- TIMP-1, *see* Tissue inhibitor of metalloproteinase-1
- Tissue inhibitor of metalloproteinase-1
  - sequence homology with fibroblast elongation factor derived from colon carcinoma cells (human), **206,** 590
- Tissues
  - adenomatous polyposis coli mRNA, assay (human), **217,** 385
  - α_1-adrenoceptor subtypes, assay by RT-PCR (human), **213,** 935
  - argininosuccinate synthetase and argininosuccinate lyase mRNA expression, effect of lipopolysaccharide treatment *in vivo* (rat), **215,** 148
  - brush border myosin-I detection (bovine, rat), **211,** 331
  - chronic wound and well healing, differential expression of heat shock protein 70 (human), **214,** 1009
  - cystathionine β-synthase cDNA expression (human), **211,** 826
  - distribution of
    - heterogeneous nuclear ribonucleoproteins (rat), **217,** 554
    - synaphin cDNA (bovine), **213,** 1107
  - enzymatic synthesis and degradation of nicotinate adenine dinucleotide phosphate (rat), **209,** 167
  - expression of
    - endothelin-converting enzyme gene (human), **211,** 249
    - heat shock factor 1 α and β isoforms (mouse), **211,** 943
    - homologue of human DP1/TB2 gene (mouse), **213,** 967
    - nonmuscle and smooth muscle isoforms of myosin-light-chain kinase (chicken), **217,** 696
    - platelet-activating factor acetylhydrolase γ-subunit (human), **214,** 180
  - fatty acid ethyl ester-catalyzed esterification of ethanol to cocaine (human), **208,** 549
  - 5-fluorouracil and 5-fluoro-2′-deoxyuridine 5′-monophosphate, HPLC (rat), **216,** 808
  - freeze-dried, DNA degradation by atmospheric oxygen (rat), **208,** 1021
  - γ-glutamylcysteine synthetase heavy and light subunit mRNA levels, comparison (human), **206,** 584
  - guanylyl cyclase-coupled natriuretic epetide receptor-A1 isoform mRNA localization (rat), **209,** 930
  - hematopoietic, 4-kb mRNA identified in, shared short nucleotide sequence (mouse), **209,** 1076
  - injury in mercuric chloride-induced autoimmunity, role of nitric oxide (rat), **217,** 515
  - macrophage-rich, LPS-induced glucose metabolic response, relationship to acute endotoxin tolerance (rat), **211,** 340
  - neuronal and cardiac, protein kinase C isoform expression and subcellular localization (*Limulus polyphemus*), **208,** 463
  - oxygenation, extensive, associated with mtDNA mutations in mitochondrial myopathy, **213,** 432
  - whole homogenates, and endothelial cell cultures, differential expression of adenylyl cyclase isoforms (rat), **208,** 323
  - xanthine dehydrogenase gene expression (human liver), **199,** 998; *erratum,* **215,** 429
- TNF, *see* Tumor necrosis factor
- Tolerance
  - oral, systemic anergy for, induction by mucosal T cells (mouse), **206,** 414
  - osmotic, *Rhizobium fredii BD32,* effect of *proB proA* operon of *Escherichia coli,* **217,** 796
- Toluene dioxygenase
  - stereospecific sulfoxidation, **212,** 9
- Tongue
  - chemosensory tissue, guanylyl cyclase, identification (bovine, rat), **216,** 242
- Topa quinone
  - formation, in analysis of copper-binding ligands of *Escherichia coli* K12 copper-containing monoamine oxidase, **212,** 1107
- Topoisomerase II
  - mediation of DNA cleavage in ribosomal genes (human), **213,** 282
- Toxicity
  - amyloid β protein, role of iron, **216,** 702
- Toxin 2
  - scorpion peptide β toxin-type, induced block of voltage-gated K^+ channels in human lymphocytes (*Centruroides noxius*), **213,** 419
- TPA, *see* 12-*O*-Tetradecanoylphorbol 13-acetate
- TPA response element
  - dependent gene expression, arginine vasopressin-activated, role of phosphatidylinositol 3-kinase (rat), **215,** 1037
- Trachea
  - smooth muscle contraction, mediation by endothelin ET_A and ET_B receptor subtypes (rabbit), **207,** 668
- *trans*-acting factors
  - binding to promoter region of testis-specific rat protamine P1 gene, **208,** 802
  - in promoter region of renal kallikrein gene, comparison in normotensive and hypertensive rats, **217,** 113
- Transactivation
  - chemokine receptor BLR2/EBI1 expression, by Epstein–Barr virus nuclear antigen 2 (human), **215,** 737
  - heterodimeric DNA, role of T-box near zinc fingers of vitamin D receptor (human), **215,** 1
  - sequence-specific, p53-dependent, repression by MEF2c (mouse), **214,** 468
- Transacylase
  - CoA-dependent, in generation of platelet-activating factor precursor 1-alkyl-2-lyso-*sn*-glycero-3-phosphocholine (rat), **210,** 1052
- Transcarboxylase
  - biotinylated peptide, –human neurokinin 1 receptor fusion protein, expressed in Semliki Forest virus system, functional activity, **208,** 260
- Transcobalamin I
  - and Castle's intrinsic factor and transcobalamin II, genomic structure comparison (human), **208,** 756
- Transcobalamin II
  - genomic structure: comparison with intrinsic factor and transcobalamin I (human), **208,** 756
- Transcription
  - activating sequences, identification in neuroendocrine protein 7B2 (human), **216,** 1
  - β_1-adrenergic receptor gene, initiation, localization to TATAless region (sheep), **211,** 254
  - adrenomedullin gene, effect of endotoxin (rat), **215,** 531
  - angiotensin II type 2 receptor gene, repression by growth factors and glucocorticoids (PC12 cell), **216,** 359

Transcription (*continued*)
  associated properties of oligonucleosomal templates containing acetylated $(H3\times H4)_2$ tetramers, **213,** 232
  autocrine motility factor receptor, upstream region controlling, identification (human), **212,** 727
  based regulation of collagenase gene by bFGF (MC3T3-E1 cells), **214,** 331
  cardiac troponin T gene, embryonic alternative initiation site (mouse), **214,** 1168
  distal aldolase A promoter, silencer modulating, characterization (human), **216,** 69
  effect of acetylation of histone H2A.H2B dimers, **210,** 409
  efficiency of SV40 late promoters, conferral by polyomavirus enhancer mutant, **207,** 339
  estrogen response element-mediated, and osteoblast function, in HOS-TE85 osteosarcoma cells, tamoxifen effects (human), **210,** 295
  Glut4 gene in ventricular cardiomyocytes, insulin-dependent regulation (rat), **213,** 533
  glyceraldehyde-3-phosphate dehydrogenase, regulation by TCDD, **212,** 165
  heat shock protein hsp70 gene in embryo, activation (*Paracentrotus lividus*), **217,** 1032
  hepatocellular carcinoma-associated, detection in blood (human), **207,** 813
  intestinal plasma membrane calcium pump, vitamin D-dependent regulation (chicken), **213,** 499
  major start site of MDR1 gene downstream promoter, region 3′ to, mediation of activation by subset of mutant p53 proteins (human), **217,** 333
  mammary tumor virus, repressor, multi-strand binding to nuclear factors, kinetic analysis (mouse), **209,** 379
  mitochondrial cAMP-dependent protein kinase-mediated, assessment in *TPK1, TPK2,* and *TPK3* mutants (*Saccharomyces cerevisiae*), **206,** 756
  nitric-oxide synthase gene
    inducible, in NO production by activated macrophages, effect of serine and cysteine proteinase inhibitors (rat), **215,** 721
    inhibition by competitive binding of NF-κB/Rel proteins, **209,** 73
    NOS-III, activation, role of Sp1 (human), **213,** 673
  nm23 and c-myc genes in human prostatic LNCaP cells, effects of 5α-dihydrotestosterone, **208,** 603
  oriγ activation, regulation of γ plasmid replication in amino acid-starved *Escherichia coli* cells, **214,** 978
  pheromone-induced, in *Saccharomyces cerevisiae,* role of *Gal11* protein, **212,** 854
  phospholipase C-γ1 gene, regulation during muscle differentiation (mouse), **206,** 194
  related properties of wild-type and mutant forms of homeodomain protein Msx2 (human), **209,** 257
  reverse, by RNase H associated with HIV-1 polymerase, inhibition by phosphorothioate oligonucleotides, **211,** 1041
  by RNA polymerases, effect of RNA and DNA template structures, **211,** 106
  somatic cell, c-*mos* enhancer activating, identification in 5′ flanking region (rat), **210,** 181
  start site, and core promoter, juvenile-hormone esterase gene, identification (*Trichoplusia ni*), **214,** 286
  stimulation by Pit-1 via influence on pre-initiation complex assembly *in vitro* (rat), **206,** 40
  stimulation of osmolyte transporter genes, role of MAP kinase (MDCK cells), **213,** 975
  and translation, role in endothelial cell differentiation under different culture conditions (human), **213,** 630
  from U6 promoter *in vitro*, role of RNA polymerase II and III (human), **214,** 934
  untranslatable gene *dutA,* by RNA polymerase II, in developmental phase (*Dictyostelium discoideum*), **216,** 273
  vascular endothelial growth factor gene, hypoxia-induced, role of functional AP-1 transcription factor (mouse), **208,** 432
Transcription factors, *see also* Nuclear factors
  AP-1
    CREB, Sp-1, NF-κB, binding activities in ischemic brain, alteration (rat), **212,** 939
    functional role in hypoxia-induced transcription of VEGF gene (mouse), **208,** 432
  CTF/NF-1, binding of stage selector element of γ-globin gene promoter (human), **215,** 874
  dorsal, effect of calcium (*Drosophila*), **214,** 1191
  HNF-1α, pterin-4α-carbinolamine dehydratase/dimerization cofactor for, *PCBD* gene encoding, characterization (human), **210,** 966
  octamer-binding
    OCT-1, reduced levels, correlation with H2B histone gene repression during HL-60 cell differentiaton by all-*trans* retinoic acid, **213,** 616
    OCT-3, phosphorylation and DNA binding activity, **212,** 847
  ovalbumin upstream promoter, effect on activation of malic enzyme gene promoter (chicken), **215,** 338
  p45 NF-E2-related, Nrf 2 gene encoding, cDNA cloning (mouse), **209,** 40
  Pit-1, stimulation of transcription by influence on pre-initiation complex assembly *in vitro* (rat), **206,** 40
  Sp1, binding site in GC-rich region of endothelial nitric-oxide synthase gene, role in core promoter activity (human), **216,** 729
  STAT, activation by epidermal growth factor in cell lines with wild-type and mutant EGF receptors (human), **210,** 74
β-Transducin repeats
  platelet-activating factor acetylhydrolase-45 segments containing, binding of pleckstrin homology domain *in vitro* (bovine), **209,** 622
Transduction
  activities of atrial and type C natriuretic factor receptor guanylate cyclases, single-amino acid residue-linked signaling shifts, **212,** 1046
  electrochemical, in elastic protein-based polymers: model for energy conversion step of oxidative phosphorylation, **210,** 1031
Transfection
  adrenoleukodystrophy protein cDNA into ALD fibroblast, effect on peroxisomal β-oxidation (human), **210,** 830
  apoE-mediated, with plasmid DNA, in transformation of endothelial cells (human), **214,** 206
  C6 glial cells with human 5-HT_{1D} receptor genes, in modula-

tion of metallothionein III mRNA content and growth rate (rat), **214,** 639
fibroblasts and hepatoma cells with thiol-reactive phospholipid/lipospermine DNA complexes, efficiency, **209,** 444
intestinal epithelial cells with antisense insulin-like growth factor binding protein-2 construct, effect on growth, **211,** 707
p15/MTS2 gene in malignant gliomas, analysis (human), **217,** 195

Transferrin
induction of nitric-oxide synthase mRNA in cultured aortic smooth muscle cells (rat), **213,** 608
metal (III)-substituted, conformational heterogeneity (human), **206,** 161
mRNA, 5′-untranslated region, binding by iron-regulatory protein in sequence-specific manner (human), **212,** 925
serum, isoforms from patients with high alcohol consumption, carbohydrate composition, **210,** 267

Transferrin receptor
colocalization with GLUT4 in insulin-sensitive intracellular compartment in skeletal muscle (rat), **215,** 321
recycling in 3T3-L1 adipocytes, role of phosphoinositide 3-kinase (mouse), **211,** 535

Transformation
and cell growth, mutant insulin-like growth factor I receptors as dominant negatives for, **214,** 475
c-jun-overexpressing cells, transformation, correlation with insulin-like growth factor-induced c-jun phosphorylation (rat liver), **217,** 501
malignant, radiation-induced, C3H10T1/2 cells *in vitro,* promotion by benzoyl peroxide (mouse), **212,** 118
$P130^{gag\text{-}fps}$ *in vivo,* regulation by leucine zipper-like domain (3Y1 rat embryonic fibroblasts), **211,** 447

Transforming growth factor α
and epidermal growth factor, antagonists, monoclonal antibodies acting as, effect on heparin-binding EGF-like growth factor binding to tumor cells overexpressing EGR receptors (human), **207,** 389
and epidermal growth factor, differential expression during postnatal development of rat submandibular gland, **217,** 271

Transforming growth factor β
effects on
insulin-like growth factor-1 transcript levels in normal osteoblast-like cells (human), **207,** 963
Na,K-ATPase expression in cultured proximal tubule cells, **215,** 57
osteogenic differentiation of bone marrow cells induced by collagen matrix, **211,** 1091
inhibition of cytokine-mediated expression of inducible nitric-oxide synthase mRNA in retinal pigment epithelial cells (human), **215,** 386
mitogenic responses in 3T3-F442A cells (mouse), **216,** 964
and parathyroid hormone and calcitriol, differential responses in osteoblastic cell lines, **210,** 197

Transforming growth factor β1
induced growth arrest of murine mesangial cell line, association with inhibition of mitogen-induced Ca^{2+} mobilization, **210,** 378
induction of apoptotic cell death in cultured human umbilical vein endothelial cells with down-regulated expression of bcl-2, **210,** 1076
overexpression in murine pancreas, induction of chronic pancreatitis and triggering of insulin-dependent diabetes, **217,** 1279

Transforming growth factor β receptor
type I, GS domain, role in signal transduction (COS-1 cells), **207,** 682
type II, encoding gene mutations, relationship to genomic instability in hereditary nonpolyposis colorectal cancer (human), **216,** 452

Transgenes
encoded tobacco neutral PR-5 protein, synthesis and secretion by tobacco and yeast, **211,** 909
glucocorticoid-regulated selectable, AtT-20 cell line containing, isolation of glucocorticoid-resistant mutations (mouse), **209,** 18
human haptoglobin fused to CAT reporter gene, expression in transgenic mouse lung, modulation by inflammation, **208,** 309
kit/lacZ, position-dependent expression, lack of impairment by scaffold attachment regions (mouse), **211,** 735

Transglutaminase, *see* Protein-glutamine γ-glutamyltransferase
Transglutaminase tissue type II, *see* Protein-glutamine γ-glutamyltransferase

Transition state
porcine pancreatic phospholipase A_2, designed long-range electrostatic stabilization, enzyme activity increase by, **216,** 778

Translation
based control of mammalian serine hydroxymethyltransferase expression, **214,** 496
frameshift, associated RNA signals: influence of stem size and slippery sequence, **213,** 575
mitochondrial, age-associated changes (mouse brain), **217,** 668
recombinant human methionyl-neurotrophin 3, termination in *Escherichia coli,* **211,** 40
and transcription, role in endothelial cell differentiation under different culture conditions (human), **213,** 630

Translation initiation factors
amounts required for translation of rabbit α-globin and β-globin mRNAs, analysis, **210,** 370; *erratum,* **213,** 367
IF2, recombinant tandem expression in RNase E-deficient *Escherichia coli* cells, **214,** 1254
tetracycline-producing *Streptomyces aureofaciens* strain, purification and characterization, **208,** 569

Translocation
based RT-PCR detection method, in identification of EWS-pseudogene in Ewing's sarcoma (human), **213,** 1051
basic peptides into mitochondria, role of peptide-sensitive channels (yeast), **211,** 92
DNA topoisomerase I to nucleus, augmentation by T cell mitogens (human), **211,** 872
ezrin, induction by hepatocyte growth factor/scatter factor, **217,** 1062
glucokinase-inhibiting regulatory protein to cytoplasm, in response to high glucose (rat liver), **215,** 467

Translocation (*continued*)

  glucose transporter, and glucose transport and intrinsic activity, in obese Zucker rat skeletal muscle plasma membranes, effects of pioglitazone, **208,** 835

  hsp70 into nucleus, correlation with hydrogen peroxide-induced DNA damage (human), **206,** 548

  membrane, ricin A chain hydrophobic region with role in, function as noncleaved signal peptide, **217,** 68

  protein kinase C beta and zeta isoforms to human neutrophil membrane fraction, stimulation by formyl peptides and PMA, **212,** 664

  recombinant $p47^{phox}$, to plasma membrane in cell-free system by *in vitro* phosphorylation, **211,** 410

  SOS nucleotide exchange factor, in macrophage-stimulating factor activation of Ras protein, **216,** 110

  t(8;21) in acute myelogenous leukemia cells, proliferation, inhibitory effects of ribozymes against AML1/MTG8 fusion transcript (human), **215,** 431

Transmembrane domain

  fifth, histamine H_1 receptor, Lys200, interaction with histamine and H_1 agonists (guinea pig), **214,** 110

  protein with, macrophage maturation-associated transcript encoding, molecular cloning (human), **217,** 661

Transplantation

  liver, effects on variant transthyretin plasma levels in familial amyloidotic polyneuropathy type I patient, **211,** 354

Transport, *see specific types*

Transporters, *see* Serotonin transporter

Transport system

  glycyl-proline, detection in enterocyte brush-border membrane vesicles (sheep), **215,** 561

Transthyretin

  mRNA levels in cultured hepatocytes, regulation by extracellular matrix (rat), **210,** 38

  variant type, plasma levels in familial amyloidotic polyneuropathy type I patient, effects of liver transplantation, **211,** 354

Trefoil factor

  intestinal, promoter region and genomic structure, characterization (human), **214,** 195

Trehalose

  accumulation in *Saccharomyces cerevisiae,* induction by tetrachloroisophthalonitrile, **216,** 1041

  ^{13}C distribution, relationship to pentose cycling during glucogenesis from ^{13}C-labeled substrates (*Manduca sexta*), **212,** 813

Triacylglycerol

  exogenous, inhibition of insulin-stimulated glucose transport in L6 muscle cells *in vitro,* **207,** 768

Triacylglycerol lipase

  expression in human adenocarcinoma cell line HT29, **207,** 175; *erratum,* **208,** 456

  increases in adipose tissue in mouse, association with overexpression of human lipoprotein lipase, **211,** 761

Triadin

  and histidine-rich calcium-binding protein, identification as substrates of 60-kDa calmodulin-dependent protein kinase in junctional terminal cisternae of fast muscle sarcoplasmic reticulum (rabbit), **209,** 457

Tricarboxylate transport protein

  mitochondrial, high-yield bacterial expression, purification, and functional reconstitution (rat liver), **207,** 783

o-Trifluoromethylbenzoate

  regioselective dioxygenation by *Pseudomonas aeruginosa* 142, as evidence for 1,2-dioxygenation mechanism in *o*-halobenzoate dehalogenation, **213,** 759

Triglyceride-rich lipoprotein receptor

  THP-1 monocyte–macrophage, purification (human), **210,** 491

2,2′,3-Trihydroxybiphenyl dioxygenase

  catalytic ferrous ion in, coordination to histidine (*Sphingomonas* sp.), **215,** 855

3′,5,3′-Triiodo-L-thyronine, *see* Liothyronine

2′(3′)-*O*-(2,4,6-Trinitrophenyl)-adenosine-5′-triphosphate

  binding to bovine cytochrome-c oxidase, analysis, **217,** 34

Tritium

  retention during conversion of $[3\text{-}^3H]$squalene into (3*S*)-2,3-oxidosqualene (porcine liver), **208,** 42

Trophoblast

  human chorionic gonadotropin-mediated differentiation, effect of leukemia inhibitory factor, **211,** 137

Troponin

  role in pH dependence of Ca^{2+}-activated myofibrillar ATPase from slow and fast skeletal muscles (chicken), **207,** 585

  transglutaminase-catalyzed polymerization *in vitro* (rabbit), **206,** 201

Troponin T

  cardiac, encoding gene, embryonic alternative transcription initiation site and 5′-upstream structure (mouse), **214,** 1168

Trypanosoma rhodesiense

  β-tubulin gene expression, downregulation by inhibition of protein phosphatase 1 and 2A, **212,** 793

β-Trypsin

  inhibition by N^{α}-(*N,N*-dimethylcarbamoyl)-α-azaornithine *p*-nitrophenyl ester, kinetic and X-ray crystallographic study (bovine), **217,** 437

Trypsin inhibitors

  Kunitz-type

    downregulation of interleukin-8 gene expression in HL60 cells (human), **206,** 927

    prevention of LPS-induced increase in cytosolic free Ca^{2+} in neutrophils and endothelial cells (human), **207,** 324

  noncovalent, design based on X-ray crystal structure of complex, **213,** 583

  V, inhibitory specificity and function, alteration by site-directed mutagenesis (*Cucurbita maxima*), **207,** 897

Tryptophan

  mitochondrial F_1-ATPase complex, phosphorescence study (bovine heart), **207,** 369

  at position 73 in N-terminal extracellular domain of VIP receptor, role in binding of VIP (human), **206,** 246

  residues in α-crystallin, photodegradation, and attenuation of molecular chaperone activity, correlation (rabbit), **212,** 900

  substitution with arginine in C-terminal noncollagenous domain of collagen X, identification as mutation in Schmid metaphyseal chondrodysplasia, **217,** 1157

TSAO-m^3T
  and other HIV-1-specific non-nucleoside reverse transcriptase inhibitors, sensitivity/resistance profile of SIV containing HIV-1 RT gene, **211,** 850
Tuberous sclerosis
  induced lesions, loss of 40-kDa chromosomal protein (human), **217,** 599
Tubule cells
  proximal, cultured, expression of Na,K-ATPase, effect of butyrate and transforming growth factor β (rabbit), **215,** 57
Tubules
  differentiation of vascular endothelial cells into, modulation by angiogenin (bovine), **211,** 476
β-Tubulin
  gene expression in *Trypanosoma rhodesiense,* downregulation by inhibition of protein phosphatase 1 and 2A, **212,** 793
Tumor cells
  A2058, laminin-induced expression of 67-kDa laminin receptor and 37-kDa precursor, role of protein synthesis (human), **208,** 637
  AtT-20 (murine pituitary), containing glucocorticoid-regulated selectable transgene, isolation of glucocorticoid-resistant mutations, **209,** 18
  breast cancer
    34I, mouse mammary tumor gene expression, suppression by oenothein B via inhibition of poly(ADP-ribose) glycohydrolase, **210,** 329
    FM3A, invasion *in vitro,* role of ornithine decarboxylase (mouse), **208,** 1106
    MCF-7
      bioactivity of synthetic peptide of NDF/heregulin (human), **210,** 441
      cloned HOXA1 transcripts in, induction by retinoic acid (human), **215,** 713
      differential expression of wild-type and variant estrogen receptor mRNAs by stocks of, role in differences in estrogen responsiveness (human), **210,** 609
      multidrug-resistant, heat shock-induced P-glycoprotein phosphorylation, role of phospholipase C (human), **210,** 21
      steroid receptor expression, selective regulation by heregulin family (human), **217,** 1271
      tumor suppressor p21 protein induction by protein kinase inhibitors, **214,** 361
    MCF-7 and T47D, inhibition of proliferation by kievitone, comparison with genistein (human), **211,** 600
    MDA-MB-435, signal transduction, down-regulation by quercetin (human), **208,** 425
  C-cell carcinoma, TT, proliferation, control by 1,25-dihydroxyvitamin D_3, role of c-myc, **213,** 922
  cervical carcinoma, HeLa, *see* HeLa cells
  cholangiocarcinoma, Mz-ChA-1, ATP-activated chloride permeability, role of calmodulin-dependent protein kinase II (human), **208,** 457
  colon carcinoma
    Caco-2, polyamine uptake, stimulation by epidermal growth factor (human), **206,** 962
    HCT116, adenomatous polyposis coli protein, immunodetection with antibodies to middle and carboxyl regions (human), **206,** 909
    HT-29
      cytosolic free Ca^{2+} concentration, effect of Ni^{2+} (human), **210,** 948; *erratum,* **214,** 1268
      hormone-sensitive lipase expression (human), **207,** 175; *erratum,* **208,** 456
    K-ras mutation, association with β1-6 branching of N-linked carbohydrate (human), **212,** 758
    regulatory effects of adenomatous polyposis coli protein phosphorylation (human), **208,** 103
    SW403, expression of granulocyte–macrophage colony-stimulating factor and GM-CSF receptor (human), **217,** 138
    SW480, fibroblast elongation factor derived from, identification of sequence homology with TIMP-1 (human), **206,** 590
    SW480 and SW948, permanently expressing α2,6-sialylated sugar chains, establishment by transfection with rat β-galactoside α2,6-sialyltransferase cDNA (human), **211,** 554
    T84, production of cGMP, effect of rat guanylin molecules (human), **214,** 1204
  Ehrlich ascites, glucose- and deoxyglucose-inhibited phosphatidylserine synthesis, relation to Crabtree effect and depletion of endoplastic reticulum Ca^{2+} stores (mouse), **207,** 300
  embryonal carcinoma
    F9, fibroblast growth factor-4 enhancer activity, regulation by transcription factor NF-Y binding to FGF-4 promoter (mouse), **211,** 519
    P19, expression of myocyte-specific enhancer factor 2: differentially expressed MEF2B homologue (mouse), **213,** 555
    PC19, alternative splicing of neuron- and non-neuron-specific amyloid precursor protein, effects of *c-jun* transformation (mouse), **206,** 821
  epidermoid carcinoma
    A431
      cell cycle-dependent modulation of EGF receptor-mediated signaling (human), **208,** 253
      HIV-1 Tat delivery to, effect of endosomolytic activity of cationic liposomes (human), **217,** 761
      site-specific association of c-SRC with EGF receptor (human), **210,** 844
      UV-B-induced apoptosis, protective effect of 3-aminobenzamide via action on cytoskeleton and substrate adhesion (human), **207,** 715
    STAT transcription factor activation by epidermal growth factor (human), **210,** 74
  erythroleukemia, *see* Leukemia cells
  fibrosarcoma
    CCL-121, melanoma growth stimulating activity, C-termanal, cell-binding and growth-stimulating activities (human), **206,** 792
    HT1080, *in vitro* invasion, suppression by leupeptin analogue inhibiting urokinase–plasmin system (human), **209,** 25
    L929, ornithine decarboxylase activity *in vitro,* effects of 60-Hz magnetic field (mouse), **214,** 627

Tumor cells (*continued*)

- glioblastoma, A172, secretion of N-terminal fragment of amyloid precursor protein, effects of arachidonate metabolites (human), **209,** 841
- glioma
  - C6
    - β-amyloid precursor protein processing, role of βAPP N-linked oligosaccharide (rat), **210,** 703
    - apoptosis, induction by dolichyl phosphate (rat), **216,** 848
    - and cardiac muscle and nonmuscle cells, ventricular myosin light chain-2 promoter activity, effects of enhancer sequences (rat), **210,** 260
    - metallothionein III mRNA content and growth rate, modulation by transfection with human 5-HT_{1D} receptor genes (rat), **214,** 639
    - proenkephalin gene expression: interaction of glucocorticoid and cAMP regulatory elements (rat), **210,** 589
  - p15/MTS2 gene deletion and transfection analysis (human), **217,** 195
- head and neck carcinoma, HN5 and HSC-4, heparin-binding EGF-like growth factor binding, blockage by monoclonal antibodies acting as EGF and transforming growth factor α antagonists (human), **207,** 389
- hepatoma, *see* Hepatoma cells
- insulinoma
  - InR1-G9, proglucagon processing, role of prohormone convertases PC1 and PC2 (hamster), **207,** 646
  - RIN, interleukin-1β induction of NO synthase mRNA and superoxide dismutase mRNA, effect of pyrrolidine dithiocarbamate, **210,** 816
  - RINm5F, insulin-secreting, identification of phosphatidylinositol 3,4,5-trisphosphate (rat), **208,** 190
  - βTC3, free and alginate-entrapped, oxygen consumption rates (mouse), **210,** 113
- L5178Y $tk^{+/-}$ (murine lymphoma), genotoxicity, induction by furocoumarin hydroperoxides upon UVA irradiation, **216,** 693
- leukemia, *see* Leukemia cells
- lung carcinoma
  - A549, class II major histocompatibility complex antigen-inducible, association with impaired tumor phenotypes (human), **215,** 280
  - small cell
    - COR-L103
      - ACTH secretion, inhibition by calcimycin (human), **207,** 238
      - somatostatin receptor 2 gene, point mutation, detection (human), **210,** 805
    - GLC4, with high steady state c-Myc transcription, coexpression pattern of c-Myc-associated genes, **213,** 789
    - GLC4/ADR, MRP-associated multidrug resistance, specific modulation by leukotriene D_4 antagonist MK571 (human), **208,** 345
- lymphocytes, HTLV-I-infected, oligoclonal proliferation in virus-induced arthropathy lesions, **208,** 1040
- lymphoma, *see* Lymphoma cells
- mastocytoma, P815, destruction by peritoneal macrophages, induction by fibronectin in presence of interferon γ (mouse), **206,** 969
- medullary thyroid carinoma, TT, *RET* protooncogene, point mutation in, identification (human), **207,** 1022
- melanoma, *see* Melanoma cells
- murine, EHS laminin derived from, galectin-3 binding potentials (mouse), **217,** 402
- myeloid cell lines, AML1 protein expression: AML1b and AML1c increase during retinoic acid-induced differentiation in U937 cells (human), **211,** 1023
- myeloma, NS-1-derived, DNA fragmentation in, role of *Pim*-1 (mouse), **215,** 538
- nasopharyngeal carcinoma, KB, hydroxyl radical-dependent DNA cleavage by 1,10-phenanthroline–vanadyl complex in presence of hydrogen peroxide, analysis (human), **206,** 133
- NB4, myeloid leukemic, nuclear retinoic acid binding activity, characterization (human), **213,** 112
- neuroblastoma
  - 2A, anion transporter functioning at acid pH (mouse), **207,** 375
  - 41A3, tyrosine phosphorylation of $pp125^{FAK}$ and associated proteins, modulation by inward rectifier K^+ current (mouse), **210,** 823
  - CHP-134, α-sialyltransferase purification (human), **217,** 777
  - EP-1, binding of growth hormone-releasing peptide, effects of neurokinin receptor antagonists (human), **214,** 454
  - HTB-11, tumor necrosis factor α-mediated differentiation, modulatory effects of pentoxifylline (human), **211,** 1006
  - IMR 32, ganglionic-like neuronal nicotinic acetylcholine receptors, functional modulation by L-type calcium channel antagonists (human), **213,** 657
  - indirect utilization of glycine in production of N-bases of glycerophospholipids and sphingolipids, ^{15}N-tracer study (mouse), **210,** 44
  - N1E115, treated with 8-Br-cAMP, identification of rapidly dephosphorylating 95-kDa protein as elongation factor 2 (mouse), **217,** 131
  - N2A
    - adhesive hierarchy of α6 integrin, and L1 and CD24 cell adhesion molecules, **214,** 94
    - caveolae, association with cellular isoform of prion protein PrP^C (mouse), **210,** 753
  - NB41, platelet-derived growth factor β receptor promoter activity (mouse), **210,** 165
  - SH-SY5Y, membrane fraction, identification of [^3H]K-252A-specific binding sites (human), **211,** 511
  - SK-N-BE(2)C, tyrosine hydroxylase gene expressed in, role of cytosolic calcium, **206,** 659
- osteosarcoma
  - 143B.TK^-, mitochondrial DNA carrying pathogenic point mutation, segregation (human), **213,** 189
  - MG-63, adenylyl cyclase synthesis, induction by interleukin-1β (human), **212,** 293
  - osteoblast-like, HOS-TE85, osteoblast function and estrogen response element-mediated transcription, tamoxifen effects (human), **210,** 295
- ovarian, NOS3AR, adriamycin resistance, effect of KN-62 (human), **215,** 566
- ovarian carcinoma, proliferation, inhibition by liposome–plasmid complexes (human), **207,** 492

  - pheochromocytoma
    - PC12
      - amyloid precursor protein processing, interleukin-1B-induced enhancement, reduction by indomethacin and nordihydroguaiaretic acid (rat), **208,** 542
      - ATP-evoked responses, inhibition by haloperidol (rat), **210,** 624
      - sympathetic neurotransmission, inhibitory role of nitric oxide, **216,** 686
      - vasoactive intestinal polypeptide gene in, cAMP-mediated promoter activity, effect of staurosporine (rat), **214,** 1114
    - PC12h, transmitter release, role of HPC-1/syntaxin-1A (rat), **212,** 97
    - PC12-VG, β-galactosidase gene expression, enhancement by exposure to extremely low frequency magnetic fields (rat), **212,** 104
  - pituitary
    - AtT-20, cell cycle-dependent apoptosis, induction by somatostatin analog SMS 201-995 (mouse), **209,** 400
    - GH3, α_{1A} type Ca^{2+} channel expressed in, modulation by G protein (rat), **215,** 302; *erratum,* **216,** 736
    - GH4C1, thyrotropin-releasing hormone binding, effect of caffeine (rat), **210,** 726
  - prostate carcinoma
    - LNCaP
      - c-myc and nm23 mRNA levels in relation to cell proliferation, effects of 5α-dihydrotestosterone, **208,** 603
      - hormone-responsive, E-cadherin expression in, up-regulation by sex steroids (human), **212,** 624; *erratum,* **214,** 1269
    - LNCaP and PC-3, apoptosis, induction by calpain inhiibitors (human), **214,** 1130
  - renal adenocarcinoma ACHN, endothelin-producing, endothelin-converting enzyme in, cloning and sequencing (human), **208,** 721
  - retinoblastoma, Y79
    - neuronal insulin receptors, structure, function, and regulation (human), **210,** 58
    - with spherical morphology, pp60$^{c\text{-}src}$ from, phosphorylation at novel site Ser 75 (human), **216,** 619
  - rhabdomyosarcoma, TE 671, NAD concentration, decrease with HIV infection (human), **212,** 126
  - surface mucin, peptide regions, access to, reduction by sialic acids, **210,** 866
  - T lymphoblastoma, H9, 1-β-D-arabinofuranosylcytosine resistance, induction by SIV (human), **206,** 486

- Tumoricidicity
  - peritoneal macrophages, activation by fibronectin in presence of interferon-γ (mouse), **206,** 969
- Tumorigenicity
  - cyclin D1-overexpressing NIH3T3 cells, **217,** 1169
- Tumor necrosis factor
  - cytolytic action, effect of retinoic acid (human, mouse), **206,** 223
  - high cytotoxic active, with truncated and basic amino terminus, creation (human), **207,** 927
  - induced aortic endothelial cell adhesion molecule gene expression, inhibition by alkoxybenzo[b]thiophene-2-carboxamide (human), **214,** 6
  - induced increase in transepithelial permeability, effect of bisindolylmaleimide (LLC-PK$_1$ cells), **209,** 669
  - and interleukin-1 and lipopolysaccharide, additive stimulation of adrenomedullin production in cultured vascular smooth muscle cells (rat), **207,** 25
- Tumor necrosis factor α
  - activation of phospholipase A$_2$ in primary hepatocytes stimulated by deleted form of hepatocyte growth factor (rat), **217,** 1263
  - augmentation of tyrosine phosphorylation of 23-kDa nuclear protein in U937 cells through ceramide signaling pathway (human), **215,** 489
  - differential gene expression in cervical cancer tissues (human), **214,** 1146
  - effects on ancestral type stress response in molluscan hemocytes *in vitro* (*Planobarius corneus* and *Viviparus ater*), **207,** 288
  - in endothelial cells, effects of contrast agents (human), **212,** 776
  - gene regulatory region, variability, association with type II diabetes mellitus (human), **211,** 833
  - induced internucleosomal DNA fragmentation in U937 cells, inhibition by herbimycin A (human), **212,** 640
  - induced NF-κB activation in COS-1 cells, effect of catalase overexpression, **210,** 537
  - induction of vascular cell adhesion molecule-1
    - in glomerular mesangial cells, mediation by nuclear factor κB (rat), **206,** 462
    - in primary cultured hepatocytes (mouse), **209,** 335
  - and interferon-α, suppression of cyclin A and cdk2 kinase (human), **213,** 1115
  - and interferon-γ, effects on cyclooxygenase-2 mRNA expression in macrophages (human), **208,** 582
  - mediated expression of inducible nitric-oxide synthase mRNA in retinal pigment epithelial cells, inhibition by transforming growth factor β (human), **215,** 386
  - mediated neuroblastoma cell differentiation, modulatory effects of pentoxifylline (human), **211,** 1006
  - mRNA levels in lipopolysaccharide-treated RAW 264.7 macrophages, effect of extracellular ATP (mouse), **214,** 125
  - neutrophils stimulated with, cytosolic phospholipase A$_2$, phosphorylation and activation, role of MAP kinase-independent pathway (human), **209,** 271
  - and other cytokines, differential modulation of hepatic endothelial cell endocytosis (rat), **212,** 235
  - and related interleukin-6-type cytokines, induction of hemopexin gene expression in hepatoma H-35 cells (rat), **207,** 202
  - release by mast cells, nitric oxide effects, role of cyclic nucleotides (rat), **210,** 507
  - release from MONO-MAC-6 cells, induction by bryostatin-1 (human), **214,** 1197
  - repressor element, nuclear factor NFkgr;B-like site, role in repressor function (human), **212,** 879
  - role in increased ubiquitin gene expression in skeletal muscle during sepsis (rat), **217,** 839
  - silica-induced production in macrophages, role of NF-κB activation, **214,** 985

Tumor necrosis factor α (*continued*)
  and transforming growth factor-β1 overexpression, triggering of insulin-dependent diabetes (mouse), **217,** 1279
  upregulation of P-selectin mRNA and polypeptide levels in capillary endothelial cells (bovine), **210,** 174
Tumor necrosis factor β
  effects on ancestral type stress response in molluscan hemocytes *in vitro* (*Planobarius corneus, Viviparus ater*), **207,** 288
Tumor necrosis factor receptor
  55- and 75-kDa, role in potentiation of Fc-mediated phagocytosis in neutrophil (human), **214,** 44
Tumor promoters
  stage I, in murine skin, role of *in situ*-generated reactive oxygen species, **209,** 698
Tumors, *see also* Tumor cells
  aldosterone-producing adenoma, patient with, ANP gene and proximal promoter region, analysis with long-PCR and PCR-SSCP, **215,** 172
  brain, non-astrocytic, occurrence of MTSI gene homozygous deletions (human), **211,** 404
  breast cancer, affected breast tissues, O^6-alkylguanine DNA alkyltransferase activity levels, comparison with normal and benign tissues (human), **208,** 688
  cancerous, growth, implications of Cu(II) and Ni(II) binding by neuromedin C via ATCUN motif, **209,** 877
  cancers overexpressing c-erB-2 protein, construction of chimeric antibody with therapeutic potential for, **211,** 792
  cervical cancer tissues, differential expression of cytokine genes (human), **214,** 1146
  colon carcinoma, associated onco-fetal/laminin-binding collagen, sequence analysis (human), **207,** 852
  Ewing's sarcoma, EWS-pseudogene, identification with translocation detection by RT-PCR (human), **213,** 1051
  formation in transgenic mouse with *p53(+/−)* genetic background, induction by *dbl* expression driven by neuron-specific enolase promoter, **216,** 762
  gastric adenocarcinoma, MAP kinase activity (human), **212,** 1001
  hepatic, promotion by ferric nitrilotriacetate via oxidative stress generation (rat), **212,** 557
  hepatocellular carcinoma
    associated gene transcription, detection in blood (human), **207,** 813
    expression of endothelin-1 (human), **216,** 514
  hepatoma, loss of heterozygosity in chromosome 1, 5, 7, and 13, detection by systematic genome-wide scanning with RLGS genetic map (mouse), **212,** 632
  hereditary nonpolyposis colorectal
    genomic instability, relationship to transforming growth factor β type II receptor gene mutations (human), **216,** 452
    *h*MTH1 in, mutation identification (human), **214,** 1239
  lipoma, multiple endocrine neoplasia type 1-associated, and multiple symmetric lipomatosis, chromosome 11, q13 from affected patients, RFLP analysis, **207,** 363
  pancreatic
    endocrine, G protein mutations (human), **211,** 1063
    expression of keratinocyte growth factor (human), **215,** 309
  parathyroid, G protein mutations, analysis (human), **211,** 1063
  pheochromocytoma, proadrenomedullin N-terminal 20 peptide purification and PAMP/adrenomedullin ratio, comparison with normal adrenal medulla (human), **211,** 694
  pituitary
    effects of growth hormone secretagogue L-692,429 *in vitro* (human), **208,** 555
    G protein mutations, analysis (human), **211,** 1063
  uterine leiomyomas, growth potential, effect of telomere repeat fragment size (human), **211,** 175
Tunicamycin
  inhibition of thrombin receptor functional expression on T lymphoblastoid cells (human), **206,** 857
Two-hybrid analysis
  in analysis of interaction of Aα Y and Z mating-type homeodomain proteins (*Schizophyllum commune*), **211,** 1071
Tyrosinase, *see* Catechol oxidase; Monophenol monooxygenase
Tyrosine
  ω-conotoxin MVIIC residue 13, role in binding to P/Q-type Ca^{2+} channel, **214,** 305
  in glutathione transferase D27, consecutive residues near N-terminus, functional analysis (*Drosophila melanogaster*), **209,** 327
  in RNA polymerase II and other nuclear proteins, phosphorylation by active chromatin tyrosine kinase (hamster), **209,** 356
  Tyr13, role in ω-conotoxin MVIIA and GVIA N-type calcium channel blocking function (chicken), **206,** 449
  Tyr348 and Tyr385 in prostaglandin endoperoxide synthase-1, role in formation of tyrosyl radicals (sheep), **207,** 652
  Tyr845, epidermal growth factor receptor, phosphorylation by c-Src (mouse), **215,** 1078
L-Tyrosine
  induction of terminal differentiation, effect on decrease in actin gene expression in melanoma cells and melanocytes (mouse), **216,** 84
Tyrosine hydroxylase
  gene encoding, basal expression, role of cytosolic calcium (rat), **206,** 659
Tyrosine hydroxylase-1, *see* Tyrosine 3-monooxygenase
Tyrosine kinase, *see* Protein-tyrosine kinase
Tyrosinemia
  type I, associated fumarylacetoacetate hydrolase deficiency, *in vitro* correction in fibroblasts by retroviral-mediated gene transfer (human), **208,** 957
Tyrosine 3-monooxygenase
  regulatory domain, deletion mutagenesis (human), **213,** 1099
Tyrosine phosphatase
  inactivation by point mutation in second phosphatase domain (mouse), **206,** 302
Tyrosine phosphorylation
  23-kDa nuclear protein in U937 cells, augmentation by tumor necrosis factor α via ceramide signaling pathway (human), **215,** 489
  55-kDa proteins, increase in β-actin/*Tec* transgenic mouse, **206,** 287
  –dephosphorylation, regulation of adhesion-inducible DNA synthesis (rat), **214,** 856
  discrete lipopolysaccharide-induced phosphoproteins in granulocytes, effect of interleukin-10 (human), **209,** 87
  EGF receptor and focal adhesion proteins in keratinocytes, induction by bradykinin (human), **210,** 774

endothelial cell 128-kDa surface glycoprotein, induction by fluid flow and osmotic stress (bovine), **214,** 69
endothelin-stimulated, in platelets, effect of cAMP and cGMP (rabbit), **215,** 219
ezrin, induction by hepatocyte growth factor/scatter factor, **217,** 1062
focal adhesion kinase
pp125^{FAK}
and associated proteins, in neuroblastoma cells, modulation by inward rectifier K$^+$ current (mouse), **210,** 823
stimulation by mesangial cell stretching (rat), **212,** 544
in thymocytes, effect of integrin stimulation (mouse), **215,** 438
in GM–CSF receptor, induction by erythropoietin (human), **208,** 1060
in human thrombopoietin-dependent cell line, induction by TPO, **217,** 230
integrin-linked, effect on membrane association of protein kinase Cα in pancreatic acinar cells (rat), **208,** 978
multiple cellular proteins and Ras signaling molecules, induction by thrombopoietin/c-mpl ligand, **216,** 338
in myeloid precursor cell line, induction by thrombopoietin and interleukin-3, comparison (mouse), **214,** 424
neuronal c-Met, stimulation by hepatocyte growth factor in fetal and adult brain (rat), **210,** 231
platelet-derived growth factor receptor, effect of FTI-244 (NIH 3T3 cells), **214,** 295
protein kinase Cδ, induced by IgE high affinity receptor activation: site identification (rat basophilic leukemia cells), **214,** 888
raf-1 kinase, induction by interleukin-13 in monocytic progenitor cell line U937 (human), **206,** 103
SHC proteins, role in liver response to *in vivo* heat shock (rat), **216,** 54
vav proto-oncogene product in primary myelogenous leukemic cells, stimulation by granulocyte colony-stimulating factor (human), **211,** 677
Tyrosyl radicals
formation by prostaglandin endoperoxide synthase-1 (sheep), **207,** 652
Tyrphostin
active analogues, effect on cGMP production in rat pinealocytes, **207,** 994
Tyrphostins
B42 and B46, effects on platelet function and protein tyrosine phosphorylation (horse), **212,** 595

U

Ubiquitin
fusion proteins, carboxyl extensions, characterization as ribosomal proteins S27a and L40 (rat), **215,** 682
gene expression increase in skeletal muscle during sepsis, role of tumor necrosis factor α and interleukin-1 (rat), **217,** 839
in *in vitro* assay of nuclear factor κB inhibitor IκBα inactivation, **215,** 292
Ubiquitination
role in neurofilament degradation, **217,** 529
uterine estrogen receptor, role of estradiol (rat), **213,** 24
UC-42
and other HIV-1-specific non-nucleoside reverse transcriptase inhibitors, sensitivity/resistance profile of SIV containing HIV-1 RT gene, **211,** 850
UDP (uridine 5′-triphosphate)
extracellular, increase of cytosolic free calcium by activation of P$_{2u}$-receptor in thyrocytes (human), **213,** 928
UDP-glucose dehydrogenase gene
synthesizing xanthan gum in *Xanthomonas campestris,* expression and nucleotide sequencing, **207,** 223
Ulex europaeus agglutinin I
induction of matrix-metalloproteinase-2 activation in endothelial cells, **216,** 177
Ultraviolet light
induction of HIV-1 expression in latently HIV-1-infected ACH2 cells, **207,** 903
long-wave, and 8-methoxypsoralen, effects on osteoblastic function *in vitro* (rat), **207,** 877
plants exposed to, proline accumulation in, protective effect against UV-induced peroxidation, **209,** 1
UVA, irradiation of mammalian cells, associated induction of genotoxicity by furocoumarin hydroperoxides, **216,** 693
UVB
effects on ocular tissues (albino mouse), **210,** 417
exposed dermal fibroblasts, detection of hydrogen peroxide and hydroxyl radicals (mouse), **206,** 474
induction of apoptosis, protective effect of 3-aminobenzamide via action on cytoskeleton and substrate adhesion (human, mouse), **207,** 715
Upstream activation sequence
DNA binding activity, regulated by growth phase and oxygen/heme system, identification (*Saccharomyces cerevisiae*), **216,** 458
Uremia
affected patient, peripheral blood T cells, relationship of apoptosis susceptibility and Fas expression, **215,** 98
Uridine
uptake levels in fibroblasts from Hutchinson–Gilford progeria syndrome patients, **210,** 225
Uridine diphosphate galactose
binding sites in galactosyltransferase, identification (*Escherichia coli*), **206,** 362
Uridine phosphorylase
cloning and expression (human), **216,** 265
Uridine 5′-triphosphate
as phosphate donor for human deoxycytidine kinase, properties, **216,** 42
Urinary bladder
evidence for Ca^{2+}-dependent potassium channels (guinea pig, human), **213,** 404
Urine
endogenous ouabain-like factors, vanadium-diascorbates identified as, effects on Na$^+$,K$^+$-ATPase enzyme kinetics (human), **213,** 289
Urokinase
–plasmin system, leupeptin analogue inhibiting, suppression of *in vitro* invasion of human fibrosarcoma cells, **209,** 25

Uropygial gland
  fatty acyl-CoA reductase, solubilization, purification, and characterization (duck), **208,** 210
Ursodeoxycholic acid
  regulation of MHC I mRNA expression in hepatoma cells *in vitro* (human), **208,** 935
US28 protein
  cytomegalovirus encoded, high affinity binding to multiple CC chemokines (human), **211,** 325
Uterus
  phasic myometrial contractions, effects of thimerosal (rat), **211,** 1
  stromal cell proliferation, effect of docosahexaenoic acid (rat), **207,** 1015
UTP (uridine 5′-triphosphate)
  extracellular, effects on cytosolic free calcium via activation of P_{2u}-receptors in single human gastric mucous cells, **216,** 636

V

Vaccination
  nucleic acid, induction of antibodies to *Schistosoma japonicum* paramyosin, **212,** 1029
  with synthetic lipopeptides in liposomes, induction of immune response against mdr1 protein (mouse), **212,** 494
Vaccine
  peptide, development, role of autologous α2-macroglobulin, **216,** 399
Vaccinia virus
  effect of cleavage of p220 by poliovirus proteinase $2A^{pro}$ expression in mammalian cells, **215,** 928
  recombinant, containing wild-type human p53 gene, in identification of p53-binding proteins, **213,** 986
Vacuoles
  proliferation, induction by poliovirus proteins 2C and 2BC (human), **206,** 64
Vanadate
  inhibition of ATPase activity of reconstituted bacterial ATP-binding cassette transporter for maltose, **216,** 589
Vanadium
  1,10-phenanthroline–vanadyl complex, hydroxyl radical-dependent DNA cleavage in presence of hydrogen (human), **206,** 133
Vanadium-diascorbates
  identification as endogenous ouabain-like factors in urine, and effects on Na^+,K^+-ATPase enzyme kinetics (human), **213,** 289
Variants
  gene-encoded, nuclear basic protein SP4, occurrence in sperm (*Xenopus laevis*), **214,** 622
Vascular endothelial growth factor
  exogenous, effect on VEGF receptor KDR expression in melanoma cells, **217,** 721
  gene transcription, hypoxia-induced, role of functional AP-1 transcription factor (mouse), **208,** 432
  induction of endothelial proliferation after vascular injury (rat), **207,** 348
  recombinant, yeast-expressed, purification (human), **215,** 750
Vascular endothelial growth factor receptor
  KDR, expression in melanoma cells, effect of VEGF, **217,** 721
Vascular natriuretic peptide receptor
  subtypes, differential gene expression in artery and vein (rat), **216,** 535
Vasoactive intestinal peptide
  binding
    by receptor, role of aspartate 68, tryptophan 73, and glycine 109 in receptor N-terminal extracellular domain (human), **206,** 246
    VIP 1 receptor mutants defective in, identification by mutational analysis of cysteine residues in receptor extracellular domains (human), **211,** 901
  gene promoter, cAMP-mediated activity in PC12 cells, effect of staurosporine (rat), **214,** 1114
  mRNA, 3′-untranslated region, binding of sequence-specific proteins to, **211,** 819
  and secretin, discrimination by VIP and secretin receptors, role of receptor N-terminal domain, **211,** 885
Vasoactive intestinal peptide receptor
  N-terminal extracellular domain, aspartate 68, tryptophan 73, and glycine 109 in, role in binding of VIP (human), **206,** 246
  and secretin receptor, pharmacological properties: role of N-terminal domain in ligand discrimination, **211,** 885
  VIP-1, cysteine residues within extracellular domains, mutational analysis: identification of mutants defective in ligand binding (human), **211,** 901
  VIP-2, cloning and functional characterization (human), **209,** 385
Vasodilation
  associated *in vitro* and *in vivo* properties of nitric oxide donor release by 3,4-dihydro-1,2-diazete 1,2-dioxides (rat), **214,** 1023
Vasopressin
  arginine, *see* Arginine vasopressin
Vasopressin receptor
  type 2, gene mutations R143P and ΔV278 in patients with nephrogenic diabetes insipidus, functional properties, **211,** 967
  type V_{1B}, cDNA cloning and characterization (rat), **212,** 751
  type V_2, gene mutations in patients with congenital nephrogenic diabetes insipidus, **205,** 552; *erratum,* **207,** 1059
Vasorelaxation
  locally produced, by parathyroid hormone-related peptide: mRNA regulation by hypertension (rat), **208,** 447
  renal artery, mediation by adrenomedullin via autocrine mechanism (pig), **215,** 619
Vav protein
  tyrosine phosphorylated, activation of Ras, molecular analysis (human), **217,** 876
VCAM, *see* Cell adhesion molecules, VCAM
Vectors
  adenoviral, expressing brain-derived neurotrophic factor, construction and characterization, **212,** 712
  modified bicistronic retroviral, gene expression enhancement, **214,** 910
  suicide, retroviral, effects on neointimal growth in porcine coronary model of restenosis, **207,** 89

VL30 retrotransposon-derived, expression as mRNAs in various normal human cells and tumor cell lines (mouse), **209,** 677
VEGF, *see* Vascular endothelial growth factor
Veins
  differential expression of vascular natriuretic peptide receptor subtypes (rat), **216,** 535
  saphenous, effect of nonselective endothelin receptor antagonist [Thr^{18},γ-$MeLeu^{19}$]-ET-1 (rabbit), **212,** 421
Venom
  jararhagin and jaracetin from, inhibition of integrin collagen receptor $\alpha_2\beta_1$ and modulation of binding of von Willebrand factor to platelets (*Bothrops jararaca*), **206,** 570
Ventricles
  left, remodeling in noninfarcted rat myocardium, reemergence of fetal pattern of L-type calcium channel gene expression during, **216,** 892
Verapamil
  resistance in multidrug resistant CHO cells, selection and characterization, **209,** 497
Very-low-density lipoprotein
  and low-density lipoprotein, phospholipids of, distinguishing by preapolipoprotein C-III–β-galactosidase hybrid, **211,** 754
Very-low-density lipoprotein receptor
  overexpression in CHO cells, effects on lipid accumulation and foam cell formation, **206,** 835
Vesicles
  cardiac sarcolemmal, sodium/calcium exchanger, inhibition by glycerophosphoinositol 4-phosphate and glycerophosphoinositol 4,5-bisphosphate (bovine), **206,** 674
  enterocytic, brush-border membranes, detection of glycyl-proline transport system (sheep), **215,** 561
  lipid-supplemented, in analysis of sarcolemmal chloride and potassium channels in normal and myotonic muscle (mouse), **213,** 513
  oleic acid/oleate, self-reproducing, with enzymatic RNA replication: approach to minimal cell, **207,** 250
  sarcoplasmic reticulum, Ca^{2+} release in response to ADP-ribose (canine heart), **210,** 457
  –vesicle exchange, direct, phospholipids, mediation by polymyxin B, **210,** 746
Vibrio fischeri
  Y1 strain, production of bioluminescence active riboflavin protein in addition to yellow fluorescence FMN protein, **211,** 774
Vibrio mimicus
  arylesterase, detection of thioesterase and chymotrypsin-like activity, **213,** 475
Vimentin
  gene upregulation during cardiac hypertrophy and transition to heart failure (rat), **209,** 527
Vinculin
  carboxy-terminal tail domain, identification of cryptic binding site for acidic phospholipids (chicken), **210,** 159
Vinyl *p*-quinone methide
  –quinone tautomerism, during tyrosinase-catalyzed oxidation of 4-allylcatechol, **213,** 469
Viologens
  luminescent atropisomeric, stereospecific DNA binding, **214,** 716
Viruses, *see also specific viruses*
  crystallization, polymeric precipitants for, identification, **207,** 819
Vitamin A
  deficiency, and retinoic acid treatment, effects on expression of phospho*enol*pyruvate carboxykinase–bovine growth hormone gene in transgenic mouse, **213,** 706
Vitamin D
  dependent transcriptional regulation of intestinal plasma membrane calcium pump (chicken), **213,** 499
Vitamin D-binding protein
  other serum components, binding to 1,25-dihydroxycholecalciferol and analog, identification (human), **215,** 199
Vitamin D receptor
  zinc fingers, T-box near, role in heterodimeric DNA binding and transactivation (human), **215,** 1
Vitamin Q_{10}, *see* Coenzyme Q_{10}
von Willebrand factor
  binding to platelets, modulation by jararhagin and jaracetin from snake venom (human), **206,** 570
  type IIB, induction of phospholipase A2 activation and cytosolic Ca^{2+} increase in platelets (human), **214,** 102
VP-16
  induced apoptosis in U937 cells, role of interleukin-1β-converting enzyme and ICE-like protease (human), **217,** 1185

W

WAF1 protein
  mRNA
    expression in human fibroblasts, induction by interleukin-1: accumulation mechanism, **216,** 429
Water
  –hexafluoropropanol mixtures, nonideality, X-ray small angle scattering analysis, **217,** 1151
  in polarized and depolarized vagus nerves, spin-lattice relaxation times (rabbit), **215,** 459
WD40 repeats
  platelet-activating factor acetylhydrolase-45 segments containing, binding of pleckstrin homology domain *in vitro* (bovine), **209,** 622
Weight loss
  effect on glycerol-3-phosphate dehydrogenase in peripheral blood mononuclear cells (human), **207,** 183
Western blotting
  detection of glycosylated human prolactin in biological fluids, effect of prolactin antisera cross-reactivity with IgG, **212,** 48
  in visualization of agonist-induced internalization of histamine H_2 receptors, **214,** 1138
Whey acidic protein
  mammary-specific promoter, protein binding to negative regulatory element in, characterization, **217,** 1045
Wilson's disease
  Japanese patient, identification of RNA splicing mutation in, **217,** 16

Wortmannin
  effects on
    insulin-induced activation of glycogen synthase and mitogen-activated protein kinase in adipocytes, comparison: role of phosphatidylinositol 3-kinase (rat), **209,** 1082
    stem cell factor-induced mast cell histamine release, pharmacological study (rat), **208,** 576
  induced blockage of phosphoinositide 3-kinase activities, effects on platelet aggregation (human), **211,** 484
  inhibition of
    adipocytic differentiation in 3T3-L1 cells (mouse), **212,** 263
    insulin-induced Ras and mitogen-activated protein kinase activation related to adipocyte differentiation in 3T3-L1 fibroblasts, **210,** 574
Wounds
  chronic and well-healing, differential tissue expression of heat shock protein 70 (human), **214,** 1009
  healing
    esophageal epithelial cells in primary culture, stimulation by hepatocyte growth factor (rabbit), **216,** 298
    microvascular endothelial cells *in vitro,* promotion by 12(S)-hydroxyeicosatetraenoic acid (mouse), **211,** 462

X

Xanthan gum
  UDP-glucose dehydrogenase gene synthesizing, expression and nucleotide sequencing (*Xanthomonas campestris*), **207,** 223
Xanthine dehydrogenase
  cDNA cloning and tissue expression (human liver), **199,** 998; *erratum,* **215,** 429
Xanthine nucleotides
  functional and structural interactions with Rab5 D136N mutant (human), **215,** 241
Xanthine oxidase
  hydrogen peroxide-generating system with, production of leukotoxin and isomer, **216,** 483
XPA protein
  damage-specific DNA binding, enhancement by interaction with ERCC1 DNA repair protein, **211,** 960
X protein
  hepatitis B virus, assignment of disulfide bonds, **212,** 919
X radiation
  dose threshold for SOS repair induction, measurement (*Escherichia coli*), **206,** 781
X-ray crystallography
  in analysis of N^{α}-(*N,N*-dimethylcarbamoyl)-α-azaornithine *p*-nitrophenyl ester inhibition of β-trypsin, **217,** 437
  based design of noncovalent trypsin inhibitor *trans*-4-aminomethylcyclohexanecarbonyl-L-phenylalanine-4-carboxymethylanilide, **213,** 583
X-ray small angle diffraction
  in analysis of nonideality of water–hexafluoropropanol mixtures, **217,** 1151
  reduced membrane bilayer width measured by, association with age-related impairment in striatal muscarinic cholinergic signal transduction (rat), **213,** 869
Xylene
  musk, *see* Musk xylene
Xylose
  concentrated solutions, stabilization of ribonuclease B activity, **207,** 432

Y

Yeasts, *see specific yeasts*

Z

Zidovudine
  and 2′,3′-dideoxycytidine, effects on gene-specific DNA repair (CHO-B11 cells), **208,** 198
  and HIV-1-specific non-nucleoside reverse transcriptase inhibitors, sensitivity/resistance profile of SIV containing RT gene of HIV-1, **211,** 850
Zinc
  binding
    activity of isoleucyl-tRNA synthetase, effect of carboxy terminal zinc finger mutation (*Escherichia coli*), **216,** 648
    to cardiac calsequestrin (rat), **209,** 310
  mediated heme oxygenase-1 and metallothionein IIA gene activation in HeLa cells, differential control, **207,** 160
Zinc fingers
  isoleucyl-tRNA synthetase carboxy terminus, mutation, effect on zinc binding and aminoacylation activity (*Escherichia coli*), **216,** 648
  vitamin D receptor, T-box near, role in heterodimeric DNA binding and transactivation (human), **215,** 1
Zona fasciculata
  role in secretion of endogenous ouabain from adrenocortical cells (bovine), **212,** 487
Zona glomerulosa
  role in secretion of endogenous ouabain from adrenocortical cells (bovine), **212,** 487
Zona pellucida
  ZP1 glycoprotein, cloning and genomic organization (pig), **207,** 790; *erratum,* **214,** 754



To fully comprehend the mechanisms of gene regulation and the replication and recombination of DNA in higher organisms, one has to understand the architecture of the eukaryotic chromosome and its basic structural matrix – chromatin.

CHROMATIN: Structure and Function provides the reader with a concise and coherent account of the nature, structure and assembly of chromatin and its involvement in the processes of DNA transcription, replication and repair. Constantly interrelating the structure of eukaryotic DNA with the nuclear processes it undergoes, **CHROMATIN: Structure and Function** is essential reading for students and molecular biologists who want to really understand how DNA works.

CHROMATIN
Structure & Function
SECOND EDITION
Alan Wolffe

ISBN: 0-12-761913-5
Pbk Aug 95 312pp £19.95 $34.95

ISBN: 0-12-761912-7
Hbk Aug 95 312 pp £50.00 $79.95

FROM REVIEWS OF THE FIRST EDITION

"It has scope, depth, and balance in interpreting a complex and often conflicting literature. It is a very fine job!" VINCENT G ALLFREY

"... Presented in a coherent and integrated manner ... a well- constructed and enjoyable text to read. It should prove to be a valuable aid to teaching." HEREDITY

"... Carefully constructed and both easy and enjoyable to read. The layout is excellent, with nicely balanced sections, ... headed by immediately informative subtitles and rounded off with a short yet decisive summary emphasizing the most important points. ... an ideal starting point for any appropriate advanced under-graduate course or for graduates wishing to delve more deeply into the mysteries of chromatin structure and function." TRENDS IN CELL BIOLOGY

AVAILABLE FROM YOUR LOCAL BOOKSELLER OR ORDER DIRECTLY FROM:

Academic Press, Marketing Department, 24-28 Oval Road, London NW1 7DX, UK
Tel: 0171 482 2893 Fax: 0171 267 0362 email address: apbio@apuk.co.uk

Academic Press, Inc., Marketing Department, 525B Street, Suite 1900, CA 92101 4495, USA
Tel: 1 800 894 3434 Fax: 1 800 699 6742 email address: ap@acad.com

B1195J/SH B

For Instant Answers to Immediate Questions

Increased Frequency



Virology and *Virology on CD-ROM*

Editor-in-Chief

Robert A. Lamb

Howard Hughes Medical Institute, Northwestern University, Evanston, Illinois

Editors

M.J. Buchmeier, R. Haselkorn, W.K. Joklik, M. M.-C. Lai, B. Moss, J.R. Nevins, M.B.A. Oldstone, P. Palukaitis, H.L. Robinson, J. Stanley, B. Sugden, M.D. Summers, P.K. Vogt

Dedicated to the latest findings in this ever-changing field, *Virology* publishes current research in all branches of virology, including the viruses of vertebrates and invertebrates, plants, bacteria, and yeasts/fungi. The journal also features articles on the nature of viruses, the molecular biology of virus multiplication, molecular pathogenesis, and the molecular aspects of the control and prevention of viral infections. The approaches and techniques used are expected to encompass those of many disciplines, including molecular genetics, molecular biology, biochemistry, biophysics, cell biology, immunology, and morphology.

Now you can find the answer to your research needs in an instant with *Virology on CD-ROM*. This influential journal is available to subscribers on quarterly CD-ROMS, in addition to the 24 printed issues. Each new CD replaces the previous issue, so at the end of the year, you will have an entire year of *Virology* fully indexed, cross-referenced, and searchable.

Database coverage includes Biological Abstracts (BIOSIS), Chemical Abstracts, Currents Contents/Life Sciences, EMBASE, Excerpta Medica, Genetics Abstracts, Immunology Abstracts, Index Medicus (MEDLINE), Research Alert, Tropical Disease Bulletin, Science Citation Index, and Virology and AIDS Abstracts.

Volumes 215–226 (1996), 24 issues (including subject indexes), ISSN 0042-6822

	Institutional Rate	Personal Rate
In the U.S.A. and Canada:	$1600.00	$330.00
With CD:	1950.00	508.50
All other countries:	1934.00	384.00
With CD:	2284.00	562.50

CALL for a FREE SAMPLE

Sample copies are available on request.
For more information, please write or telephone:

ACADEMIC PRESS, INC.
Marketing Department
525 B Street, Suite 1900
San Diego, CA 92101-4495, U.S.A.
1-800-894-3434/1-619-699-6742

ACADEMIC PRESS, LTD.
Marketing Department
24-28 Oval Road
London NW1 7DX, U.K.
In Europe call: 0181-300-3322

FIND US ON THE WEB!
AP NET
Academic Press
http://www.apnet.com/

All prices are in U. S. dollars and are subject to change without notice. Canadian customers: Please add 7% Goods and Services Tax to your order. Personal rates are available only on orders placed directly with the Publisher and paid for with personal funds.

VY96B

0006-291X(1995)*,1-J

10 002083311
UNIVERSITY OF HAWAII

QH301 .B358 INDEX v.206- 217
Biochemical and biophysical
research